



(11)

EP 1 790 660 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
30.05.2007 Bulletin 2007/22

(51) Int Cl.:
C07K 14/22 (2006.01)

(21) Application number: **06076718.3**

(22) Date of filing: **28.02.2001**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**

(30) Priority: **28.02.2000 GB 0004695**
13.11.2000 GB 0027675

(62) Document number(s) of the earlier application(s) in
accordance with Art. 76 EPC:
01914109.2 / 1 259 627

(71) Applicant: **Novartis Vaccines and Diagnostics
S.r.l.**
53100 Siena SI (IT)

(72) Inventors:
• **Arico, Maria B.**
53100 Siena (IT)
• **Comanducci, Maurizio**
53100 Siena (IT)
• **Galeotti, Cesira**
53100 Siena (IT)

- **Masignani, Vega**
53100 Siena (IT)
- **Guiliani, Marzia Monica**
53100 Siena (IT)
- **Pizza, Mariagrazia**
53100 Siena (IT)

(74) Representative: **Marshall, Cameron John et al**
Carpmaels & Ransford
43-45 Bloomsbury Square
London WC1A 2RA (GB)

Remarks:


- This application was filed on 13 - 09 - 2006 as a
divisional application to the application mentioned
under INID code 62.
- The sequence listing, which is published as annex
to the application documents, was filed after the date
of filing. The applicant has declared that it does not
include matter which goes beyond the content of the
application as filed.

(54) **Heterologous expression of neisserial proteins**

(57) Alternative approaches to the heterologous ex-
pression of the proteins of *Neisseria meningitidis* and
Neisseria gonorrhoeae. These approaches typically af-

fect the level of expression, the ease of purification, the
cellular localisation, and/or the immunological properties
of the expressed protein.

FIGURE 8



EP 1 790 660 A2

Description**TECHNICAL FIELD**

[0001] This invention is in the field of protein expression. In particular, it relates to the heterologous expression of proteins from *Neisseria* (e.g. *N.gonorrhoeae* or, preferably, *N.meningitidis*).

BACKGROUND ART

[0002] International patent applications WO99/24578, WO99/36544, WO99/57280 and WO00/22430 disclose proteins from *Neisseria meningitidis* and *Neisseria gonorrhoeae*. These proteins are typically described as being expressed in *E.coli* (i. e. heterologous expression) as either N-terminal GST-fusions or C-terminal His-tag fusions, although other expression systems, including expression in native *Neisseria*, are also disclosed.

[0003] It is an object of the present invention to provide alternative and improved approaches for the heterologous expression of these proteins. These approaches will typically affect the level of expression, the ease of purification, the cellular localisation of expression, and/or the immunological properties of the expressed protein.

DISCLOSURE OF THE INVENTION**Nomenclature herein**

[0004] The 2166 protein sequences disclosed in WO99/24578, WO99/36544 and WO99/57280 are referred to herein by the following SEQ# numbers:

Application	Protein sequences	SEQ# herein
WO99/24578	Even SEQ IDs 2-892	SEQ#s 1-446
WO99/36544	Even SEQ IDs 2-90	SEQ#s 447-491
WO99/57280	Even SEQ IDs 2-3020 Even SEQ IDs 3040-3114 SEQ IDs 3115-3241	SEQ#s 492-2001 SEQ#s 2002-2039 SEQ#s 2040-2166

[0005] In addition to this SEQ# numbering, the naming conventions used in WO99/24578, WO99/36544 and WO99/57280 are also used (e.g. 'ORF4', 'ORF40', 'ORF40-1' etc. as used in WO99/24578 and WO99/36544; 'm919', 'g919' and 'a919' etc. as used in WO99/57280).

[0006] The 2160 proteins NMB0001 to NMB2160 from Tettelin et al. [Science (2000) 287:1809-1815] are referred to herein as SEQ#s 2167-4326 [see also WO00/66791].

[0007] The term 'protein of the invention' as used herein refers to a protein comprising:

- (a) one of sequences SEQ#s 1-4326; or
- (b) a sequence having sequence identity to one of SEQ#s 1-4326; or
- (c) a fragment of one of SEQ#s 1-4326.

[0008] The degree of 'sequence identity' referred to in (b) is preferably greater than 50% (eg. 60%, 70%, 80%, 90%, 95%, 99% or more). This includes mutants and allelic variants [e.g. see WO00/66741]. Identity is preferably determined by the Smith-Waterman homology search algorithm as implemented in the MPSRCH program (Oxford Molecular), using an affine gap search with parameters *gap open penalty*=12 and *gap extension penalty*=1. Typically, 50% identity or more between two proteins is considered to be an indication of functional equivalence.

[0009] The 'fragment' referred to in (c) should comprise at least n consecutive amino acids from one of SEQ#s 1-4326 and, depending on the particular sequence, n is 7 or more (eg. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100 or more). Preferably the fragment comprises an epitope from one of SEQ#s 1-4326. Preferred fragments are those disclosed in WO00/71574 and WO01/04316.

[0010] Preferred proteins of the invention are found in *N.meningitidis* serogroup B.

[0011] Preferred proteins for use according to the invention are those of serogroup B *N.meningitidis* strain 2996 or strain 394/98 (a New Zealand strain). Unless otherwise stated, proteins mentioned herein are from *N.meningitidis* strain 2996. It will be appreciated, however, that the invention is not in general limited by strain. References to a particular

protein (e.g. '287', '919' etc.) may be taken to include that protein from any strain.

Non-fusion expression

[0012] In a first approach to heterologous expression, no fusion partner is used, and the native leader peptide (if present) is used. This will typically prevent any 'interference' from fusion partners and may alter cellular localisation and/or post-translational modification and/or folding in the heterologous host.

[0013] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which (a) no fusion partner is used, and (b) the protein's native leader peptide (if present) is used.

[0014] The method will typically involve the step of preparing an vector for expressing a protein of the invention, such that the first expressed amino acid is the first amino acid (methionine) of said protein, and last expressed amino acid is the last amino acid of said protein (*i.e.* the codon preceding the native STOP codon).

[0015] This approach is preferably used for the expression of the following proteins using the native leader peptide: 111, 149, 206, 225-1, 235, 247-1, 274, 283, 286, 292, 401, 406, 502-1, 503, 519-1, 525-1, 552, 556, 557, 570, 576-1, 580, 583, 664, 759, 907, 913, 920-1, 936-1, 953, 961, 983, 989, Orf4, Orf7-1, Orf9-1, Orf23, Orf25, Orf37, Orf38, Orf40, Orf40.1, Orf40.2, Orf72-1, Orf76-1, Orf85-2, Orf91, Orf97-1, Orf119, Orf143.1, NMB0109 and NMB2050. The suffix 'L' used herein in the name of a protein indicates expression in this manner using the native leader peptide.

[0016] Proteins which are preferably expressed using this approach using no fusion partner and which have no native leader peptide include: 008, 105, 117-1, 121-1, 122-1, 128-1, 148, 216, 243, 308, 593, 652, 726, 926, 982, Orf83-1 and Orf143-1.

[0017] Advantageously, it is used for the expression of ORF25 or ORF40, resulting in a protein which induces better anti-bactericidal antibodies than GST- or His-fusions.

[0018] This approach is particularly suited for expressing lipoproteins.

Leader-peptide substitution

[0019] In a second approach to heterologous expression, the native leader peptide of a protein of the invention is replaced by that of a different protein. In addition, it is preferred that no fusion partner is used. Whilst using a protein's own leader peptide in heterologous hosts can often localise the protein to its 'natural' cellular location, in some cases the leader sequence is not efficiently recognised by the heterologous host. In such cases, a leader peptide known to drive protein targeting efficiently can be used instead.

[0020] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which (a) the protein's leader peptide is replaced by the leader peptide from a different protein and, optionally, (b) no fusion partner is used.

[0021] The method will typically involve the steps of: obtaining nucleic acid encoding a protein of the invention; manipulating said nucleic acid to remove nucleotides that encode the protein's leader peptide and to introduce nucleotides that encode a different protein's leader peptide. The resulting nucleic acid may be inserted into an expression vector, or may already be part of an expression vector. The expressed protein will consist of the replacement leader peptide at the N-terminus, followed by the protein of the invention minus its leader peptide.

[0022] The leader peptide is preferably from another protein of the invention (e.g. one of SEQ#s 1-4326), but may also be from an *E.coli* protein (e.g. the OmpA leader peptide) or an *Erwinia carotovora* protein (e.g. the PelB leader peptide), for instance.

[0023] A particularly useful replacement leader peptide is that of ORF4. This leader is able to direct lipidation in *E.coli*, improving cellular localisation, and is particularly useful for the expression of proteins 287, 919 and ΔG287. The leader peptide and N-terminal domains of 961 are also particularly useful.

[0024] Another useful replacement leader peptide is that of *E.coli* OmpA. This leader is able to direct membrane localisation of *E.coli*. It is particularly advantageous for the expression of ORF1, resulting in a protein which induces better anti-bactericidal antibodies than both fusions and protein expressed from its own leader peptide.

[0025] Another useful replacement leader peptide is MKKYLFSAA. This can direct secretion into culture medium, and is extremely short and active. The use of this leader peptide is not restricted to the expression of Neisserial proteins - it may be used to direct the expression of any protein (particularly bacterial proteins).

Leader-peptide deletion

[0026] In a third approach to heterologous expression, the native leader peptide of a protein of the invention is deleted. In addition, it is preferred that no fusion partner is used.

[0027] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which (a) the protein's leader peptide is deleted and, optionally, (b) no fusion partner is used.

[0028] The method will typically involve the steps of: obtaining nucleic acid encoding a protein of the invention; manipulating said nucleic acid to remove nucleotides that encode the protein's leader peptide. The resulting nucleic acid may be inserted into an expression vector, or may already be part of an expression vector. The first amino acid of the expressed protein will be that of the mature native protein.

[0029] This method can increase the levels of expression. For protein 919, for example, expression levels in *E.coli* are much higher when the leader peptide is deleted. Increased expression may be due to altered localisation in the absence of the leader peptide.

[0030] The method is preferably used for the expression of 919, ORF46, 961, 050-1, 760 and 287.

Domain-based expression

[0031] In a fourth approach to heterologous expression, the protein is expressed as domains. This may be used in association with fusion systems (e.g. GST or His-tag fusions).

[0032] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which (a) at least one domain in the protein is deleted and, optionally, (b) no fusion partner is used.

[0033] The method will typically involve the steps of: obtaining nucleic acid encoding a protein of the invention; manipulating said nucleic acid to remove at least one domain from within the protein. The resulting nucleic acid may be inserted into an expression vector, or may already be part of an expression vector. Where no fusion partners are used, the first amino acid of the expressed protein will be that of a domain of the protein.

[0034] A protein is typically divided into notional domains by aligning it with known sequences in databases and then determining regions of the protein which show different alignment patterns from each other.

[0035] The method is preferably used for the expression of protein 287. This protein can be notionally split into three domains, referred to as A B & C (see Figure 5). Domain B aligns strongly with IgA proteases, domain C aligns strongly with transferrin-binding proteins, and domain A shows no strong alignment with database sequences. An alignment of polymorphic forms of 287 is disclosed in WO00/66741.

[0036] Once a protein has been divided into domains, these can be (a) expressed singly (b) deleted from with the protein e.g. protein ABCD → ABD, ACD, BCD etc. or (c) rearranged e.g. protein ABC → ACB, CAB etc. These three strategies can be combined with fusion partners is desired.

[0037] ORF46 has also been notionally split into two domains - a first domain (amino acids 1-433) which is well-conserved between species and serogroups, and a second domain (amino acids 433-608) which is not well-conserved. The second domain is preferably deleted. An alignment of polymorphic forms of ORF46 is disclosed in WO00/66741.

[0038] Protein 564 has also been split into domains (Figure 8), as have protein 961 (Figure 12) and protein 502 (amino acids 28-167 of the MC58 protein).

Hybrid proteins

[0039] In a fifth approach to heterologous expression, two or more (e.g. 3, 4, 5, 6 or more) proteins of the invention are expressed as a single hybrid protein. It is preferred that no non-Neisserial fusion partner (e.g. GST or poly-His) is used.

[0040] This offers two advantages. Firstly, a protein that may be unstable or poorly expressed on its own can be assisted by adding a suitable hybrid partner that overcomes the problem. Secondly, commercial manufacture is simplified - only one expression and purification need be employed in order to produce two separately-useful proteins.

[0041] Thus the invention provides a method for the simultaneous heterologous expression of two or more proteins of the invention, in which said two or more proteins of the invention are fused (i.e. they are translated as a single polypeptide chain).

[0042] The method will typically involve the steps of: obtaining a first nucleic acid encoding a first protein of the invention; obtaining a second nucleic acid encoding a second protein of the invention; ligating the first and second nucleic acids. The resulting nucleic acid may be inserted into an expression vector, or may already be part of an expression vector.

[0043] Preferably, the constituent proteins in a hybrid protein according to the invention will be from the same strain.

[0044] The fused proteins in the hybrid may be joined directly, or may be joined via a linker peptide e.g. via a poly-glycine linker (i.e. G_n where $n = 3, 4, 5, 6, 7, 8, 9, 10$ or more) or via a short peptide sequence which facilitates cloning. It is evidently preferred not to join a ΔG protein to the C-terminus of a poly-glycine linker.

[0045] The fused proteins may lack native leader peptides or may include the leader peptide sequence of the N-terminal fusion partner.

[0046] The method is well suited to the expression of proteins orf1, orf4, orf25, orf40, Orf46/46.1, orf83, 233, 287, 292L, 564, 687, 741, 907, 919, 953, 961 and 983.

[0047] The 42 hybrids indicated by 'X' in the following table of form NH_2 -A-B- $COOH$ are preferred:

↓A	B→	ORF46.1	287	741	919	953	961	983
	ORF46.1		X	X	X	X	X	X
	287	X		X	X	X	X	X
	741	X	X		X	X	X	X
	919	X	X	X		X	X	X
	953	X	X	X	X		X	X
	961	X	X	X	X	X		X
	983	X	X	X	X	X	X	

[0048] Preferred proteins to be expressed as hybrids are thus ORF46.1, 287, 741, 919, 953, 961 and 983. These may be used in their essentially full-length form, or poly-glycine deletions (ΔG) forms may be used (e.g. ΔG -287, ΔG Tbp2, ΔG 741, ΔG 983 etc.), or truncated forms may be used (e.g. $\Delta 1$ -287, $\Delta 2$ -287 etc.), or domain-deleted versions may be used (e.g. 287B, 287C, 287BC, ORF46₁₋₄₃₃, ORF46₄₃₃₋₆₀₈, ORF46, 961c etc.).

[0049] Particularly preferred are: (a) a hybrid protein comprising 919 and 287; (b) a hybrid protein comprising 953 and 287; (c) a hybrid protein comprising 287 and ORF46.1; (d) a hybrid protein comprising ORF1 and ORF46.1; (e) a hybrid protein comprising 919 and ORF46.1; (f) a hybrid protein comprising ORF46.1 and 919; (g) a hybrid protein comprising ORF46.1, 287 and 919; (h) a hybrid protein comprising 919 and 519; and (i) a hybrid protein comprising ORF97 and 225. Further embodiments are shown in Figure 14.

[0050] Where 287 is used, it is preferably at the C-terminal end of a hybrid; if it is to be used at the N-terminus, it is preferred to use a ΔG form of 287 is used (e.g. as the N-terminus of a hybrid with ORF46.1, 919, 953 or 961).

[0051] Where 287 is used, this is preferably from strain 2996 or from strain 394/98.

[0052] Where 961 is used, this is preferably at the N-terminus. Domain forms of 961 may be used.

[0053] Alignments of polymorphic forms of ORF46, 287, 919 and 953 are disclosed in WO00/66741. Any of these polymorphs can be used according to the present invention.

Temperature

[0054] In a sixth approach to heterologous expression, proteins of the invention are expressed at a low temperature.

[0055] Expressed Neisserial proteins (e.g. 919) may be toxic to *E.coli*, which can be avoided by expressing the toxic protein at a temperature at which its toxic activity is not manifested.

[0056] Thus the present invention provides a method for the heterologous expression of a protein of the invention, in which expression of a protein of the invention is carried out at a temperature at which a toxic activity of the protein is not manifested.

[0057] A preferred temperature is around 30°C. This is particularly suited to the expression of 919.

Mutations

[0058] As discussed above, expressed Neisserial proteins may be toxic to *E.coli*. This toxicity can be avoided by mutating the protein to reduce or eliminate the toxic activity. In particular, mutations to reduce or eliminate toxic enzymatic activity can be used, preferably using site-directed mutagenesis.

[0059] In a seventh approach to heterologous expression, therefore, an expressed protein is mutated to reduce or eliminate toxic activity.

[0060] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which protein is mutated to reduce or eliminate toxic activity.

[0061] The method is preferably used for the expression of protein 907, 919 or 922. A preferred mutation in 907 is at Glu-117 (e.g. Glu→Gly); preferred mutations in 919 are at Glu-255 (e.g. Glu→Gly) and/or Glu-323 (e.g. Glu→Gly); preferred mutations in 922 are at Glu-164 (e.g. Glu→Gly), Ser-213 (e.g. Ser→Gly) and/or Asn-348 (e.g. Asn→Gly).

Alternative vectors

[0062] In a eighth approach to heterologous expression, an alternative vector used to express the protein. This may be to improve expression yields, for instance, or to utilise plasmids that are already approved for GMP use.

[0063] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which

an alternative vector is used. The alternative vector is preferably pSM214, with no fusion partners. Leader peptides may or may not be included.

[0064] This approach is particularly useful for protein 953. Expression and localisation of 953 with its native leader peptide expressed from pSM214 is much better than from the pET vector.

[0065] pSM214 may also be used with: Δ G287, Δ 2-287, Δ 3-287, Δ 4-287, Orf46.1, 961L, 961, 961 c, 961 c-L, 919, 953 and Δ G287-Orf46.1.

[0066] Another suitable vector is pET-24b (Novagen; uses kanamycin resistance), again using no fusion partners. pET-24b is preferred for use with: Δ G287K, Δ 2-287K, Δ 3-287K, Δ 4-287K,

[0067] Orf46.1-K, Orf46A-K, 961-K (MC58), 961a-K, 961b-K, 961c-K, 961c-L-K, 961d-K, Δ G287-919-K, Δ G287-Orf46.1-K and Δ G287-961-K.

Multimeric form

[0068] In a ninth approach to heterologous expression, a protein is expressed or purified such that it adopts a particular multimeric form.

[0069] This approach is particularly suited to protein 953. Purification of one particular multimeric form of 953 (the monomeric form) gives a protein with greater bactericidal activity than other forms (the dimeric form).

[0070] Proteins 287 and 919 may be purified in dimeric forms.

[0071] Protein 961 may be purified in a 180kDa oligomeric form (e.g. a tetramer).

Lipidation

[0072] In a tenth approach to heterologous expression, a protein is expressed as a lipidated protein.

[0073] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which the protein is expressed as a lipidated protein.

[0074] This is particularly useful for the expression of 919, 287, ORF4, 406, 576-1, and ORF25. Polymorphic forms of 919, 287 and ORF4 are disclosed in WO00/66741.

[0075] The method will typically involve the use of an appropriate leader peptide without using an N-terminal fusion partner.

C-terminal deletions

[0076] In an eleventh approach to heterologous expression, the C-terminus of a protein of the invention is mutated. In addition, it is preferred that no fusion partner is used.

[0077] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which (a) the protein's C-terminus region is mutated and, optionally, (b) no fusion partner is used.

[0078] The method will typically involve the steps of: obtaining nucleic acid encoding a protein of the invention; manipulating said nucleic acid to mutate nucleotides that encode the protein's C-terminus portion. The resulting nucleic acid may be inserted into an expression vector, or may already be part of an expression vector. The first amino acid of the expressed protein will be that of the mature native protein.

[0079] The mutation may be a substitution, insertion or, preferably, a deletion.

[0080] This method can increase the levels of expression, particularly for proteins 730, ORF29 and ORF46. For protein 730, a C-terminus region of around 65 to around 214 amino acids may be deleted; for ORF46, the C-terminus region of around 175 amino acids may be deleted; for ORF29, the C-terminus may be deleted to leave around 230-370 N-terminal amino acids.

Leader peptide mutation

[0081] In a twelfth approach to heterologous expression, the leader peptide of the protein is mutated. This is particularly useful for the expression of protein 919.

[0082] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which the protein's leader peptide is mutated.

[0083] The method will typically involve the steps of: obtaining nucleic acid encoding a protein of the invention; and manipulating said nucleic acid to mutate nucleotides within the leader peptide. The resulting nucleic acid may be inserted into an expression vector, or may already be part of an expression vector.

Poly-glycine deletion

[0084] In a thirteenth approach to heterologous expression, poly-glycine stretches in wild-type sequences are mutated. This enhances protein expression.

5 [0085] The poly-glycine stretch has the sequence (Gly)_n, where n≥4 (e.g. 5, 6, 7, 8, 9 or more). This stretch is mutated to disrupt or remove the (Gly)_n. This may be by deletion (e.g. CGGGGS→CGGGS, CGGS, CGS or CS), by substitution (e.g. CGGGGS→CGXGGS, CGXXGS, CGXGXS etc.), and/or by insertion (e.g. CGGGGS→CGGXGGS, CGXGGGS, etc.).

10 [0086] This approach is not restricted to Neisserial proteins - it may be used for any protein (particularly bacterial proteins) to enhance heterologous expression. For Neisserial proteins, however, it is particularly suitable for expressing 287, 741, 983 and Tbp2. An alignment of polymorphic forms of 287 is disclosed in WO00/66741.

[0087] Thus the invention provides a method for the heterologous expression of a protein of the invention, in which (a) a poly-glycine stretch within the protein is mutated.

15 [0088] The method will typically involve the steps of: obtaining nucleic acid encoding a protein of the invention; and manipulating said nucleic acid to mutate nucleotides that encode a poly-glycine stretch within the protein sequence. The resulting nucleic acid may be inserted into an expression vector, or may already be part of an expression vector.

[0089] Conversely, the opposite approach (i.e. introduction of poly-glycine stretches) can be used to suppress or diminish expression of a given heterologous protein.

20 **Heterologous host**

[0090] Whilst expression of the proteins of the invention may take place in the native host (i.e. the organism in which the protein is expressed in nature), the present invention utilises a heterologous host. The heterologous host may be prokaryotic or eukaryotic. It is preferably *E.coli*, but other suitable hosts include *Bacillus subtilis*, *Vibrio cholerae*, *Salmonella typhi*, *Salmonella typhimurium*, *Neisseria meningitidis*, *Neisseria gonorrhoeae*, *Neisseria lactamica*, *Neisseria cinerea*, *Mycobacteria* (e.g. *M.tuberculosis*), yeast etc.

Vectors etc.

30 [0091] As well as the methods described above, the invention provides (a) nucleic acid and vectors useful in these methods (b) host cells containing said vectors (c) proteins expressed or expressable by the methods (d) compositions comprising these proteins, which may be suitable as vaccines, for instance, or as diagnostic reagents, or as immunogenic compositions (e) these compositions for use as medicaments (e.g. as vaccines) or as diagnostic reagents (f) the use of these compositions in the manufacture of (1) a medicament for treating or preventing infection due to Neisserial bacteria
35 (2) a diagnostic reagent for detecting the presence of Neisserial bacteria or of antibodies raised against Neisserial bacteria, and/or (3) a reagent which can raise antibodies against Neisserial bacteria and (g) a method of treating a patient, comprising administering to the patient a therapeutically effective amount of these compositions.

Sequences

40 [0092] The invention also provides a protein or a nucleic acid having any of the sequences set out in the following examples. It also provides proteins and nucleic acid having sequence identity to these. As described above, the degree of 'sequence identity' is preferably greater than 50% (eg. 60%, 70%, 80%, 90%, 95%, 99% or more).

45 [0093] Furthermore, the invention provides nucleic acid which can hybridise to the nucleic acid disclosed in the examples, preferably under "high stringency" conditions (eg. 65°C in a 0.1xSSC, 0.5% SDS solution).

[0094] The invention also provides nucleic acid encoding proteins according to the invention.

[0095] It should also be appreciated that the invention provides nucleic acid comprising sequences complementary to those described above (eg. for antisense or probing purposes).

50 [0096] Nucleic acid according to the invention can, of course, be prepared in many ways (eg. by chemical synthesis, from genomic or cDNA libraries, from the organism itself etc.) and can take various forms (eg. single stranded, double stranded, vectors, probes etc.).

[0097] In addition, the term "nucleic acid" includes DNA and RNA, and also their analogues, such as those containing modified backbones, and also peptide nucleic acids (PNA) etc.

55 **BRIEF DESCRIPTION OF DRAWINGS**

[0098]

EP 1 790 660 A2

Figures 1 and 2 show constructs used to express proteins using heterologous leader peptides.

Figure 3 shows expression data for ORF1, and Figure 4 shows similar data for protein 961.

Figure 5 shows domains of protein 287, and Figures 6 & 7 show deletions within domain A.

Figure 8 shows domains of protein 564.

Figure 9 shows the *PhoC* reporter gene driven by the 919 leader peptide, and Figure 10 shows the results obtained using mutants of the leader peptide.

Figure 11 shows insertion mutants of protein 730 (A: 730-C1; B: 730-C2).

Figure 12 shows domains of protein 961.

Figure 13 shows SDS-PAGE of ΔG proteins. Dots show the main recombinant product.

Figure 14 shows 26 hybrid proteins according to the invention.

MODES FOR CARRYING OUT THE INVENTION

Example 1- 919 and its leader peptide

[0099] Protein 919 from *N.meningitidis* (serogroup B, strain 2996) has the following sequence:

```
1  MKKYLFRAAL YGIAAAILAA CQSKSIQTFP QPDTSVINGP DRPVGIPDPA
51 GTTVGGGGAV YTVVPHLSLP HWAAQDFAKS LQSFRLLGCAN LKNRQGWQDV
101 CAQAFQTPVH SFQAKQFFER YFTPWQVAGN GSLAGTVTGY YEPVLKGDDR
151 RTAQARFPIY GIPDDFISVP LPAGLRSGKA LVRIRQTGKN SGTIDNTGGT
201 HTADLSRFPI TARTTAIKGR FEGRFLPYH TRNQINGGAL DGKAPILGYA
251 EDPVELFFMH IQGSGRLKTP SGKYIRIGYA DKNEHPYVSI GRYMADKGYL
301 KLGQTSMQGI KAYMRQNPQR LAEVLGQNPS YIFFRELAYS SNDGPVGALG
351 TPLMGEYAGA VDRHYITLGA PLFVATAHPV TRKALNRLIM AQDTGSAIKG
401 AVRVDYFWGY GDEAGELAGK QKTTGYVWQL LPNGMKPEYR P*
```

[0100] The leader peptide is underlined.

[0101] The sequences of 919 from other strains can be found in Figures 7 and 18 of WO00/66741.

[0102] Example 2 of WO99/57280 discloses the expression of protein 919 as a His-fusion in *E.coli*.

[0103] The protein is a good surface-exposed immunogen.

[0104] Three alternative expression strategies were used for 919:

1) 919 without its leader peptide (and without the mature N-terminal cysteine) and without any fusion partner ('919_{untagged}):

```
1  QSKSIQTFP QPDTSVINGP DRPVGIPDPA GTTVGGGGAV YTVVPHLSLP
50 HWAAQDFAKS LQSFRLLGCAN LKNRQGWQDV CAQAFQTPVH SFQAKQFFER
100 YFTPWQVAGN GSLAGTVTGY YEPVLKGDDR RTAQARFPIY GIPDDFISVP
150 LPAGLRSGKA LVRIRQTGKN SGTIDNTGGT HTADLSRFPI TARTTAIKGR
200 FEGRFLPYH TRNQINGGAL DGKAPILGYA EDPVELFFMH IQGSGRLKTP
250 SGKYIRIGYA DKNEHPYVSI GRYMADKGYL KLGQTSMQGI KAYMRQNPQR
300 LAEVLGQNPS YIFFRELAYS SNDGPVGALG TPLMGEYAGA VDRHYITLGA
350 PLFVATAHPV TRKALNRLIM AQDTGSAIKG AVRVDYFWGY GDEAGELAGK
400 QKTTGYVWQL LPNGMKPEYR P*
```

The leader peptide and cysteine were omitted by designing the 5'-end amplification primer downstream from the predicted leader sequence.

2) 919 with its own leader peptide but without any fusion partner ('919L'); and

3) 919 with the leader peptide (MKTFKTL^SAAALALILAA) from ORF4 ('919L^{orf4}).

```

1    MKTFFKTL AAALALILAA CQSKSIQTFP QPDTSVINGP DRPVGIPDPA
50   GTTVGGGGAV YTVVPHLSLP HWAAQDFAKS LQSFRLGCAN LKNRQGWQDV
100  CAQAFQTPVH SFQAKQFFER YFTPWQVAGN GSLAGTVTGY YEPVLKGDDR
150  RTAQARFPIY GIPDDFISVP LPAGLRSGKA LVRIRQTGKN SGTIDNTGGT
200  HTADLSRFPI TARTTAIKGR FEGRSFLPYH TRNQINGGAL DGKAPILGYA
250  EDPVELFFMH IQGSGRLKTP SGKYIRIGYA DKNEHPYVSI GRYMADKGYL
300  KLGQTSMQGI KSYMQRNPQR LAEVLGQNPS YIFFRELAGS SNDGPVGALG

350  TPLMGEYAGA VDRHYITLGA PLFVATAHPV TRKALNRLIM AQDTGSAIKG
400  AVRVDYFWGY GDEAGELAGK QKTTGYVWQL LPNGMKPEYR P*

```

To make this construct, the entire sequence encoding the ORF4 leader peptide was included in the 5'-primer as a tail (primer 919Lorf4 For). A *NheI* restriction site was generated by a double nucleotide change in the sequence coding for the ORF4 leader (no amino acid changes), to allow different genes to be fused to the ORF4 leader peptide sequence. A stop codon was included in all the 3'-end primer sequences.

[0105] All three forms of the protein were expressed and could be purified.

[0106] The '919L' and '919Lorf4' expression products were both lipidated, as shown by the incorporation of [³H]-palmitate label. 919_{untagged} did not incorporate the ³H label and was located intracellularly.

[0107] 919Lorf4 could be purified more easily than 919L. It was purified and used to immunise mice. The resulting sera gave excellent results in FACS and ELISA tests, and also in the bactericidal assay. The lipoprotein was shown to be localised in the outer membrane.

[0108] 919_{untagged} gave excellent ELISA titres and high serum bactericidal activity. FACS confirmed its cell surface location.

Example 2 — 919 and expression temperature

[0109] Growth of *E. coli* expressing the 919Lorf4 protein at 37°C resulted in lysis of the bacteria. In order to overcome this problem, the recombinant bacteria were grown at 30°C. Lysis was prevented without preventing expression.

Example 3 - mutation of 907, 919 and 922

[0110] It was hypothesised that proteins 907, 919 and 922 are murein hydrolases, and more particularly lytic transglycosylases. Murein hydrolases are located on the outer membrane and participate in the degradation of peptidoglycan.

[0111] The purified proteins 919_{untagged}, 919Lorf4, 919-His (*i.e.* with a C-terminus His-tag) and 922-His were thus tested for murein hydrolase activity [Ursinus & Holtje (1994) J.Bact. 176:338-343]. Two different assays were used, one determining the degradation of insoluble murein sacculus into soluble muropeptides and the other measuring breakdown of poly(MurNAc-GlcNAc)_{n>30} glycan strands.

[0112] The first assay uses murein sacculi radiolabelled with meso-2,6-diamino-3,4,5-[³H]pimelic acid as substrate. Enzyme (3-10 µg total) was incubated for 45 minutes at 37°C in a total volume of 100 µl comprising 10mM Tris-maleate (pH 5.5), 10mM MgCl₂, 0.2% v/v Triton X-100 and [³H]A₂pm labelled murein sacculi (about 10000cpm). The assay mixture was placed on ice for 15 minutes with 100 µl of 1% w/v N-acetyl-N,N,N-trimethylammonium for 15 minutes and precipitated material pelleted by centrifugation at 10000g for 15 minutes. The radioactivity in the supernatant was measured by liquid scintillation counting. *E. coli* soluble lytic transglycosylase Slt70 was used as a positive control for the assay; the negative control comprised the above assay solution without enzyme.

[0113] All proteins except 919-His gave positive results in the first assay.

[0114] The second assay monitors the hydrolysis of poly(MurNAc-GlcNAc)glycan strands. Purified strands, poly(MurNAc-GlcNAc)_{n>30} labelled with N-acetyl-D-1-[³H]glucosamine were incubated with 3 µg of 919L in 10 mM Tris-maleate (pH 5.5), 10 mM MgCl₂ and 0.2% v/v Triton X-100 for 30 min at 37°C. The reaction was stopped by boiling for 5 minutes and the pH of the sample adjusted to about 3.5 by addition of 10 µl of 20% v/v phosphoric acid. Substrate and product were separated by reversed phase HPLC on a Nucleosil 300 C₁₈ column as described by Harz et. al. [Anal. Biochem. (1990) 190:120-128]. The *E. coli* lytic transglycosylase Mlt A was used as a positive control in the assay. The negative control was performed in the absence of enzyme.

[0115] By this assay, the ability of 919Lorf4 to hydrolyse isolated glycan strands was demonstrated when anhydrodisaccharide subunits were separated from the oligosaccharide by HPLC.

[0116] Protein 919Lorf4 was chosen for kinetic analyses. The activity of 919Lorf4 was enhanced 3.7-fold by the addition of 0.2% v/v Triton X-100 in the assay buffer. The presence of Triton X-100 had no effect on the activity of 919_{untagged}. The effect of pH on enzyme activity was determined in Tris-Maleate buffer over a range of 5.0 to 8.0. The optimal pH for the reaction was determined to be 5.5. Over the temperature range 18°C to 42°C, maximum activity was observed at 37°C. The effect of various ions on murein hydrolase activity was determined by performing the reaction in the presence of a variety of ions at a final concentration of 10mM. Maximum activity was found with Mg²⁺, which stimulated activity 2.1-fold. Mn²⁺ and Ca²⁺ also stimulated enzyme activity to a similar extent while the addition Ni²⁺ and EDTA had no significant effect. In contrast, both Fe²⁺ and Zn²⁺ significantly inhibited enzyme activity.

[0117] The structures of the reaction products resulting from the digestion of unlabelled *E.coli* murein sacculus were analysed by reversed-phase HPLC as described by Glauner [Anal. Biochem. (1988) 172:451-464]. Murein sacculi digested with the muramidase Cellosyl were used to calibrate and standardise the Hypersil ODS column. The major reaction products were 1,6 anhydrosaccharide tetra and tri peptides, demonstrating the formation of 1,6 anhydromuramic acid intramolecular bond.

[0118] These results demonstrate experimentally that 919 is a murein hydrolase and in particular a member of the lytic transglycosylase family of enzymes. Furthermore the ability of 922-His to hydrolyse murein sacculi suggests this protein is also a lytic transglycosylase.

[0119] This activity may help to explain the toxic effects of 919 when expressed in *E.coli*.

[0120] In order to eliminate the enzymatic activity, rational mutagenesis was used. 907, 919 and 922 show fairly low homology to three membrane-bound lipidated murein lytic transglycosylases from *E.coli*:

919 (441aa) is 27.3% identical over 440aa overlap to *E.coli* MLTA (P46885);
922 (369aa) is 38.7% identical over 310aa overlap to *E.coli* MLTB (P41052); and
907-2 (207aa) is 26.8% identical over 149aa overlap to *E.coli* MLTC (P52066).

907-2 also shares homology with *E.coli* MLTD (P23931) and Slt70 (P03810), a soluble lytic transglycosylase that is located in the periplasmic space. No significant sequence homology can be detected among 919, 922 and 907-2, and the same is true among the corresponding MLTA, MLTB and MLTC proteins.

[0121] Crystal structures are available for Slt70 [1QTEA; 1QTEB; Thunnissen et al. (1995) Biochemistry 34: 12729-12737] and for Slt35 [1LTM; 1QUS; 1QUT; van Asselt et al. (1999) Structure Fold Des 7:1167-80] which is a soluble form of the 40kDa MLTB.

[0122] The catalytic residue (a glutamic acid) has been identified for both Slt70 and MLTB.

[0123] In the case of Slt70, mutagenesis studies have demonstrated that even a conservative substitution of the catalytic Glu505 with a glutamine (Gln) causes the complete loss of enzymatic activity. Although Slt35 has no obvious sequence similarity to Slt70, their catalytic domains shows a surprising similarity. The corresponding catalytic residue in MLTB is Glu162.

[0124] Another residue which is believed to play an important role in the correct folding of the enzymatic cleft is a well-conserved glycine (Gly) downstream of the glutamic acid. Recently, Terrak et al. [Mol.Microbiol. (1999) 34:350-64] have suggested the presence of another important residue which is an aromatic amino acid located around 70-75 residues downstream of the catalytic glutamic acid.

[0125] Sequence alignment of Slt70 with 907-2 and of MLTB with 922 were performed in order to identify the corresponding catalytic residues in the MenB antigens.

[0126] The two alignments in the region of the catalytic domain are reported below:

907-2/Slt70:

	90	100	110	▼120	130	140
907-2.pep	ERRRLVN	IQYESSRAG--	LDTQIVLGLIEV	ESAFRQYAISGV	GARG	GLMQVMPFWKNYIG
		:: :	: : :: :	:		:
slty_ecoli	ERFPLAYNDLF	KRYTSGKEIP	QSYAMAIARQ	ESAWNPKVKSPV	GASGLMQ	IMPGTATHTV
	480	490	500	▲ 510	520	530
				GLU505		

922/MLTB

		150	160	▼	170	180	190	200
5	922.pep	VAQKYGVPAELIVAVIGI	ETNY	GKNT	GSFRVADALATLGFDYPRRAGFFQKELVELLKLA			
	mltb_ecoli	AWQVYGVPEIIVIGI	IGV	ETRW	GKTRILDALATLSFNYPRAEYFSGELETFLMLA			
		150	160	▲	170	180	190	200
				GLU162				
10	922.pep	KEEGGDVFAFKGSYAGAMGMPQFMPS	Y	RKWA	VDYDGDGHRDIWGNVGDVAASVANYMKQ			
	mltb_ecoli	RDEQDDPLNLKGSFAGAMGYGQFMPS	Y	KQYA	VDVSGDGHINLWDPV-DAIGSVANYFKA			
		210	220	230	240	250	260	

[0127] From these alignments, it results that the corresponding catalytic glutamate in 907-2 is Glu117, whereas in 922 is Glu164. Both antigens also share downstream glycines that could have a structural role in the folding of the enzymatic cleft (in bold), and 922 has a conserved aromatic residue around 70aa downstream (in bold).

[0128] In the case of protein 919, no 3D structure is available for its *E.coli* homologue MLTA, and nothing is known about a possible catalytic residue. Nevertheless, three amino acids in 919 are predicted as catalytic residues by alignment with MLTA:

919/MLTA

25		240	250	▼	260	□ □	270	□	280	290
	919.pep	ALDGKAPILGYAEDPVLEFFMH	IQGSGRLKTPSGKYIRI	-GYADKNEHPYV	SIGRYMADK					
	mlta_ecoli.p	ALSDKY-ILAYSNSLMDNFIMDVQGS	GYIDFGDGSP	LNFFSYAGKNGHAYRSIGKVLIDR						
		170	180	190	200	210				
30										
35		300	310	▼	320	□ □ □	330	□ □	340	◇ 350 ◇
	919.pep	GYLKLQTSMQGIKSYMRQNPQ	-RLAEVLGQNPSYIFFRELAGSSNDGPV	-GALGTPLMG						
	mlta_ecoli.p	GEVKEDMSMQAIRHWGETHSEAEV	RELLEQNPSFVFFKPQSFA	----PVKGASAVPLVG						
		220	230	240	250	260	270			
40		360	▼	○	380		390		400	◇ 410
	919.pep	EYAGAVDRHYITLGAPLFVATAH	VPVTRKALN----	RLIMAQDTGSAIKGAVRVDYFWGY						
	mlta_ecoli.p	RASVASDRSIIPPGTTLAEVPLLD	NNGKFNGQYELRLMVALDVGGAIKQ	-HFDIYQGI						
		280	290	300	310	320	330			
45		420	○							
	919.pep	GDEAGELAGKQKTTGYVWQLLP								
	mlta_ecoli.p	GPEAGHRAGWYNHYGRVWVLKT								
		340	350							

[0129] The three possible catalytic residues are shown by the symbol ▼:

1) Glu255 (Asp in MLTA), followed by three conserved glycines (Gly263, Gly265 and Gly272) and three conserved aromatic residues located approximately 75-77 residues downstream. These downstream residues are shown by ○.

2) Glu323 (conserved in MLTA), followed by 2 conserved glycines (Gly347 and Gly355) and two conserved aromatic residues located 84-85 residues downstream (Tyr406 or Phe407). These downstream residues are shown by ◇.

3) Asp362 (instead of the expected Glu), followed by one glycine (Gly 369) and a conserved aromatic residue

(Trp428). These downstream residues are shown by ○.

[0130] Alignments of polymorphic forms of 919 are disclosed in WO00/66741.

[0131] Based on the prediction of catalytic residues, three mutants of the 919 and one mutant of 907, containing each a single amino acid substitution, have been generated. The glutamic acids in position 255 and 323 and the aspartic acids in position 362 of the 919 protein and the glutamic acid in position 117 of the 907 protein, were replaced with glycine residues using PCR-based SDM. To do this, internal primers containing a codon change from Glu or Asp to Gly were designed:

Primers	Sequences	Codon change
919-E255 for 919-E255 rev	CGAAGACCCCGTCGgtCTTTTTTTTATG GTGCATAAAAAAAGacCGACGGGTCT	GAA → Ggt
919-E323 for 919-E323 rev	AACGCCTCGCCGgtGTTTTGGGTCA TTTGACCCAAAACacCGGCGAGGCG	GAA → Ggt
919-D362 for 919-D362 rev	TGCCGGCGCAGTCGgtCGGCACTACA TAATGTAGTGCCGacCGACTGCGCCG	GAC → Ggt
907-E117 for 907-E117 rev	TGATTGAGGTGgtAGCGCGTTCCG GGCGGAACGCGCTacCCACCTCAAT	GAA → Ggt
Underlined nucleotides code for glycine; the mutated nucleotides are in lower case.		

[0132] To generate the 919-E255, 919-E323 and 919-E362 mutants, PCR was performed using 20ng of the pET 919-Lorf4 DNA as template, and the following primer pairs:

- 1) Orf4L for / 919-E255 rev
- 2) 919-E255 for / 919L rev
- 3) Orf4L for / 919-E323 rev
- 4) 919-E323 for / 919L rev
- 5) Orf4L for / 919-D362 rev
- 6) 919-D362 for / 919L rev

The second round of PCR was performed using the product of PCR 1-2, 3-4 or 5-6 as template, and as forward and reverse primers the "Orf4L for" and "919L rev" respectively.

For the mutant 907-E117, PCR have been performed using 200ng of chromosomal DNA of the 2996 strain as template and the following primer pairs:

- 7) 907L for / 907-E117 rev
- 8) 907-E 117 for / 907L rev

[0133] The second round of PCR was performed using the products of PCR 7 and 8 as templates and the oligos "907L for" and "907L rev" as primers.

[0134] The PCR fragments containing each mutation were processed following the standard procedure, digested with *NdeI* and *XhoI* restriction enzymes and cloned into pET-21b+ vector. The presence of each mutation was confirmed by sequence analysis.

[0135] Mutation of Glu117 to Gly in 907 is carried out similarly, as is mutation of residues Glu164, Ser213 and Asn348 in 922.

[0136] The E255G mutant of 919 shows a 50% reduction in activity; the E323G mutant shows a 70% reduction in activity; the E362G mutant shows no reduction in activity.

Example 4 - multimeric form

[0137] 287-GST, 919_{untagged} and 953-His were subjected to gel filtration for analysis of quaternary structure or preparative purposes. The molecular weight of the native proteins was estimated using either FPLC Superose 12 (H/R 10/30) or Superdex 75 gel filtration columns (Pharmacia). The buffers used for chromatography for 287, 919 and 953 were 50 mM Tris-HCl (pH 8.0), 20 mM Bicine (pH 8.5) and 50 mM Bicine (pH 8.0), respectively.

[0138] Additionally each buffer contained 150-200 mM NaCl and 10% v/v glycerol. Proteins were dialysed against the appropriate buffer and applied in a volume of 200μl. Gel filtration was performed with a flow rate of 0.5 - 2.0 ml/min and

the eluate monitored at 280nm. Fractions were collected and analysed by SDS-PAGE. Blue dextran 2000 and the molecular weight standards ribonuclease A, chymotrypsin A ovalbumin, albumin (Pharmacia) were used to calibrate the column. The molecular weight of the sample was estimated from a calibration curve of K_{av} vs. $\log M_r$ of the standards. Before gel filtration, 287-GST was digested with thrombin to cleave the GST moiety.

[0139] The estimated molecular weights for 287, 919 and 953-His were 73 kDa, 47 kDa and 43 kDa respectively. These results suggest 919 is monomeric while both 287 and 953 are principally dimeric in their nature. In the case of 953-His, two peaks were observed during gel filtration. The major peak (80%) represented a dimeric conformation of 953 while the minor peak (20%) had the expected size of a monomer. The monomeric form of 953 was found to have greater bactericidal activity than the dimer.

Example 5 - pSM214 and pET-24b vectors

[0140] 953 protein with its native leader peptide and no fusion partners was expressed from the pET vector and also from pSM214 [Velati Bellini et al. (1991) J. Biotechnol. 18, 177-192].

[0141] The 953 sequence was cloned as a full-length gene into pSM214 using the *E. coli* MM294-1 strain as a host. To do this, the entire DNA sequence of the 953 gene (from ATG to the STOP codon) was amplified by PCR using the following primers:

953L for/2 CCGGAATTCTTATGAAAAAATCATCTTCGCCGC Eco RI

953L rev/2 GCCCAAGCTTTTATTGTTTGGCTGCCTCGATT Hind III

which contain *EcoRI* and *HindIII* restriction sites, respectively. The amplified fragment was digested with *EcoRI* and *HindIII* and ligated with the pSM214 vector digested with the same two enzymes. The ligated plasmid was transformed into *E.coli* MM294-1 cells (by incubation in ice for 65 minutes at 37° C) and bacterial cells plated on LB agar containing 20µg/ml of chloramphenicol.

[0142] Recombinant colonies were grown over-night at 37°C in 4 ml of LB broth containing 20 µg/ml of chloramphenicol; bacterial cells were centrifuged and plasmid DNA extracted as and analysed by restriction with *EcoRI* and *HindIII*. To analyse the ability of the recombinant colonies to express the protein, they were inoculated in LB broth containing 20µg/ml of chloramphenicol and let to grown for 16 hours at 37°C. Bacterial cells were centrifuged and resuspended in PBS. Expression of the protein was analysed by SDS-PAGE and Coomassie Blue staining.

[0143] Expression levels were unexpectedly high from the pSM214 plasmid.

[0144] Oligos used to clone sequences into pSM-214 vectors were as follows:

ΔG287 (pSM-214)	Fwd	CCGGAATTCTTATG-TCGCCGATGTTAAATCGGCGGA	EcoRI
	Rev	GCCCAAGCTT-TCAATCCTGCTCTTTTTTGCCG	HindIII
Δ2 287 (pSM-214)	Fwd	CCGGAATTCTTATG-AGCCAAGATATGGCGGCAGT	EcoRI
	Rev	GCCCAAGCTT-TCAATCCTGCTCTTTTTTGCCG	HindIII
Δ3 287 (pSM-214)	Fwd	CCGGAATTCTTATG-TCCGCCGAATCCGCAAATCA	EcoRI
	Rev	GCCCAAGCTT-TCAATCCTGCTCTTTTTTGCCG	HindIII
Δ4 287 (pSM-214)	Fwd	CCGGAATTCTTATG-GGAAGGGTTGATTTGGCTAATG	EcoRI
	Rev	GCCCAAGCTT-TCAATCCTGCTCTTTTTTGCCG	HindIII
Orf46.1 (pSM-214)	Fwd	CCGGAATTCTTATG-TCAGATTTGGCAAACGATTCTT	EcoRI
	Rev	GCCCAAGCTT-TTACGTATCATATTTACGTGCTTC	HindIII
ΔG287-Orf46.1 (pSM-214)	Fwd	CCGGAATTCTTATG-TCGCCGATGTTAAATCGGCGGA	EcoRI
	Rev	GCCCAAGCTT-TTACGTATCATATTTACGTGCTTC	HindIII
919 (pSM-214)	Fwd	CCGGAATTCTTATG-CAAAGCAAGAGCATCCAAACCT	EcoRI
	Rev	GCCCAAGCTT-TTACGGGCGGTATTCGGGCT	HindIII
961L (pSM-214)	Fwd	CCGGAATTCATATG-AAACACTTTCCATCC	EcoRI
	Rev	GCCCAAGCTT-TTACCACTCGTAATTGAC	HindIII
961 (pSM-214)	Fwd	CCGGAATTCATATG-GCCACAAGCGACGAC	EcoRI
	Rev	GCCCAAGCTT-TTACCACTCGTAATTGAC	HindIII

EP 1 790 660 A2

(continued)

5	961c L pSM-214	Fwd	CCGGAATTCTTATG-AAACACTTTCCATCC	EcoRI
		Rev	GCCCAAGCTT-TCAACCCACGTTGTAAGGTTG	HindIII
10	961c pSM-214	Fwd	CCGGAATTCTTATG-GCCACAAACGACGACG	EcoRI
		Rev	GCCCAAGCTT-TCAACCCACGTTGTAAGGTTG	HindIII
15	953 (pSM-214)	Fwd	CCGGAATTCTTATG-GCCACCTACAAAGTGGACGA	EcoRI
		Rev	GCCCAAGCTT-TTATTGTTTGCTGCCTCGATT	HindIII

These sequences were manipulated, cloned and expressed as described for 953L.

[0145] For the pET-24 vector, sequences were cloned and the proteins expressed in pET-24 as described below for pET21. pET2 has the same sequence as pET-21, but with the kanamycin resistance cassette instead of ampicillin cassette.

[0146] Oligonucleotides used to clone sequences into pET-24b vector were:

20	ΔG 287 K	Fwd	CGCGGATCCGCTAGC-CCCGATGTTAAATCGGC §	NheI
		Rev	CCCGCTCGAG-TCAATCCTGCTCTTTTGGC *	XhoI
25	Δ2 287 K	Fwd	CGCGGATCCGCTAGC-CAAGATATGGCGGCAGT §	NheI
		Fwd	CGCGGATCCGCTAGC-GCCGAATCCGCAAATCA §	NheI
30	Δ4 287 K	Fwd	CGCGCTAGC-GGAAGGGTTGATTTGGCTAATGG §	NheI
		Fwd	GGGAATTCCATATG-GGCATTTCCCGCAAAATATC	NdeI
35	Orf46.1 K	Rev	CCCGCTCGAG-TTACGTATCATATTTACGTGC	XhoI
		Fwd	GGGAATTCCATATG-GGCATTTCCCGCAAAATATC	NdeI
40	Orf46A K	Rev	CCCGCTCGAG-TTATTCTATGCCTTGTGCGGCAT	XhoI
		Fwd	CGCGGATCCCATATG-GCCACAAGCGACGACGA	NdeI
45	961 K (MC58)	Rev	CCCGCTCGAG-TTACCACTCGTAATTGAC	XhoI
		Fwd	CGCGGATCCCATATG-GCCACAAACGACG	NdeI
50	961a K	Rev	CCCGCTCGAG-TCATTTAGCAATATTATCTTTGTTC	XhoI
		Fwd	CGCGGATCCCATATG-AAAGCAAACAGTGCCGAC	NdeI
55	961b K	Rev	CCCGCTCGAG-TTACCACTCGTAATTGAC	XhoI
		Fwd	CGCGGATCCCATATG-GCCACAAACGACG	NdeI
60	961c K	Rev	CCCGCTCGAG-TTAACCCACGTTGTAAGGT	XhoI
		Fwd	CGCGGATCCCATATG-ATGAAACACTTTCCATCC	NdeI
65	961cL K	Rev	CCCGCTCGAG-TTAACCCACGTTGTAAGGT	XhoI
		Fwd	CGCGGATCCCATATG-GCCACAAACGACG	NdeI
70	961d K	Rev	CCCGCTCGAG-TCAGTCTGACACTGTTTTATCC	XhoI
		Fwd	CGCGGATCCGCTAGC-CCCGATGTTAAATCGGC	NheI
75	ΔG 287- 919 K	Rev	CCCGCTCGAG-TTACGGGCGGTATTCGG	XhoI
		Fwd	CGCGGATCCGCTAGC-CCCGATGTTAAATCGGC	NheI
80	ΔG 287- Orf46.1 K	Rev	CCCGCTCGAG-TTACGTATCATATTTACGTGC	XhoI
		Fwd	CGCGGATCCGCTAGC-CCCGATGTTAAATCGGC	NheI

(continued)

961 K	Rev	CCCGCTCGAG-TTACCACTCGTAATTGAC	XhoI
* This primer was used as a Reverse primer for all the 287 forms.			
§ Forward primers used in combination with the Δ G278 K reverse primer.			

Example 6 - ORF1 and its leader peptide

[0147] ORF1 from *N.meningitidis* (serogroup B, strain MC58) is predicted to be an outer membrane or secreted protein. It has the following sequence:

```

1  MKTTDKRTE  THRKAPKTGR  IRFSPAYLAI  CLSFGILPQA  WAGHTYFGIN
51  YQYYRDFAEN  KGKFAVGAKD  IEVYNKKGEL  VGKSMTKAPM  IDFSVVS RNG
101 VAALVGDQYI  VSVAHNGGYN  NVDFGAEGRN  PDQHRFTYKI  VKRNNYKAGT
151 KGHYPGGDYH  MPRLHKFVTD  AEPVEMTSYM  DGRKYIDQNN  YPDRVRIGAG
201 RQYWRSDEDE  PNNRESSYHI  ASAYSWLVGG  NTFAQNGSGG  GTVNLGSEKI
251 KHSPYGF LPT  GGSFGDSGSP  MFIYDAQKQK  WLINGVLQTG  NPYIGKSNGF
301 QLVRKDWFYD  EIFAGDTHSV  FYEPRQNGKY  SFNDDNNGTG  KINAKHEHNS
351 LPNRLKTRTV  QLFNVSLSET  AREPVYHAAG  GVNSYRPRLN  NGENISFIDE
401 GKGEILITSN  INQGAGGLYF  QGDFTVSPEN  NETWQGAGVH  ISEDSTVTWK
451 VNGVANDRLS  KIGKGT LHVQ  AKGENQGSIS  VGDGTVILDQ  QADDKGGKQA
501 FSEIGLVSGR  GTVQLNADNQ  FNPDKLYFGF  RGGRLDLNGH  SLSFHRIQNT
551 DEGAMIVNHN  QDKESTVTIT  GNKDIATTGN  NNSLDSKKEI  AYNGWFGEKD
601 TTKTNGRLNL  VYQPAAEDRT  LLLSGGTNLN  GNITQTNGKL  FFSGRPTPHA
651 YNHLNDHWSQ  KEGIPRGEIV  WDNDWINRTF  KAENFQIKGG  QAVVSRNVAK
701 VKGDWHL SNH  AQAVFGVAPH  QSHTICTRSD  WTGLTNCVEK  TITDDKVIAS
751 LTKTDISGNV  DLADHAHLNL  TGLATLNGNL  SANGDTRYTV  SHNATQNGNL
801 SLVGNAQATF  NQATLNGNTS  ASGNASFNLS  DHAVQNGSLT  LSGNAKANVS
851 HSALNGNVSL  ADKAVFHFES  SRFTGQISGG  KDTALHLKDS  EWTLPSTGTEL
901 GNLNLDNATI  TLNSAYRHDA  AGAQTGSATD  APRRRSRRSR  RSLLSVTPPT
951 SVESRFNTLT  VNGKLNQGT  FRFMSELFY  RSDKLKLAES  SEGTYTLAVN
1001 NTGNEPASLE  QLTVVEGKDN  KPLSENLFNT  LQNEHVDAGA  WRYQLIRKDG
1051 EFRLHNPVKE  QELSDKLGA  EAKKQAEKDN  AQSLDALIAA  GRDAVEKTES
1101 VAEPARQAGG  ENVGIMQAE  EKKRVQADKD  TALAKQREAE  TRPATTAFFR
1151 ARRARRDL PQ  LQPQPQPQPQ  RDLISRYANS  GLSEFSATLN  SVFAVQDELD
1201 RVFAEDRRNA  VWTSGIRD TK  HYRSQDFRAY  RQQTDLRQIG  MQKNLGSGRV
1251 GILFSHN RTE  NTFDDGIGNS  ARLAHGAVFG  QYGIDRFYIG  ISAGAGFSSG
1301 SLSDGIGGKI  RRRVLHYGIQ  ARYRAGFGGF  GIEPHIGATR  YFVQKADYRY
1351 ENVNIATPGL  AFNRYRAGIK  ADYSFKPAQH  ISITPYLSLS  YTDAAASGKVR
1401 TRVNTAVLAQ  DFGKTRSAEW  GVNAEIKGFT  LSLHAAAAGK  PQLEAQHSAG
1451 IKLGYRW*
```

The leader peptide is underlined.

[0148] A polymorphic form of ORF1 is disclosed in WO99/55873.

[0149] Three expression strategies have been used for ORF1:

- 1) ORF1 using a His tag, following WO99/24578 (ORF1-His);
- 2) ORF1 with its own leader peptide but without any fusion partner ('ORF1L'); and
- 3) ORF1 with the leader peptide (MKKTAIAIAVALAGFATVAQA) from *E.coli* OmpA ('Orf1LOmpA');

MKKTAIAIAVALAGFATVAQAASAGHTYFGINYQYYRDAENKKGKFAVGAKDIEVYNKKGELVGKSMTKAPMIDFSV
 VSRNGVAALVGQYIVSVAHNGGYNNVDFGAEGRNPQHRFTYKIVKRNNYKAGTKGHPYGGDYHMPRLHKFVTDAE
 PVEMTSYMDGRKYIDQNNYPDRVRIGAGRQYWRSEDEFPNNRESSYHIASAYSWLVGGNTFAQNGSGGGTVNLGSEK
 IKHSPYGFLLPTGGSGFSGSPMFIYDAQKQKWLINGVLQTGNPYIGKSNGFQLVRKDWFYDEIFAGDTHSVFYEPFRQ
 NGKYSFNDDNNGTGKINAKHEHNSLPNRLKTRTVQLFNVSLSETAREPVYHAAGGVNSYRPRLNNGENISFIDEGKG
 ELILTSNINQAGGLYFQGDFTVSPENNETWQAGVHI SEDSTVTWKVNGVANDRLSKIGKTLHVQAKGENQGSIS
 VGDGTVILDQQADDKGGKQAFSEIGLVSGRGTVQLNADNQFNPDKLYFGFRGGRLDLNGHSLSFHRIQNTDEGAMIV
 NHNQDKESTVTITGNKDIATTGNNNSLDSKKEIAYNGWFGEKDTTKTNGRLNLVYQPAEDRTLLLSGGTNLNGNIT
 QTNGKLFSSGRPTPHAYNHLNDHWSQKEGIPRGEIVWDNDWINRTFKAENFQIKGGQAVVSRNVAKVKGDWHLSNHA
 QAVFGVAPHQSHTICTRSDWTGLTNCVEKTITDDKVIASLTCTDISGNVDLADHAHLNLTGLATLNGNLSANGDTRY
 TVSHNATQNGNLSLVGNAQATFNQATLNGNTSASGNASFNLSDHAVQNGSLTLSGNAKANVSHSALNGNVSLADKAV
 FHFESSRFTGQISGGKDTALHLKDSEWTLPSGTELGNNLNDNATITLNSAYRHDAAAGTGSATDAPRRRSRRSRRS
 LLSVTPPTSVEFRFTLTVNGKLNQGTFRFMSELFGRSDKLLAESSEGTYTLAVNNTGNEPASLEQLTVVEGKD
 NKPLSENLFNLQNEHVDAGAWRYQLIRKDGFRHLNPFVKEQELSDKLGKAEAKKQAEKDNAQSLDALIAAGRDAVE
 KTESVAEPARQAGGENGVIMQAEKEKRVQADKDTALAKQREAEETPATTAFFPRARRARRDLPLQLQPQPQPQRDL
 ISRYANSGLSEFSATLNSVFAVQDELDRVFAEDRRNAVWTSIGIRDTKHYRSQDFRAYRQOTDLRQIGMQKNLGSGRV
 GILFSHNRTENTFDDGIGNSARLAHGAVFGQYIDRFYIGISAGAGFSSGSLSDGIGGKIRRRVLHYGIQARYRAGF
 GGFGIEPHIGATRYFVQKADYRYENVNIAIPGLAFNRYRAGIKADYSFKPAQHISITPYLSLSYTDAAAGKVRTRVN
 TAVLAQDFGKTRSAEWGVNAEIKGFTLSLHAAAAGKPQLEAQHSAGIKLGYRW*

To make this construct, the clone pET911 LOmpA (see below) was digested with the *NheI* and *XhoI* restriction enzymes and the fragment corresponding to the vector carrying the OmpA leader sequence was purified (pETLOmpA). The ORF1 gene coding for the mature protein was amplified using the oligonucleotides ORF1-For and ORF1-Rev (including the *NheI* and *XhoI* restriction sites, respectively), digested with *NheI* and *XhoI* and ligated to the purified pETOmpA fragment (see Figure 1). An additional AS dipeptide was introduced by the *NheI* site.

[0150] All three forms of the protein were expressed. The His-tagged protein could be purified and was confirmed as surface exposed, and possibly secreted (see Figure 3). The protein was used to immunise mice, and the resulting sera gave excellent results in the bactericidal assay.

[0151] ORF1LOmpA was purified as total membranes, and was localised in both the inner and outer membranes. Unexpectedly, sera raised against ORF1LOmpA show even better ELISA and anti-bactericidal properties than those raised against the His-tagged protein.

[0152] ORF1L was purified as outer membranes, where it is localised.

Example 7 - protein 911 and its leader peptide

[0153] Protein 911 from *N.meningitidis* (serogroup B, strain MC58) has the following sequence:

```

1  MKKNILEFWV GLFVLIGAAA VAFLAFRVAG GAAFGGSDKT YAVYADFGDI
51 GGLKVNAIPVK SAGVLVGRVG AIGLDPKSYQ ARVRLDLGK YQFSSDVSAQ
101 ILTSGLLGEQ YIGLQQGGDT ENLAAGDTIS VTSSAMVLEN LIGKFMTSFA
151 EKNADGGNAE KAAE *

```

The leader peptide is underlined.

[0154] Three expression strategies have been used for 911:

- 1) 911 with its own leader peptide but without any fusion partner ('911L');
- 2) 911 with the leader peptide from *E.coli* OmpA ('911LOmpA'). To make this construct, the entire sequence encoding the OmpA leader peptide was included in the 5'- primer as a tail (primer 911LOmpA Forward). A *NheI* restriction site was inserted between the sequence coding for the OmpA leader peptide and the 911 gene encoding the predicted mature protein (insertion of one amino acid, a serine), to allow the use of this construct to clone different genes downstream the OmpA leader peptide sequence.
- 3) 911 with the leader peptide (MKYLLPTAAAGLLLAQPAMA) from *Erwinia carotovora* PelB ('911LpelB').

[0155] To make this construct, the 5'-end PCR primer was designed downstream from the leader sequence and included the *NcoI* restriction site in order to have the 911 fused directly to the PelB leader sequence; the 3'- end primer included the STOP codon. The expression vector used was pET22b+ (Novagen), which carries the coding sequence

for the PelB leader peptide. The *Nco*I site introduces an additional methionine after the PelB sequence.

[0156] All three forms of the protein were expressed. ELISA titres were highest using 911 L, with 919LOmpA also giving good results.

Example 8 - ORF46

[0157] The complete ORF46 protein from *N.meningitidis* (serogroup B, strain 2996) has the following sequence:

```

1  LGISRKISLI LSILAVCLPM HAHASDLAND SFIRQVLDRO HFEPDGKYHL
51  FGSRGELAER SGHIGLGKIQ SHQLGNLMIQ QAAIKGNIGY IVRFSDHGHE
101 VHSPPFDNHAS HSDSDEAGSP VDGFSLYRIH WDGYEHPAD GYDGPQGGGY
151 PAPKGARDIY SYDIKGVAQN IRLNLTDNRS TGQRLADRFH NAGSMLTQGV
201 GDGFKRATRY SPELDRSGNA AEAFTNGTADI VKNIIGAAGE IVGAGDAVQG
251 ISEGSNIAVM HGLGLLSTEN KMARINDLAD MAQLKDYAAA AIRDWAVQNP
15  301 NAAQGIEAVS NIFMAAIIPIK GIGAVRGKYG LGGITAHPIK RSQMGAIALP
351 KGKSAVSDNF ADAAYAKYPS PYHSRNIRSN LEQRYGKENI TSSTVPPSNG
401 KNVKLADQRH PKTGVFPDQK GFPNFEKHVK YDTKLDIQEL SGGGIPKAKP
451 VSDAKPRWEV DRKLNKLTTT EQVEKNVQEI RGNKNKSNFS QHAQLEREIN
501 KLKSADEINF ADGMGKFDTDS MNDKAFSRLV KSVKENGFTN PVVEYVEING
551 KAYIVRGNNR VFAAEYLGRI HELKFKKVDF PVPNTSWKNP TDVLNESGNV
20  601 KRPRYRSK*
```

The leader peptide is underlined.

[0158] The sequences of ORF46 from other strains can be found in WO00/66741.

[0159] Three expression strategies have been used for ORF46:

- 1) ORF46 with its own leader peptide but without any fusion partner ('ORF46-2L');
- 2) ORF46 without its leader peptide and without any fusion partner ('ORF46-2'), with the leader peptide omitted by designing the 5'-end amplification primer downstream from the predicted leader sequence:

```

1  SDLANDSFIR QVLDROHFEP DGKYHLFGSR GELAERSGHI GLGKIQSHQL
51  GNLMIIQAAI KGNIGYIVRF SDHGHEVHSP FDNHASHSDS DEAGSPVDGF
101 SLYRIHWDGY EHHPADGYDG PQGGGYPAKP GARDIYSYDI KGVAQNIRLN
151 LTDNRSTGQR LADRFHNAGS MLTQGVGDGF KRATRYSPEL DRSGNAAEAF
35  201 NGTADIVKNI IGAAGEIVGA GDAVQGISSE SNIAVMHGLG LLSTENKMAR
251 INDLADMAQL KDYAAAAIRD WAVQNPNAAQ GIEAVSNIFM AAIIPIKGIGA
301 VRGKYGLGGI TAHPIKRSQM GAIALPKGKS AVSDNFADAA YAKYPSPYHS
351 RNIRSNLEQR YGKENITSST VPPSNGKNVK LADQRHPKGT VPFDGKGFPN
401 FEKHVKYDTK LDIQELSGGG IPKAKPVSDA KPRWEVDKRL NKLTREQVE
40  451 KNVQEIIRNG KNSNFSQHAQ LEREINKLKS ADEINFADGM GKFTDSMNDK
501 AFSRLVKSVM ENGFTNPVVE YVEINGKAYI VRGNNRVFAA EYLGRHELK
551 FKKVDFPVPN TSWKNPTDVL NESGNVVRPR YRSK*
```

- 3) ORF46 as a truncated protein, consisting of the first 433 amino acids ('ORF46.1L'), constructed by designing PCR primers to amplify a partial sequence corresponding to aa 1-433.
A STOP codon was included in the 3'-end primer sequences.

[0160] ORF46-2L is expressed at a very low level to *E. coli*. Removal of its leader peptide (ORF46-2) does not solve this problem. The truncated ORF46.1L form (first 433 amino acids, which are well conserved between serogroups and species), however, is well-expressed and gives excellent results in ELISA test and in the bactericidal assay.

[0161] ORF46.1 has also been used as the basis of hybrid proteins. It has been fused with 287, 919, and ORF1. The hybrid proteins were generally insoluble, but gave some good ELISA and bactericidal results (against the homologous 2996 strain):

Protein	ELISA	Bactericidal Ab
Orf1-Orf46.1-His	850	256

EP 1 790 660 A2

(continued)

Protein	ELISA	Bactericidal Ab
919-Orf46.1-His	12900	512
919-287-Orf46-His	n.d.	n.d.
Orf46.1-287His	150	8192
Orf46.1-919His	2800	2048
Orf46.1-287-919His	3200	16384

[0162] For comparison, 'triple' hybrids of ORF46.1, 287 (either as a GST fusion, or in Δ G287 form) and 919 were constructed and tested against various strains (including the homologous 2996 strain) *versus* a simple mixture of the three antigens. FCA was used as adjuvant:

	2996	BZ232	MC58	NGH38	F6124	BZ133
Mixture	8192	256	512	1024	>2048	>2048
ORF46.1-287-919his	16384	256	4096	8192	8192	8192
Δ G287-919-ORF46.1his	8192	64	4096	8192	8192	16384
Δ G287-ORF46.1-919his	4096	128	256	8192	512	1024

Again, the hybrids show equivalent or superior immunological activity.

[0163] Hybrids of two proteins (strain 2996) were compared to the individual proteins against various heterologous strains:

	1000	MC58	F6124 (MenA)
ORF46.1-His	<4	4096	<4
ORF1-His	8	256	128
ORF1—ORF46.1-His	1024	512	1024

[0164] Again, the hybrid shows equivalent or superior immunological activity.

Example 9 - protein 961

[0165] The complete 961 protein from *N.meningitidis* (serogroup B, strain MC58) has the following sequence:

```

1  MSMKHFPAKV LTTAILATFC SGALAATSDD DVKKAATVAI VAAYNNGQEI
51 NGFKAGETIY DIGEDGTITQ KDATAADVEA DDFKGLGLKK VVTNLTKTVN
101 ENKQNVDAKV KAAESEIEKL TTKLADTDAA LADTDAALDE TTNALNKLGE
151 NITTFAEETK TNIVKIDEKL EAVADTVDKH AEA FN DIADS LDETNTKADE
201 AVKTANEAKQ TAEETKQNV D AKV KAAETAA GKAEAAAGTA NTAADKAEAV
251 AAKVTDIKAD IATNKADIAK NSARIDSLDK NVANLRKETR QGLAEQAALS
301 GLFQPYNVGR FNVTAAVGGY KSESAVAIGT GFRFTENFAA KAGVAVGTSS
351 GSSAAYHVG V NYEW*
```

[0166] The leader peptide is underlined.

[0167] Three approaches to 961 expression were used:

- 1) 961 using a GST fusion, following WO99/57280 ('GST961');
- 2) 961 with its own leader peptide but without any fusion partner ('961L'); and
- 3) 961 without its leader peptide and without any fusion partner ('961^{untagged}), with the leader peptide omitted by

designing the 5'-end PCR primer downstream from the predicted leader sequence.

[0168] All three forms of the protein were expressed. The GST-fusion protein could be purified and antibodies against it confirmed that 961 is surface exposed (Figure 4). The protein was used to immunise mice, and the resulting sera gave excellent results in the bactericidal assay. 961 L could also be purified and gave very high ELISA titres.

[0169] Protein 961 appears to be phase variable. Furthermore, it is not found in all strains of *N.meningitidis*.

Example 10 - protein 287

[0170] Protein 287 from *N.meningitidis* (serogroup B, strain 2996) has the following sequence:

```

1  MFERSVIAMA CIFALSACGG GGGGSPDVKS ADTLSKPAAP VVAEKETEVEK
51 EDAPQAGSQG QGAPSTQGSQ DMAAVSAENT GNGGAATTDK PKNEDEGPSQ
101 DMPQNSAESA NQTGNQPAD SSDSAPASNP APANGGSNFG RVDLANGVLI
151 DGPSQNITLT HCKGDSCNGD NLLDEEAPSK SEFENLNESE RIEKYKKDGK

201 SDKFTNLVAT AVQANGTNKY VIIYKDKSAS SSSARFRRSA RSRRLPAEM
251 PLIPVNQADT LIVDGEAVSL TGHSGNIFAP EGNRYRLTYG AEKLPGGSYA
301 LRVQGEPAKG EMLAGTAVYN GEVLHFHTEN GRPYPTRGRF AAKVDFGSKS
351 VDGIIIDSGDD LHMGTQKFKA AIDGNGFKGT WTENGGGDVS GRFYGPAGEE
401 VAGKYSYRPT DAEKGGFGVF AGKKEQD*
```

[0171] The leader peptide is shown underlined.

[0172] The sequences of 287 from other strains can be found in Figures 5 and 15 of WO00/66741.

[0173] Example 9 of WO99/57280 discloses the expression of 287 as a GST-fusion in *E.coli*.

[0174] A number of further approaches to expressing 287 in *E.coli* have been used, including:

- 1) 287 as a His-tagged fusion ('287-His');
- 2) 287 with its own leader peptide but without any fusion partner ('287L');
- 3) 287 with the ORF4 leader peptide and without any fusion partner ('287Lorf4');
- 4) 287 without its leader peptide and without any fusion partner ('287^{untagged}');

```

1  CGGGGGGSPD VKSADTLSKP AAPVVAEKET EVKEDAPQAG SQGQGAPSTQ
51 GSQDMAAVSA ENTGNGGAAT TDKPKNEDEG PQNDMPQNSA ESANQTGNNQ
101 PADSSDSAPA SNPAPANGGS NFGRVDLANG VLIDGPSQNI TLTHCKGDSC
151 NGDNLLEEA PSKSEFENLN ESERIEKYKK DGKSDKFTNL VATAVQANGT
201 NKYVIIYKDK SASSSSARFR RSARSRRSLP AEMPLIPVNQ ADTLIVDGEA
251 VSLTGHSGNI FAPEGNYRYL TYGAEKLPGG SYALRVQGEA AKGEMLAGTA
301 VYNGEVLHFN TENGRPYPTR GRFAAKVDFG SKSVDGIIDS GDDLHMGTQK
351 FKAIDGNGF KGTWTENGGG DVSGRFYGPA GEEVAGKYSY RPTDAEKGGF
401 GVFAKKKEQD *
```

[0175] All these proteins could be expressed and purified.

[0176] '287L' and '287Lorf4' were confirmed as lipoproteins.

[0177] As shown in Figure 2, '287Lorf4' was constructed by digesting 919Lorf4 with *NheI* and *XhoI*. The entire ORF4 leader peptide was restored by the addition of a DNA sequence coding for the missing amino acids, as a tail, in the 5'-end primer (287Lorf4 for), fused to 287 coding sequence. The 287 gene coding for the mature protein was amplified using the oligonucleotides 287Lorf4 For and Rev (including the *NheI* and *XhoI* sites, respectively), digested with *NheI* and *XhoI* and ligated to the purified pETOrf4 fragment.

Example 11 - further non-fusion proteins with/without native leader peptides

[0178] A similar approach was adopted for *E.coli* expression of further proteins from WO99/24578, WO99/36544 and WO99/57280.

[0179] The following were expressed without a fusion partner: 008, 105, 117-1, 121-1, 122-1, 128-1, 148, 216, 243, 308, 593, 652, 726, 982, and Orf143-1. Protein 117-1 was confirmed as surface-exposed by FACS and gave high ELISA titres.

[0180] The following were expressed with the native leader peptide but without a fusion partner: 111, 149, 206, 225-1, 235, 247-1, 274, 283, 286, 292, 401, 406, 502-1, 503, 519-1, 525-1, 552, 556, 557, 570, 576-1, 580, 583, 664, 759, 907, 913, 920-1, 926, 936-1, 953, 961, 983, 989, Orf4, Orf7-1, Orf9-1, Orf23, Orf25, Orf37, Orf38, Orf40, Orf40.1, Orf40.2, Orf72-1, Orf76-1, Orf85-2, Orf91, Orf97-1, Orf119, Orf143.1. These proteins are given the suffix 'L'.

[0181] His-tagged protein 760 was expressed with and without its leader peptide. The deletion of the signal peptide greatly increased expression levels. The protein could be purified most easily using 2M urea for solubilisation.

[0182] His-tagged protein 264 was well-expressed using its own signal peptide, and the 30kDa protein gave positive Western blot results.

[0183] All proteins were successfully expressed.

[0184] The localisation of 593, 121-1, 128-1, 593, 726, and 982 in the cytoplasm was confirmed.

[0185] The localisation of 920-1L, 953L, ORF9-1L, ORF85-2L, ORF97-1L, 570L, 580L and 664L in the periplasm was confirmed.

[0186] The localisation of ORF40L in the outer membrane, and 008 and 519-1L in the inner membrane was confirmed. ORF25L, ORF4L, 406L, 576-1L were all confirmed as being localised in the membrane.

[0187] Protein 206 was found not to be a lipoprotein.

[0188] ORF25 and ORF40 expressed with their native leader peptides but without fusion partners, and protein 593 expressed without its native leader peptide and without a fusion partner, raised good anti-bactericidal sera. Surprisingly, the forms of ORF25 and ORF40 expressed without fusion partners and using their own leader peptides (i.e. 'ORF25L' and 'ORF40L') give better results in the bactericidal assay than the fusion proteins.

[0189] Proteins 920L and 953L were subjected to N-terminal sequencing, giving HRVWVETAH and ATYKVDEY-HANARFAF, respectively. This sequencing confirms that the predicted leader peptides were cleaved and, when combined with the periplasmic location, confirms that the proteins are correctly processed and localised by *E.coli* when expressed from their native leader peptides.

[0190] The N-terminal sequence of protein 519.1L localised in the inner membrane was MEFFIILLA, indicating that the leader sequence is not cleaved. It may therefore function as both an uncleaved leader sequence and a transmembrane anchor in a manner similar to the leader peptide of PBP1 from *N.gonorrhoeae* [Ropp & Nicholas (1997) J. Bact. 179: 2783-2787.]. Indeed the N-terminal region exhibits strong hydrophobic character and is predicted by the Tmpred. program to be transmembrane.

Example 12 - lipoproteins

[0191] The incorporation of palmitate in recombinant lipoproteins was demonstrated by the method of Kraft et. al. [J. Bact. (1998) 180:3441-3447.]. Single colonies harbouring the plasmid of interest were grown overnight at 37°C in 20 ml of LB/Amp (100µg/ml) liquid culture. The culture was diluted to an OD₅₅₀ of 0.1 in 5.0 ml of fresh medium LB/Amp medium containing 5 µC/ml [³H] palmitate (Amersham). When the OD₅₅₀ of the culture reached 0.4-0.8, recombinant lipoprotein was induced for 1 hour with IPTG (final concentration 1.0 mM). Bacteria were harvested by centrifugation in a bench top centrifuge at 2700g for 15 min and washed twice with 1.0 ml cold PBS. Cells were resuspended in 120µl of 20 mM Tris-HCl (pH 8.0), 1 mM EDTA, 1.0% w/v SDS and lysed by boiling for 10 min. After centrifugation at 13000g for 10 min the supernatant was collected and proteins precipitated by the addition of 1.2 ml cold acetone and left for 1 hour at -20 °C. Protein was pelleted by centrifugation at 13000g for 10 min and resuspended in 20-50µl (calculated to standardise loading with respect to the final O.D of the culture) of 1.0% w/v SDS. An aliquot of 15 µl was boiled with 5µl of SDS-PAGE sample buffer and analysed by SDS-PAGE. After electrophoresis gels were fixed for 1 hour in 10% v/v acetic acid and soaked for 30 minutes in Amplify solution (Amersham). The gel was vacuum-dried under heat and exposed to Hyperfilm (Kodak) overnight -80 °C.

[0192] Incorporation of the [³H] palmitate label, confirming lipidation, was found for the following proteins: Orf4L, Orf25L, 287L, 287LOrf4, 406L, 576L, 926L, 919L and 919LOrf4.

Example 13 - domains in 287

[0193] Based on homology of different regions of 287 to proteins that belong to different functional classes, it was split into three 'domains', as shown in Figure 5. The second domain shows homology to IgA proteases, and the third domain shows homology to transferrin-binding proteins.

[0194] Each of the three 'domains' shows a different degree of sequence conservation between *N.meningitidis* strains - domain C is 98% identical, domain A is 83% identical, whilst domain B is only 71% identical. Note that protein 287 in strain MC58 is 61 amino acids longer than that of strain 2996. An alignment of the two sequences is shown in Figure

7, and alignments for various strains are disclosed in WO00/66741 (see Figures 5 and 15 therein).

[0195] The three domains were expressed individually as C-terminal His-tagged proteins. This was done for the MC58 and 2996 strains, using the following constructs:

287a-MC58 (aa 1-202), 287b-MC58 (aa 203-288), 287c-MC58 (aa 311-488).

287a-2996 (aa 1-139), 287b-2996 (aa 140-225), 287c-2996 (aa 250-427).

[0196] To make these constructs, the stop codon sequence was omitted in the 3'-end primer sequence. The 5' primers included the *NheI* restriction site, and the 3' primers included a *XhoI* as a tail, in order to direct the cloning of each amplified fragment into the expression vector pET21 b+ using *NdeI-XhoI*, *NheI-XhoI* or *NdeI-HindIII* restriction sites.

[0197] All six constructs could be expressed, but 287b-MC8 required denaturation and refolding for solubilisation.

[0198] Deletion of domain A is described below ('Δ4 287-His').

[0199] Immunological data (serum bactericidal assay) were also obtained using the various domains from strain 2996, against the homologous and heterologous MenB strains, as well as MenA (F6124 strain) and MenC (BZ133 strain):

	2996	BZ232	MC58	NGH38	394/98	MenA	MenC
287-His	32000	16	4096	4096	512	8000	16000
287(B)-His	256	-	-	-	-	16	-
287(C)-His	256	-	32	512	32	2048	>2048
287(B-C)-His	64000	128	4096	64000	1024	64000	32000

[0200] Using the domains of strain MC58, the following results were obtained:

	MC58	2996	BZ232	NGH38	394/98	MenA	MenC
287-His	4096	32000	16	4096	512	8000	16000
287(B)-His	128	128	-	-	-	-	128
287(C)-His	-	16	-	1024	-	512	-
287(B-C)-His	16000	64000	128	64000	512	64000	>8000

Example 14 — deletions in 287

[0201] As well as expressing individual domains, 287 was also expressed (as a C-terminal His-tagged protein) by making progressive deletions within the first domain. These

[0202] Four deletion mutants of protein 287 from strain 2996 were used (Figure 6):

- 1) '287-His', consisting of amino acids 18-427 (*i.e.* leader peptide deleted);
- 2) 'Δ1 287-His', consisting of amino acids 26-427;
- 3) 'Δ2 287-His', consisting of amino acids 70-427;
- 4) 'Δ3 287-His', consisting of amino acids 107-427; and
- 5) 'Δ4 287-His', consisting of amino acids 140-427 (=287-bc).

[0203] The 'Δ4' protein was also made for strain MC58 ('Δ4 287MC58-His'; aa 203-488).

[0204] The constructs were made in the same way as 287a/b/c, as described above.

[0205] All six constructs could be expressed and protein could be purified. Expression of 287-His was, however, quite poor.

[0206] Expression was also high when the C-terminal His-tags were omitted.

[0207] Immunological data (serum bactericidal assay) were also obtained using the deletion mutants, against the homologous (2996) and heterologous MenB strains, as well as MenA (F6124 strain) and MenC (BZ133 strain):

	2996	BZ232	MC58	NGH38	394/98	MenA	MenC
287-his	32000	16	4096	4096	512	8000	16000
Δ1 287-His	16000	128	4096	4096	1024	8000	16000
Δ2 287-His	16000	128	4096	>2048	512	16000	>8000

(continued)

	2996	BZ232	MC58	NGH38	394/98	MenA	MenC
Δ3 287-His	16000	128	4096	>2048	512	16000	>8000
Δ4 287-His	64000	128	4096	64000	1024	64000	32000

[0208] The same high activity for the Δ4 deletion was seen using the sequence from strain MC58.

[0209] As well as showing superior expression characteristics, therefore, the mutants are immunologically equivalent or superior.

Example 15 - poly-glycine deletions

[0210] The 'Δ1 287-His' construct of the previous example differs from 287-His and from '287^{untagged}' only by a short N-terminal deletion (GGGGGGS). Using an expression vector which replaces the deleted serine with a codon present in the *Nhe* cloning site, however, this amounts to a deletion only of (Gly)₆. Thus, the deletion of this (Gly)₆ sequence has been shown to have a dramatic effect on protein expression.

[0211] The protein lacking the N-terminal amino acids up to GGGGGG is called 'ΔG 287'. In strain MC58, its sequence (leader peptide underlined) is:

(ΔG287

```

1  MFKRSVIAMA CIFALSACGG GGGGSPDVKS ADTLSKPAAP VVSEKETEAK
51  EDAPQAGSQG QGAPSAQGSQ DMAAVSEENT GNGGAVTADN PKNEDEVAQN
101 DMPQNAAGTD SSTPNHTPDP NMLAGNMENQ ATDAGESSQP ANQPDMANAA
151 DGMQGGDDPSA GGQNAAGNTAA QGANQAGNNQ AAGSSDPIPA SNPAPANGGS
201 NFGRVDLANG VLIDGPSQNI TLTHCKGDSC SGNNFLDEEV QLKSEFEKLS
251 DADKISNYKK DGKNDKFVGL VADSVQMKGI NQYIIFYKPK PTSFARFRRS
301 ARSRRLPAE MPLIPVNQAD TLIVDGEAVS LTGHSGNIFA PEGNYRYLTY
351 GAEKLPGGSY ALRVQGEPK GEMLAGAAVY NGEVLHFHTE NGRPYPTRGR
401 FAAKVDGFSK SVDGIIDSGD DLHMGQTQFK AAIDGNGFGK TWTENGSGDV
451 SGKFYGPAGE EVAGKYSYRP TDAEKGFGV FAGKKEQD*
```

[0212] ΔG287, with or without His-tag ('ΔG287-His' and 'ΔG287K', respectively), are expressed at very good levels in comparison with the '287-His' or '287^{untagged}'.

[0213] On the basis of gene variability data, variants of ΔG287-His were expressed in *E.coli* from a number of MenB strains, in particular from strains 2996, MC58, 1000, and BZ232. The results were also good.

[0214] It was hypothesised that poly-Gly deletion might be a general strategy to improve expression. Other MenB lipoproteins containing similar (Gly)_n motifs (near the N-terminus, downstream of a cysteine) were therefore identified, namely Tbp2 (NMB0460), 741 (NMB 1870) and 983 (NMB1969):

TBP2 (ΔGTbp2

```

1  MNNPLVNQAA MVLPVFLLSA CLGGGGSFDL DSVDTEAPRP APKYQDVFSE
51  KPQAQKDQGG YGFAMRLKRR NWYPQAKEDE VKLDESDWEA TGLPDEPKEL
101 PKRQKSVIEK VETDSDNNIY SSPYLKPSNH QNGNTGNGIN QPKNQAKDYE
151 NFKYVYSGWF YKHAKREFNL KVEPKSAKNG DDGYIFYH GK EPSRQLPASG
201 KITYKGVWHF ATDTKKGQKF REIIQPSKSQ GDRYSGFSGD DGEEYSNKNK
251 STLTGQEGY GFTSNLEVDF HNKKLTGKLI RNNANTDNNQ ATTTQYYSLE
301 AQVTGNRFNG KATATDKPQQ NSETKEHPFV SDSSSLSGGF FGPQGEELGF
351 RFLSDDQKVA VVGSAKTKDK PANGNTAAAS GGTDAASNG AAGTSSENGK
401 LTTVLDAVEL KLGDKVQKL DNFSNAAQLV VDGIMIPLLP EASESGNNQA
```

EP 1 790 660 A2

```

451 NQGTNGGTAF TRKFDHTPES DKKDAQAGTQ TNGAQTASNT AGDTNGKTKT
501 YEVEVCCSNL NYLKYGMLTR KNSKSAMQAG ESSSQADAKT EQVEQSMFLQ
551 GERTDEKEIP SEQNIVYRGS WYGYIANDKS TSWSGNASNA TSGNRAEFTV
601 NFADKKITGT LTADNRQEAT FTIDGNIKDN GFEGTAKTAE SGFDLDQSNT
651 TRTPKAYITD AKVQGGFYGP KAEELGGWFA YPGDKQTKNA TNASGNSSAT
701 VVFGAKRQQP VR*

```

```

741 ( ΔG741
1 VNRTAFCCLS LTTALILTAC SSGGGGVAAD IGAGLADALT APLDHKDKGL
51 QSLTLDQSVR KNEKLKLAQ GAEKTYGNGD SLNTGKLNKND KVSFRDFIRQ
101 IEVDGQLITL ESGEFQVYKQ SHSALTAFQT EQIQDSEHSG KMWAKRQFRI
151 GDIAGEHTSF DKLPEGGRAT YRGTAFGSDD AGGKLTYTID FAAKQGNNGKI
201 EHLKSPELNV DLAAADIKPD GKRHAVISGS VLYNQAEKGS YSLGIFGGKA
251 QEVAGSAEVK TVNGIRHIGL AAKQ*

```

```

983 ( ΔG983
1 MRTTPTFPTK TFKPTAMALA VATTLSACLG GGGGGTSAPD FNAGGTGIGS
51 NSRATTAKSA AVSYAGIKNE MCKDRSMLCA GRDDVAVTDR DAKINAPPPN
101 LHTGDFPNPN DAYKNLINLK PAIEAGYTGR GVEVGIVDTG ESVGSISFPE
151 LYGRKEHGYN ENYKNYTAYM RKEAPEDGGG KDIEASFDEE AVIETAKPT
201 DIRHVKEIGH IDLVSHIIGG RSV DGRPAGG IAPDATLHIM NTNDETKNEM
251 MVAAIRNAWV KLGERGVRIV NNSFGTTSRA GTADLFQIAN SEEQYRQALL
301 DYSGGDKTDE GIRLMOQSDY GNLSYHIRNK NMLFIFSTGN DAQAQNPNTYA
351 LLPFYEKDAQ KGIITVAGVD RSGEKFKREM YGEPGTEPLE YGSNHCGITA
401 MWCLSAPEYA SVRFRTNPI QIAGTSFSAP IVTGTAALLL QKYPWMSNDN
451 LRTTLLTTAQ DIGAVGVDSK FGWGLLDAGK AMNGPASFPF GDF TADTKGT
501 SDIAYSFRND ISGTGGLIKK GGSQQLHGN NTYTGKTIIE GGSVLVLYGNN
551 KSDMRVETKG ALIYNGAASG GSLNSDGIVY LADTDQSGAN ETVHIKGSLO
601 LDGKGTLYTR LGKLLKVDGT AIIGGKLYMS ARGKGAGYLN STGRRVPFSL
651 AAKIGQDYSF FTNIETDGGG LASLDSVEKT AGSEGDLSY YVRRGNAART
701 ASAAAHSAHA GLKHAHQGG SNLENLMVEL DASESSATPE TVETAAADRT
751 DMPGIRPYGA TFRAAAVQH ANAADGVRIE NSLAATVYAD STAAHADMQG
801 RRLKAVSDGL DHNGTGLRVI AQTQDGGGTW EQGGVEGKMR GSTQTVGIAA
851 KTGENTTAA TLGMRSTWS ENSANAKTDS ISLFAGIRHD AGDIGYLKGL
901 FSYGRYKNSI SRSTGADEHA EGSVNGTLMQ LGALGGVNVF FAATGDLTVE
951 GGLRYDLLKQ DAFAEKGSAL GWSGNSLTEG TLVGLAGLKL SQPLSDKAVL
1001 FATAGVERDL NGRDYTEVTGG FTGATAATGK TGARNMPHTR LVAGLGADVE
1051 FGNWNGLAR YSYAGSKQYG NHSGRVGVGY RF*

```

[0215] Tbp2 and 741 genes were from strain MC58; 983 and 287 genes were from strain 2996. These were cloned in pET vector and expressed in *E. coli* without the sequence coding for their leader peptides or as "ΔG forms", both fused to a C-terminal His-tag. In each case, the same effect was seen - expression was good in the clones carrying the deletion of the poly-glycine stretch, and poor or absent if the glycines were present in the expressed protein:

ORF	Express.	Purification	Bact. Activity
287-His(2996)	+/-	+	+
'287 _{untagged} '(2996)	+/-	nd	nd
ΔG287-His(2996)	+	+	+
ΔG287K(2996)	+	+	+
ΔG287-His(MC58)	+	+	+
ΔG287-His(1000)	+	+	+
ΔG287-His(BZ232)	+	+	+
Tbp2-His(MC58)	+/-	nd	nd
ΔGTbp2-His(MC58)	+	+	
741-His(MC58)	+/-	nd	nd

(continued)

ORF	Express.	Purification	Bact. Activity
ΔG741-His(MC58)	+	+	
983-His (2996)			
ΔG983-His (2996)	+	+	

[0216] SDS-PAGE of the proteins is shown in Figure 13.

ΔG287 and hybrids

[0217] ΔG287 proteins were made and purified for strains MC58, 1000 and BZ232. Each of these gave high ELISA titres and also serum bactericidal titres of >8192. ΔG287K, expressed from pET-24b, gave excellent titres in ELISA and the serum bactericidal assay. ΔG287-ORF46.1K may also be expressed in pET-24b.

[0218] ΔG287 was also fused directly in-frame upstream of 919, 953, 961 (sequences shown below) and ORF46.1:

ΔG287-919

```

1   ATGGCTAGCC CCGATGTTAA ATCGGCGGAC ACGCTGTCAA AACCGGCCGC
51  TCCTGTTGTT GCTGAAAAAG AGACAGAGGT AAAAGAAGAT GCGCCACAGG
101 CAGGTTCTCA AGGACAGGGC GCGCCATCCA CACAAGGCAG CCAAGATATG
151 GCGGCAGTTT CGGCAGAAAA TACAGGCAAT GGCGGTGCGG CAACAACGGA
201 CAAACCCAAA AATGAAGACG AGGGACCGCA AAATGATATG CCGCAAAATT
251 CCGCCGAATC CGCAAATCAA ACAGGGAACA ACCAACCCGC CGATTCTTCA
301 GATTCCGCCC CCGCGTCAAA CCCTGCACCT GCGAATGGCG GTAGCAATTT
351 TGGAAGGGTT GATTGCGCTA ATGGCGTTTT GATTGATGGG CCGTCGCAAA
401 ATATAACGTT GACCCACTGT AAAGGCGATT CTGTGAATGG TGATAATTTA
451 TTGGATGAAG AAGCACCGTC AAAATCAGAA TTTGAAAATT TAAATGAGTC
501 TGAACGAATT GAGAAATATA AGAAAGATGG GAAAAGCGAT AAATTTACTA
551 ATTTGGTTGC GACAGCAGTT CAAGCTAATG GAACTAACAA ATATGTCATC
601 ATTTATAAAG ACAAGTCCGC TTCATCTTCA TCTGCGCGAT TCAGGCGTTC
651 TGCACGGTCG AGGAGGTCGC TTCCTGCCGA GATGCCGCTA ATCCCCGTCA
701 ATCAGGCGGA TACGCTGATT GTCGATGGGG AAGCGGTCAG CCTGACGGGG
751 CATTCGCGCA ATATCTTCGC GCCCGAAGGG AATTACCGGT ATCTGACTTA
801 CGGGGCGGAA AAATTGCCCG GCGGATCGTA TGCCCTCCGT GTGCAAGGCG
851 AACCGGCAAA AGGCGAAATG CTGCTGGCA CGGCCGTGTA CAACGGCGAA
901 GTGCTGCATT TTCATACGGA AAACGGCCGT CCGTACCCGA CTAGAGGCAG
951 GTTTGCCGCA AAAGTCGATT TCGGCAGCAA ATCTGTGGAC GGCATTATCG
1001 ACAGCGGCGA TGATTGTCAT ATGGGTACGC AAAAATTCAA AGCCGCCATC

```

EP 1 790 660 A2

1051 GATGGAAACG GCTTTAAGGG GACTTGGACG GAAAATGGCG GCGGGGATGT
 1101 TTCCGGAAGG TTTTACGGCC CGGCCGGCGA GGAAGTGGCG GGAAAATACA
 1151 GCTATCGCCC GACAGATGCG GAAAAGGGCG GATTCGGCGT GTTTGCCGGC
 5 1201 AAAAAAGAGC AGGATGGATC CGGAGGAGGA GGATGCCAAA GCAAGAGCAT
 1251 CCAAACCTTT CCGCAACCCG ACACATCCGT CATCAACGGC CCGGACCGGC
 1301 CGGTGGGCAT CCCCAGCCCC GCCGGAACGA CGGTGCGCGG CGGCGGGGCC
 1351 GTCTATACCG TTGTACCGCA CCTGTCCCTG CCCCCTGGG CGGCGCAGGA
 1401 TTTCGCCAAA AGCCTGCAAT CCTTCCGCCT CGGCTGCGCC AATTTGAAAA
 1451 ACCGCCAAGG CTGGCAGGAT GTGTGCGCCC AAGCCTTTCA AACCCCCGTC
 10 1501 CATTCCTTTC AGGCAAAACA GTTTTTTGAA CGCTATTCA CGCCGTGGCA
 1551 GGTGTCAGGC AACGGAAGCC TTGCCGGTAC GGTACCAGC TATTACGAGC
 1601 CGGTGCTGAA GGGCGACGAC AGGCGGACGG CACAAGCCCG CTTCCCGATT
 1651 TACGGTATTC CCGACGATTT TATCTCCGTC CCCCTGCCTG CCGGTTTGCG
 1701 GAGCGGAAAA GCCCTTGTC GCATCAGGCA GACGGGAAAA AACAGCGGCA
 1751 CAATCGACAA TACCGGCGGC ACACATACCG CCGACCTCTC CCGATTCCCC
 15 1801 ATACCGCGC GCACAACGGC AATCAAAGGC AGGTTTGAAG GAAGCCGCTT
 1851 CCTCCCCTAC CACACGCGCA ACCAAATCAA CGGCGGCGCG CTTGACGGCA
 1901 AAGCCCCGAT ACTCGGTTAC GCCGAAGACC CCGTCGAACT TTTTTTTATG
 1951 CACATCCAAG GCTCGGGCCG TCTGAAAACC CCGTCCGGCA AATACATCCG
 2001 CATCGGCTAT GCCGACAAAA ACGAACATCC CTACGTTTCC ATCGGACGCT
 20 2051 ATATGGCGGA CAAAGGCTAC CTCAAGCTCG GGCAGACCTC GATGCAGGCG
 2101 ATCAAAGCCT ATATGCGGCA AAATCCGCAA CGCCTCGCCG AAGTTTTGGG
 2151 TCAAAAACCC AGCTATATCT TTTTCCGCGA GCTTGCCGGA AGCAGCAATG
 2201 ACGGTCCCGT CGGCGCACTG GGCACGCCGT TGATGGGGGA ATATGCCGGC
 2251 GCAGTCGACC GGCACATAC TACCTTGGGC GCGCCCTTAT TTGTCGCCAC
 2301 CGCCCATCCG GTTACCCGCA AAGCCCTCAA CCGCCTGATT ATGGCGCAGG
 25 2351 ATACCGGCAG CGCGATTAAA GGCGCGGTGC GCGTGGAATA TTTTGGGGA
 2401 TACGGCGACG AAGCCGGCGA ACTTGCCGGC AAACAGAAAA CCACGGGTTA
 2451 CGTCTGGCAG CTCCTACCCA ACGGTATGAA GCGCGAATAC CGCCCGTAAC
 2501 TCGAG

30 1 MASPDVKSAD TLSKPAAPVV AEKETEVED APQAGSQGQG APSTQGSQDM
 51 AAVSAENTGN GGAATTDKPK NEDEGPQNDM PQNSAESANQ TGNNQPADSS
 101 DSAPASNAP ANGGSNFRV DLANGVLIDG PSQNLTLTHC KGDSCNGDNL
 151 LDEEAPSKSE FENLNERI EKYKKGKSD KFTNLVATAV QANGTNKYVI
 201 IYKDKSASS SARFRRSARS RRSLPAEMPL IPVNQADTLI VDGEAVSLTG
 35 251 HSGNIFAPAG NYRYLTYGAE KLPGGSYALR VQGEPAKGEM LAGTAVYNGE
 301 VLHFHTENGR PYPTRGRFAA KVDFGSKSVD GIIDSGDDLH MGTQKFKAAL
 351 DNGNFKGTWT ENGGGDVSGR FYGPAGEEVA GKYSYRPTDA EKGFGVFAG
 401 KKEQDGSQGG GCQSKSIQTF PQPDTSVING PDRPVGIPDP AGTTVGGGGA
 451 VYTVVPHLSL PHWAAQDFAK SLQSFRLGCA NLKNRQGWQD VCAQAFQTPV
 40 501 HSFQAKQFFE RYFTPWQVAG NGSLAGTVTG YYEPVLKGDD RRTAQARFPI
 551 YGIPDDFISV PLPAGLRSGK ALVRIRQTGK NSGTIDNTGG THTADLSRFP
 601 ITARTTAIKG RFEGSRFLPY HTRNQINGGA LDGKAPILGY AEDPVELFFM
 651 HIQGSRLKT PSGYIRIGY ADKNEHPYVS IGRYMADKGY LKLQTSMQG
 701 IKAYMRQNPQ RLAEVLGQNP SYIFFRELAG SSNDGPVGAL GTPLMGEYAG
 751 AVDRHYITLG APLFVATAHP VTRKALNRLI MAQDTGSAIK GAVRVDYFWG
 45 801 YGDEAGELAG KQKTTGYVWQ LLPNGMKPEY RP*

50
 55

AG287-953

	1	ATGGCTAGCC	CCGATGTTAA	ATCGGCGGAC	ACGCTGTCAA	AACCGGCCGC
	51	TCCTGTTGTT	GCTGAAAAAG	AGACAGAGGT	AAAAGAAGAT	GCGCCACAGG
5	101	CAGGTTCTCA	AGGACAGGGC	GCGCCATCCA	CACAAGGCAG	CCAAGATATG
	151	GCGGCAGTTT	CGGCAGAAAA	TACAGGCAAT	GGCGGTGCGG	CAACAACGGA
	201	CAAACCCAAA	AATGAAGACG	AGGGACCGCA	AAATGATATG	CCGCAAAATT
	251	CCGCCGAATC	CGCAAATCAA	ACAGGGAACA	ACCAACCCGC	CGATTCTTCA
	301	GATTCCGCCC	CCGCGTCAAA	CCCTGCACCT	GCGAATGGCG	GTAGCAATTT
10	351	TGGAAGGGTT	GATTTGGCTA	ATGGCGTTTT	GATTGATGGG	CCGTCGCAAA
	401	ATATAACGTT	GACCCACTGT	AAAGGCGATT	CTTGTAATGG	TGATAATTTA
	451	TTGGATGAAG	AAGCACCGTC	AAAATCAGAA	TTTGAAAATT	TAAATGAGTC
	501	TGAACGAATT	GAGAAATATA	AGAAAGATGG	GAAAAGCGAT	AAATTTACTA
	551	ATTTGGTTGC	GACAGCAGTT	CAAGCTAATG	GAACCTAACAA	ATATGTCATC
	601	ATTTATAAAG	ACAAGTCCGC	TTCATCTTCA	TCTGCGCGAT	TCAGGCGTTC
15	651	TGCACGGTCG	AGGAGGTCGC	TTCCTGCCGA	GATGCCGCTA	ATCCCCGTCA
	701	ATCAGGCGGA	TACGCTGATT	GTCGATGGGG	AAGCGGTGAG	CCTGACGGGG
	751	CATTCCGGCA	ATATCTTCGC	GCCCCAAGGG	AATTACCGGT	ATCTGACTTA
20	801	CGGGGCGGAA	AAATTGCCCG	GCGGATCGTA	TGCCCTCCGT	GTGCAAGGCG
	851	AACCGGCAAA	AGGCGAAATG	CTTGCTGGCA	CGGCCGTGTA	CAACGGCGAA
	901	GTGCTGCATT	TTCATACGGA	AAACGGCCGT	CCGTACCCGA	CTAGAGGCAG
	951	GTTTGCCGCA	AAAGTCGATT	TCGGCAGCAA	ATCTGTGGAC	GGCATTATCG
25	1001	ACAGCGGCGA	TGATTTGCAT	ATGGGTACGC	AAAAATTCAA	AGCCGCCATC
	1051	GATGGAAACG	GCTTTAAGGG	GACTTGACG	GAAAATGGCG	GCGGGGATGT
	1101	TTCCGGAAGG	TTTTACGGCC	CGGCCGGCGA	GGAAGTGGCG	GGAAAATACA
	1151	GCTATCGCCC	GACAGATGCG	GAAAAGGGCG	GATTGCGCGT	GTTTGCCGGC
	1201	AAAAAAGAGC	AGGATGGATC	CGGAGGAGGA	GGAGCCACCT	ACAAAGTGGA
	1251	CGAATATCAC	GCCAACGCCC	GTTTCGCCAT	CGACCATTTC	AACACCAGCA
30	1301	CCACGTCGG	CGGTTTTTAC	GGTCTGACCG	GTTCCGTCGA	GTTTCGACCAA
	1351	GCAAAACGCG	ACGGTAAAAT	CGACATCACC	ATCCCCGTTG	CCAACCTGCA
	1401	AAGCGGTTTC	CAACACTTTA	CCGACCACCT	GAAATCAGCC	GACATCTTTC
	1451	ATGCCGCCCA	ATATCCGGAC	ATCCGCTTTG	TTTCCACCAA	ATTCAACTTC
	1501	AACGGCAAAA	AACTGGTTTC	CGTTGACGGC	AACCTGACCA	TGCACGGCAA
	1551	AACCGCCCCC	GTCAAACCTCA	AAGCCGAAAA	ATTCAACTGC	TACCAAAGCC
35	1601	CGATGGCGAA	AACCGAAGTT	TGCGGCGGCG	ACTTCAGCAC	CACCATCGAC
	1651	CGCACCAAAT	GGGGCGTGGA	CTACCTCGTT	AACGTTGGTA	TGACCAAAAG
	1701	CGTCCGCATC	GACATCCAAA	TCGAGGCAGC	CAAACAATAA	CTCGAG
40	1	MASPDVKSAD	TLSPAAPVV	AEKETEVKED	APQAGSQQG	APSTQGSQDM
	51	AAVSAENTGN	GGAATTDKPK	NEDEGPQNDM	PQNSAESANQ	TGNNQPADSS
	101	DSAPASNAP	ANGGSNFRV	DLANGVLIDG	PSQNTLTHC	KGDSCNGDNL
	151	LDEEAPSKSE	FENLNESEI	EKYKKGDKSD	KFTNLVATAV	QANGTNKYVI
	201	IYKDKSASS	SARFRRSARS	RRSLPAEMPL	IPVNQADTLI	VDGEAVSLTG
45	251	HSGNIFAPEG	NYRYLTYGAE	KLPGGSYALR	VQGEPAKGEM	LAGTAVYNGE
	301	VLHFHTENGR	PYPTRGRFAA	KVDFGSKSVD	GIIDSGDDLH	MGTQKFKAII
	351	DNGGFKGTWT	ENGGDVSGR	FYGPAGEEVA	GKYSYRPTDA	EKGFGVFAG
	401	KKEQDGS	GATYKVDEYH	ANARFAIDHF	NTSTNVGGFY	GLTGSVEFDQ
	451	AKRDGKIDIT	IPVANLQSGS	QHFTDHLKSA	DIFDAAQYPD	IRFVSTKFNF
	501	NGKKLVSV	NLTMHGKTAP	VKLKAEKFNC	YQSPMAKTEV	CGGDFSTTID
50	551	RTKWGV	DYLV NVGMTKSVRI	DIQIEAAKQ*		
55						

ΔG287-961

	1	ATGGCTAGCC	CCGATGTTAA	ATCGGCGGAC	ACGCTGTCAA	AACCGGCCGC
	51	TCCTGTTGTT	GCTGAAAAAG	AGACAGAGGT	AAAAAGAAGAT	GCGCCACAGG
5	101	CAGGTTCTCA	AGGACAGGGC	GCGCCATCCA	CACAAGGCAG	CCAAGATATG
	151	GCGGCAGTTT	CGGCAGAAAA	TACAGGCAAT	GGCGGTGCGG	CAACAACGGA
	201	CAAACCCAAA	AATGAAGACG	AGGGACCGCA	AAATGATATG	CCGCAAAATT
	251	CCGCCGAATC	CGCAAATCAA	ACAGGGAACA	ACCAACCCGC	CGATTCTTCA
	301	GATTCCGCCC	CCGCGTCAAA	CCCTGCACCT	GCGAATGGCG	GTAGCAATTT
	351	TGGAAGGGTT	GATTTGGCTA	ATGGCGTTTT	GATTGATGGG	CCGTCGCAAA
10	401	ATATAACGTT	GACCCACTGT	AAAGGCGATT	CTTGTAATGG	TGATAATTTA
	451	TTGGATGAAG	AAGCACCGTC	AAAATCAGAA	TTTGAAAATT	TAAATGAGTC
	501	TGAACGAATT	GAGAAATATA	AGAAAGATGG	GAAAAGCGAT	AAATTTACTA
	551	ATTTGGTTGC	GACAGCAGTT	CAAGCTAATG	GAAC TAACAA	ATATGTCATC
	601	ATTTATAAAG	ACAAGTCCGC	TTCATCTTCA	TCTGCGCGAT	TCAGGCGTTC
	651	TGCACGGTCG	AGGAGGTCGC	TCCTTGCCGA	GATGCCGCTA	ATCCCCGTCA
15	701	ATCAGGCGGA	TACGCTGATT	GTCGATGGGG	AAGCGGTCAG	CCTGACGGGG
	751	CATTCCGGCA	ATATCTTCGC	GCCCGAAGGG	AATTACCGGT	ATCTGACTTA
	801	CGGGGCGGAA	AAATTGCCCG	GCGGATCGTA	TGCCCTCCGT	GTGCAAGGCG
	851	AACCGGCAAA	AGGCGAAATG	CTTGCTGGCA	CGGCCGTGTA	CAACGGCGAA
	901	GTGCTGCATT	TTCATACGGA	AAACGGCCGT	CCGTACCCGA	CTAGAGGCAG
	951	GTTTGCCGCA	AAAGTCGATT	TCGGCAGCAA	ATCTGTGGAC	GGCATTATCG
20	1001	ACAGCGGCGA	TGATTTGCAT	ATGGGTACGC	AAAAATTCAA	AGCCGCCATC
	1051	GATGAAAACG	GCTTTAAGGG	GACTTGACG	GAAAATGGCG	GCGGGGATGT
	1101	TTCCGGAAGG	TTTTACGGCC	CGGCCGGCGA	GGAAGTGGCG	GGAAAATACA
	1151	GCTATCGCCC	GACAGATGCG	GAAAAGGGCG	GATTGCGCGT	GTTTGCCGGC
	1201	AAAAAAGAGC	AGGATGGATC	CGGAGGAGGA	GGAGCCACAA	ACGACGACGA
25	1251	TGTTAAAAAA	GCTGCCACTG	TGGCCATTGC	TGCTGCCTAC	AACAATGGCC
	1301	AAGAAATCAA	CGGTTTCAAA	GCTGGAGAGA	CCATCTACGA	CATTGATGAA
	1351	GACGGCACAA	TTACCAAAAA	AGACGCAACT	GCAGCCGATG	TTGAAGCCGA
	1401	GCACTTTAAA	GGTCTGGGTC	TGAAAAAAGT	CGTGACTAAC	CTGACCAAAA
	1451	CCGTCAATGA	AAACAAACAA	AACGTGATG	CCAAAGTAAA	AGCTGCAGAA
30	1501	TCTGAAATAG	AAAAGTTAAC	AACCAAGTTA	GCAGACACTG	ATGCCGCTTT
	1551	AGCAGATACT	GATGCCGCTC	TGGATGCAAC	CACCAACGCC	TTGAATAAAT
35	1601	TGGGAGAAAA	TATAACGACA	TTTGCTGAAG	AGACTAAGAC	AAATATCGTA
	1651	AAAATTGATG	AAAAATTAGA	AGCCGTGGCT	GATACCGTCG	ACAAGCATGC
	1701	CGAAGCATTC	AACGATATCG	CCGATTCATT	GGATGAAACC	AACACTAAGG
	1751	CAGACGAAGC	CGTCAAAACC	GCCAATGAAG	CCAAACAGAC	GGCCGAAGAA
	1801	ACCAAACAAA	ACGTCGATGC	CAAAGTAAAA	GCTGCAGAAA	CTGCAGCAGG
	1851	CAAAGCCGAA	GCTGCCGCTG	GCACAGCTAA	TACTGCAGCC	GACAAGGCCG
40	1901	AAGCTGTGCG	TGCAAAAGTT	ACCGACATCA	AAGCTGATAT	CGCTACGAAC
	1951	AAAGATAATA	TTGCTAAAAA	AGCAAACAGT	GCCGACGTGT	ACACCAGAGA
	2001	AGAGTCTGAC	AGCAAATTTG	TCAGAATTGA	TGGTCTGAAC	GCTACTACCG
	2051	AAAAATTGGA	CACACGCTTG	GCTTCTGCTG	AAAAATCCAT	TGCCGATCAC
	2101	GATACTCGCC	TGAACGGTTT	GGATAAAACA	GTGTCAGACC	TGCGCAAAGA
	2151	AACCCGCCAA	GGCCTTGACG	AACAAGCCGC	GCTCTCCGGT	CTGTTCCAAC
45	2201	CTTACAACGT	GGGTCGGTTC	AATGTAACGG	CTGCAGTCGG	CGGCTACAAA
	2251	TCCGAATCGG	CAGTCGCCAT	CGGTACCGGC	TTCCGCTTTA	CCGAAAACCT
	2301	TGCCGCCAAA	GCAGGCGTGG	CAGTCGGCAC	TTCGTCCGGT	TCTTCCGCAG
	2351	CCTACCATGT	CGGCGTCAAT	TACGAGTGGT	AACTCGAG	
50						
55						

EP 1 790 660 A2

1 MASPDVKSAD TLSKPAAPVV AEKETEVED APQAGSQGQG APSTQGSQDM
 51 AAVSAENTGN GGAATTDKPK NEDEGPQNDM PQNSAESANQ TGNNQPADSS
 101 DSAPASNAP ANGGSNFRV DLANGVLIDG PSQNTLTHC KGDSCNGDNL
 151 LDEEAPSKSE FENLNESEI EKYKKGKSD KFTNLVATAV QANGTNKYVI
 5 IYKDKSASS SARFRSARS RRSIPAEMPL IPVNQADTLI VDGEAVSLTG
 251 HSGNIFAPEG NYRYLTYGAE KLPGGSYALR VQGEPAKGEM LAGTAVYNGE
 301 VLHFHTENGR PYPTRGRFAA KVDGSKSVD GIIDSGDDLH MGTQKFKAII
 351 DGNFGKGTWT ENGGGDVSGR FYGPAGEEVA GKYSYRPTDA EKGFGVFAG
 401 KKEQDGSQGG GATNDDDVKK AATVAIAAAY NNGQEINGFK AGETIYDIDE
 10 451 DGTITKKDAT AADVEADDFK GLGLKVVVN LTKTVNENKQ NVDAKVAAE
 501 SEIEKLTTKL ADTDAALADT DAALDATTNA LNKLGENTT FAEETKTNI
 551 KIDEKLEAVA DTVDKHAEEF NDIADSLDET NTKADEAVKT ANEAKQTAE
 601 TKQNVDAKVK AAETAAGKAE AAAGTANTAA DKAEAVAAKV TDIKADIATN
 651 KDNIAKKANS ADVYTREESD SKFVRIDGLN ATTEKLDTRL ASAEKSIADH
 701 DTRLNGLDKT VSDLRKETRQ GLAEQAALSG LFQPYNVGRF NVTAAVGGYK
 15 751 SESAVAIGTG FRFTENFAAK AGVAVGTSSG SSAAYHVGVN YEW*

	ELISA	Bactericidal
ΔG287-953-His	3834	65536
ΔG287-961-His	108627	65536

[0219] The bactericidal efficacy (homologous strain) of antibodies raised against the hybrid proteins was compared with antibodies raised against simple mixtures of the component antigens (using 287-GST) for 919 and ORF46.1:

	Mixture with 287	Hybrid with ΔG287
919	32000	128000
ORF46.1	128	16000

[0220] Data for bactericidal activity against heterologous MenB strains and against serotypes A and C were also obtained:

	919		ORF46.1	
Strain	Mixture	Hybrid	Mixture	Hybrid
NGH38	1024	32000	-	16384
MC58	512	8192	-	512
BZ232	512	512	-	-
MenA (F6124)	512	32000	-	8192
MenC (C11)	>2048	>2048	-	-
MenC (BZ133)	>4096	64000	-	8192

[0221] The hybrid proteins with ΔG287 at the N-terminus are therefore immunologically superior to simple mixtures, with ΔG287-ORF46.1 being particularly effective, even against heterologous strains. ΔG287-ORF46.1K may be expressed in pET-24b.

[0222] The same hybrid proteins were made using New Zealand strain 394/98 rather than 2996:

AG287NZ-919

1	ATGGCTAGCC	CCGATGTCAA	GTCGCGGAC	ACGCTGTCAA	AACCTGCCGC
51	CCCTGTTGTT	TCTGAAAAAG	AGACAGAGGC	AAAGGAAGAT	GCGCCACAGG
101	CAGGTTCTCA	AGGACAGGGC	GCGCCATCCG	CACAAGGCGG	TCAAGATATG
151	GCGGCGGTTT	CGGAAGAAAA	TACAGGCAAT	GGCGGTGCGG	CAGCAACGGA
201	CAAACCCAAA	AATGAAGACG	AGGGGGCGCA	AAATGATATG	CCGCAAAATG
251	CCGCCGATAC	AGATAGTTTG	ACACCGAATC	ACACCCCGGC	TTCGAATATG
301	CCGGCCGGAA	ATATGGAAAA	CCAAGCACCG	GATGCCGGGG	AATCGGAGCA
351	GCCGGCAAAC	CAACCGGATA	TGGCAAATAC	GGCGGACGGA	ATGCAGGGTG
401	ACGATCCGTC	GGCAGGCGGG	GAAAATGCCG	GCAATACGGC	TGCCCCAAGGT
451	ACAAATCAAG	CCGAAAACAA	TCAAACCGCC	GGTTCCTCAA	ATCCTGCCTC
501	TTCAACCAAT	CCTAGCGCCA	CGAATAGCGG	TGGTGATTTT	GGAAGGACGA
551	ACGTGGGCAA	TTCTGTTGTG	ATTGACGGGC	CGTCGCAAAA	TATAACGTTG
601	ACCCACTGTA	AAGGCGATTG	TTGTAGTGGC	AATAATTTCT	TGGATGAAGA
651	AGTACAGCTA	AAATCAGAA	TTGAAAAATT	AAGTGATGCA	GACAAAAATA
701	GTAATTACAA	GAAAGATGGG	AAGAATGACG	GGAAGAATGA	TAAATTTGTC
751	GGTTTGGTTG	CCGATAGTGT	GCAGATGAAG	GGAATCAATC	AATATATTAT
801	CTTTTATAAA	CCTAAACCCA	CTTCATTTGC	GCGATTTAGG	CGTTCCTGCAC
851	GTCGAGGCG	GTCGCTTCCG	GCCGAGATGC	CGCTGATTCC	CGTCAATCAG
901	GCGGATACGC	TGATTGTCTG	TGGGGAAGCG	GTCAGCCTGA	CGGGGCATTC
951	CGGCAATATC	TTTCGCGCCC	AAGGGAATTA	CCGGTATCTG	ACTTACGGGG
1001	CGGAAAAATT	GCCCGGCGGA	TCGTATGCCC	TCCGTGTTCA	AGGCGAACCT
1051	TCAAAGGCG	AAATGCTCGC	GGGCACGGCA	GTGTACAACG	GCGAAGTGCT
1101	GCATTTTCAT	ACGGAAAACG	GCCGTCCGTC	CCCGTCCAGA	GCGAGGTTTG
1151	CCGCAAAAGT	CGATTTTCGG	AGCAAATCTG	TGGACGGCAT	TATCGACAGC
1201	GGCGATGGTT	TGCATATGGG	TACGCAAAAA	TTCAAAGCCG	CCATCGATGG
1251	AAACGCTTTT	AAGGGGACTT	GGACGGAAAA	TGGCGGCGGG	GATGTTTCCG
1301	GAAAGTTTTA	CGGCCCGGCC	GGCGAGGAAG	TGGCGGGAAA	ATACAGCTAT
1351	CGCCCAACAG	ATGCGGAAAA	GGGCGGATTG	GGCGTGTTTG	CCGGCAAAAA
1401	AGAGCAGGAT	GGATCCGGAG	GAGGAGGATG	CCAAAGCAAG	AGCATCCAAA
1451	CCTTTCCGCA	ACCCGACACA	TCCGTCATCA	ACGGCCCGGA	CCGGCCGGTC
1501	GGCATCCCCG	ACCCCGCCCG	AACGACGGTC	GGCGGCGGCG	GGGCCGTCTA
1551	TACCGTTGTA	CCGCACCTGT	CCCTGCCCCA	CTGGGCGGCG	CAGGATTTCC
1601	CCAAAAGCCT	GCAATCCTTC	CGCTCGGCT	GCGCCAATTT	GAAAAACCGC
1651	CAAGGCTGGC	AGGATGTGTG	CGCCCAAGCC	TTTCAAACCC	CCGTCCATTC
1701	CTTTCAGGCA	AAACAGTTTT	TTGAACGCTA	TTTACGCGCG	TGGCAGGTTG
1751	CAGGCAACGG	AAGCCTTGCC	GGTACGGTTA	CCGGCTATTA	CGAGCCGGTG
1801	CTGAAGGGCG	ACGACAGGCG	GACGGCACAA	GCCCGCTTCC	CGATTTACGG
1851	TATTCCTGAC	GATTTTATCT	CCGTCCCCCT	GCCTGCCGGT	TTGGGATACG
1901	GAAAAGCCCT	TGTCCGCATC	AGGCAGACGG	GAAAAACAG	CGGCACAATC
1951	GACAATACCG	GCGGCACACA	TACCGCCGAC	CTCTCCCGAT	TCCCCATCAC
2001	CGCGCGCACA	ACGCAATCA	AAGGCAGGTT	TGAAGGAAGC	CGCTTCCTCC
2051	CCTACCACAC	GCGCAACCAA	ATCAACGGCG	GCGCGCTTGA	CGGCAAAGCC
2101	CCGATACTCG	GTTACGCCGA	AGACCCCGTC	GAACCTTTTTT	TTATGCACAT
2151	CCAAGGCTCG	GGCGTCTGA	AAACCCCGTC	CGGCAAATAC	ATCCGCATCG
2201	GCTATGCCGA	CAAAAACGAA	CATCCCTACG	TTTCCATCGG	ACGCTATATG
2251	GCGGACAAAG	GCTACCTCAA	GCTCGGGCAG	ACCTCGATGC	AGGGCATCAA
2301	AGCCTATATG	CGGCAAAATC	CGCAACGCCT	CGCCGAAGTT	TTGGGTCAAA
2351	ACCCAGCTA	TATCTTTTTT	CGCGAGCTTG	CCGGAAGCAG	CAATGACGGT
2401	CCGTCGGCG	CACTGGGCAC	GCCGTTGATG	GGGGAATATG	CCGGCGCAGT
2451	CGACCGGCAC	TACATTACCT	TGGGCGCGCC	CTTATTTGTC	GCCACCGCCC
2501	ATCCGGTTAC	CCGCAAAGCC	CTCAACCGCC	TGATTATGGC	GCAGGATACC
2551	GGCAGCGCGA	TTAAAGGCGC	GGTGCGCGTG	GATTATTTTT	GGGGATACGG
2601	CGACGAAGCC	GGCGAACTTG	CCGGCAAACA	GAAAACCACG	GGTTACGTCT
2651	GGCAGCTCCT	ACCCAACGGT	ATGAAGCCCG	AATACCGCCC	GTAAAAGCTT

EP 1 790 660 A2

1	MASPDVKSAD	TLSPKPAAPVV	SEKETEAKED	APQAGSQGG	APSAQGGQDM
51	AAVSEENTGN	GGAAATDKPK	NEDEGAQNDM	PQNAADTDSL	TPNHTPASNM
101	PAGNMENQAP	DAGESEQPAN	QPDMAANTADG	MQGDDPSAGG	ENAGNTAAQG
151	TNQAENNQTA	GSQNPFASSTN	PSATNSGGDF	GRTNVGNVSV	IDGPSQNTIL
201	THCKGDSCSG	NNFLDEEVQL	KSEFEKLSDA	DKISNYKKDG	KNDGKNDKFFV
251	GLVADSVQMK	GINQYIIFYK	PKPTSFAFR	RSARSRRSLP	AEMPLIPVNO
301	ADTLIVDGEA	VSLTGHSGNI	FAPEGNYRYL	TYGAELKPGG	SYALRVQGEF
351	SKGEMLAGTA	VYNGEVLHFH	TENGRPSPSR	GRFAAKVDFG	SKSVDDGIIDS
401	GDGLHMGTOK	FKAAIDGNF	KGTWTENGGG	DVSGKFYGPA	GEEVAGKYSY
451	RPTDAEKGGF	GVFAGKKEQD	GSGGGGCQSK	SIQTFPQPD	SVINGPDRPV
501	GIPDPAGTTV	GGGGAIVTVV	PHLSLPHWAA	QDFAKSLQSF	RLGCANLKNR
551	QGWQDVCAQA	FQTPVHSFQA	KOFFERYFTP	WQVAGNGSLA	GTVTGYEYEP
601	LKGGDRRTAQ	ARFPIYGIPD	DFISVPLPAG	LRSGKALVRI	RQTGKNSGTI
651	DNTGGTHTAD	LSRFPIITART	TAIKGRFEFS	RFLPYHTRNQ	INGGALDGA
701	PILGYAEDPV	ELFFMHQGS	GRLKTPSGKY	IRIGYADKNE	HPYVSIGRYM
751	ADKGYLKLGO	TSMQGIKAYM	RQNPQRLAEV	LGQNPYSIIF	RELAGSSNDG
801	PVGALGTPLM	GEYAGAVDRH	YITLGAFLV	ATAHPVTRKA	LNRLIMAQDT
851	GSAIKGAVRV	DYFWGYGDEA	GELAGKQKTT	GYVWQLLPNG	MKPEYRP*

AG287NZ-953

1	ATGGCTAGCC	CCGATGTCAA	GTCGGCGGAC	ACGCTGTCAA	AACCTGCCGC
51	CCCTGTTGTT	TCTGAAAAAG	AGACAGAGGC	AAAGGAAGAT	GCGCCACAGG
101	CAGGTTCTCA	AGGACAGGGC	GCGCCATCCG	CACAAGGCGG	TCAAGATATG
151	GCGGCGGTTT	CGGAAGAAAA	TACAGGCAAT	GCGGCTGCGG	CAGCAACGGA
201	CAAAACCAAA	AATGAAGACG	AGGGGGCGCA	AAATGATATG	CCGCAAAATG
251	CCGCCGATAC	AGATAGTTTG	ACACCGAATC	ACACCCCGGC	TTCGAATATG
301	CCGCCCGGAA	ATATGGAAAA	CCAAGCACCG	GATGCCGGGG	AATCGGAGCA
351	GCCGGCAAAC	CAACCGGATA	TGGCAAATAC	GGCGGACGGA	ATGCAGGGTG
401	ACGATCCGTC	GGCAGGCGGG	GAAAATGCCG	GCAATACGGC	TGCCCAAGGT
451	ACAAATCAAG	CCGAAAACAA	TCAAACCGCC	GGTTCTCAAA	ATCCTGCCTC
501	TTCAACCAAT	CCTAGCGCCA	CGAATAGCGG	TGGTGATTTT	GGAAGGACGA
551	ACGTGGGCAA	TTCTGTTGTG	ATTGACGGGC	CGTCGCAAAA	TATAACGTTG
601	ACCCACTGTA	AAGGCGATT	TTGTAGTGGC	AATAATTTCT	TGGATGAAGA
651	AGTACAGCTA	AAATCAGAAT	TTGAAAAATT	AAGTGATGCA	GACAAAATAA
701	GTAATTACAA	GAAAGATGGG	AAGAATGACG	GGAAGAATGA	TAAATTTGTC
751	GGTTTGTTTG	CCGATAGTGT	GCAGATGAAG	GGAATCAATC	AATATATTAT
801	CTTTTATAAA	CCTAAACCCA	CTTCATTTGC	GCGATTTAGG	CGTCTGTCAC
851	GGTCGAGGCG	GTCGCTTCCG	GCCGAGATGC	CGCTGATTCC	CGTCAATCAG
901	GCGGATACGC	TGATTGTCTG	TGGGGAAGCG	GTCAGCCTGA	CGGGGCATTC
951	CGGCAATATC	TTCGCGCCCG	AAGGGAATTA	CCGGTATCTG	ACTTACGGGG
1001	CGGAAAAATT	GCCCCGCGGA	TGCTATGCCC	TCCGTGTTCA	AGGCGAACCT
1051	TCAAAAGGCG	AAATGCTCGC	GGGCACGGCA	GTGTACAACG	GCGAAGTGCT
1101	GCATTTTCAT	ACGGAAAAACG	GCCGTCCGTC	CCCGTCCAGA	GGCAGGTTTG
1151	CCGCAAAAGT	CGATTTTCGGC	AGCAAATCTG	TGGACGGCAT	TATCGACAGC
1201	GGCGATGGTT	TGCATATGGG	TACGCAAAAA	TTCAAAGCCG	CCATCGATGG
1251	AAACGGCTTT	AAGGGGACTT	GGACGGAAAA	TGGCGGCGGG	GATGTTTCCG
1301	GAAAGTTTTA	CGGCCCGGCC	GGCGAGGAAG	TGGCGGGAAA	ATACAGCTAT
1351	CGCCCAACAG	ATGCGGAAAA	GGGCGGATT	GGCGTGTGTT	CCGGCAAAAA
1401	AGAGCAGGAT	GGATCCGGAG	GAGGAGGAGC	CACCTACAAA	GTGGACGAAT
1451	ATCAGGCCAA	CGCCCGTTTC	GCCATCGACC	ATTTCAACAC	CAGCACCAC
1501	GTCGGCGGTT	TTTACGGTCT	GACCGGTTCC	GTCGAGTTCC	ACCAAGCAAA
1551	ACGCGACGGT	AAAATCGACA	TCACCATCCC	CGTTGCCAAC	CTGCAAAGCG

EP 1 790 660 A2

1601 GTTCGCAACA CTTTACCGAC CACCTGAAAT CAGCCGACAT CTTCGATGCC
 1651 GCCCAATATC CGGACATCCG CTTTGTTCCT ACCAAATTCA ACTTCAACGG
 1701 CAAAAAACTG GTTTCGGTTG ACGGCAACCT GACCATGCAC GGCAAAACCG
 1751 CCCCCGTCAA ACTCAAAGCC GAAAAATTCA ACTGCTACCA AAGCCCCGATG
 1801 GCGAAAACCG AAGTTTGCGG CGGCGACTTC AGCACCACCA TCGACCGCAC
 1851 CAAATGGGGC GTGGACTACC TCGTTAACGT TGGTATGACC AAAAGCGTCC
 1901 GCATCGACAT CCAAATCGAG GCAGCCAAAC AATAAAAGCT T

1 MASPDVKSAD TLSKPAAPVV SEKETEAKED APQAGSQGGG APSAQGGQDM
 51 AAVSEENTGN GGAAATDKPK NEDEGAQNDM PQNAADTDSL TPNHTPASNM
 101 PAGNMENQAP DAGESEQPAN QPDMANTADG MQGDDPSAGG ENAGNTAAQG
 151 TNQAENNQTA GSQNPASSTN PSATNSGGDF GRTNVGNSV IDGPSQNLTL
 201 THCKGDSCSG NNFLDEEVQL KSEFEKLSDA DKISNYKKDG KNDGKNDKFF
 251 GLVADSVQMK GINQYIIFYK PKPTSFAFR RSARSRRSLP AEMPLIPVNO
 301 ADTLIVDGEA VSLTGHSGNI FAPEGNYRYL TYGAEKLPFG SYALRVQGEF
 351 SKGEMLAGTA VYNGEVLHFF TENGRPSPSR GRFAAKVDFG SKSVDGIIDS
 401 GDGLHMGTOK FKAIDGNF KGTWTENGG DVSGKFYGP GEEVAGKYSY
 451 RPTDAEKGGF GVFAGKKEQD GSGGGGATYK VDEYHANARF AIDHFNSTN
 501 VGGFYGLTGS VEFDAQKRDG KIDITIPVAN LQSGSQHFTD HLKSADIFDA
 551 AQYPIRFVS TKFNENGKLL VSVDGNLTMH GKTAPVKLLA EKFNQYQSPM
 601 AKTEVCGGDF STTIDRTKWG VDYLNVNVTM KSVRIDIQIE AAKQ*

ΔG287NZ-961

	1	ATGGCTAGCC	CCGATGTCAA	GTGCGCGGAC	ACGCTGTCAA	AACCTGCCGC
	51	CCCTGTTGTT	TCTGAAAAAG	AGACAGAGGC	AAAGGAAGAT	GCGCCACAGG
5	101	CAGGTTCTCA	AGGACAGGGC	GCGCCATCCG	CACAAGGCGG	TCAAGATATG
	151	GCGGCGGTTT	CGGAAGAAAA	TACAGGCAAT	GGCGGTGCGG	CAGCAACGGA
	201	CAAACCCAAA	AATGAAGACG	AGGGGGCGCA	AAATGATATG	CCGCAAAATG
	251	CCGCCGATAC	AGATAGTTTG	ACACCGAATC	ACACCCCGGC	TTCGAATATG
	301	CCGGCCGGAA	ATATGGAAAA	CCAAGCACCG	GATGCCGGGG	AATCGGAGCA
	351	GCCGGCAAAC	CAACCGGATA	TGGCAAATAC	GGCGGACGGA	ATGCAGGGTG
10	401	ACGATCCGTC	GGCAGGCGGG	GAAAATGCCG	GCAATACGGC	TGCCCAAGGT
	451	ACAAATCAAG	CCGAAAACAA	TCAAACCGCC	GGTTCTCAAA	ATCCTGCCTC
	501	TTCAACCAAT	CCTAGCGCCA	CGAATAGCGG	TGGTGATTTT	GGAAGGACGA
	551	ACGTGGGCAA	TTCTGTTGTG	ATTGACGGGC	CGTCGCAAAA	TATAACGTTG
	601	ACCCACTGTA	AAGGCGATTC	TTGTAGTGGC	AATAATTTCT	TGGATGAAGA
15	651	AGTACAGCTA	AAATCAGAAT	TTGAAAAATT	AAGTGATGCA	GACAAAATAA
	701	GTAATTACAA	GAAAGATGGG	AAGAATGACG	GGAAGAATGA	TAAATTTGTC
	751	GGTTTGTTG	CCGATAGTGT	GCAGATGAAG	GGAATCAATC	AATATATTAT
	801	CTTTTATAAA	CCTAAACCCA	CTTCATTTGC	GCGATTTAGG	CGTTCGCAC
	851	GGTCGAGGCG	GTCGCTTCCG	GCCGAGATGC	CGCTGATTCC	CGTCAATCAG
	901	GCGGATACGC	TGATGTGTCG	TGGGGAAGCG	GTGAGCCTGA	CGGGGCATTC
20	951	CGGCAATATC	TTCGCGCCCG	AAGGGAATTA	CCGGTATCTG	ACTTACGGGG
	1001	CGGAAAAATT	GCCCCGGCGA	TCGTATGCC	TCCGTGTTCA	AGGCGAACCT
	1051	TCAAAAGGCG	AAATGCTCGC	GGGCACGGCA	GTGTACAACG	GCGAAGTGCT
	1101	GCATTTTCAT	ACGGAAAACG	GCCGTCCGTC	CCCGTCCAGA	GGCAGGTTTG
	1151	CCGCAAAAGT	CGATTTCCGC	AGCAAATCTG	TGGACGGCAT	TATCGACAGC
	1201	GGCGATGGTT	TGCATATGGG	TACGCAAAAA	TTCAAAGCCG	CCATCGATGG
25	1251	AAACGGCTTT	AAGGGGACTT	GGACGGAAAA	TGGCGGCGGG	GATGTTTCCG
	1301	GAAAGTTTTA	CGGCCCGGCC	GGCGAGGAAG	TGGCGGGAAA	ATACAGCTAT
	1351	CGCCCAACAG	ATGCGGAAAA	GGGCGGATTC	GGCGTGTTTG	CCGGCAAAAA
	1401	AGAGCAGGAT	GGATCCGGAG	GAGGAGGAGC	CACAAACGAC	GACGATGTTA
	1451	AAAAAGCTGC	CACTGTGGCC	ATTGCTGCTG	CCTACAACAA	TGGCCAAGAA
30	1501	ATCAACGGTT	TCAAAGCTGG	AGAGACCATC	TACGACATTG	ATGAAGACGG
	1551	CACAATTACC	AAAAAAGACG	CAACTGCAGC	CGATGTTGAA	GCCGACGACT
	1601	TTAAAGGTCT	GGGTCTGAAA	AAAGTCGTGA	CTAACCTGAC	CAAAAACGTC
	1651	AATGAAAACA	AACAAAACGT	CGATGCCAAA	GTAAGAGCTG	CAGAATCTGA
	1701	AATAGAAAAG	TTAACAACCA	AGTTAGCAGA	CACTGATGCC	GCTTTAGCAG
	1751	ATACTGATGC	CGCTCTGGAT	GCAACCACCA	ACGCCTTGAA	TAAATTGGGA
35	1801	GAAAAATATA	CGACATTTGC	TGAAGAGACT	AAGACAAATA	TCGTAAAAAT
	1851	TGATGAAAAA	TTAGAAGCCG	TGGCTGATAC	CGTCGACAAG	CATGCCGAAG
	1901	CATTCAACGA	TATCGCCGAT	TCATTGGATG	AAACCAACAC	TAAGGCAGAC
	1951	GAAGCCGTCA	AAACCGCCAA	TGAAGCCAAA	CAGACGGCCG	AAGAAACCAA
	2001	ACAAAACGTC	GATGCCAAAG	TAAAAGCTGC	AGAAACTGCA	GCAGGCAAAG
	2051	CCGAAGCTGC	CGCTGGCACA	GCTAATACTG	CAGCCGACAA	GGCCGAAGCT
40	2101	GTCGCTGCAA	AAGTTACCGA	CATCAAAGCT	GATATCGCTA	CGAACAAAGA
45	2151	TAATATTGCT	AAAAAAGCAA	ACAGTGCCGA	CGTGTAACAC	AGAGAAGAGT
	2201	CTGACAGCAA	ATTTGTCAGA	ATTGATGGTC	TGAACGCTAC	TACCGAAAAA
	2251	TTGGACACAC	GCTTGGCTTC	TGCTGAAAAA	TCCATTGCCG	ATCACGATAC
	2301	TCGCCTGAAC	GGTTTGATA	AAACAGTGTC	AGACCTGCGC	AAAGAAACCC
	2351	GCCAAGGCCT	TGCAGAACAA	GCCGCGCTCT	CCGGTCTGTT	CCAACCTTAC
	2401	AACGTGGGTC	GGTTCAATGT	AACGGCTGCA	GTCGGCGGCT	ACAAATCCGA
50	2451	ATCGGCAGTC	GCCATCGGTA	CCGGCTTCCG	CTTTACCGAA	AACTTTGCCG
	2501	CCAAAGCAGG	CGTGGCAGTC	GGCACTTCGT	CCGGTTCTTC	CGCAGCCTAC
	2551	CATGTCGGCG	TCAATTACGA	GTGGTAAAAG	CTT	
55						

EP 1 790 660 A2

```

1 MASPDVKSAD TLSKPAAPVV SEKETEAKED APQAGSQGGQ APSAQGGQDM
51 AAVSEENTGN GGAAATDKPK NEDEGAQNDM PQNAADTDSL TPNHTPASNM
101 PAGNMENQAP DAGESEQPAN QPDMANTADG MQGDDPSAGG ENAGNTAAQG
151 TNQAENNQTA GSQNPASSTN PSATNSGGDF GRTNVGNSV IDGPSQNIITL
201 THCKGDSCSG NNFLDEEVQL KSEFEKLSDA DKISNYKKDG KNDGKNDKFFV
251 GLVADSVQMK GINQYIIFYK PKPTSFAFR RSARSRRSLP AEMPLIPVNQ
301 ADTLIVDGEA VSLTGHSGNI FAPEGNYRYL TYGAEKLP GG SYALRVQGEF
351 SKGEMLAGTA VYNGEVLHFH TENGRPSPSR GRFAAKVDFG SKSVDGIIDS
401 GDGLHMGTOK FKAIDGNGF KGTWTENGGG DVSGKFYGP GEEVAGKYSY
451 RPTDAEKGGF GVFAKGKEQD GSGGGGATND DDVKKAAATVA IAAAYNNGQE
501 INGFKAGETI YDIDEDGTIT KKDATAADVE ADDFKGLGLK KVVNTLTKTV
551 NENKQNVDAK VKAAESEIEK LTTKLADTDA ALADTDAALD ATTNALNKLK
601 ENITTFAEET KTNIVKIDEK LEAVADTVDK HAAEFNDIAD SLDETNTKAD
651 EAVKTANEAK QTAEETKQNV DAKVKAAETA AGKAEAAAGT ANTAADKAEA
701 VAAKVTDIKA DIATNKDNIA KKANSADVYT REESDSKFVR IDGLNATTEK
751 LDTRLASAEK SIADHDTRLN GLDKTVSDLR KETROGLAEQ AALSGLFQPY
801 NVGRFNVTA VGGYKSESAV AIGTGFRFTE NFAAKAGVAV GTSSGSSAAY
851 HVG VNYEW*

```

ΔG983 and hybrids

[0223] Bactericidal titres generated in response to ΔG983 (His-fusion) were measured against various strains, including the homologous 2996 strain:

	2996	NGH38	BZ133
ΔG983	512	128	128

[0224] ΔG983 was also expressed as a hybrid, with ORF46.1, 741, 961 or 961c at its C-terminus:

ΔG983-ORF46.1

```

1 ATGACTTCTG CGCCCGACTT CAATGCAGGC GGTACCGGTA TCGGCAGCAA
51 CAGCAGAGCA ACAACAGCGA AATCAGCAGC AGTATCTTAC GCCGGTATCA
101 AGAACGAAAT GTGCAAAGAC AGAAGCATGC TCTGTGCCGG TCGGGATGAC
151 GTTGCGGTTA CAGACAGGGA TGCCAAAATC AATGCCCCCC CCCCGAATCT
201 GCATACCGGA GACTTTCCAA ACCCAAATGA CGCATACAAG AATTTGATCA
251 ACCTCAAACC TGCAATTGAA GCAGGCTATA CAGGACGCGG GGTAGAGGTA
301 GGTATCGTCG ACACAGGCGA ATCCGTCCGC AGCATATCCT TTCCCGAAT
351 GTATGGCAGA AAAGAACACG GCTATAACGA AAATTACAAA AACTATACGG
401 CGTATATGCG GAAGGAAGCG CCTGAAGACG GAGGCGGTAA AGACATTGAA
451 GCTTCTTTTCG ACGATGAGGC CGTTATAGAG ACTGAAGCAA AGCCGACGGA
501 TATCCGCCAC GTAAAAGAAA TCGGACACAT CGATTTGGTC TCCCATATTA
551 TTGGCGGGCG TTCCGTGGAC GGACAGCTTG CAGGCGGTAT TCGCGCCGAT
601 GCGACGCTAC ACATAATGAA TACGAATGAT GAAACCAAGA ACGAAATGAT
651 GGTTGCAGCC ATCCGCAATG CATGGGTCAA GCTGGGCGAA CGTGGCGTGC
701 GCATCGTCAA TAACAGTTTT GGAACAACAT CGAGGGCAGG CACTGCCGAC
751 CTTTTCCTAAA TAGCCAATTC GGAGGAGCAG TACCGCCAAG CGTTGCTCGA
801 CTATTCCGGC GGTGATAAAA CAGACGAGGG TATCCGCCTG ATGCAACAGA
851 GCGATTACGG CAACCTGTCC TACCACATCC GTAATAAAAA CATGCTTTTC
901 ATCTTTTCGA CAGGCAATGA CGCACAAGCT CAGCCCAACA CATATGCCCT
951 ATTGCCATTT TATGAAAAAG ACGCTCAAAA AGGCATTATC ACAGTCGCAG
1001 GCGTAGACCG CAGTGGAGAA AAGTTCAAAC GGGAAATGTA TGGAGAACCG
1051 GGTACAGAAC CGTTGAGTA TGGCTCCAAC CATTGCGGAA TTACTGCCAT
1101 GTGGTGCCTG TCGGCACCCT ATGAAGCAAG CGTCCGTTTC ACCCGTACAA

```

	1151	ACCCGATTCA	AATTGCCGGA	ACATCCTTTT	CCGCACCCAT	CGTAACCGGC
	1201	ACGGCGGCTC	TGCTGCTGCA	GAAATACCCG	TGGATGAGCA	ACGACAACCT
	1251	GCGTACCACG	TTGCTGACGA	CGGCTCAGGA	CATCGGTGCA	GTCGGCGTGG
5	1301	ACAGCAAGTT	CGGCTGGGGA	CTGCTGGATG	CGGGTAAGGC	CATGAACGGA
	1351	CCCGCGTCTT	TTCCGTTCCG	CGACTTTACC	GCCGATACGA	AAGGTACATC
	1401	CGATATTGCC	TACTCCTTCC	GTAACGACAT	TTCAGGCACG	GGCGGCCTGA
	1451	TCAAAAAAGG	CGGCAGCCAA	CTGCAACTGC	ACGGCAACAA	CACCTATACG
	1501	GGCAAAACCA	TTATCGAAGG	CGGTTTCGTG	GTGTTGTACG	GCAACAACAA
	1551	ATCGGATATG	CGCGTCGAAA	CCAAAGGTGC	GCTGATTTAT	AACGGGGCGG
10	1601	CATCCGGCGG	CAGCCTGAAC	AGCGACGGCA	TTGTCTATCT	GGCAGATACC
	1651	GACCAATCCG	GCGCAAAACG	AACCGTACAC	ATCAAAGGCA	GTCTGCAGCT
	1701	GGACGGCAAA	GGTACGCTGT	ACACACGTTT	GGGCAAACTG	CTGAAAGTGG
	1751	ACGGTACGGC	GATTATCGGC	GGCAAGCTGT	ACATGTCGGC	ACGCGGCAAG
	1801	GGGGCAGGCT	ATCTCAACAG	TACCGGACGA	CGTGTTCCTT	TCCTGAGTGC
	1851	CGCCAAAATC	GGGCAGGATT	ATTCTTTCTT	CACAAACATC	GAAACCGACG
15	1901	CGCGCTGCT	GGCTTCCCTC	GACAGCGTCG	AAAAAACAGC	GGGCGATGAA
	1951	GGCGACACGC	TGTCTATTA	TGTCCGTCGC	GGCAATGCGG	CACGGACTGC
	2001	TTCCGGCAGG	GCACATTCCG	CGCCCGCCGG	TCTGAAACAC	GCCGTAGAAC
	2051	AGGGCGGCAG	CAATCTGGAA	AACCTGATGG	TCGAACTGGA	TGCCTCCGAA
	2101	TCATCCGCCA	CACCCGAGAC	GGTTGAAACT	CGGCGAGCCG	ACCGCAGAGA
	2151	TATGCCGGGC	ATCCGCCCTT	ACGGCGCAAC	TTTCGCGCGA	GCGGCAGCCG
	2201	TACAGCATGC	GAATGCCGCC	GACGGTGTAC	GCATCTTCAA	CAGTCTCGCC
20	2251	GCTACCGTCT	ATGCCGACAG	TACCGCCGCC	CATGCCGATA	TGCAGGGACG
	2301	CGCCTGAAA	GCCGTATCGG	ACGGGTTGGA	CCACAACGGC	ACGGGCTCGC
	2351	GCGTCATCGC	GCAAACCCAA	CAGGACGGTG	GAACGTGGGA	ACAGGGCGGT
	2401	GTTGAAGGCA	AAATGCGCGG	CAGTACCCAA	ACCGTCGGCA	TTGCCGCGAA
	2451	AACCGGCGAA	AATACGACAG	CAGCCGCCAC	ACTGGGCATG	GGACGCAGCA
25	2501	CATGGAGCGA	AAACAGTGCA	AATGCAAAAA	CCGACAGCAT	TAGTCTGTTT
	2551	GCAGGCATAC	GGCAGATGC	GGGCGATATC	GGCTATCTCA	AAGGCCTGTT
	2601	CTCCTACGGA	CGCTACAAAA	ACAGCATCAG	CCGCAGCACC	GGTGCGGACG
	2651	AACATGCGGA	AGGCAGCGTC	AACGGCACGC	TGATGCAGCT	GGGCGCACTG
	2701	GGCGGTGTCA	ACGTTCCGTT	TGCCGCAACG	GGAGATTTGA	CGGTGGAAGG
	2751	CGGTCTGCGC	TACGACCTGC	TCAAACAGGA	TGCATTTCGCC	GAAAAAGGCA
	2801	GTGCTTTGGG	CTGGAGCGGC	AACAGCCTCA	CTGAAGGCAC	GCTGTGCGGA
30	2851	TCGCGGGGTC	TGAAGCTGTC	GCAACCCCTG	AGCGATAAAG	CCGTCTCTGT
	2901	CTCAACGGCG	GCCGTGGAAC	GCGACCTGAA	CGGACGCGAC	TACACGGCTAA
	2951	CGGGCGGCTT	TACCGGCGCG	ACTGCAGCAA	CCGGCAAGAC	GGGGGCACGC
	3001	AATATGCCGC	ACACCCGTCT	GGTTGCCGGC	CTGGGCGCGG	ATGTCGAATT
	3051	CGGCAACGGC	TGGAACGGCT	TGGCACGTTA	CAGCTACGCC	GGTTCCAAAC
	3101	AGTACGGCAA	CCACAGCGGA	CGAGTCGGCG	TAGGCTACCG	GGTCTCTGAC
35	3151	GGTGGCGGAG	GCACTGGATC	CTCAGATTTG	GCAAACGATT	CTTTTATCCG
	3201	GCAGGTTCTC	GACCGTCAGC	ATTTCTGAACC	CGACGGGAAA	TACCACCTAT
	3251	TCGGCAGCAG	GGGGGAACTT	GCCGAGCGCA	GCGGCCATAT	CGGATTTGGGA
	3301	AAAATACAAA	GCCATCAGTT	GGGCAACCTG	ATGATTCAAC	AGGCGGCAAT
	3351	TAAAGGAAAT	ATCGGCTACA	TTGTCCGCTT	TTCCGATCAC	GGGCACGAAG
	3401	TCCATTCCCC	CTTCGACAAC	CATGCCTCAC	ATTCGGATTG	TGATGAAGCC
	3451	GGTAGTCCCG	TTGACGGATT	TAGCCTTTAC	CGCATCCATT	GGGACGGATA
40	3501	CGAACCCAT	CCCGCCGACG	GCTATGACGG	GCCACAGGGC	GGCGGCTATC
	3551	CCGCTCCCAA	AGGCGCGAGG	GATATATACA	GCTACGACAT	AAAAGGCGTT
	3601	GCCCAAAATA	TCCGCCTCAA	CCTGACCGAC	AACCGCAGCA	CCGGACAACG
	3651	GCTTGCCGAC	CGTTTCCACA	ATGCCGGTAG	TATGCTGACG	CAAGGAGTAG
	3701	GCGACGGATT	CAAACGCGCC	ACCCGATACA	GCCCCGAGCT	GGACAGATCG
	3751	GGCAATGCCG	CCGAAGCCTT	CAACGGCACT	GCAGATATCG	TTAAAAACAT
45	3801	CATCGGCGCG	GCAGGAGAAA	TTGTGCGGCG	AGGCGATGCC	GTGCAGGGCA
	3851	TAAGCGAAGG	CTCAAACATT	GCTGTCTATG	ACGGCTTGGG	TCTGCTTTCC
	3901	ACGAAAAACA	AGATGGCGCG	CATCAACGAT	TTGGCAGATA	TGGCGCAACT
	3951	CAAAGACTAT	GCCGCAGCAG	CCATCCGCGA	TTGGGCAGTC	CAAAACCCCA
	4001	ATGCCGCACA	AGGCATAGAA	GCCGTCAGCA	ATATCTTTAT	GGCAGCCATC
	4051	CCCATCAAAG	GGATTGGAGC	TGTTCCGGGA	AAATACGGCT	TGGGCGGCAT
50	4101	CACGGCACAT	CCTATCAAGC	GCTCGCAGAT	GGGCGCGATC	GCATTCGCCA
	4151	AAGGGAAATC	CGCCGTCAGC	GACAATTTTG	CCGATGCGGC	ATACGCCAAA
	4201	TACCCGTCCC	CTTACCATTG	CCGAAATATC	CGTTCAAAC	TGGAGCAGCG
	4251	TTACGGCAAA	GAAAACATCA	CCTCCTCAAC	CGTGCCGCGG	TCAAACGGCA
	4301	AAAATGTCAA	ATGGCAGAC	CAACGCCACC	CGAAGACAGG	CGTACCGTTT
	4351	GACGGTAAAG	GGTTTCCGAA	TTTTGAGAAG	CACGTGAAAT	ATGATACGCT
55	4401	CGAGCACCAC	CACCACCACC	ACTGA		

EP 1 790 660 A2

1	MTSAPDFNAG	GTGIGSNSRA	TTAKSAAVS	AGIKNEMCKD	RSMLCAGRDD
51	VAVTDRDAKI	NAPPPNLHTG	DFPNPNDAK	NLINLKPAIE	AGYTGRGVEV
101	GIVDTGESVG	SISFPELYGR	KEHGYNENYK	NYTAYMRKEA	PEDGGGKDIE
151	ASFDDEAVIE	TEAKPTDIRH	VKEIGHIDL	SHIIGGRSVD	GRPAGGIAPD
201	ATLHIMNTND	ETKNEMMVAA	IRNAWVKLGE	RGVRIVNNSF	GTTSRAGTAD
251	LFQIANSEEQ	YRQALLDYS	GDKTDEGIRL	MQQSDYGNLS	YHIRNKNMLF
301	IFSTGNDAQA	QPNTYALLPF	YEKDAQKGII	TVAGVDRSGE	KFKREMYGEP
351	GTEPLEYGSN	HCGITAMWCL	SAPYEASVRF	TRTNPIQIAG	TSFSAPIVTG
401	TAALLLQKYP	WMSNDNLR	LLTTAQDIGA	VGVDKFGWG	LLDAGKAMNG
451	PASFPFGDFT	ADTKGTS	YSFRNDISGT	GGLIKKGG	LQLHGNNTYT
501	GKTIIEGGS	VLYGNNKSD	RVETKGAL	NGAASGGS	SDGIVYLADT
551	DQSGANETV	IKGSLQLDG	GTLYTRLGK	LKVDGTAI	GKLYMSARG
601	GAGYLNSTGR	RVPFLSAAK	GQDYSFFTNI	ETDGGLLAS	DSVEKTAGSE
651	GDTLSYYVRR	GNAARTASAA	AHSAPAGLKH	AVEQGGSNLE	NLMVELDASE
701	SSATPETVET	AAADRTDMPG	IRPYGATFRA	AAAVQHANA	DGVRIFNSLA
751	ATVYADSTAA	HADMQGRRLK	AVSDGLDHNG	TGLRVIAQTQ	QDGGTWEQGG
801	VEGKMRGSTQ	TVGIAAKTGE	NTTAAATLGM	GRSTWSENSA	NAKTDSISLF
851	AGIRHDAGDI	GYLKGLFSYG	RYKNSISRST	GADEHAEGSV	NGTLMQLGAL
901	GGVNVPPFAAT	GDLTVEGGLR	YDLLKQDAFA	EKGSALGWSG	NSLTEGTLVG
951	LAGLKL	SDKAVLFATA	GVERDLNGRD	YTVTGGFTGA	TAATGKTGAR
1001	NMPHTRLVAG	LGADVEFGNG	WNLARYSYA	GSKQYGNHSG	RVGVGYRFLD
1051	GGGGTGSSDL	ANDSFIRQVL	DRQHFE	PDGKYHLFGSRGEL	AERSGHIGLG
1101	KIQSHQLGNL	MIQQA	AIKGNIGYIVRFS	DHGHVHSPFDN	HASHSDSDEA
1151	GSPVDGFSLY	RIHWDGYEHH	PADGYDGPQG	GGYPAPK	GARDIYSYDIKGV
1201	AQNIRLN	LTDNRSTGQRLAD	RFHNAGSMLT	QGVGDGFKRA	TRYSPELDRS
1251	GNAAEAFNGT	ADIVKNIIGA	AGEIVGAGDA	VQGIS	EGSNI
1301	TENKMARIND	LADMAQLKDY	AAAAIRDWAV	QNPNA	AQGIE
1351	PIKGIGAVRG	KYGLGGITAH	PIKRSQMGAI	ALPKGKSAVS	DNFADAAYAK
1401	YPSPYHSRNI	RSNLEQRYGK	ENITSSTVPP	SNGKNVKLAD	QRHPKTGVPP
1451	DGKGFPNFEK	HVKYDTLEHH	HHHH*		

EP 1 790 660 A2

ΔG983-741

	1	ATGACTTCTG	CGCCCCACTT	CAATGCAGGC	GGTACCGGTA	TCGGCAGCAA
	51	CAGCAGAGCA	ACAACAGCGA	AATCAGCAGC	AGTATCTTAC	GCCGGTATCA
5	101	AGAACGAAAT	GTGCAAAGAC	AGAAGCATGC	TCTGTGCCGG	TCGGGATGAC
	151	GTTGCGGTTA	CAGACAGGGA	TGCCAAAATC	AATGCCCCCC	CCCCGAATCT
	201	GCATACCGGA	GACTTTCCAA	ACCCAAATGA	CGCATACAAG	AATTTGATCA
	251	ACCTCAAACC	TGCAATTGAA	GCAGGCTATA	CAGGACGCGG	GGTAGAGGTA
	301	GGTATCGTCG	ACACAGGCGA	ATCCGTCTGGC	AGCATATCCT	TTCCCGAACT
	351	GTATGGCAGA	AAAGAACACG	GCTATAACGA	AAATTACAAA	AACTATACGG
10	401	CGTATATGCG	GAAGGAAGCG	CCTGAAGACG	GAGGCGGTAA	AGACATTGAA
	451	GCTTCTTTCG	ACGATGAGGC	CGTTATAGAG	ACTGAAGCAA	AGCCGACGGA
	501	TATCCGCCAC	GTAAAAGAAA	TCGGACACAT	CGATTTGGTC	TCCCATATTA
	551	TTGGCGGGCG	TTCCGTGGAC	GGCAGACCTG	CAGGCGGTAT	TGCGCCCGAT
	601	GCGACGCTAC	ACATAATGAA	TACGAATGAT	GAAACCAAGA	ACGAAATGAT
	651	GGTTGCAGCC	ATCCGCAATG	CATGGGTCAA	GCTGGGCGAA	CGTGGCGTGC
15	701	GCATCGTCAA	TAACAGTTTT	GGAACAACAT	CGAGGGCAGG	CACTGCCGAC
	751	CTTTTCCAAA	TAGCCAATTC	GGAGGAGCAG	TACCGCCAAG	CGTTGCTCGA
	801	CTATTCGGGC	GGTGATAAAA	CAGACGAGGG	TATCCGCCTG	ATGCAACAGA
	851	GCGATTACGG	CAACCTGTCC	TACCACATCC	GTAATAAAAA	CATGCTTTTC
	901	ATCTTTTCGA	CAGGCAATGA	CGCACAAGCT	CAGCCCCACA	CATATGCCCT
20	951	ATTGCCATTT	TATGAAAAAG	ACGCTCAAAA	AGGCATTATC	ACAGTCGCAG
	1001	GCGTAGACCG	CAGTGGAGAA	AAGTTCAAAC	GGGAAATGTA	TGGAGAACCG
	1051	GGTACAGAAC	CGCTTGAGTA	TGGCTCCAAC	CATTGCGGAA	TTACTGCCAT
	1101	GTGGTGCCTG	TCGGCACCCCT	ATGAAGCAAG	CGTCCGTTTC	ACCCGTACAA
	1151	ACCCGATTCA	AATTGCCGGA	ACATCCTTTT	CCGCACCCAT	CGTAACCGGC
	1201	ACGGCGGCTC	TGCTGCTGCA	GAAATACCCG	TGGATGAGCA	ACGACAACCT
25	1251	GCGTACCACG	TTGCTGACGA	CGGCTCAGGA	CATCGGTGCA	GTCGGCGTGG
	1301	ACAGCAAGTT	CGGCTGGGGA	CTGCTGGATG	CGGGTAAGGC	CATGAACGGA
	1351	CCCGCTCCTT	TTCCGTTCGG	CGACTTTACC	GCCGATACGA	AAGGTACATC
	1401	CGATATTGCC	TACTCCTTCC	GTAAACGACAT	TTCAGGCACG	GGCGGCCTGA
	1451	TCAAAAAAGG	CGGCAGCCAA	CTGCAACTGC	ACGGCAACAA	CACCTATACG
30	1501	GGCAAAACCA	TTATCGAAGG	CGGTTGCTG	GTGTTGTACG	GCAACAACAA
	1551	ATCGGATATG	CGCGTCGAAA	CCAAAGGTGC	GCTGATTTAT	AACGGGGCGG
	1601	CATCCGGCGG	CAGCCTGAAC	AGCGACGGCA	TTGTCTATCT	GGCAGATACC
	1651	GACCAATCCG	GCGCAAACGA	AACCGTACAC	ATCAAAGGCA	GTCTGCAGCT

35

40

45

50

55

EP 1 790 660 A2

1701	GGACGGCAAA	GGTACGCTGT	ACACACGTTT	GGGCAAACCTG	CTGAAAGTGG
1751	ACGGTACGGC	GATTATCGGC	GGCAAGCTGT	ACATGTCGGC	ACGCGGCAAG
1801	GGGGCAGGCT	ATCTCAACAG	TACCGGACGA	CGTGTTCCCT	TCCTGAGTGC
1851	CGCCAAAATC	GGGCAGGATT	ATTCTTTCTT	CACAAACATC	GAAACCGACG
1901	GCGGCCTGCT	GGCTTCCCTC	GACAGCGTCG	AAAAAACAGC	GGGCAGTGAA
1951	GGCGACACGC	TGTCCTATTA	TGTCCGTCGC	GGCAATGCGG	CACGGACTGC
2001	TTCGGCAGCG	GCACATTCCG	CGCCCGCCGG	TCTGAAACAC	GCCGTAGAAC
2051	AGGGCGGCAG	CAATCTGGAA	AACCTGATGG	TCGAACTGGA	TGCTCCGAA
2101	TCATCCGCAA	CACCCGAGAC	GGTTGAAACT	GCGGCAGCCG	ACGCACAGA
2151	TATGCCGGGC	ATCCGCCCTT	ACGGCGCAAC	TTCCCGCGCA	GCGGCAGCCG
2201	TACAGCATGC	GAATGCCGCC	GACGGTGTAC	GCATCTTCAA	CAGTCTCGCC
2251	GCTACCGTCT	ATGCCGACAG	TACCGCCGCC	CATGCCGATA	TGCAGGGACG
2301	CCGCCTGAAA	GCCGTATCGG	ACGGGTTGGA	CCACAACGGC	ACGGGTCTGC
2351	GCGTCATCGC	GCAAACCCAA	CAGGACGGTG	GAACGTGGGA	ACAGGGCGGT
2401	GTTGAAGGCA	AAATGCGCGG	CAGTACCCAA	ACCGTCGGCA	TTGCCGCGAA
2451	AACCGGCGAA	AATACGACAG	CAGCCGCCAC	ACTGGGCATG	GGACGCAGCA
2501	CATGGAGCGA	AAACAGTGCA	AATGCAAAAA	CCGACAGCAT	TAGTCTGTTT
2551	GCAGGCATAC	GGCACGATGC	GGGCGATATC	GGCTATCTCA	AAGGCCTGTT
2601	CTCCTACGGA	CGCTACAAAA	ACAGCATCAG	CCGACGACC	GGTCCGGACG
2651	AACATGCGGA	AGGCAGCGTC	AACGGCACGC	TGATGCAGCT	GGGCGCACTG
2701	GGCGGTGTCA	ACGTTCCGTT	TGCCGCAACG	GGAGATTGTA	CGGTCTGAAG
2751	CGGTCTGCGC	TACGACCTGC	TCAAACAGGA	TGCATTTCGCC	GAAAAAGGCA
2801	GTGCTTTGGG	CTGGAGCGGC	AACAGCCTCA	CTGAAGGCAC	GCTGGTCGGA
2851	CTCGCGGGTC	TGAAGCTGTC	GCAACCCTTG	AGCGATAAAG	CCGTCTGTGT
2901	TGCAACGGCG	GGCGTGGAAC	GCGACCTGAA	CGGACGCGAC	TACACGGTAA
2951	CGGGCGGCTT	TACCGGCGCG	ACTGCAGCAA	CCGGCAAGAC	GGGGGCACGC
3001	AATATGCCGC	ACACCCGTCT	GGTTGCCGGC	CTGGGCGCGG	ATGTCGAATT
3051	CGGCAACGGC	TGGAACGGCT	TGGCACGTTA	CAGCTACGCC	GGTTCCAAAC
3101	AGTACGGCAA	CCACAGCGGA	CGAGTCGGCG	TAGGCTACCG	GTTCCTCGAG
3151	GGATCCGGAG	GGGGTGGTGT	CGCCGCCGAC	ATCGGTGCGG	GGCTTGCCGA
3201	TGCACTAACC	GCACCGCTCG	ACCATAAAGA	CAAAGGTTTG	CAGTCTTTGA
3251	CGCTGGATCA	GTCCGTCAGG	AAAAACGAGA	AACTGAAGCT	GGCGGCACAA
3301	GGTGCGGAAA	AAACTTATGG	AAACGGTGAC	AGCCTCAATA	CGGGCAAATT
3351	GAAGAACGAC	AAGGTAGGCC	GTTTCGACTT	TATCCGCCAA	ATCGAAGTGG
3401	ACGGGCAGCT	CATTACCTTG	GAGAGTGGAG	AGTTCCAAGT	ATACAAACAA
3451	AGCCATTCCG	CCTTAACCGC	CTTTCAGACC	GAGCAAATAC	AAGATTTCGA
3501	GCATTCCGGG	AAGATGGTTG	CGAAACGCCA	GTTCAGAATC	GGCGACATAG
3551	CGGGCGAACA	TACATCTTTT	GACAAGCTTC	CCGAAGGCGG	CAGGGCGACA
3601	TATCGCGGGA	CGGCGTTCGG	TTCAGACGAT	GCCGCGGAA	AACTGACCTA
3651	CACCATAGAT	TTCCGCCCCA	AGCAGGAAAA	CGGCAAAATC	GAACATTTGA
3701	AATCGCCAGA	ACTCAATGTC	GACCTGGCCG	CCGCCGATAT	CAAGCCGGAT
3751	GGAAAACGCC	ATGCCGTCAT	CAGCGGTTCC	GTCCTTTACA	ACCAAGCCGA
3801	GAAAGGCAGT	TACTCCCTCG	GTATCTTTGG	CGGAAAAGCC	CAGGAAGTTG
3851	CCGGCAGCGC	GGAAGTGAAA	ACCGTAAACG	GCATACGCCA	TATCGGCCTT
3901	GCCGCCAAGC	AACTCGAGCA	CCACCACCAC	CACCACTGA	

EP 1 790 660 A2

1	MTSAPDFNAG	GTGIGSNSRA	TTAKSAAVSY	AGIKNEMCKD	RSMLCAGRDD
51	VAVTDRDAKI	NAPPPNLHTG	DFPNPNDAYK	NLINLKPAIE	AGYTGRGVEV
101	GIVDTGESVG	SISFPELYGR	KEHGYNENYK	NYTAYMRKEA	PEDGGGKDIE
151	ASFDDAEVIE	TEAKPTDIRH	VKEIGHIDL	SHIIGGRSVD	GRPAGGIAPD
201	ATLHIMNTND	ETKNEMMVAA	IRNAWVKLGE	RGVRIVNNSF	GTTSRAGTAD
251	LFQIANSEEQ	YRQALLDYSG	GDKTDEGIRL	MQQSDYGNLS	YHIRNKNMLF
301	IFSTGNDAQA	QPNTYALLPF	YEKDAQKGII	TVAGVDRSGE	KFKREMYGEP
351	GTEPLEYGSN	HCGITAMWCL	SAPYEASVRF	TRTNPIQIAG	TSFSAPIVTG
401	TAALLLQKYP	WMSNDNLRTT	LLTTAQDIGA	VGVDKFKGWG	LLDAGKAMNG
451	PASFPFGDFT	ADTKGTSDIA	YSFRNDISGT	GGLIKKGGSQ	LQLHGNNTYT
501	GKTIIEGGSL	VLYGNNKSDM	RVETKGALIY	NGAASGGSLN	SDGIVYLADT
551	DQSGANETVH	IKGSLQLDGK	GTLYTRLGKL	LKVDGTAIIG	GKLYMSARGK
601	GAGYLNSTGR	RVPFLSAAKI	GQDYSFFTNI	ETDGGLLASL	DSVEKTAGSE
651	GDTLSYYVRR	GNAARTASAA	AHSAPAGLKH	AVEQGGSNLE	NLMVELDASE
701	SSATPETVET	AAADRTDMPG	IRPYGATFRA	AAAVQHANA	DGVRIFNLSA
751	ATVYADSTAA	HADMQRRLK	AVSDGLDHNG	TGLRVIAQTQ	QDGGTWEQGG
801	VEGKMRGSTQ	TVGIAAKTGE	NTTAAATLGM	GRSTWSENSA	NAKTDISISLF
851	AGIRHDAGDI	GYLKGLEFSY	RYKNSISRST	GADEHAEGSV	NGTLMQLGAL
901	GGVNVPFAT	GDLTVEGGLR	YDLLKQDAFA	EKGSALGWSG	NSLTEGTLVG
951	LAGLKLSQL	SDKAVLFATA	GVERDLNGRD	YTVTGGFTGA	TAATGKTGAR
1001	NMPHTRLVAG	LGADVEFGNG	WNLARYSYA	GSKQYGNHSG	RVGVGYRFLE
1051	GSGGGGVAAD	IGAGLADALT	APLDHKDKGL	QSLTLDQSVR	KNEKLKLAQ
1101	GAEKTYGNGD	SLNTGKLKND	KVSRFDFIRQ	IEVDGQLITL	ESGEFQVYKQ
1151	SHSALTAFQT	EQIQDSEHSG	KMVAKRQFRI	GDIAGEHTSF	DKLPEGGRAT
1201	YRGTAFGSDD	AGGKLYTID	FAAQQNGKI	EHLKSPELNV	DLAAADIKPD
1251	GKRHAVISGS	VLYNQAEKGS	YSLGIFGGKA	QEVAGSAEVK	TVNGIRHIGL
1301	AAKQLEHHHH	HH*			

ΔG983-961

	1	ATGACTTCTG	CGCCCCGACTT	CAATGCAGGC	GGTACCGGTA	TCGGCAGCAA
	51	CAGCAGAGCA	ACAACAGCGA	AATCAGCAGC	AGTATCTTAC	GCCGGTATCA
5	101	AGAACGAAAT	GTGCAAGAC	AGAAGCATGC	TCTGTGCCGG	TCGGGATGAC
	151	GTTGCGGTTA	CAGACAGGGA	TGCCAAAATC	AATGCCCCCC	CCCCGAATCT
	201	GCATACCGGA	GACTTTTCAA	ACCCAAATGA	CGCATACAAG	AATTTGATCA
	251	ACCTCAAACC	TGCAATTGAA	GCAGGCTATA	CAGGACGCGG	GGTAGAGGTA
	301	GGTATCGTCG	ACACAGGCGA	ATCCGTCGGC	AGCATATCCT	TTCCCGAACT
10	351	GTATGGCAGA	AAAGAACACG	GCTATAACGA	AAATTACAAA	AACTATACGG
	401	CGTATATGCG	GAAGGAAGCG	CCTGAAGACG	GAGGCGGTAA	AGACATTGAA
	451	GCTTCTTTTCG	ACGATGAGGC	CGTTATAGAG	ACTGAAGCAA	AGCCGACGGA
	501	TATCCGCCAC	GTAAAAGAAA	TCGGACACAT	CGATTTGGTC	TCCCATATTA
	551	TTGGCGGGCG	TTCCGTGGAC	GGCAGACCTG	CAGGCGGTAT	TGCGCCCGAT
	601	GCGACGCTAC	ACATAATGAA	TACGAATGAT	GAAACCAAGA	ACGAAATGAT
15	651	GGTTGCAGCC	ATCCGCAATG	CATGGGTCAA	GCTGGGCGAA	CGTGGCGTGC
	701	GCATCGTCAA	TAACAGTTTT	GGAACAACAT	CGAGGGCAGG	CACTGCCGAC
	751	CTTTTCCAAA	TAGCCAATTC	GGAGGAGCAG	TACCGCCAAG	CGTTGCTCGA
	801	CTATTCCGGC	GGTGATAAAA	CAGACGAGGG	TATCCGCTG	ATGCAACAGA
	851	GCGATTACGG	CAACCTGTCC	TACCACATCC	GTAATAAAAA	CATGCTTTTC
	901	ATCTTTTCGA	CAGGCAATGA	CGCACAAGCT	CAGCCCAACA	CATATGCCCT
20	951	ATTGCCATTT	TATGAAAAAG	ACGCTCAAAA	AGGCATTATC	ACAGTCGCAG
	1001	CGGTAGACCG	CAGTGGAGAA	AAGTTCAAAC	GGGAAATGTA	TGGAGAACCG
	1051	GGTACAGAAC	CGTTTGAGTA	TGGCTCCAAC	CATTGCGGAA	TTACTGCCAT
	1101	GTGGTGCCCTG	TCGGCACCCCT	ATGAAGCAAG	CGTCCGTTTC	ACCCGTACAA
	1151	ACCCGATTCA	AATTGCCGGA	ACATCCTTTT	CCGCACCCAT	CGTAACCGGC
25	1201	ACGGCGGCTC	TGCTGCTGCA	GAAATACCCG	TGGATGAGCA	ACGACAACCT
	1251	CGGTACCACG	TTGCTGACGA	CGGCTCAGGA	CATCGGTGCA	GTGCGCGTGG
	1301	ACAGCAAGTT	CGGCTGGGGA	CTGCTGGATG	CGGGTAAGGC	CATGAACGGA
	1351	CCCGCGTCCT	TTCCGTTCGG	CGACTTTACC	GCCGATACGA	AAGGTACATC
	1401	CGATATTGCC	TACTCCTTCC	GTAACGACAT	TTCAGGCACG	GGCGGCCTGA
	1451	TCAAAAAGG	CGGCAGCCAA	CTGCAACTGC	ACGGCAACAA	CACCTATACG
30	1501	GGCAAAACCA	TTATCGAAGG	CGGTTGCTG	GTGTTGTACG	GCAACAACAA
	1551	ATCGGATATG	CGCGTCGAAA	CCAAAGGTGC	GCTGATTTAT	AACGGGGCGG
	1601	CATCCGGCGG	CAGCCTGAAC	AGCGACGGCA	TTGTCTATCT	GGCAGATACC
	1651	GACCAATCCG	GCGCAAACGA	AACCGTACAC	ATCAAAGGCA	GTCTGCAGCT
	1701	GGACGGCAAA	GGTACGCTGT	ACACACGTTT	GGGCAAACTG	CTGAAAGTGG
	1751	ACGGTACGGC	GATTATCGGC	GGCAAGCTGT	ACATGTCGGC	ACGCGGCAAG
35	1801	GGGGCAGGCT	ATCTCAACAG	TACCGGACGA	CGTGTTCCCT	TCCTGAGTGC
	1851	CGCCAAAATC	GGGCAGGATT	ATTCTTTCTT	CACAAACATC	GAAACCGACG
	1901	GCGGCCTGCT	GGCTTCCCTC	GACAGCGTCG	AAAAAACAGC	GGGCAGTGAA
	1951	GGCGACACGC	TGTCTTATTA	TGTCCGTCGC	GGCAATGCGG	CACGGACTGC
	2001	TTGGGCAGCG	GCACATTCCG	CGCCCGCCGG	TCTGAAACAC	GCCGTAGAAC
40	2051	AGGGCGGCAG	CAATCTGGAA	AACCTGATGG	TCGAACTGGA	TGCCTCCGAA
	2101	TCATCCGCAA	CACCCGAGAC	GGTTGAAACT	GCGGCAGCCG	ACCGCACAGA
	2151	TATGCCGGGC	ATCCGCCCTT	ACGGCGCAAC	TTTCCGCGCA	GCGGCAGCCG
	2201	TACAGCATGC	GAATGCGGCC	GACGGTGATC	GCATCTTCAA	CAGTCTCGCC
	2251	GCTACCGTCT	ATGCCGACAG	TACCGCCGCC	CATGCCGATA	TGCAGGGACG
	2301	CCGCCTGAAA	GCCGTATCGG	ACGGGTTGGA	CCACAACGGC	ACGGGTCTGC
	2351	GCGTCATCGC	GCAAACCCAA	CAGGACGGTG	GAACGTGGGA	ACAGGGCGGT
45	2401	GTTGAAGGCA	AAATGCGCGG	CAGTACCCAA	ACCGTCGGCA	TTGCCGCGAA
	2451	AACCGGCGAA	AATACGACAG	CAGCCGCCAC	ACTGGGCATG	GGACGCAGCA
	2501	CATGGAGCGA	AAACAGTGCA	AATGCAAAAA	CCGACAGCAT	TAGTCTGTTT
	2551	GCAGGCATAC	GGCACGATGC	GGGCGATATC	GGCTATCTCA	AAGGCTGTGTT
	2601	CTCCTACGGA	CGCTACAAAA	ACAGCATCAG	CCGCAGCACC	GGTGCGGACG
50	2651	AACATGCGGA	AGGCAGCGTC	AACGGCACGC	TGATGCAGCT	GGGCGCACTG
	2701	GGCGGTGTCA	ACGTTCCGTT	TGCCGCAACG	GGAGATTTGA	CGGTGCAAGG
	2751	CGGTCTGCGC	TACGACCTGC	TCAAACAGGA	TGCATTCGCC	GAAAAAGGCA
	2801	GTGCTTTGGG	CTGGAGCGGC	AACAGCCTCA	CTGAAGGCAC	GCTGGTCTGGA
	2851	CTCGCGGGTC	TGAAGCTGTC	GCAACCCTTG	AGCGATAAAG	CCGTCTCTGTT

55

EP 1 790 660 A2

	2901	TGCAACGGCG	GGCGTGGAAC	GCGACCTGAA	CGGACGCGAC	TACACGGTAA
	2951	CGGGCGGCTT	TACCGGCGCG	ACTGCAGCAA	CCGGCAAGAC	GGGGGCACGC
	3001	AATATGCCGC	ACACCCGTCT	GGTTGCCGGC	CTGGGCGCGG	ATGTCGAATT
5	3051	CGGCAACGGC	TGGAACGGCT	TGGCACGTTA	CAGTACGCC	GGTTCCAAAC
	3101	AGTACGGCAA	CCACAGCGGA	CGAGTCGGCG	TAGGCTACCG	GTTCCTCGAG
	3151	GGTGGCGGAG	GCACTGGATC	CGCCACAAAC	GACGACGATG	TTAAAAAAGC
	3201	TGCCACTGTG	GCCATTGCTG	CTGCCTACAA	CAATGGCCAA	GAAATCAACG
	3251	GTTTCAAAGC	TGGAGAGACC	ATCTACGACA	TTGATGAAGA	CGGCACAATT
	3301	ACCAAAAAAG	ACGCAACTGC	AGCCGATGTT	GAAGCCGACG	ACTTTAAAGG
10	3351	TCTGGGTCTG	AAAAAGTCTG	TGACTAACCT	GACCAAAACC	GTCAATGAAA
	3401	ACAAACAAAA	CGTCGATGCC	AAAGTAAAAG	CTGCAGAATC	TGAAATAGAA
	3451	AAGTTAACAA	CCAAGTTAGC	AGACACTGAT	GCCGCTTTAG	CAGATACTGA
	3501	TGCCGCTCTG	GATGCAACCA	CCAACGCCTT	GAATAAATTG	GGAGAAAATA
	3551	TAACGACATT	TGCTGAAGAG	ACTAAGACAA	ATATCGTAAA	AAATTGATGAA
	3601	AAATTAGAAG	CCGTGGCTGA	TACCGTCGAC	AAGCATGCCG	AAGCATTCAA
15	3651	CGATATCGCC	GATTCATTGG	ATGAAACCAA	CACTAAGGCA	GACGAAGCCG
	3701	TCAAAACCGC	CAATGAAGCC	AAACAGACGG	CCGAAGAAAC	CAACAAAAAC
	3751	GTCGATGCCA	AAGTAAAAGC	TGCAGAAACT	GCAGCAGGCA	AAGCCGAAGC
	3801	TGCCGCTGGC	ACAGCTAATA	CTGCAGCCGA	CAAGCCCGAA	GCTGTCGCTG
	3851	CAAAAGTTAC	CGACATCAAA	GCTGATATCG	CTACGAACAA	AGATAATATT
20	3901	GCTAAAAAAG	CAAACAGTGC	CGACGTGTAC	ACCAGAGAAG	AGTCTGACAG
	3951	CAAATTTGTC	AGAATTGATG	GTCTGAACGC	TACTACCGAA	AAATTGGACA
	4001	CACGCTTGGC	TTCTGCTGAA	AAATCCATTG	CCGATCACGA	TACTCGCCTG
	4051	AACGGTTTGG	ATAAAACAGT	GTCAGACCTG	CGCAAAGAAA	CCCGCCAAGG
	4101	CCTTGCGAG	CAAGCCGCGC	TCTCCGGTCT	GTTCACACCT	TACAACGTGG
	4151	GTCGGTTCAA	TGTAACGGCT	GCAGTCGGCG	GCTACAAATC	CGAATCGGCA
25	4201	GTCGCCATCG	GTACCGGCTT	CCGCTTTACC	GAAAACTTTG	CCGCCAAAGC
	4251	AGGCGTGGCA	GTCGGCACTT	CGTCCGGTTC	TTCCGCAGCC	TACCATGTCTG
	4301	GCGTCAATTA	CGAGTGCTC	GAGCACCACC	ACCACCACCA	CTGA
30	1	MTSAPDFNAG	GTGIGSNSRA	TTAKSAAVS	AGIKNEMCKD	RSMLCAGRDD
	51	VAVTDRDAKI	NAPPPNLHTG	DFPNPNDAYK	NLNLKPAIE	AGYTGRGVEV
	101	GIVDTGESVG	SISFPELYGR	KEHGYNENYK	NYTAYMRKEA	PEDGGGKDIE
	151	ASFDDAEVIE	TEAKPTDIRH	VKEIGHIDL	SHIIGRSVD	GRPAGGIAPD
	201	ATLHIMNTND	ETKNEMMVAA	IRNAWVKLGE	RGVRIVNNSF	GTTSRAGTAD
	251	LFQIANSEEQ	YRQALLDYS	GDKTDEGIRL	MQQSDYGNLS	YHIRNKNMLF
35	301	IFSTGNDAQA	QPNTYALLPF	YEKDAQKGI	TVAGVDRSGE	KFKREMYGEP
	351	GTEPLEYGSN	HCGITAMWCL	SAPYEASVRF	TRTNPIQIAG	TSFSAPIVTG
	401	TAALLQKYP	WMSNDNLRTT	LLTTAQDIGA	VGVDSEKFGW	LLDAGKAMNG
	451	PASFPFGDFT	ADTKGTSDIA	YSFRNDISGT	GGLIKKGSQ	LQLHGNNTYT
	501	GKTIIEGSL	VLYGNKSDM	RVETKGALIY	NGAASGSLN	SDGIVYLADT
40	551	DQSGANETVH	IKGSLQLDGK	GTLYTRLGKL	LKVDGTAIIG	GKLYMSARGK
	601	GAGYLNSTGR	RVPFLLSAAKI	GQDYSFFTNI	ETDGGLLASL	DSVEKTAGSE
	651	GDTLSYYVRR	GNAARTASAA	AHSAPAGLKH	AVEQGSNLE	NLMVELDASE
	701	SSATPETVET	AAADRTDMPG	IRPYGATFRA	AAAVQHANA	DGVRIFNSLA
	751	ATVYADSTAA	HADMQRRLK	AVSDGLDHNG	TGLRVIAQTQ	QDGGTWEQGG
	801	VEGKMRGSTQ	TVGIAAKTGE	NTTAAATLGM	GRSTWSENSA	NAKTDSISLF
45	851	AGIRHDAGDI	GYLKGLFSYG	RYKNSISRST	GADEHAEGSV	NGTLMQLGAL
	901	GGVNVFFAAT	GDLTVEGLR	YDLLKQDAFA	EKGSALGWSG	NSLTEGTLVG
	951	LAGLKLQPL	SDKAVLFATA	GVERDLNGRD	YTVTGGFTGA	TAATGKTGAR
	1001	NMPHTRLVAG	LGADVEFGNG	WNLARYSYA	GSKQYGNHSG	RVGVGYRFL
	1051	GGGGTGSATN	DDDVKKAAATV	AIAAAYNNGQ	EINGFKAGET	IYDIDEDGTI
	1101	TKKDATAADV	EADDFKGLGL	KKVVTNLTKT	VNENKQNVDA	KVKAASEIE
50	1151	KLTTKLADTD	AALADTDAAL	DATTNALNKL	GENITTFAE	TKTNIVKIDE
	1201	KLEAVADTV	KHAEAFNDIA	DSLDETNTKA	DEAVKTANEA	KQTAEETKQN
	1251	VDAKVKAET	AAGKAEAAAG	TANTAADKAE	AVAAKVTDIK	ADIATNKDNI
	1301	AKKANSADV	TREESDSKFV	RIDGLNATTE	KLDTRLASAE	KSIADHDTRL
	1351	NGLDKTVSDL	RKETRQGLAE	QAALSGLFQP	YNVGRFNVTA	AVGGYKSESA
55	1401	VAIGTGFRFT	ENFAAKAGVA	VGTSSGSSAA	YHVGVNYEWL	EHHHHHH*

EP 1 790 660 A2

ΔG983-961c

1	ATGACTTCTG	CGCCCGACTT	CAATGCAGGC	GGTACCGGTA	TCGGCAGCAA
51	CAGCAGAGCA	ACAACAGCGA	AATCAGCAGC	AGTATCTTAC	GCCGGTATCA
101	AGAACGAAAT	GTGCAAAGAC	AGAAGCATGC	TCTGTGCCGG	TCGGGATGAC
151	GTTGCGGTTA	CAGACAGGGA	TGCCAAAATC	AATGCCCCCC	CCCCGAATCT
201	GCATACCGGA	GACTTTCCAA	ACCCAAATGA	CGCATACAAG	AATTGATCA

5

10

15

20

25

30

35

40

45

50

55

EP 1 790 660 A2

251 ACCTCAAACC TGCAATTGAA GCAGGCTATA CAGGACGCGG GGTAGAGGTA
 301 GGTATCGTCG ACACAGGCGA ATCCGTCGGC AGCATATCCT TTCCCGAACT
 351 GTATGGCAGA AAAGAACACG GCTATAACGA AAATTACAAA AACTATACGG
 401 CGTATATGCG GAAGGAAGCG CCTGAAGACG GAGGCGGTAA AGACATTGAA
 5 GCTTCTTTTCG ACGATGAGGC CGTTATAGAG ACTGAAGCAA AGCCGACGGA
 501 TATCCGCCAC GTAAAAAGAAA TCGGACACAT CGATTTGGTC TCCCATATTA
 551 TTGGCGGGCG TTCCGTGGAC GGCAGACCTG CAGGCGGTAT TGCGCCCGAT
 601 GCGACGCTAC ACATAATGAA TACGAATGAT GAAACCAAGA ACGAAATGAT
 651 GGTTCAGACC ATCCGCAATG CATGGGTCAA GCTGGGCGAA CGTGGCGTGC
 701 GCATCGTCAA TAACAGTTTT GGAACAACAT CGAGGGCAGG CACTGCCGAC
 10 CTTTTCCAAA TAGCCAATTC GGAGGAGCAG TACCGCCAAG CGTTGCTCGA
 801 CATTTCCGGC GGTTGATAAAA CAGACGAGGG TATCCGCTGT ATGCAACAGA
 851 GCGATTACGG CAACCTGTCC TACCACATCC GTAATAAAAA CATGCTTTTC
 901 ATCTTTTCGA CAGGCAATGA CGCACAAAGT CAGCCCAACA CATATGCCCT
 951 ATTGCCATTT TATGAAAAAG ACGCTCAAAA AGGCATTATC ACAGTCGCAG
 1001 GCGTAGACCG CAGTGGAGAA AAGTTCAAAC GGGAAATGTA TGGAGAACCG
 15 GGTACAGAAC CGCTTGAGTA TGGCTCCAAC CATTGCGGAA TTACTGCCAT
 1101 GTGGTGCCGTG TCGGCACCCCT ATGAAGCAAG CGTCCGTTC ACCCGTACAA
 1151 ACCCGATTCA AATTGCCGGA ACATCCTTTT CCGCACCCAT CGTAACCGGC
 1201 ACGGCGGCTC TGCTGCTGCA GAAATACCCG TGGATGAGCA ACGACAACCT
 1251 GCGTACCACG TTGCTGACGA CGGCTCAGGA CATCGGTGCA GTCGGCGTGG
 1301 ACAGCAAGTT CGGCTGGGGA CTGCTGGATG CCGGTAAGGC CATGAACGGA
 20 CCCGCGTCTT TCCGTTCGG CGACTTTACC GCCGATACGA AAGGTACATC
 1401 CGATATTGCC TACTCTTCC GTAACGACAT TTCAGGCACG GCGCGCTGTA
 1451 TCAAAAAAGG CGGCAGCCAA CTGCAACTGC ACGGCAACAA CACCTATACG
 1501 GGCAAAACCA TTATCGAAGG CGGTTTCGTG GTGTTGTACG GCAACAACAA
 1551 ATCGGATATG CGCGTCGAAA CCAAAGGTGC GCTGATTTAT AACGGGGCGG
 1601 CATCCGGCGG CAGCCTGAAC AGCGACGGCA TTGTCTATCT GGCAGATACC
 25 GACCAATCCG GCGCAACGA AACCCTACAC ATCAAAGGCA GTCTGCAGCT
 1701 GGACGGCAAA GGTACGCTGT ACACACGTTT GGGCAACTG CTGAAAGTGG
 1751 ACGGTACGGC GATTATCGGC GGCAAGCTGT ACATGTCGGC ACGCGGCAAG
 1801 GGGGCAGGCT ATCTCAACAG TACCGGACGA CGTGTTCCCT TCCTGAGTGC
 1851 CGCCAAAATC GGGCAGGATT ATTCTTTCTT CACAAACATC GAAACCGACG
 1901 GCGGCCGTGT GGCTTCCCTC GACAGCGTCG AAAAAACAGC GGGCAGTGAA
 30 GCGGACACGC TGTCCTATTA GTCCGTCGCG GGCAATGCGG CACGGACTGC
 2001 TTCGGCAGCG GCACATTCCG CGCCCGCCG TCTGAAACAC GCCGTAGAAC
 2051 AGGGCGGCAG CAATCTGGAA AACCTGATGG TCGAACTGGA TGCCTCCGAA
 2101 TCATCCGCAA CACCCGAGAC GGTGAAACT GCGGCAGCCG ACCGCACAGA
 2151 TATGCCGGGC ATCCGCCCTT ACGGCGCAAC TTTCCGCGCA GCGGCAGCCG
 2201 TACAGCATGC GAATGCCGCC GACGGTGTA GCATCTTCAA CAGTCTCGCC
 2251 GCTACCGTCT ATGCCGACAG TACCGCCGCC CATGCCGATA TGCAGGGACG
 35 CCGCCTGAAA GCCGTATCGG ACGGGTTGGA CCACAACGGC ACGGGTCTGC
 2351 GCGTCATCGC GCAAAACCAA CAGGACGGTG GAACGTGGGA ACAGGGCGGT
 2401 GTTGAAGGCA AAATGCGCGG CAGTACCCAA ACCGTGCGCA TTGCCGCGAA
 2451 AACCGGCGAA AATACGACAG CAGCCGCCAC ACTGGGCATG GGACGCGACA
 2501 CATGGAGCGA AAACAGTGCA AATGCAAAAA CCGACAGCAT TAGTCTGTTT
 2551 GCAGGCATAC GGCACGATGC GGGCGATATC GGCTATCTCA AAGGCCTGTT
 40 CTCCTACGGA CGTACAAAA ACAGCATCAG CCGCAGCACC GGTGCGGACG
 2651 AACATGCGGA AGGCAGCGTC AACGGCACGC TGATGCAGCT GGGCGCACTG
 2701 GGCGGTGTCA ACGTTCCGTT TGCCGCAACG GGAGATTGA CGGTGCAAGG
 2751 CGGTCTGCGC TACGACCTGC TCAAACAGGA TGCATTGCGC GAAAAAGGCA
 2801 GTGCTTTGGG CTGGAGCGGC AACAGCCTCA CTGAAGGCAC GCTGGTCGGA
 2851 CTCGCGGGTC TGAAGCTGTC GCAACCCTTG AGCGATAAAG CCGTCTGT
 45 2901 TGCAACGCGG GCGGTGGAAC GCGACCTGAA CGGACGCGAC TACACGGTAA
 2951 CGGGCGGCTT TACCGGCGCG ACTGCAGCAA CCGGCAAGAC GGGGGCACGC
 3001 AATATGCCGC ACACCCGTCT GGTGCGCGC CTGGGCGCGG ATGTCGAATT
 3051 CGGCAACGGC TGAACCGGCT TGGCACGTTA CAGCTACGCC GGTTCCAAAC
 3101 AGTACGGCAA CCACAGCGGA CGAGTCGGCG TAGGCTACCG GTTCTCGAG
 3151 GGTGGCGGAG GCACTGGATC CGCCACAAAC GACGACGATG TTAATAAAGC
 50 3201 TGCCACTGTG GCATTGCTG CTGCCATACA CAATGGCCAA GAAATCAACG
 3251 GTTTCAAAAGC TGGAGAGACC ATCTACGACA TTGATGAAGA CGGCACAATT
 3301 ACCAAAAAAG ACGCAACTGC AGCCGATGTT GAAGCCGACG ACTTTAAAGG
 3351 TCTGGGTCTG AAAAAAGTCG TGAATAACCT GACCAAAACC GTCAATGAAA
 3401 ACAAACAAAA CGTCGATGCC AAAGTAAAAG CTGCAGAATC TGAATAGAAA
 3451 AAGTTAACAA CCAAGTTAGC AGACACTGAT GCCGCTTAGC CAGATAGAAA
 55 3501 TGCCGCTCTG GATGCAACCA CCAACGCCTT GAATAAATTG GGAGAAAATA
 3551 TAACGACATT TGCTGAAGAG ACTAAGACAA ATATCGTAAA AATTGATGAA

EP 1 790 660 A2

3601 AAATTAGAAG CCGTGGCTGA TACCGTCGAC AAGCATGCCG AAGCATTCAA
 3651 CGATATCGCC GATTTCATTGG ATGAAACCAA CACTAAGGCA GACGAAGCCG
 3701 TCAAAACCGC CAATGAAGCC AAACAGACGG CCGAAGAAAC CAAACAAAAC
 3751 GTCGATGCCA AAGTAAAAGC TGCAGAAACT GCAGCAGGCA AAGCCGAAGC
 3801 TGCCGCTGGC ACAGCTAATA CTGCAGCCGA CAAGGCCGAA GCTGTCGCTG
 3851 CAAAAGTTAC CGACATCAAA GCTGATATCG CTACGAACAA AGATAATATT
 3901 GCTAAAAAAG CAAACAGTGC CGACGTGTAC ACCAGAGAAG AGTCTGACAG
 3951 CAAATTTGTC AGAATTGATG GTCTGAACGC TACTACCGAA AAATTGGACA
 4001 CACGCTTGGC TTCTGCTGAA AAATCCATTG CCGATCAGCA TACTCGCCTG
 4051 AACGGTTTGG ATAAACAGT GTCAGACCTG CGCAAAGAAA CCCGCCAAGG
 4101 CCTTGCAGAA CAAGCCGCGC TCTCCGGTCT GTTCCAACCT TACAACGTGG
 4151 GTCTCGAGCA CCACCACCAC CACCACTGA

1 MTSAPDFNAG GTGIGSNSRA TTAKSAAVSY AGIKNEMCKD RSMLCAGRDD
 51 VAVTDRDAKI NAPPNNLHTG DFPNPNDAYK NLINLKPAIE AGYTGRGVEV
 101 GIVDTGESVG SISFPELYGR KEHGYNENYK NYTAYMRKEA PEDGGGKDIE
 151 ASFDDEAVIE TEAKPTDIRH VKEIGHIDLK SHIIGGRSVD GRPAGGIAPD
 201 ATLHIMNTND ETKNEMMVAA IRNAWVKLGE RGVRIVNNFS GTTSRAGTAD
 251 LFQIANSEEQ YRQALLDYSG GDKTDEGIRL MQQSDYGNLS YHIRNKNMLF
 301 IFSTGNDAQA QPNTYALLPF YEKDAQKGII TVAGVDRSGE KFKREMYGEP
 351 GTEPLEYGSN HCGITAMWCL SAPYEASVRF TRTNPIQIAG TSFSAPIVTG
 401 TAALLLQKYP WMSNDNLRTT LLTTAQDIGA VGVDSKFGWG LLDAGKAMNG
 451 PASFPFGDFT ADTKGTSDIA YSFRNDISGT GGLIKKGGSQ LQLHGNNTYT
 501 GKTIIIEGSL VLYGNKSDM RVETKGALYI NGAASGGSLN SDGIVYLADT
 551 DQSGANETVH IKGSLQLDGK GTLYTRLGKL LKVDGTAIIG GKLYMSARGK
 601 GAGYLNSTGR RVPFLSAAKI GDYSFFFTNI ETDGGLLASL DSVEKTAGSE
 651 GDTLSYYVRR GNAARTASAA AHSAPAGLKH AVEQGGSNLE NLMVELDASE
 701 SSATPETVET AAADRTDMPG IRPYGATFRA AAVQHANA DGVRIFNLSA
 751 ATVYADSTAA HADMQGRRLK AVSDGLDHNG TGLRVIAQTQ QDGGTWEQGG
 801 VEGKMRGSTQ TVGIAAKTGE NTTAAATLGM GRSTWSENSA NAKTDSISLF
 851 AGIRHDAGDI GYLKGLFSYG RYKNSISRST GADEHAEGSV NGTLMQLGAL
 901 GGVNVPFPAAT GDLTVEGGLR YDLLKQDAFA EKGSALGWSG NSLTEGTLVG
 951 LAGLKLSQPL SDKAVLFATA GVERDLNGRD YTVTGGFTGA TAATGKTGAR
 1001 NMPHTRLVAG LGADVEFGNG WNLARYSYA GSKQYGNHSG RVGVGYRFLE
 1051 GGGGTGSATN DDDVKKAAATV AIAAAYNNQ EINGFKAGET IYDIDEDGTI
 1101 TKKDATAADV EADDFKGLGL KKVVTNLTKT VNENKQNVDA KVKAAESEIE
 1151 KLTTKLADTD AALADTDAAL DATTNALNKL GENITTFEE TKTNIIVKIDE
 1201 KLEAVADTVD KHAEAFNDIA DSLDETNTKA DEAVKTANEA KQTAEETKQN
 1251 VDAKVKAET AAGKAEAAAAG TANTAADKAE AVAAKVTDIK ADIATNKDNI
 1301 AKKANSADV TREESDSKFV RIDGLNATTE KLDTRLASAE KSIADHDTLRL
 1351 NGLDKTVSDL RKETRQGLAE QAALSGLFQP YNVGLEHHHH HH*

ΔG741 and hybrids

[0225] Bactericidal titres generated in response to ΔG741 (His-fusion) were measured against various strains, including the homologous 2996 strain:

	2996	MC58	NGH38	F6124	BZ133
ΔG741	512	131072	>2048	16384	>2048

[0226] As can be seen, the ΔG741-induced anti-bactericidal titre is particularly high against heterologous strain MC58.
[0227] ΔG741 was also fused directly in-frame upstream of proteins 961, 961c, 983 and ORF46.1:

ΔG741-961

	1	ATGGTTCGCCG	CCGACATCGG	TGCGGGGCTT	GCCGATGCAC	TAACCGCACC
	51	GCTCGACCAT	AAAGACAAAG	GTTTGCAGTC	TTTGACGCTG	GATCAGTCCG
5	101	TCAGGAAAAA	CGAGAAACTG	AAGCTGGCGG	CACAAGGTGC	GGAAAAAACT
	151	TATGGAAACG	GTGACAGCCT	CAATACGGGC	AAATTGAAGA	ACGACAAAGT
	201	CAGCCGTTTC	GACTTTATCC	GCCAAATCGA	AGTGGACGGG	CAGCTCATTA
10	251	CCTTGAGAG	TGGAGAGTTC	CAAGTATACA	AACAAAGCCA	TTCCGCCTTA
	301	ACCGCCTTTC	AGACCGAGCA	AATACAAGAT	TCGGAGCATT	CCGGGAAGAT
	351	GGTTGCGAAA	CGCCAGTTCA	GAATCGGCGA	CATAGCGGGC	GAACATACAT
	401	CTTTTGACAA	GCTTCCCGAA	GGCGGCAGGG	CGACATATCG	CGGGACGGCG
	451	TTCGGTTTCAG	ACGATGCCGG	CGGAAAAC TG	ACCTACACCA	TAGATTTTCG
	501	CGCCAAGCAG	GGAAACGGCA	AAATCGAACA	TTTGAAATCG	CCAGAACTCA
15	551	ATGTCGACCT	GGCCGCCGCC	GATATCAAGC	CGGATGGAAA	ACGCCATGCC
	601	GTCATCAGCG	GTTCCGTCCT	TTACAACCAA	GCCGAGAAAAG	GCAGTTACTC
	651	CCTCGGTATC	TTTGGCGGAA	AAGCCCAGGA	AGTTGCCGGC	AGCGCGGAAG
	701	TGAAAACCGT	AAACGGCATA	CGCCATATCG	GCCTTGCCGC	CAAGCAACTC
	751	GAGGGTGGCG	GAGGCACTGG	ATCCGCCACA	AACGACGACG	ATGTTAAAAA
	801	AGCTGCCACT	GTGGCCATTG	CTGCTGCCTA	CAACAATGGC	CAAGAAATCA
20	851	ACGGTTTCAA	AGCTGGAGAG	ACCATCTACG	ACATTGATGA	AGACGGCACA
	901	ATTACCAAAA	AAGACGCAAC	TGCAGCCGAT	GTTGAAGCCG	ACGACTTTAA
	951	AGGTCTGGGT	CTGAAAAAAG	TCGTGACTAA	CCTGACCAAA	ACCGTCAATG
	1001	AAAACAAACA	AAACGTCGAT	GCCAAAGTAA	AAGCTGCAGA	ATCTGAAATA
	1051	GAAAAGTTAA	CAACCAAGTT	AGCAGACACT	GATGCCGCTT	TAGCAGATAC
25	1101	TGATGCCGCT	CTGGATGCAA	CCACCAACGC	CTTGAATAAA	TTGGGAGAAA
	1151	ATATAACGAC	ATTTGCTGAA	GAGACTAAGA	CAAATATCGT	AAAAATTGAT
	1201	GAAAAAATTAG	AAGCCGTGGC	TGATACCGTC	GACAAGCATG	CCGAAGCATT
	1251	CAACGATATC	GCCGATTTCAT	TGGATGAAAC	CAACACTAAG	GCAGACGAAG
	1301	CCGTCAAAAC	CGCCAATGAA	GCCAAACAGA	CGGCCGAAGA	AACCAACAAA
	1351	AACGTTCGATG	CCAAAGTAAA	AGCTGCAGAA	ACTGCAGCAG	GCAAAGCCGA
30	1401	AGCTGCCGCT	GGCACAGCTA	ATACTGCAGC	CGACAAGGCC	GAAGCTGTCTG
	1451	CTGCAAAAAGT	TACCGACATC	AAAGCTGATA	TCGCTACGAA	CAAAGATAAT
	1501	ATTGCTAAAA	AAGCAAACAG	TGCCGACGTG	TACACCAGAG	AAGAGTCTGA
	1551	CAGCAAATTT	GTGAGAATTG	ATGGTCTGAA	CGTACTACC	GAAAAATTTGG
	1601	ACACACGCTT	GGCTTCTGCT	GAAAAATCCA	TTGCCGATCA	CGATACTCGC
	1651	CTGAACGGTT	TGGATAAAAC	AGTGTCTAGC	CTGCGCAAAG	AAACCCGCCA
35	1701	AGGCCTTGCA	GAACAAGCCG	CGCTCTCCGG	TCTGTTCCAA	CCTTACAACG
	1751	TGGGTTCGGT	CAATGTAACG	GCTGCAGTCG	GCGGCTACAA	ATCCGAATCG
	1801	GCAGTCGCCA	TCCGTACCGG	CTTCCGCTTT	ACCGAAAAC	TTGCCGCCAA
	1851	AGCAGGCGTG	GCAGTCGGCA	CTTCGTCCGG	TTCTTCCGCA	GCCTACCATG
	1901	TCGGCGTCAA	TTACGAGTGG	CTCGAGCACC	ACCACCACCA	CCACTGA
40	1	MVAADIGAGL	ADALTAPLDH	KDKGLQSLTL	DQSVRKNEKL	KLAAQGAECT
	51	YNGDLSLNTG	KLKNDKVSFR	DFIRQIEVDG	QLITLESGEF	QVYKQSHSAL
	101	TAFQTEQIQD	SEHSGKMVAK	RQFRIGDIAG	EHTSFDKLPE	GGRATYRGTA
45	151	FGSDDAGGKL	TYTIDFAAQ	GNGKIEHLKS	PELNVDLAAA	DIKPDGKRHA
	201	VISGSVLYNQ	AEKGSYSLGI	FGGKAQEVAG	SAEVKTVNGI	RHIGLAAKQL
	251	EGGGGTGSAT	NDDDVKKAAAT	VAIAAAYNNG	QEINGFKAGE	TIYDIDEDGT
	301	ITKKDATAAD	VEADDFKGLG	LKKVVTNLTK	TVNENKQNV	AKVKAASEEI
	351	EKLTTKLADT	DAALADTDAA	LDATTNALNK	LGENITTFAE	ETKTNIVKID
	401	EKLEAVADTV	DKHAEAFNDI	ADSLDETNTK	ADEAVKTANE	AKQTAEETKQ
50	451	NVDAKVKAEE	TAAGKAEAAA	GTANTAADKA	EAVAAKVTDI	KADIATNKDN
	501	IAKKANSADV	YTREESDSKF	VRIDGLNATT	EKLDTRLASA	EKSIADHDTR
	551	LNGLDKTVSD	LRKETRQGLA	EQAALSGLFQ	PYNVGRFNV	AAVGGYKSES
	601	AVAIGTGFRF	TENFAAKAGV	AVGTSSGSSA	AYHVGVNVEW	LEHHHHHH*
55						

AG741-961c

	1	ATGGTTCGCCG	CCGACATCGG	TGCGGGGCTT	GCCGATGCAC	TAACCGCACC
5	51	GCTCGACCAT	AAAGACAAAG	GTTTGCAGTC	TTTGACGCTG	GATCAGTCCG
	101	TCAGGAAAAA	CGAGAAACTG	AAGCTGGCGG	CACAAGGTGC	GGAAAAAACT
	151	TATGGAAACG	GTGACAGCCT	CAATACGGGC	AAATTGAAGA	ACGACAAGGT
	201	CAGCCGTTTC	GACTTTATCC	GCCAAATCGA	AGTGGACGGG	CAGCTCATTA
	251	CCTTGGAGAG	TGGAGAGTTC	CAAGTATACA	AACAAAGCCA	TTCCGCCTTA
	301	ACCGCCTTTC	AGACCGAGCA	AATACAAGAT	TCGGAGCATT	CCGGGAAGAT
10	351	GGTTGCGAAA	CGCCAGTTCA	GAATCGGCGA	CATAGCGGGC	GAACATACAT
	401	CTTTTGACAA	GCTTCCCGAA	GGCGGCAGGG	CGACATATCG	CGGGACGGCG
	451	TTCGGTTTCA	ACGATGCCGG	CGGAAACTG	ACCTACACCA	TAGATTTTCG
	501	CGCCAAGCAG	GGAAACGGCA	AAATCGAACA	TTTGAAATCG	CCAGAACTCA
	551	ATGTCGACCT	GGCCGCCGCC	GATATCAAGC	CGGATGGAAA	ACGCCATGCC
	601	GTTCATCAGC	GTTCCGTCC	TTACAACCAA	GCCGAGAAAG	GCAGTTACTC
15	651	CCTCGGTATC	TTTGGCGGAA	AAGCCCAGGA	AGTTGCCGGC	AGCGCGGAAG
	701	TGAAAACCGT	AAACGGCATA	CGCCATATCG	GCCTTGCCGC	CAAGCAACTC
	751	GAGGGTGGCG	GAGGCCTGG	ATCCGCCACA	AACGACGACG	ATGTTAAAAA
20						
	801	AGCTGCCACT	GTGGCCATTG	CTGCTGCCTA	CAACAATGGC	CAAGAAATCA
	851	ACGGTTTCAA	AGCTGGAGAG	ACCATCTACG	ACATTGATGA	AGACGGCACA
	901	ATTACCAAAA	AAGACGCAAC	TGCAGCCGAT	GTTGAAGCCG	ACGACTTTAA
	951	AGGTCTGGGT	CTGAAAAAAG	TCGTGAATAA	CCTGACCAAA	ACCGTCAATG
25	1001	AAAAACAACA	AAACGTCGAT	GCCAAAGTAA	AAGCTGCAGA	ATCTGAAATA
	1051	GAAAAGTTAA	CAACCAAGTT	AGCAGACACT	GATGCCGCTT	TAGCAGATAC
	1101	TGATGCCGCT	CTGGATGCAA	CCACCAACGC	CTTGAATAAA	TTGGGAGAAA
	1151	ATATAACGAC	ATTTGCTGAA	GAGACTAAGA	CAAATATCGT	AAAAATTGAT
	1201	GAAAAATTAG	AAGCCGTGGC	TGATACCGTC	GACAAGCATG	CCGAAGCATT
	1251	CAACGATATC	GCCGATTTCAT	TGGATGAAAC	CAACACTAAG	GCAGACGAAG
30	1301	CCGTCAAAAC	CGCCAATGAA	GCCAAACAGA	CGGCCGAAGA	AACCAAAACAA
	1351	AACGTCGATG	CCAAAAGTAAA	AGCTGCAGAA	ACTGCAGCAG	GCAAAGCCGA
	1401	AGCTGCCGCT	GGCACAGCTA	ATACTGCAGC	CGACAAGGCC	GAAGCTGTCT
	1451	CTGCAAAAGT	TACCGACATC	AAAGCTGATA	TCGCTACGAA	CAAAGATAAT
	1501	ATTGCTAAAA	AAGCAAACAG	TGCCGACGTG	TACACCAGAG	AAGAGTCTGA
	1551	CAGCAAATTT	GTCAGAATTG	ATGGTCTGAA	CGCTACTACC	GAAAAATTGG
35	1601	ACACACGCTT	GGCTTCTGCT	GAAAAATCCA	TTGCCGATCA	CGATACTCGC
	1651	CTGAACGGTT	TGGATAAAAC	AGTGTCTAGC	CTGCGCAAAG	AAACCCGCCA
	1701	AGGCCTTGCA	GAACAAGCCG	CGCTCTCCGG	TCTGTTCCAA	CCTTACAACG
	1751	TGGGTCTCGA	GCACCACCAC	CACCACCACT	GA	
40						
	1	MVAADIGAGL	ADALTAPLDH	KDKGLQSLTL	DQSVRKNEKL	KLAAQGAECT
	51	YNGDSLNTG	KLKNDKVSFR	DFIRQIEVDG	QLITLESGEF	QVYKQSHSAL
	101	TAFQTEQIQD	SEHSGKMVAK	RQFRIGDIAG	EHTSFDKLPE	GGRATYRGTA
	151	FGSDDAGGKL	TYTIDFAAKQ	GNGKIEHLKS	PELNVDLAAA	DIKPDGKRHA
45	201	VISGSVLYNQ	AEKGSYSLGI	FGGKAQEVAG	SAEVKTVNGI	RHIGLAAKQL
	251	EGGGGTGSAT	NDDDVKKAAAT	VAIAAAYNNG	QEINGFKAGE	TIYDIDEDGT
	301	ITKKDATAAD	VEADDFKGLG	LKKVVTNLTK	TVNENKQNV	AKVKAASEI
	351	EKLTTKLADT	DAALADTDAA	LDATTNALNK	LGENITTFAE	ETKTNIVKID
	401	EKLEAVADTV	DKHAEAFNDI	ADSLDETNTK	ADEAVKTANE	AKQTAEETKQ
	451	NVDAKVKAEE	TAAGKAEAAA	GTANTAADKA	EAVAAKVTDI	KADIATNKDN
50	501	IAKKANSADV	YTREESDSKF	VRIDGLNATT	EKLDTRLASA	EKSIADHDTR
	551	LNGLDKTVSD	LRKETRQGLA	EQAALSGLFQ	PYNVGLEHHH	HHH*
55						

EP 1 790 660 A2

ΔG741-983

		1	ATGGTTCGCCG	CCGACATCGG	TGCGGGGCTT	GCCGATGCAC	TAACCGCAC
	5	51	GCTCGACCAT	AAAGACAAAG	GTTTGCAGTC	TTTGACGCTG	GATCAGTCCG
		101	TCAGGAAAAA	CGAGAAACTG	AAGCTGGCGG	CACAAGGTGC	GGAAAAAACT
		151	TATGGAAACG	GTGACAGCCT	CAATACGGGC	AAATTGAAGA	ACGACAAGGT
		201	CAGCCGTTTC	GACTTTATCC	GCCAAATCGA	AGTGGACGGG	CAGCTCATT
		251	CCTTGAGAG	TGGAGAGTTC	CAAGTATACA	AACAAAGCCA	TTCCGCCTTA
		301	ACCGCCTTTT	AGACCGAGCA	AATACAAGAT	TCGGAGCATT	CCGGGAAGAT
	10	351	GGTTGCGAAA	CGCCAGTTCA	GAATCGGCGA	CATAGCCGGC	GAACATACAT
		401	CTTTTGACAA	GCTTCCCGAA	GGCGGCAGGG	CGACATATCG	CGGGACGGCG
		451	TTCGGTTCAG	ACGATGCCGG	CGGAAAACTG	ACCTACACCA	TAGATTTTCG
		501	CGCCAAGCAG	GGAAACGGCA	AAATCGAACA	TTTGAAATCG	CCAGAACTCA
		551	ATGTGCACCT	GGCCGCCGCC	GATATCAAGC	CGGATGAAAA	ACGCCATGCC
		601	GTCATCAGCG	GTTCCGTCCT	TTACAACCAA	GCCGAGAAAG	GCAGTTACTC
	15	651	CCTCGGTATC	TTTGGCGGAA	AAGCCCAGGA	AGTTGCCGGC	AGCGCGGAAG
		701	TGAAAACCGT	AAACGGCATA	CGCCATATCG	GCCTTGCCGC	CAAGCAACTC
		751	GAGGGATCCG	GCGGAGGCGG	CACTTCTGCG	CCCGACTTCA	ATGCAGGCGG
		801	TACCGGTATC	GGCAGCAACA	GCAGAGCAAC	AACAGCGAAA	TCAGCAGCAG
		851	TATCTTACGC	CGGTATCAAG	AACGAAATGT	GCAAAGACAG	AAGCATGCTC
		901	TGTGCCGGTC	GGGATGACGT	TGCGGTTACA	GACAGGGATG	CCAAAATCAA
	20	951	TGCCCCCCCC	CCGAATCTGC	ATACCGGAGA	CTTTCCAAAC	CCAAATGACG
		1001	CATACAAGAA	TTTGATCAAC	CTCAAACCTG	CAATTGAAGC	AGGCTATACA
		1051	GGACGCGGGG	TAGAGGTAGG	TATCGTTCGAC	ACAGGCCGAAT	CCGTCCGCAG
		1101	CATATCCTTT	CCCGAACTGT	ATGGCAGAAA	AGAACACGGC	TATAACGAAA
		1151	ATTACAAAAA	CTATACGGCG	TATATGCGGA	AGGAAGCGCC	TGAAGACGGA
		1201	GGCGGTAAAG	ACATTGAAGC	TTCTTTTCGAC	GATGAGGCCG	TTATAGAGAC
	25	1251	TGAAGCAAAG	CCGACGGATA	TCCGCCACGT	AAAAGAAATC	GGACACATCG
		1301	ATTTGGTCTC	CCATATTAT	GGCGGGCGTT	CCGTGGACGG	CAGACCTGCA
		1351	GGCGGTATTG	CGCCCGATGC	GACGCTACAC	ATAATGAATA	CGAATGATGA
		1401	AACCAAGAAC	GAAATGATGG	TTGCAGCCAT	CCGCAATGCA	TGGGTCAAGC
		1451	TGGGCGAACG	TGGCGTGCGC	ATCGTCAATA	ACAGTTTTTG	AACAACATCG
	30	1501	AGGGCAGGCA	CTGCCGACCT	TTTCCAAATA	GCCAATTTCG	AGGAGCAGTA
	35						
	40						
	45						
	50						
	55						

EP 1 790 660 A2

1551 CCGCCAAGCG TTGCTCGACT ATTCCGGCGG TGATAAAACA GACGAGGGTA
 1601 TCCGCCTGAT GCAACAGAGC GATTACGGCA ACCTGTCCTA CCACATCCGT
 1651 AATAAAAAACA TGCTTTTTCAT CTTTTCGACA GGCAATGACG CACAAGCTCA
 5 1701 GCCCCAACACA TATGCCCTAT TGCCATTTTA TGA AAAAAGAC GCTCAAAAAG
 1751 GCATTATCAC AGTCGCAGGC GTAGACCGCA GTGGAGAAAA GTTCAAACGG
 1801 GAAATGTATG GAGAACCGGG TACAGAACCG CTTGAGTATG GCTCCAACCA
 1851 TTGCGGAATT ACTGCCATGT GGTGCCTGTC GGCACCCTAT GAAGCAAGCG
 1901 TCCGTTTCAC CCGTACAAAC CCGATTCAAA TTGCCGGAAC ATCCTTTTCC
 1951 GCACCCATCG TAACCGGCAC GCGGCTCTG CTGCTGCAGA AATACCCGTG
 10 2001 GATGAGCAAC GACAACCTGC GTACCACGTT GCTGACGACG GCTCAGGACA
 2051 TCGGTGCGAGT CGGCGTGGAC AGCAAGTTCG GCTGGGGACT GCTGGATGCG
 2101 GGTAAGGCCA TGAACGGACC CGCGTCCTTT CCGTTCGGCG ACTTTACCGC
 2151 CGATACGAAA GGTACATCCG ATATTGCCTA CTCCTTCCGT AACGACATTT
 2201 CAGGCACGGG CGGCCTGATC AAAAAAGGCG GCAGCCAAC T GCAACTGCAC
 2251 GGCAACAACA CCTATACGGG CAAAACCATT ATCGAAGGCG GTTCGCTGGT
 15 2301 GTTGTACGGC AACAAACAAAT CGGATATGCG CGTCGAAACC AAAGGTGCGC
 2351 TGATTTATAA CGGGGCGGCA TCCGGCGGCA GCCTGAACAG CGACGGCATT
 2401 GTCTATCTGG CAGATACCGA CCAATCCGGC GCAAACGAAA CCGTACACAT
 2451 CAAAGGCAGT CTGCAGCTGG ACGGCAAAGG TACGCTGTAC ACACGTTTGG
 2501 GCAAACCTGCT GAAAGTGGAC GGTACGGCGA TTATCGGCGG CAAGCTGTAC
 2551 ATGTCGGCAC GCGGCAAGGG GGCAGGCTAT CTCAACAGTA CCGGACGACG
 20 2601 TGTTCCCTTC CTGAGTGCCG CCAAAATCGG GCAGGATTAT TCTTTCTTCA
 2651 CAAACATCGA AACCGACGGC GGCGTGCTGG CTTCCCTCGA CAGCGTCGAA
 2701 AAAACAGCGG GCAGTGAAGG CGACACGCTG TCCTATTATG TCCGTCGCGG
 2751 CAATGCGGCA CGGACTGCTT CGGCAGCGGC ACATTCCGCG CCCGCCGGTC
 2801 TGAAACACGC CGTAGAACAG GCGGCGAGCA ATCTGAAAAA CCTGATGGTC
 25 2851 GAACTGGATG CCTCCGAATC ATCCGCAACA CCCGAGACGG TTGAAACTGC
 2901 GGCAGCCGAC CGCACAGATA TGCCGGGCAT CCGCCCCTAC GGCGCAACTT
 2951 TCCGCGCAGC GGCAGCCGTA CAGCATGCGA ATGCCGCCGA CGGTGTACGC
 3001 ATCTTCAACA GTCTCGCCGC TACCGTCTAT GCCGACAGTA CCGCCGCCCA
 3051 TGCCGATATG CAGGGACGCC GCCTGAAAGC CGTATCGGAC GGGTTGGACC
 3101 ACAACGGCAC GGGTCTGCGC GTCATCGCGC AAACCCAAACA GGACGGTGGA
 30 3151 ACGTGGGAAC AGGGCGGTGT TGAAGGCAAA ATGCGCGGCA GTACCCAAAC
 3201 CGTCGGCATT GCCGCGAAAA CCGGCGAAAA TACGACAGCA GCCGCCACAC
 3251 TGGGCATGGG ACGCAGCACA TGGAGCGAAA ACAGTGCAAA TGCAAAAACC
 3301 GACAGCATTA GTCTGTTTGC AGGCATACGG CACGATGCGG GCGATATCGG
 3351 CTATCTCAAA GGCCTGTTCT CCTACGGACG CTACAAAAAC AGCATCAGCC
 3401 GCAGCACCGG TCGGACGAA CATGCGGAAG GCAGCGTCAA CGGCACGCTG
 35 3451 ATGCAGCTGG GCGCACTGGG CGGTGTCAAC GTTCCGTTTG CCGCAACGGG
 3501 AGATTTGACG GTCGAAGGCG GTCTGCGCTA CGACCTGCTC AAACAGGATG
 3551 CATTCGCCGA AAAAGGCAGT GCTTTGGGCT GGAGCGGCAA CAGCCTCACT
 3601 GAAGGCACGC TGGTCGGACT CGCGGTCTG AAGCTGTCGC AACCTTGAG
 3651 CGATAAAGCC GTCTGTTTG CAACGGCGGG CGTGGAACGC GACCTGAACG
 3701 GACGCGACTA CACGGTAACG GCGGCTTTA CCGGCGCGAC TGCAGCAACC
 40 3751 GGCAAGACGG GGGCACGCAA TATGCCGCAC ACCCGTCTGG TTGCCGGCCT
 3801 GGGCGCGGAT GTCGAATTCT GCAACGGCTG GAACGGCTTG GCACGTTACA
 3851 GCTACGCCGG TTCAAACAG TACGGCAACC ACAGCGGACG AGTCGGCGTA
 3901 GGCTACCGGT TCCTCGAGCA CCACCACCAC CACCACTGA

EP 1 790 660 A2

1 MVAADIGAGL ADALTAPLDH KDKGLQSLTL DQSVRKNEKL KLAAQGAECT
 51 YNGGDSLNTG KLKNDKVSFR DFIRQIEVDG QLITLESGEF QVYKQSHSAL
 101 TAFQTEQIQD SEHSGKMVAK RQFRIGDIAG EHTSFDKLPE GGRATYRGTA
 5 151 FGSDDAGGKL TYTIDFAAQ GNGKIEHLKS PELNVDLAAA DIKPDGKRHA
 201 VISGSVLYNQ AEKGSYSLGI FGGKAQEVAG SAEVKTVNGI RHIGLAAKQL
 251 EGSGGGGTSA PDFNAGGTGI GSNSRATTAK SAAVSYAGIK NEMCKDRSML
 301 CAGRDDVAVT DRDAKINAPP PNLHTGDFPN PNDAYKNLIN LKPAIEAGYT
 351 GRGVEVGIVD TGESVGSISF PELYGRKEHG YNENYKNYTA YMRKEAPEDG
 401 GKGDIASFD DEAVIETEA PTDIRHVKEI GHIDLVSII GGRSVDGRPA
 10 451 GGIAPDATLH IMNTNDETKN EMMVAAIRNA WVKLGERGVR IVNNSFGTTS
 501 RGATADLFQI ANSEEQYRQA LLDYSGGDKT DEGIRLMQQS DYGNSLYHIR
 551 NKNMLFIFST GNDAQAQPNT YALLPFYEK AQKGIITVAG VDRSGEKFR
 601 EMYGEPGTEP LEYGSNHCGI TAMWCLSAPY EASVRFTRTN PIQIAGTSFS
 651 APIVTGTAAL LLQKYPWMSN DNLRTLLTT AQDIGAVGVD SKFGWGLLDA
 701 GKAMNGPASF PFGDFTADTK GTSDIAYSFR NDISGTGGLI KKGGSQQLH
 15 751 GNNTYTGTI IEGGSLVLYG NNKSDMRVET KGALIYNGAA SGGSLNSDGI
 801 VYLADTDQSG ANETVHIKGS LQLDGKGTLY TRLGKLLKVD GTAIIGGKLY
 851 MSARGKGAGY LNSTGRRVPF LSAKIGQDY SFFTNIETDG GLLASLDSVE

 20
 901 KTAGSEGDTL SYVVRGNAA RTASAAHSA PAGLKHAVEQ GGSNLENLMV
 951 ELDASESAT PETVETAAAD RTDMPGIRPY GATFRAAAV QHANAADGVR
 1001 IFNSLAATVY ADSTAAHADM QGRRLKAVSD GLDHNGTGLR VIAQTQDGG
 1051 TWEQGGVEGK MRGSTQTVGI AAKTGENTTA AATLGMGRST WSENSANAKT
 25 1101 DSISLFAGIR HDAGDIGYK GLFSYGRYKN SISRSTGADE HAEGSVNGTL
 1151 MQLGALGGVN VPFAATGDLT VEGGLRYDLL KQDAFAEKGS ALGWSGNSLT
 1201 EGTLVGLAGL KLSQPLSDKA VLFATAGVER DLNGRDYTVT GGFTGATAAT
 1251 GKTGARNMPH TRLVAGLGAD VEFNGWNGL ARYSYAGSKQ YGNHSGRVGV
 1301 GYRFLEHHH HH*

 30

 35

 40

 45

 50

 55

ΔG741-ORF46.1

	1	ATGGTCGCCG	CCGACATCGG	TGCGGGGCTT	GCCGATGCAC	TAACCGCACC
	51	GCTCGACCAT	AAAGACAAAG	GTTTGCAGTC	TTTGACGCTG	GATCAGTCCG
5	101	TCAGGAAAAA	CGAGAAACTG	AAGCTGGCGG	CACAAGGTGC	GGAAAAAAT
	151	TATGGAAACG	GTGACAGCCT	CAATACGGGC	AAATTGAAGA	ACGACAAAGT
	201	CAGCCGTTTC	GACTTTATCC	GCCAAATCGA	AGTGGACGGG	CAGCTCATTA
	251	CCTTGGAGAG	TGGAGAGTTC	CAAGTATACA	AACAAAGCCA	TTCCGCCTTA
	301	ACCGCCTTTC	AGACCGAGCA	AATACAAGAT	TCGGAGCATT	CCGGGAAGAT
	351	GGTTGCGAAA	CGCCAGTTCA	GAATCGGCGA	CATAGCGGGC	GAACATACAT
10	401	CTTTTGACAA	GCTTCCCGAA	GGCGGCAGGG	CGACATATCG	CGGGACGGCG
	451	TTCCGGTTCAG	ACGATGCCGG	CGGAAAACTG	ACCTACACCA	TAGATTTTCGC
	501	CGCCAAGCAG	GGAAACGGCA	AAATCGAACA	TTTGAAATCG	CCAGAACTCA
	551	ATGTCGACCT	GGCCGCCGCC	GATATCAAGC	CGGATGGAAA	ACGCCATGCC
	601	GTCATCAGCG	GTTCCGTCCT	TTACAACCAA	GCCGAGAAAG	GCAGTTACTC
	651	CCTCGGTATC	TTTGGCGGAA	AAGCCCAGGA	AGTTGCCGGC	AGCGCGGAAG
15	701	TGAAAACCGT	AAACGGCATA	CGCCATATCG	GCCTTGCCGC	CAAGCAACTC
	751	GACGGTGGCG	GAGGCACTGG	ATCCTCAGAT	TTGGCAAACG	ATTCTTTTAT
	801	CCGGCAGGTT	CTCGACCGTC	AGCATTTTCGA	ACCCGACGGG	AAATACCACC
	851	TATTCGGCAG	CAGGGGGGAA	CTTGCCGAGC	GCAGCGGCCA	TATCGGATTG
	901	GGAAAAATAC	AAAGCCATCA	GTTGGGCAAC	CTGATGATT	AACAGCGCGC
	951	CATTAAAGGA	AATATCGGCT	ACATTGTCCG	CTTTTCCGAT	CACGGGCACG
20	1001	AAGTCCATTC	CCCCTTCGAC	AACCATGCCT	CACATTCCGA	TTCTGATGAA
	1051	GCCGGTAGTC	CCGTTGACGG	ATTTAGCCTT	TACCGCATCC	ATTGGGACCG
	1101	ATACGAACAC	CATCCC GCCG	ACGGCTATGA	CGGGCCACAG	GGCGGCGGCT
	1151	ATCCCGCTCC	CAAAGGCGCG	AGGGATATAT	ACAGCTACGA	CATAAAAGGC
	1201	GTTGCCCAAA	ATATCCGCCT	CAACCTGACC	GACAACCGCA	GCACCGGACA
25	1251	ACGGCTTGCC	GACCGTTTCC	ACAATGCCGG	TAGTATGCTG	ACGCAAGGAG
	1301	TAGGCGACGG	ATTCAAACGC	GCCACCCGAT	ACAGCCCCGA	GCTGGACAGA
	1351	TCGGGCAATG	CCGCCGAAGC	CTTCAACGGC	ACTGCAGATA	TCGTTAAAAA
	1401	CATCATCGGC	GCGGCAGGAG	AAATTGTCCG	CGCAGGCGAT	GCCGTGCAGG
	1451	GCATAAGCGA	AGGCTCAAAC	ATTGCTGTCA	TGCACGGCTT	GGGTCTGCTT
	1501	TCCACCGAAA	ACAAGATGGC	GCGCATCAAC	GATTTGGCAG	ATATGGCGCA
30	1551	ACTCAAAGAC	TATGCCGCAG	CAGCCATCCG	CGATTGGGCA	GTCCAAAACC
	1601	CCAATGCCGC	ACAAGGCATA	GAAGCCGTCA	GCAATATCTT	TATGGCAGCC
	1651	ATCCCCATCA	AAGGGATTGG	AGCTGTTCCG	GGAAAATACG	GCTTGGGCGG
	1701	CATCACGGCA	CATCCTATCA	AGCGGTCGCA	GATGGGCGCG	ATCGCATTGC
	1751	CGAAAGGGAA	ATCCGCCGTC	AGCGACAATT	TTGCCGATGC	GGCATACGCC
	1801	AAATACCCGT	CCCCTTACCA	TTCCCGAAAT	ATCCGTTCAA	ACTTGGAGCA
35	1851	GCGTTACGGC	AAAGAAAACA	TCACCTCCTC	AACCGTGCCG	CCGTCAAACG
	1901	GCAAAAATGT	CAAACCTGGCA	GACCAACGCC	ACCCGAAGAC	AGGCGTACCG
	1951	TTTGACGGTA	AAGGGTTTCC	GAATTTTGAG	AAGCACGTGA	AATATGATAC
	2001	GCTCGAGCAC	CACCACCACC	ACCACTGA		
40						
	1	MVAADIGAGL	ADALTAPLDH	KDKGLQSLTL	DQSVRKNEKL	KLAAQGAKEK
	51	YNGDSLNTG	KLKNDKVSFR	DFIRQIEVDG	QLITLESGEF	QVYKQSHSAL
	101	TAFQTEQIQD	SEHSGKMVAK	RQFRIGDIAG	EHTSFDKLPE	GGRATYRGTA
	151	FGSDDAGGKL	TYTIDFAAKQ	GNGKIEHLKS	PELNVDLAAA	DIKPDGKRHA
45	201	VISGSVLYNQ	AEKGSYSLGI	FGGKAQEVAG	SAEVKTVNGI	RHIGLAAKQL
	251	DGGGGTGSSD	LANDSFIRQV	LDRQHFEFDG	KYHLFGSRGE	LAERSGHIGL
	301	GKIQSHQLGN	LMIQQAAIKG	NIGYIVRFS	HGHEVHSPFD	NHASHSDSDE
	351	AGSPVDGFSL	YRIHWDGYEH	HPADGYDGPQ	GGGYPAPKGA	RDIYSYDIKG
	401	VAQNIRLNLT	DNRSTGQRLA	DRFHNAGSML	TQGVGDGFKR	ATRYSPELDR
	451	SGNAAEAFNG	TADIVKNIIG	AAGEIVGAGD	AVQGISSEGSN	IAVMHGLGLL
50	501	STENKMARIN	DLADMAQLKD	YAAAAIRDWA	VQNPNAAQGI	EAVSNIFMAA
	551	IPIKGIGAVR	GKYGLGGITA	HPIKRSQMG	IALPKGKSAV	SDNFADAAYA
	601	KYSPYHSRN	IRSNLEQRYG	KENITSSTVP	PSNGKNVKLA	DQRHPKTGVP
	651	FDGKGFPNFE	KHVKYDTLEH	HHHHH*		

Example 16 - C-terminal fusions ('hybrids') with 287ΔG287

[0228] According to the invention, hybrids of two proteins A & B may be either NH₂-A-B-COOH or NH₂-B-A-COOH. The effect of this difference was investigated using protein 287 either C-terminal (in '287-His' form) or N-terminal (in

Δ G287 form - sequences shown above) to 919, 953 and ORF46.1. A panel of strains was used, including homologous strain 2996. FCA was used as adjuvant:

	287 & 919		287 & 953		287 & ORF46.1	
Strain	Δ G287-919	919-287	Δ G287-953	953-287	Δ G287-46.1	46.1-287
2996	128000	16000	65536	8192	16384	8192
BZ232	256	128	128	<4	<4	<4
1000	2048	<4	<4	<4	<4	<4
MC58	8192	1024	16384	1024	512	128
NGH38	32000	2048	>2048	4096	16384	4096
394/98	4096	32	256	128	128	16
MenA (F6124)	32000	2048	>2048	32	8192	1024
MenC (BZ133)	64000	>8192	>8192	<16	8192	2048

Better bactericidal titres are generally seen with 287 at the N-terminus (in the Δ G form)

[0229] When fused to protein 961 [NH_2 - Δ G287-961-COOH - sequence shown above], the resulting protein is insoluble and must be denatured and renatured for purification. Following renaturation, around 50% of the protein was found to remain insoluble. The soluble and insoluble proteins were compared, and much better bactericidal titres were obtained with the soluble protein (FCA as adjuvant):

	2996	BZ232	MC58	NGH38	F6124	BZ133
Soluble	65536	128	4096	>2048	>2048	4096
Insoluble	8192	<4	<4	16	n.d.	n.d.

[0230] Titres with the insoluble form were, however, improved by using alum adjuvant instead:

Insoluble	32768	1128	4096	>2048	>2048	2048
------------------	-------	------	------	-------	-------	------

Example 17 — N-terminal fusions ('hybrids') to 287

[0231] Expression of protein 287 as full-length with a C-terminal His-tag, or without its leader peptide but with a C-terminal His-tag, gives fairly low expression levels. Better expression is achieved using a N-terminal GST-fusion.

[0232] As an alternative to using GST as an N-terminal fusion partner, 287 was placed at the C-terminus of protein 919 ('919-287'), of protein 953 ('953-287'), and of proteins ORF46.1 ('ORF46.1-287'). In both cases, the leader peptides were deleted, and the hybrids were direct in-frame fusions.

[0233] To generate the 953-287 hybrid, the leader peptides of the two proteins were omitted by designing the forward primer downstream from the leader of each sequence; the stop codon sequence was omitted in the 953 reverse primer but included in the 287 reverse primer. For the 953 gene, the 5' and the 3' primers used for amplification included a *NdeI* and a *BamHI* restriction sites respectively, whereas for the amplification of the 287 gene the 5' and the 3' primers included a *BamHI* and a *XhoI* restriction sites respectively. In this way a sequential directional cloning of the two genes in pET21b+, using *NdeI*-*BamHI* (to clone the first gene) and subsequently *BamHI*-*XhoI* (to clone the second gene) could be achieved.

[0234] The 919-287 hybrid was obtained by cloning the sequence coding for the mature portion of 287 into the *XhoI* site at the 3'-end of the 919-His clone in pET21b+. The primers used for amplification of the 287 gene were designed for introducing a *SalI* restriction site at the 5'-and a *XhoI* site at the 3'- of the PCR fragment. Since the cohesive ends produced by the *SalI* and *XhoI* restriction enzymes are compatible, the 287 PCR product digested with *SalI*-*XhoI* could be inserted in the pET21 b-919 clone cleaved with *XhoI*.

[0235] The ORF46.1-287 hybrid was obtained similarly.

[0236] The bactericidal efficacy (homologous strain) of antibodies raised against the hybrid proteins was compared

EP 1 790 660 A2

with antibodies raised against simple mixtures of the component antigens:

	Mixture with 287	Hybrid with 287
919	32000	16000
953	8192	8192
ORF46.1	128	8192

[0237] Data for bactericidal activity against heterologous MenB strains and against serotypes A and C were also obtained for 919-287 and 953-287:

	919		953		ORF46.1	
<i>Strain</i>	<i>Mixture</i>	<i>Hybrid</i>	<i>Mixture</i>	<i>Hybrid</i>	<i>Mixture</i>	<i>Hybrid</i>
MC58	512	1024	512	1024	-	1024
NGH38	1024	2048	2048	4096	-	4096
BZ232	512	128	1024	16	-	-
MenA (F6124)	512	2048	2048	32	-	1024
MenC (C11)	>2048	n.d.	>2048	n.d.	-	n.d.
MenC (BZ133)	>4096	>8192	>4096	<16	-	2048

[0238] Hybrids of ORF46.1 and 919 were also constructed. Best results (four-fold higher titre) were achieved with 919 at the N-terminus.

[0239] Hybrids 919-519His, ORF97-225His and 225-ORF97His were also tested. These gave moderate ELISA titres and bactericidal antibody responses.

Example 18 - the leader peptide from ORF4

[0240] As shown above, the leader peptide of ORF4 can be fused to the mature sequence of other proteins (e.g. proteins 287 and 919). It is able to direct lipidation in *E.coli*.

Example 19 - domains in 564

[0241] The protein '564' is very large (2073aa), and it is difficult to clone and express it in complete form. To facilitate expression, the protein has been divided into four domains, as shown in figure 8 (according to the MC58 sequence):

Domain	A	B	C	D
Amino Acids	79-360	361-731	732-2044	2045-2073

[0242] These domains show the following homologies:

- Domain A shows homology to other bacterial toxins:

gblAAG03431.1IAE004443_9probable hemagglutinin [*Pseudomonas aeruginosa*] (38%)
 gblAAC31981.1I (139897) HecA [*Pectobacterium chrysanthemi*] (45%)
 embICAA36409.1I (X52156) filamentous hemagglutinin [*Bordetella pertussis*] (31%)
 gblAAC79757.1I (AF057695) large supernatant protein1 [*Haemophilus ducreyi*] (26%)
 gblAAA25657.1I (M30186) HpmA precursor [*Proteus mirabilis*] (29%)

- Domain B shows no homology, and is specific to 564.
- Domain C shows homology to:

gblAAF84995.1IAE004032 HA-like secreted protein [*Xylella fastidiosa*] (33%)
 gblAAG05850.1IAE004673 hypothetical protein [*Pseudomonas aeruginosa*] (27%)
 gblAAF68414.1AF237928 putative FHA [*Pasteurella multocida*] (23%)
 gblAAC79757.1(AF057695) large supernatant protein1 [*Haemophilus ducreyi*] (23%)
 5 pirIS21010 FHA B precursor [*Bordetella pertussis*] (20%)

- Domain D shows homology to other bacterial toxins:

gblAAF84995.1IAE004032_14 HA-like secreted protein [*Xylella fastidiosa*] (29%)

[0243] Using the MC58 strain sequence, good intracellular expression of 564ab was obtained in the form of GST-fusions (no purification) and his-tagged protein; this domain-pair was also expressed as a lipoprotein, which showed moderate expression in the outer membrane/supernatant fraction.

[0244] The b domain showed moderate intracellular expression when expressed as a his-tagged product (no purification), and good expression as a GST-fusion.

[0245] The c domain showed good intracellular expression as a GST-fusion, but was insoluble. The d domain showed moderate intracellular expression as a his-tagged product (no purification). The cd protein domain-pair showed moderate intracellular expression (no purification) as a GST-fusion.

[0246] Good bactericidal assay titres were observed using the c domain and the bc pair.

Example 20 - the 919 leader peptide

[0247] The 20mer leader peptide from 919 is discussed in example 1 above:

MKKYLFRAAL YGIAAAILAA

[0248] As shown in example 1, deletion of this leader improves heterologous expression, as does substitution with the ORF4 leader peptide. The influence of the 919 leader on expression was investigated by fusing the coding sequence to the *PhoC* reporter gene from *Morganella morganii* [Thaller et al. (1994) Microbiology 140:1341-1350]. The construct was cloned in the pET21-b plasmid between the *NdeI* and *XhoI* sites (Figure 9):

```

1  MKKYLFRAAL YGIAAAILAA AIPAGNDATT KPDLYYLKNE QAIDSLKLLP
51 PPPEVGSIQF LNDQAMYKEG RMLRNTERGK QAQADADLAA GGVATAFSGA
101 FGYPITEKDS PELYKLLTNM IEDAGDLATR SAKEHYMRIR PFAFYGTETC
151 NTKDQKKLST NGSYPGHTS IGWATALVLA EVNPANQDAI LERGYQLGQS
201 RVICGYHWQS DVDAARIVGS AAVATLHSDP AFQAQLAKAK QEFAQKSQK*

```

[0249] The level of expression of *PhoC* from this plasmid is >200-fold lower than that found for the same construct but containing the native *PhoC* signal peptide. The same result was obtained even after substitution of the T7 promoter with the *E. coli* Plac promoter. This means that the influence of the 919 leader sequence on expression does not depend on the promoter used.

[0250] In order to investigate if the results observed were due to some peculiarity of the 919 signal peptide nucleotide sequence (secondary structure formation, sensitivity to RNAases, etc.) or to protein instability induced by the presence of this signal peptide, a number of mutants were generated. The approach used was a substitution of nucleotides of the 919 signal peptide sequence by cloning synthetic linkers containing degenerate codons. In this way, mutants were obtained with nucleotide and/or amino acid substitutions.

[0251] Two different linkers were used, designed to produce mutations in two different regions of the 919 signal peptide sequence, in the first 19 base pairs (L1) and between bases 20-36 (S1).

```

L1: 5' T ATG AAa/g TAc/t c/tTN TTt/c a/cGC GCC GCC CTG TAC GGC ATC GCC GCC
GCC ATC CTC GCC GCC GCG ATC CC 3'
S1: 5' T ATG AAA AAA TAC CTA TTC CGa/g GCN GCN c/tTa/g TAc/t GGc/g ATC GCC
GCC GCC ATC CTC GCC GCC GCG ATC CC 3'

```

[0252] The alignment of some of the mutants obtained is given below.

L1 mutants:

9L1-a ATGAAGAAGTACCTTTTCAGCGCCGCC~::~:
 9L1-e ATGAAAAAATACTTTTCCGCGCCGCC~::~:
 9L1-d ATGAAAAAATACTTTTCCGCGCCGCC~::~:
 9L1-f ATGAAAAAATATCTCTTTAGCGCGCCCTGTACGGCATCGCCGCCGCCATCCTCGCCGCC
 919sp ATGAAAAAATACCTATTCCGCGCGCCCTGTACGGCATCGCCGCCGCCATCCTCGCCGCC

9L1a MKKYLFSA~::~:
 9L1e MKKYFFRA~::~:
 9L1d MKKYFFRA~::~:
 9L1f MKKYLFSAALYGIAAILAA
 919sp MKKYLFRAALYGIAAILAA (i.e. native signal peptide)

S1 mutants:

9S1-e ATGAAAAAATACCTATTC.....ATCGCCGCCGCCATCCTCGCCGCC
 9S1-c ATGAAAAAATACCTATTCGAGCTGCCCAATACGGCATCGCCGCCGCCATCCTCGCCGCC
 9S1-b ATGAAAAAATACCTATTCGGGCGGCCAATACGGCATCGCCGCCGCCATCCTCGCCGCC
 9S1-i ATGAAAAAATACCTATTCGGGCGGCTTTGTACGGGATCGCCGCCGCCATCCTCGCCGCC
 919sp ATGAAAAAATACCTATTCGCGCGCCCTGTACGGCATCGCCGCCGCCATCCTCGCCGCC

9S1e MKKYLF.....IAAILAA
 9S1c MKKYLFRAAQYGIAAILAA
 9S1b MKKYLFRAAQYGIAAILAA
 9S1i MKKYLFRAALYGIAAILAA
 919sp MKKYLFRAALYGIAAILAA

[0253] As shown in the sequences alignments, most of the mutants analysed contain in-frame deletions which were unexpectedly produced by the host cells.

[0254] Selection of the mutants was performed by transforming *E. coli* BL21(DE3) cells with DNA prepared from a mixture of L1 and S1 mutated clones. Single transformants were screened for high PhoC activity by streaking them onto LB plates containing 100 µg/ml ampicillin, 50µg/ml methyl green, 1 mg/ml PDP (phenolphthaleindiphosphate). On this medium PhoC-producing cells become green (Figure 10).

[0255] A quantitative analysis of PhoC produced by these mutants was carried out in liquid medium using pNPP as a substrate for PhoC activity. The specific activities measured in cell extracts and supernatants of mutants grown in liquid medium for 0, 30, 90, 180 min. were:

CELL EXTRACTS**[0256]**

	0	30	90	180
control	0,00	0,00	0,00	0,00
9phoC	1,11	1,11	3,33	4,44
9S1e	102,12	111,00	149,85	172,05
9L1a	206,46	111,00	94,35	83,25
9L1d	5,11	4,77	4,00	3,11
9L1f	27,75	94,35	82,14	36,63
9S1b	156,51	111,00	72,15	28,86
9S1c	72,15	33,30	21,09	14,43
9S1i	156,51	83,25	55,50	26,64
phoCwt	194,25	180,93	149,85	142,08

SUPERNATANTS

[0257]

5		0	30	90	1801
	control	0,00	0,00	0,00	0,00
	9phoC	0,33	0,00	0,00	0,00
10	9S1e	0,11	0,22	0,44	0,89
	9L1a	4,88	5,99	5,99	7,22
	9L1d	0,11	0,11	0,11	0,11
	9L1f	0,11	0,22	0,11	0,11
15	9S1b	1,44	1,44	1,44	1,67
	9S1c	0,44	0,78	0,56	0,67
	9S1i	0,22	0,44	0,22	0,78
20	phoCwt	34,41	43,29	87,69	177,60

[0258] Some of the mutants produce high amounts of PhoC and in particular, mutant 9L1a can secrete PhoC in the culture medium. This is noteworthy since the signal peptide sequence of this mutant is only 9 amino acids long. This is the shortest signal peptide described to date.

Example 21— C-terminal deletions of Maf-related proteins

[0259] MafB-related proteins include 730, ORF46 and ORF29.

[0260] The 730 protein from MC58 has the following sequence:

```

1  VKPLRRLTNL LAACAVAAAA LIQPALAADL AQDPFITDNA QRQHYEPGGK
51  YHLFGDPRGS VSDRTGKINV IQDYTHQMGN LLIQQANING TIGYHTRFSG
101 HGHEEHAPFD NHAADSASEE KGNVDEGFTV YRLNWEGHEH HPADAYDGPK
35  151 GGNYPKPTGA RDEYTYHVNG TARSIKLNPT DTRSIRQRIS DNYSNLGSNF
201 SDRADEANRK MFEHNAKLDL WGNMSEFING VAAGALNPFI SAGEALGIGD
251 ILYGTRYAID KAAMRNIAPL PAEGKFAVIG GLGSVAGFEK NTREAVDRWI
301 QENPNAAETV EAVFNVAAAA KVAKLAKAAK PGKAAVSGDF ADSYKKKLAL

351 SDSARQLYQN AKYREALDIH YEDLIRRKTD GSSKFINGRE IDAVTNDALI
401 QAKRTISAID KPNFLNQKN RKQIKATIEA ANQQGKRAEF WFKYGVHSQV
451 KSYIESKGGI VKTGLGD*

```

[0261] The leader peptide is underlined.

[0262] 730 shows similar features to ORF46 (see example 8 above):

- as for Orf46, the conservation of the 730 sequence among MenB, MenA and gonococcus is high (>80%) only for the N-terminal portion. The C-terminus, from ~340, is highly divergent.
- its predicted secondary structure contains a hydrophobic segment spanning the central region of the molecule (aa. 227-247).
- expression of the full-length gene in *E. coli* gives very low yields of protein. Expression from tagged or untagged constructs where the signal peptide sequence has been omitted has a toxic effect on the host cells. In other words, the presence of the full-length mature protein in the cytoplasm is highly toxic for the host cell while its translocation to the periplasm (mediated by the signal peptide) has no detectable effect on cell viability. This "intracellular toxicity" of 730 is particularly high since clones for expression of the leaderless 730 can only be obtained at very low frequency using a *recA* genetic background (*E. coli* strains: HB101 for cloning; HMS174(DE3) for expression).

[0263] To overcome this toxicity, a similar approach was used for 730 as described in example 8 for ORF46. Four C-terminal truncated forms were obtained, each of which is well expressed. All were obtained from intracellular expression of His-tagged leaderless 730.

[0264] Form A consists of the N-terminal hydrophilic region of the mature protein (aa. 28-226). This was purified as a soluble His-tagged product, having a higher-than-expected MW.

[0265] Form B extends to the end of the region conserved between serogroups (aa. 28-340). This was purified as an insoluble His-tagged product.

[0266] The C-terminal truncated forms named C1 and C2 were obtained after screening for clones expressing high levels of 730-His clones in strain HMS174(DE3). Briefly, the pET21b plasmid containing the His-tagged sequence coding for the full-length mature 730 protein was used to transform the *recA* strain HMS 174(DE3). Transformants were obtained at low frequency which showed two phenotypes: large colonies and very small colonies. Several large and small colonies were analysed for expression of the 730-His clone. Only cells from large colonies over-expressed a protein recognised by anti-730A antibodies. However the protein over-expressed in different clones showed differences in molecular mass. Sequencing of two of the clones revealed that in both cases integration of an *E. coli* IS sequence had occurred within the sequence coding for the C terminal region of 730. The two integration events have produced in-frame fusion with 1 additional codon in the case of C1, and 12 additional codons in the case of C2 (Figure 11). The resulting "mutant" forms of 730 have the following sequences:

730-C1 (due to an IS1 insertion - figure 11A)

```

1  MADLAQDPFI TDNAQRQHYE PGGKYHLFGD PRGSVSDRTG KINVIQDYTH
51 QMGNLLIQQA NINGTIGYHT RFSGHGHEEH APFDNHAADS ASEEKGNVDE
101 GFTVYRLNWE GHEHHPADAY DGPKGGNYPK PTGARDEYTY HVNGTARSIK
151 LNPTDTRSIR QRISDNYSNL GSNFSDRADE ANRKMFEHNA KLDRWGNSME
201 FINGVAAGAL NPFISAGEAL GIGDILYGTR YAIIDKAAMRN IAPLPAEGKF
251 AVIGGLGSAV GFENKTREAV DRWIQENPNA AETVEAVFNV AAAAKVAKLA
301 KAAKPGKAAV SGDFADSYKK KLALSDSARQ LYQNAKYREA LDIHYEDLIR
351 RKTDGSSKFI NGREIDAVTN DALIQAR*
```

[0267] The additional amino acid produced by the insertion is underlined.

730-C2 (due to an IS5 insertion - Figure 11B)

```

1  MADLAQDPFI TDNAQRQHYE PGGKYHLFGD PRGSVSDRTG KINVIQDYTH
51 QMGNLLIQQA NINGTIGYHT RFSGHGHEEH APFDNHAADS ASEEKGNVDE
101 GFTVYRLNWE GHEHHPADAY DGPKGGNYPK PTGARDEYTY HVNGTARSIK
151 LNPTDTRSIR QRISDNYSNL GSNFSDRADE ANRKMFEHNA KLDRWGNSME
201 FINGVAAGAL NPFISAGEAL GIGDILYGTR YAIIDKAAMRN IAPLPAEGKF
251 AVIGGLGSAV GFENKTREAV DRWIQENPNA AETVEAVFNV AAAAKVAKLA
301 KAAKPGKAAV SGDFADSYKK KLALSDSARQ LYQNAKYREA LGKVRISGEI
351 LLG*
```

[0268] The additional amino acids produced by the insertion are underlined.

[0269] In conclusion, intracellular expression of the 730-C1 form gives very high level of protein and has no toxic effect on the host cells, whereas the presence of the native C-terminus is toxic. These data suggest that the "intracellular toxicity" of 730 is associated with the C-terminal 65 amino acids of the protein.

[0270] Equivalent truncation of ORF29 to the first 231 or 368 amino acids has been performed, using expression with or without the leader peptide (amino acids 1-26; deletion gives cytoplasmic expression) and with or without a His-tag.

Example 22 - domains in 961

[0271] As described in example 9 above, the GST-fusion of 961 was the best-expressed in *E. coli*. To improve expression, the protein was divided into domains (figure 12).

[0272] The domains of 961 were designed on the basis of YadA (an adhesin produced by *Yersinia* which has been demonstrated to be an adhesin localized on the bacterial surface that forms oligomers that generate surface projection [Hoiczky et al. (2000) EMBO J 19:5989-99]) and are: leader peptide, head domain, coiled-coil region (stalk), and membrane anchor domain.

[0273] These domains were expressed with or without the leader peptide, and optionally fused either to C-terminal His-tag or to N-terminal GST. *E. coli* clones expressing different domains of 961 were analyzed by SDS-PAGE and

EP 1 790 660 A2

western blot for the production and localization of the expressed protein, from over-night (o/n) culture or after 3 hours induction with IPTG. The results were:

	Total lysate (Western Blot)	Periplasm (Western Blot)	Supernatant (Western Blot)	OMV SDS-PAGE
961 (o/n)	-	-	-	
961 (IPTG)	+/-	-	-	
961-L (o/n)	+	-	-	+
961-L (IPTG)	+	-	-	+
961c-L (o/n)	-	-	-	
961 c-L (IPTG)	+	+	+	
961Δ ₁ -L (o/n)	-	-	-	
961Δ ₁ -L (IPTG)	+	-	-	+

[0274] The results show that in *E. coli*:

■ 961-L is highly expressed and localized on the outer membrane. By western blot analysis two specific bands have been detected: one at ~45kDa (the predicted molecular weight) and one at ~180kDa, indicating that 961-L can form oligomers. Additionally, these aggregates are more expressed in the over-night culture (without IPTG induction). OMV preparations of this clone were used to immunize mice and serum was obtained. Using overnight culture (predominantly by oligomeric form) the serum was bactericidal; the IPTG-induced culture (predominantly monomeric) was not bactericidal.

■ 961Δ₁-L (with a partial deletion in the anchor region) is highly expressed and localized on the outer membrane, but does not form oligomers;

■ the 961c-L (without the anchor region) is produced in soluble form and exported in the supernatant.

[0275] Titres in ELISA and in the serum bactericidal assay using His-fusions were as follows:

	ELISA	Bactericidal
961a (aa 24-268)	24397	4096
961b (aa 269-405)	7763	64
961c-L	29770	8192
961c (2996)	30774	>65536
961c (MC58)	33437	16384
961d	26069	>65536

[0276] *E.coli* clones expressing different forms of 961 (961, 961-L, 961Δ₁-L and 961c-L) were used to investigate if the 961 is an adhesin (*c.f.* YadA). An adhesion assay was performed using (a) the human epithelial cells and (b) *E.coli* clones after either over-night culture or three hours IPTG induction. 961-L grown over-night (961Δ₁-L) and IPTG-induced 961c-L (the clones expressing protein on surface) adhere to human epithelial cells.

[0277] 961c was also used in hybrid proteins (see above). As 961 and its domain variants direct efficient expression, they are ideally suited as the N-terminal portion of a hybrid protein.

Example 23 — further hybrids

[0278] Further hybrid proteins of the invention are shown below (see also Figure 14). These are advantageous when compared to the individual proteins:

EP 1 790 660 A2

ORF46.1-741

	1	ATGTCAGATT	TGGCAAACGA	TTCTTTTATC	CGGCAGGTTC	TCGACCGTCA
	51	GCAATTTCGAA	CCCAGCGGGA	AATACCACCT	ATTCGGCAGC	AGGGGGGAAC
5	101	TTGCCGAGCG	CAGCGGCCAT	ATCGGATTGG	GAAAAATACA	AAGCCATCAG
	151	TTGGGCAACC	TGATGATTCA	ACAGGCGGCC	ATTAAAGGAA	ATATCGGCTA
	201	CATTGTCCGC	TTTTCCGATC	ACGGGCACGA	AGTCCATTCC	CCCTTCGACA
	251	ACCATGCCTC	ACATTCCGAT	TCTGATGAAG	CCGGTAGTCC	CGTTGACGGA
	301	TTTAGCCTTT	ACCGCATCCA	TTGGGACGGA	TACGAACACC	ATCCCGCCGA
	351	CGGCTATGAC	GGGCCACAGG	GCGGCGGCTA	TCCCGCTCCC	AAAGGCGCGA
10	401	GGGATATATA	CAGCTACGAC	ATAAAAGGCG	TTGCCCAAAA	TATCCGCTC
	451	AACCTGACCG	ACAACCGCAG	CACCGGACAA	CGGCTTGCCG	ACCGTTTCCA
	501	CAATGCCGGT	AGTATGCTGA	CGCAAGGAGT	AGGCGACGGA	TTCAAACGCG
	551	CCACCCGATA	CAGCCCCGAG	CTGGACAGAT	CGGGCAATGC	CGCCGAAGCC
	601	TTCAACGGCA	CTGCAGATAT	CGTTAAAAAC	ATCATCGGCG	CGGCAGGAGA
	651	AATTGTCCGG	CAGGCGGATG	CCGTGCAGGG	CATAAGCGAA	GGTCAAAACA
15	701	TTGCTGTCAT	GCACGGCTTG	GGTCTGCTTT	CCACCGAAAA	CAAGATGGCG
	751	CGCATCAACG	ATTTGGCAGA	TATGGCGCAA	CTCAAAGACT	ATGCCGCGAG
	801	AGCCATCCGC	GATTGGGCAG	TCCAAAACCC	CAATGCCGCA	CAAGGCATAG
	851	AAGCCGTGAG	CAATATCTTT	ATGGCAGCCA	TCCCCATCAA	AGGGATTGGA
	901	CGTGTCCGG	GAAAAACGCG	CTTGGGCGGC	ATCACGGCAC	ATCCTATCAA
	951	GCGGTGCGAG	ATGGGCGCGA	TCGCATTGCC	GAAAGGGAAA	TCCGCCGTCA
20	1001	GCGACAATTT	TGCCGATGCG	GCATACGCCA	AATACCCGTC	CCCTTACCAT
	1051	TCCCGAAATA	TCCGTTCAAA	CTTGAGACAG	CGTTACGGCA	AAGAAAACAT
	1101	CACCTCCTCA	ACCGTGCCGC	CGTCAAACGG	CAAAAATGTC	AAACTGGCAG
	1151	ACCAACGCCA	CCCGAAGACA	GGCGTACCGT	TTGACGGTAA	AGGGTTTCCG
	1201	AATTTTGAGA	AGCACGTGAA	ATATGATACG	GGATCCGGAG	GGGGTGTTGT
25	1251	CGCCGCCGAC	ATCGGTGCGG	GGCTTGCCGA	TGCACTAACC	GCACCGCTCG
	1301	ACCATAAAGA	CAAAGGTTTG	CAGTCTTTGA	CGCTGGATCA	GTCCGTTCAGG
	1351	AAAAACGAGA	AACTGAAGCT	GGCGGCACAA	GGTGCGGAAA	AAACTTATGG
	1401	AAACGGTGAC	AGCCTCAATA	CGGGCAAATT	GAAGAACGAC	AAGGTCAGCC
	1451	GTTTCGACTT	TATCCGCCAA	ATCGAAGTGG	ACGGGCAGCT	CATTACCTTG
	1501	GAGAGTGGAG	AGTTCCAAGT	ATACAAACAA	AGCCATTCCG	CCTTAACCGC
30	1551	CTTTCAGACC	GAGCAAATAC	AAGATTCGGA	GCATTCCGGG	AAGATGGTTG
	1601	CGAAACGCCA	GTTCAGAATC	GGCGACATAG	CGGGCGAACA	TACATCTTTT
35	1651	GACAAGCTTC	CCGAAGGCGG	CAGGGCGACA	TATCGCGGGA	CGGCGTTCCG
	1701	TTCAGACGAT	GCCGGCGGAA	AACTGACCTA	CACCATAGAT	TTCCGCCCCA
	1751	AGCAGGGAAA	CGGCAAAATC	GAACATTTGA	AATCGCCAGA	ACTCAATGTC
	1801	GACCTGGCCG	CCGCCGATAT	CAAGCCGGAT	GGAAAACGCC	ATGCCGTCAT
	1851	CACGGGTTCC	GTCCTTTACA	ACCAAGCCGA	GAAAGGCAGT	TACTCCCTCG
40	1901	GTATCTTTGG	CGGAAAAGCC	CAGGAAGTTG	CCGGCAGCGC	GGAAGTGAAA
	1951	ACCGTAAACG	GCATACGCCA	TATCGGCCCT	GCCGCCAAGC	AACTCGAGCA
	2001	CCACCACCAC	CACCACTGA			
45	1	MSDLANDSFI	RQVLDRQHFE	PDGKYHLFGS	RGELAERSGH	IGLGKIQSHQ
	51	LGNLMIQQAA	IKGNIGYIVR	FSDHGHEVHS	PFDNHASHSD	SDEAGSPVDG
	101	FSLYRIHWDG	YEHHPADGYD	GPQGGGYPAP	KGARDIYSYD	IKGVAQNIRL
	151	NLTDNRSTGQ	RLADRFHNAG	SMLTQGVGDG	FKRATRYSPE	LDRSGNAAEA
	201	FNGTADIVKN	IIGAAGEIVG	AGDAVQGISE	GSNIAVMHGL	GLLSTENKMA
	251	RINDLADMAQ	LKDYAAAAIR	DWAVQNPNA	QGIEAVSNIF	MAAIIPIKGIG
50	301	AVRGKYGLGG	ITAHPIKRSQ	MGAIALPKGK	SAVSDNFADA	AYAKYPSPYH
	351	SRNIRSNELE	RYGKENITSS	TVPPSNGKNV	KLADQRHPKT	GVFPDGGKFP
	401	NFEKHVKYDT	GSGGGGVAA	IGAGLADALT	APLDHKDKGL	QSLTLDQSVR
	451	KNEKLKLAQ	GAEKTYGNGD	SLNTGKLKND	KVSRFDFIRQ	IEVDGQLITL
	501	ESGEFQVYKQ	SHSALTAFTQ	EQIQDSEHSG	KMVAKRQFRI	GDIAGEHTSF
55	551	DKLPEGGRAT	YRGTAFGSDD	AGGKLTYTID	FAAQQNGNGKI	EHLKSPELNV
	601	DLAAADIKPD	GKRHAVISGS	VLYNQAEKGS	YSLGIFGGKA	QEVAGSAEVK
	651	TVNGIRHIGL	AAKQLEHHHH	HH*		

EP 1 790 660 A2

ORF46.1-961

	1	ATGTCAGATT	TGGCAAACGA	TTCTTTTATC	CGGCAGGTTT	TCGACCGTCA
	51	GCATTTTCGAA	CCCGACGGGA	AATACCACCT	ATTCGGCAGC	AGGGGGGAAC
5	101	TTGCCGAGCG	CAGCGGCCAT	ATCGGATTGG	GAAAAATACA	AAGCCATCAG
	151	TTGGGCAACC	TGATGATTCA	ACAGGCGGCC	ATTAAAGGAA	ATATCGGCTA
	201	CATTGTCCGC	TTTTCCGATC	ACGGGCACGA	AGTCCATTCC	CCCTTCGACA
	251	ACCATGCCTC	ACATTCCGAT	TCTGATGAAG	CCGGTAGTCC	CGTTGACGGA
	301	TTTAGCCTTT	ACCGCATCCA	TTGGGACGGA	TACGAACACC	ATCCCGCCGA
	351	CGGCTATGAC	GGGCCACAGG	GCGGCGGCTA	TCCCGCTCCC	AAAGGCGCGA
10	401	GGGATATATA	CAGCTACGAC	ATAAAAGGCG	TTGCCCAAAA	TATCCGCTC
	451	AACCTGACCG	ACAACCGCAG	CACCGGACAA	CGGCTTGCCG	ACCGTTTCCA
	501	CAATGCCGGT	AGTATGCTGA	CGCAAGGAGT	AGGCGACGGA	TTCAAACGCG
	551	CCACCCGATA	CAGCCCCGAG	CTGGACAGAT	CGGGCAATGC	CGCCGAAGCC
	601	TTCAACGGCA	CTGCAGATAT	CGTTAAAAAC	ATCATCGGCG	CGGCAGGAGA
	651	AATTGTCCGG	GCAGGCGATG	CCGTGCAGGG	CATAAGCGAA	GGCTCAAACA
15	701	TTGCTGTCAT	GCACGGCTTG	GGTCTGCTTT	CCACCGAAAA	CAAGATGGCG
	751	CGCATCAACG	ATTTGGCAGA	TATGGCGCAA	CTCAAAGACT	ATGCCGCAGC
	801	AGCCATCCGC	GATTGGGCAG	TCCAAAACCC	CAATGCCGCA	CAAGGCATAG
	851	AAGCCGTCAG	CAATATCTTT	ATGGCAGCCA	TCCCCATCAA	AGGGATTGGA
	901	GCTGTTCCGG	GAAAATACGG	CTTGGGCGGC	ATCACGGCAC	ATCCTATCAA
20	951	GCGGTGCGAG	ATGGGCGCGA	TCGCATTGCC	GAAAGGGAAA	TCCGCCGTCA
	1001	GGGACAATTT	TGCCGATGCG	GCATACGCCA	AATACCCGTC	CCCTTACCAT
	1051	TCCCGAAATA	TCCGTTCAAA	CTTGGAGCAG	CGTTACGGCA	AAGAAAACAT
	1101	CACCTCCTCA	ACCGTGCCGC	CGTCAAACGG	CAAAAATGTC	AAACTGGCAG
	1151	ACCAACGCCA	CCCGAAGACA	GGCGTACCGT	TTGACGGTAA	AGGGTTTCCG
	1201	AATTTTGAGA	AGCACGTGAA	ATATGATACG	GGATCCGGAG	GAGGAGGAGC
25	1251	CACAAACGAC	GACGATGTTA	AAAAAGCTGC	CACTGTGGCC	ATTGCTGCTG
	1301	CCTACAACAA	TGGCCAAGAA	ATCAACGGTT	TCAAAGCTGG	AGAGACCATC
	1351	TACGACATTG	ATGAAGACGG	CACAATTACC	AAAAAAGACG	CAACTGCAGC
	1401	CGATGTTGAA	GCCGACGACT	TTAAAGGTCT	GGGTCTGAAA	AAAGTCTGTA
	1451	CTAACCTGAC	CAAAACCGTC	AATGAAAACA	AACAAAACGT	CGATGCCAAA
30	1501	GTAAGAGCTG	CAGAATCTGA	AATAGAAAAG	TTAACAACCA	AGTTAGCAGA
	1551	CACTGATGCC	GCTTTAGCAG	ATACTGATGC	CGCTCTGGAT	GCAACCACCA
	1601	ACGCCTTGAA	TAAATTGGGA	GAAAATATAA	CGACATTTGC	TGAAGAGACT
	1651	AAGACAAATA	TCGTAAAAAT	TGATGAAAAA	TTAGAAGCCG	TGGCTGATAC
	1701	CGTCGACAAG	CATGCCGAAG	CATTCAACGA	TATCGCCGAT	TCATTGGATG
	1751	AAACCAACAC	TAAGGCAGAC	GAAGCCGTCA	AAACCGCCAA	TGAAGCCAAA
35	1801	CAGACGGCCG	AAGAAACCAA	ACAAAACGTC	GATGCCAAAG	TAAAAGCTGC
	1851	AGAAACTGCA	GCAGGCAAAG	CCGAAGCTGC	CGCTGGCACA	GCTAATACTG
	1901	CAGCCGACAA	GGCCGAAGCT	GTCGCTGCAA	AAGTTACCGA	CATCAAAGCT
	1951	GATATCGCTA	CGAACAAAGA	TAATATTGCT	AAAAAAGCAA	ACAGTGCCGA
	2001	CGTGACACC	AGAGAAGAGT	CTGACAGCAA	ATTTGTCAGA	ATTGATGGTC
40						
	2051	TGAACGCTAC	TACCGAAAAA	TTGGACACAC	GCTTGGCTTC	TGCTGAAAAA
	2101	TCCATTGCCG	ATCACGATAC	TCGCCTGAAC	GGTTTGGATA	AAACAGTGTC
	2151	AGACCTGCGC	AAAGAAACCC	GCCAAGGCCT	TGCAGAACAA	GCCGCGCTCT
45	2201	CCGGTCTGTT	CCAACCTTAC	AACGTGGGTC	GGTTCAATGT	AACGGCTGCA
	2251	GTCGGCGGCT	ACAAATCCGA	ATCGGCAGTC	GCCATCGGTA	CCGGCTTCCG
	2301	CTTTACCGAA	AACTTTGCCG	CCAAAGCAGG	CGTGGCAGTC	GGCACTTCGT
	2351	CCGGTTCTTC	CGCAGCCTAC	CATGTCGGCG	TCAATTACGA	GTGGCTCGAG
	2401	CACCACCACC	ACCACCACTG	A		
50						
55						

EP 1 790 660 A2

	1	MSDLANDSFI	RQVLDRQHFE	PDGKYHLFGS	RGELAERSGH	IGLGKIQSHQ
	51	LGNLMIQQAA	IKGNIGYIVR	FSDHGHEVHS	PFDNHASHSD	SDEAGSPVDG
	101	FSLYRIHWDG	YEHHPADGYD	GPQGGGYAP	KGARDIYSYD	IKGVAQNIRL
5	151	NLTDNRSTGQ	RLADRFHNAG	SMLTQGVGDG	FKRATRYSP	LDRSGNAAEA
	201	FNGTADIVKN	IIGAAGEIVG	AGDAVQGISE	GSNIAVMHGL	GLLSTENKMA
	251	RINDLADMAQ	LKDYAAAAIR	DWAVQNPNA	QGIEAVSNIF	MAAIIPIKGIG
	301	AVRGKYGLGG	ITAHPIKRSQ	MGAIALPKGK	SAVSDNFADA	AYAKYPSPYH
	351	SRNIRSNEQ	RYGKENITSS	TVPPSNGKNV	KLADQRHPKT	GVPFDDGKGF
	401	NFEKHVKYDT	SGSGGGATND	DDVKKAAATV	IAAAYNNGQE	INGFKAGETI
10	451	YDIDEDGTIT	KKDATAADVE	ADDFKGLGLK	KVVTNLTKTV	NENKQNVDAK
	501	VKAAESEIEK	LTTKLADTDA	ALADTDAALD	ATTNALNKLK	ENITTFAEET
	551	KTNIVKID EK	LEAVADTVDK	HAEAFNDIAD	SLDETNTKAD	EAVKTANEAK
	601	QTAEETKQNV	DAKVKAAETA	AGKAEAAAGT	ANTAADKAEA	VAAKVTDIKA
	651	DIATNKDNIA	KKANSADVYT	REESDSKFVR	IDGLNATTEK	LDTRLASAEK
	701	SIADHDTRLN	GLDKTVSCLR	KETRQGLAEQ	AALSGLFQPY	NVGRFNVTA
15	751	VGGYKSES AV	AIGTGFRFTE	NFAAKAGVAV	GTSSGSSAAY	HVGVNYEWLE
	801	HHHHHH*				

20	ORF46.1-961c						
	1	ATGTCAGATT	TGGCAAACGA	TTCTTTTATC	CGGCAGGTTC	TCGACCGTCA	
	51	GCATTTTCGAA	CCCGACGGGA	AATACCACCT	ATTTCGGCAGC	AGGGGGGAAC	
	101	TTGCCGAGCG	CAGCGGCCAT	ATCGGATTGG	GAAAAATACA	AAGCCATCAG	
	151	TTGGGCAACC	TGATGATTCA	ACAGGCGGCC	ATTAAAGGAA	ATATCGGCTA	
	201	CATTGTCCGC	TTTTCCGATC	ACGGGCACGA	AGTCCATTCC	CCCTTCGACA	
25	251	ACCATGCCTC	ACATTCCGAT	TCTGATGAAG	CCGGTAGTCC	CGTTGACGGA	
	301	TTTAGCCTTT	ACCGCATCCA	TTGGGACGGA	TACGAACACC	ATCCCGCCGA	
	351	CGGCTATGAC	GGGCCACAGG	GCGGCGGCTA	TCCCGCTCCC	AAAGGCGCGA	
	401	GGGATATATA	CAGCTACGAC	ATAAAAGGCG	TTGCCCCAAA	TATCCGCCCTC	
	451	AACCTGACCG	ACAACCGCAG	CACCGGACAA	CGGCTTGCCG	ACCGTTTCCA	
30	501	CAATGCCGGT	AGTATGCTGA	CGCAAGGAGT	AGGCGACGGA	TTCAAACGCG	
	551	CCACCCGATA	CAGCCCCGAG	CTGGACAGAT	CGGGCAATGC	CGCCGAAGCC	
	601	TTCAACGGCA	CTGCAGATAT	CGTTAAAAAC	ATCATCGGCG	CGGCAGGAGA	
	651	AATTGTCTGG	GCAGGCGATG	CCGTGCAGGG	CATAAGCGAA	GGCTCAAACA	
	701	TTGCTGTCAT	GCACGGCTTG	GGTCTGCTTT	CCACCGAAAA	CAAGATGGCG	
	751	CGCATCAACG	ATTTGGCAGA	TATGGCGCAA	CTCAAAGACT	ATGCCGACGC	
35	801	AGCCATCCGC	GATTGGGCAG	TCCAAAACCC	CAATGCCGCA	CAAGGCATAG	
	851	AAGCCGTCAG	CAATATCTTT	ATGGCAGCCA	TCCCCATCAA	AGGGATTGGA	
	901	GCTGTTCTGG	GAAAATACGG	CTTGGGCGGC	ATCACGGCAC	ATCCTATCAA	
	951	GCGGTCTGCA	ATGGGCGCGA	TGCGATTGCC	GAAAGGGAAA	TCCGCCGTCA	
	1001	GCGACAATTT	TGCCGATGCG	GCATACGCCA	AATACCCGTC	CCCTTACCAT	
	1051	TCCCGAAATA	TCCGTTCAAA	CTTGAGACAG	CGTTACGGCA	AAGAAAACAT	
40	1101	CACCTCCTCA	ACCGTGCCGC	CGTCAAACGG	CAAAAATGTC	AAACTGGCAG	
	1151	ACCAACGCCA	CCCGAAGACA	GGCGTACCGT	TTGACGGTAA	AGGGTTTCCG	
	1201	AATTTTGAGA	AGCACGTGAA	ATATGATACG	GGATCCGGAG	GAGGAGGAGC	
	1251	CACAAACGAC	GACGATGTTA	AAAAAGCTGC	CACTGTGGCC	ATTGCTGCTG	
	1301	CCTACAACAA	TGGCCAAGAA	ATCAACGGTT	TCAAAGCTGG	AGAGACCATC	
	1351	TACGACATTG	ATGAAGACGG	CACAATTACC	AAAAAAGACG	CAACTGCAGC	
45	1401	CGATGTTGAA	GCCGACGACT	TTAAAGGTCT	GGGTCTGAAA	AAAGTCGTGA	
	1451	CTAACCTGAC	CAAAACCGTC	AATGAAAACA	AACAAAACGT	CGATGCCAAA	
	1501	GTAAGAGCTG	CAGAATCTGA	AATAGAAAAG	TTAACAACCA	AGTTAGCAGA	
	1551	CACTGATGCC	GCTTTAGCAG	ATACTGATGC	CGCTCTGGAT	GCAACCACCA	
	1601	ACGCCTTGAA	TAAATTGGGA	GAAAATATAA	CGACATTTCG	TGAAGAGACT	
50	1651	AAGACAAATA	TCGTAAAAAT	TGATGAAAAA	TTAGAAGCCG	TGGCTGATAC	
	1701	CGTCGACAAG	CATGCCGAAG	CATTCAACGA	TATCGCCGAT	TCATTGGATG	
	1751	AAACCAACAC	TAAGGCAGAC	GAAGCCGTCA	AAACCGCCAA	TGAAGCCAAA	
	1801	CAGACGGCCG	AAGAAACCAA	ACAAAACGTC	GATGCCAAAG	TAAAAGCTGC	
	1851	AGAAACTGCA	GCAGGCAAA	CCGAAGCTGC	CGCTGGCACA	GCTAATACTG	

55

EP 1 790 660 A2

1901 CAGCCGACAA GGCCGAAGCT GTCGCTGCAA AAGTTACCGA CATCAAAGCT
 1951 GATATCGCTA CGAACAAAGA TAATATTGCT AAAAAAGCAA ACAGTGCCGA
 2001 CGTGACACACC AGAGAAGAGT CTGACAGCAA ATTTGTCAGA ATTGATGGTC
 5 2051 TGAACGCTAC TACCGAAAAA TTGGACACAC GCTTGGCTTC TGCTGAAAAA
 2101 TCCATTGCCG ATCACGATAC TCGCCTGAAC GGTTCGGATA AAACAGTGTC
 2151 AGACCTGCGC AAAGAAACCC GCCAAGGCCT TGCAGAACAA GCCGCGCTCT
 2201 CCGGTCTGTT CCAACCTTAC AACGTGGGTC TCGAGCACCA CCACCACCAC
 2251 CACTGA
 10
 1 MSDLANDSFI RQVLDRQHFE PDGKYHLFGS RGELAERSGH IGLGKIQSHQ
 51 LGNLMIQQAA IKGNIYIVR FSDHGHEVHS PFDNHASHSD SDEAGSPVDG
 101 FSLYRIHWDG YEHHPADGYD GPQGGGYPAP KGARDIYSYD IKGVAQNIRL
 15 151 NLTDNRSTGQ RLADRFHNAG SMLTQGVGDG FKRATRYSP LDRSGNAAEA
 201 FNGTADIVKN IIGAAGEIVG AGDAVQGISE GSNIAVMHGL GLLSTENKMA
 251 RINDLADMAQ LKDYAAAAIR DWAVQNPNA QGIEAVSNIF MAAPIKGIG
 301 AVRGKYGLGG ITAHPIKRSQ MGAIALPKGK SAVSDNFADA AYAKYPSPYH
 351 SRNIRSNLEQ RYKENITSS TVPPSNGKNV KLADQRHPKT GVPFDGKGFP
 401 NFEKHVKYDT GSGGGGATND DDVKKAAATVA IAAAYNNGQE INGFKAGETI
 20 451 YDIDEDGTIT KKDATAADVE ADDFKGLGLK KVVTNLTKT V NENKQNVDAK
 501 VKAAESEIEK LTTKLADTDA ALADTDAALD ATTNALNKL ENITTFEET
 551 KTNIVKIDEK LEAVADTVDK HAEAFNDIAD SLDETNTKAD EAVKTANEAK
 601 QTAEETKQNV DAKVKAETA AGKAEAAAGT ANTAADKAEA VAAKVTDIKA
 651 DIATNKDNIA KKANSADVYT REESDSKFVR IDGLNATTEK LDTRLASAEK
 701 SIADHDTRLN GLDKTVSDLR KETRQGLAEQ AALSGLFQPY NVGLEHHHHH
 25 751 H*
 30
 35
 40
 45
 50
 55

961-ORF46.1

	1	ATGGCCACAA	ACGACGACGA	TGTTAAAAAA	GCTGCCACTG	TGGCCATTGC
	51	TGCTGCCTAC	AACAATGGCC	AAGAAATCAA	CGGTTTCAAA	GCTGGAGAGA
5	101	CCATCTACGA	CATTGATGAA	GACGGCACAA	TTACCAAAAA	AGACGCCAACT
	151	GCAGCCGATG	TTGAAGCCGA	CGACTTTAAA	GGTCTGGGTC	TGAAAAAAGT
	201	CGTGACTAAC	CTGACCAAAA	CCGTCAATGA	AAACAAACAA	AACGTCGATG
	251	CCAAAGTAAA	AGCTGCAGAA	TCTGAAATAG	AAAAGTTAAC	AACCAAGTTA
	301	GCAGACACTG	ATGCCGCTTT	AGCAGATACT	GATGCCGCTC	TGGATGCAAC
	351	CACCAACGCC	TTGAATAAAT	TGGGAGAAAA	TATAACGACA	TTTGCTGAAG
10	401	AGACTAAGAC	AAATATCGTA	AAAATTGATG	AAAAATTAGA	AGCCGTGGCT
	451	GATACCGTCG	ACAAGCATGC	CGAAGCATTC	AACGATATCG	CCGATTCAAT
	501	GGATGAAACC	AACACTAAGG	CAGACGAAGC	CGTCAAAACC	GCCAATGAAG
	551	CCAAACAGAC	GGCCGAAGAA	ACCAAACAAA	ACGTCGATGC	CAAAGTAAAA
	601	GCTGCAGAAA	CTGCAGCAGG	CAAAGCCGAA	GCTGCCGCTG	GCACAGCTAA
	651	TACTGCAGCC	GACAAGGCCG	AAGCTGTGCG	TGCAAAAGTT	ACCGACATCA
15	701	AAGCTGATAT	CGCTACGAAC	AAAGATAATA	TTGCTAAAAA	AGCAAAACAGT
	751	GCCGACGTGT	ACACCAGAGA	AGAGTCTGAC	AGCAAATTTG	TCAGAATTGA
	801	TGGTCTGAAC	GCTACTACCG	AAAAATTGGA	CACACGCTTG	GCTTCTGCTG
	851	AAAAATCCAT	TGCCGATCAC	GATACTCGCC	TGAACGGTTT	GGATAAAACA
	901	GTGTCAGACC	TGCGCAAAGA	AACCCGCCAA	GGCCTTGCA	AACAAGCCGC
	951	GCTCTCCGGT	CTGTTCCAAC	CTTACAACGT	GGGTCGGTTC	AATGTAACGG
20	1001	CTGCAGTCGG	CGGCTACAAA	TCCGAATCGG	CAGTCGCCAT	CGGTACCGGC
	1051	TTCCGCTTTA	CCGAAAACCT	TGCCGCCAAA	GCAGGCGTGG	CAGTCGGCAC
	1101	TTCGTCCGGT	TCTTCCGCAG	CCTACCATGT	CGGCGTCAAT	TACGAGTGGG
	1151	GATCCGGAGG	AGGAGGATCA	GATTTGGCAA	ACGATTCTTT	TATCCGGCAG
	1201	GTTCTCGACC	GTCAGCATTT	CGAACCAGAC	GGGAAATACC	ACCTATTCCG
25	1251	CAGCAGGGGG	GAACCTGCCG	AGCGCAGCGG	CCATATCGGA	TTGGGAAAAA
	1301	TACAAAGCCA	TCAGTTGGGC	AACCTGATGA	TTCAACAGGC	GGCCATTAAA
	1351	GGAAATATCG	GCTACATTGT	CCGCTTTTCC	GATCACGGGC	ACGAAGTCCA
	1401	TTCCCCCTTC	GACAACCATG	CCTCACATTC	CGATTCTGAT	GAAGCCGGTA
	1451	GTCCCGTTGA	CGGATTTAGC	CTTTACCGCA	TCCATTGGGA	CGGATACGAA
	1501	CACCATCCCG	CCGACGGCTA	TGACGGGCCA	CAGGGCGGCG	GCTATCCCGC
30	1551	TCCCAAAGGC	GCGAGGGATA	TATACAGCTA	CGACATAAAA	GGCGTTGCC
	1601	AAAATATCCG	CCTCAACCTG	ACCGACAACC	GCAGCACC	ACAACGGCTT
	1651	GCCGACCGTT	TCCACAATGC	CGGTAGTATG	CTGACGCAAG	GAGTAGGCGA
	1701	CGGATTCAAA	CGCGCCACCC	GATACAGCCC	CGAGCTGGAC	AGATCGGGCA
	1751	ATGCCGCCGA	AGCCTTCAAC	GGCACTGCAG	ATATCGTTAA	AAACATCATC
	1801	GGCGCGGCAG	GAGAAATTGT	CGGCGCAGGC	GATGCCGTGC	AGGGCATAAG
35	1851	CGAAGGCTCA	AACATTGCTG	TCATGCACGG	CTTGGGTCTG	CTTTCCACCG
	1901	AAAACAAGAT	GGCGCGCATC	AACGATTGGG	CAGATATGGC	GCAACTCAAA
40	1951	GACTATGCCG	CAGCAGCCAT	CCGCGATTGG	GCAGTCCAAA	ACCCCAATGC
	2001	CGCACAAGGC	ATAGAAGCCG	TCAGCAATAT	CTTTATGGCA	GCCATCCCCA
	2051	TCAAAGGGAT	TGGAGCTGTT	CGGGGAAAAT	ACGGCTTGGG	CGGCATCACG
	2101	GCACATCCTA	TCAAGCGGTC	GCAGATGGGC	GCGATCGCAT	TGCCGAAAGG
	2151	GAAATCCGCC	GTCAGCGACA	ATTTTGCCGA	TGCGGCATAC	GCCAAATACC
45	2201	CGTCCCCTTA	CCATTCCCGA	AATATCCGTT	CAAACCTGGA	GCAGCGTTAC
	2251	GGCAAAGAAA	ACATCACCTC	CTCAACCGTG	CCGCCGTCAA	ACGGCAAAAA
	2301	TGTCAAACCTG	GCAGACCAAC	GCCACCCGAA	GACAGGCGTA	CCGTTTGACG
	2351	GTAAAGGGTT	TCCGAATTTT	GAGAAGCACG	TGAAATATGA	TACGCTCGAG
	2401	CACCACCACC	ACCACCACTG	A		
50						
55						

EP 1 790 660 A2

	1	MATNDDDVKK	AATVAIAAAAY	NNGQEINGFK	AGETIYDIDE	DGTITKKDAT
	51	AADVEADDFK	GLGLKKVVTN	LTKTVNENKQ	NVDAKVKAAE	SEIEKLTTKL
	101	ADTDAALADT	DAALDATTNA	LNKLGENTTT	FAEETKTNIV	KIDEKLEAVA
	151	DTVDKHAEAF	NDIADSLDET	NTKADEAVKT	ANEAKQTAE	TKQNVDAKVK
5	201	AAETAAGKAE	AAAGTANTAA	DKAEAVAAKV	TDIKADIATN	KDNIACKANS
	251	ADVYTREESD	SKFVRIDGLN	ATTEKLDTRL	ASAEKSIADH	DTRLNGLDKT
	301	VSDLRKETRQ	GLAEQAALSG	LFQPYNVGRF	NVTAAVGGYK	SESAVAIGTG
	351	FRFTENFAAK	AGVAVGTSSG	SSAAYHVGVN	YEWGSGGGGS	DLANDSFIRQ
	401	VLDRQHFEFD	GKYHLFGSRG	ELAERSGHIG	LGKIQSHQLG	NLMIQQAIAK
10	451	GNIGYIVRFS	DHGHEVHSPF	DNHASHSDSD	EAGSPVDGFS	LYRIHWDGYE
	501	HHPADGYDGP	QGGGYPAPKG	ARDIYSYDIK	GVAQNIRLNL	TDNRSTGQRL
	551	ADRFHNAGSM	LTQGVGDGFK	RATRYSPELD	RSGNAAEAFN	GTADIVKNII
	601	GAAGEIVGAG	DAVQGISSEGS	NIAMVHGLGL	LSTENKMARI	NDLADMAQLK
	651	DYAAAAIRDW	AVQNPNAAQG	IEAVSNIFMA	AIPIKIGIGAV	RGKYGLGGIT
	701	AHPIKRSQMG	AIALPKGKSA	VSDNFADAAY	AKYPSPYHSR	NIRSNEQRY
15	751	GKENITSSTV	PPSNGKNVKL	ADQRHPKTGV	PFDGKGFPNF	EKHVKYDTLE
	801	HHHHHH*				

961-741

20	1	ATGGCCACAA	ACGACGACGA	TGTTAAAAAA	GCTGCCACTG	TGGCCATTGC
	51	TGCTGCCTAC	AACAATGGCC	AAGAAATCAA	CGGTTTCAAA	GCTGGAGAGA
	101	CCATCTACGA	CATTGATGAA	GACGGCACAA	TTACCAAAAA	AGACGCAACT
	151	GCAGCCGATG	TTGAAGCCGA	CGACTTTAAA	GGTCTGGGTC	TGAAAAAAGT
	201	CGTGACTAAC	CTGACCAAAA	CCGTCAATGA	AAACAAACAA	AACGTCGATG
	251	CCAAAGTAAA	AGCTGCAGAA	TCTGAAATAG	AAAAGTTAAC	AACCAAGTTA
25	301	GCAGACACTG	ATGCCGCTTT	AGCAGATACT	GATGCCGCTC	TGGATGCAAC
	351	CACCAACGCC	TTGAATAAAT	TGGGAGAAAA	TATAACGACA	TTTGCTGAAG
	401	AGACTAAGAC	AAATATCGTA	AAAATTGATG	AAAAATTAGA	AGCCGTGGCT
	451	GATACCGTCG	ACAAGCATGC	CGAAGCATTC	AACGATATCG	CCGATTTCATT
	501	GGATGAAACC	AACACTAAGG	CAGACGAAGC	CGTCAAAACC	GCCATGAAG
	551	CCAAACAGAC	GGCCGAAGAA	ACCAAAACAA	ACGTTCGATG	CAAAGTAAAA
30	601	GCTGCAGAAA	CTGCAGCAGG	CAAAGCCGAA	GCTGCCGCTG	GCACAGCTAA
	651	TACTGCAGCC	GACAAGGCCG	AAGCTGTCGC	TGCAAAAGTT	ACCGACATCA
	701	AAGCTGATAT	CGCTACGAAC	AAAGATAATA	TTGCTAAAAA	AGCAAACAGT
	751	GCCGACGTGT	ACACCAGAGA	AGAGTCTGAC	AGCAAATTTG	TCAGAATTGA
	801	TGGTCTGAAC	GCTACTACCG	AAAAATTGGA	CACACGCTTG	GCTTCTGCTG
35	851	AAAAATCCAT	TGCCGATCAC	GATACTCGCC	TGAACGGTTT	GGATAAAACA
	901	GTGTCAGACC	TGCGCAAAGA	AACCCGCCAA	GGCCTTGCG	AACAAGCCGC
	951	GCTCTCCGGT	CTGTTCCAAC	CTTACAACGT	GGGTCCGGTC	AATGTAACGG
	1001	CTGCAGTCGG	CGGCTACAAA	TCCGAATCGG	CAGTCGCCAT	CGGTACCGGC
	1051	TTCCGCTTTA	CCGAAAACCT	TGCCGCCAAA	GCAGGCGTGG	CAGTCGGCAC
	1101	TTCGTCCGGT	TCTTCCGCAG	CCTACCATGT	CGGCGTCAAT	TACGAGTGGG
40	1151	GATCCGGAGG	GGGTGGTGTC	GCCGCCGACA	TCGGTGCGGG	GCTTGCCGAT
	1201	GCACTAACCG	CACCGCTCGA	CCATAAAGAC	AAAGGTTTGC	AGTCTTTGAC
	1251	GCTGGATCAG	TCCGTCAGGA	AAAACGAGAA	ACTGAAGCTG	GCGGCACAAG
	1301	GTGCGGAAAA	AACCTATGGA	AACGGTGACA	GCCTCAATAC	GGGCAAATTG
	1351	AAGAACGACA	AGGTGAGCCG	TTTCGACTTT	ATCCGCCAAA	TCGAAGTGGA
	1401	CGGGCAGCTC	ATTACCTTGG	AGAGTGAGAG	GTTCCAAGTA	TACAAACAAA
45	1451	GCCATTCCGC	CTTAACCGCC	TTTCAGACCG	AGCAAATACA	AGATTCCGAG
	1501	CATTCCGGGA	AGATGGTTGC	GAAACGCCAG	TTCAGAAATCG	GCGACATAGC
	1551	GGGCGAACAT	ACATCTTTTG	ACAAGCTTCC	CGAAGGCGGC	AGGGCGACAT
	1601	ATCGCGGGAC	GGCGTTCGGT	TCAGACGATG	CCGGCGGAAA	ACTGACCTAC
	1651	ACCATAGATT	TCGCCGCCAA	GCAGGGAAAC	GGCAAAATCG	AACATTTGAA
	1701	ATCGCCAGAA	CTCAATGTCT	ACCTGGCCGC	CGCCGATATC	AAGCCGGATG
50	1751	GAAAACGCCA	TGCCGTCTATC	AGCGGTTCCG	TCCTTTACAA	CCAAGCCGAG
	1801	AAAGGCAGTT	ACTCCCTCGG	TATCTTTGGC	GGAAGAGCCC	AGGAAGTTGC
55	1851	CGGCAGCGCG	GAAGTGAAAA	CCGTAAACGG	CATACGCCAT	ATCGGCCTTG
	1901	CCGCCAAGCA	ACTCGAGCAC	CACCACCACC	ACCACTGA	

EP 1 790 660 A2

1	MATNDDDVKK	AATVAIAAAY	NNGQEINGFK	AGETIYDIDE	DGTITKKDAT
51	AADVEADDFK	GLGLKKVVTN	LTKTVNENKQ	NVDAKVKAAE	SEIEKLTTKL
101	ADTDAALADT	DAALDATTNA	LNKLGENITT	FAEETKTNIV	KIDEKLEAVA
5	151	DTVDKHAEAF	NDIADSLDET	NTKADEAVKT	ANEAKQTAE
	201	AAETAAGKAE	AAAGTANTAA	DKAEAVAAKV	TDIKADIATN
	251	ADVYTREESD	SKFVRIDGLN	ATTEKLDTRL	ASAEKSIADH
	301	VSDLRKETRQ	GLAEQAALSG	LFQPYNVGRF	NVTAAVGGYK
	351	FRFTENFAAK	AGVAVGTSSG	SSAAYHVGVN	YEWGSGGGGV
	401	ALTAPLDHKD	KGLQSLTLDQ	SVRKNEKLKL	AAQGAEKTYG
10	451	KNDKVSRLFDF	IRQIEVDGQL	ITLESGEFQV	YKQSHSALTA
	501	HSGKMAKRQ	FRIGDIAGEH	TSFDKLPEGG	RATYRGTAFG
	551	TIDFAAQGN	GKIEHLKSPE	LNVDLAAADI	KPDGKRHAVI
	601	KGSYSLGIFG	GKAQEVAGSA	EVKTVNGIRH	IGLAAKQLEH

15

20

25

30

35

40

45

50

55

961-983

	1	ATGGCCACAA	ACGACGACGA	TGTTAAAAAA	GCTGCCACTG	TGGCCATTGC
	51	TGCTGCCTAC	AACAATGGCC	AAGAAATCAA	CGGTTTCAAA	GCTGGAGAGA
5	101	CCATCTACGA	CATTGATGAA	GACGGCACAA	TTACCAAAAA	AGACGCAACT
	151	GCAGCCGATG	TTGAAGCCGA	CGACTTTAAA	GGTCTGGGTC	TGAAAAAAGT
	201	CGTGACTAAC	CTGACCAAAA	CCGTCAATGA	AAACAAACAA	AACGTCGATG
	251	CCAAAGTAAA	AGCTGCAGAA	TCTGAAATAG	AAAAGTTAAC	AACCAAGTTA
	301	GCAGACACTG	ATGCCGCTTT	AGCAGATACT	GATGCCGCTC	TGGATGCAAC
	351	CACCAACGCC	TTGAATAAAT	TGGGAGAAAA	TATAACGACA	TTTGCTGAAG
10	401	AGACTAAGAC	AAATATCGTA	AAAATTGATG	AAAAATTAGA	AGCCGTGGCT
	451	GATACCGTCG	ACAAGCATGC	CGAAGCATTC	AACGATATCG	CCGATTCATT
	501	GGATGAAACC	AACACTAAGG	CAGACGAAGC	CGTCAAAACC	GCCAATTGAAG
	551	CCAAACAGAC	GGCCGAAGAA	ACCAAACAAA	ACGTCGATGC	CAAAGTAAAA
	601	GCTGCAGAAA	CTGCAGCAGG	CAAAGCCGAA	GCTGCCGCTG	GCACAGCTAA
	651	TACTGCAGCC	GACAAGGCCG	AAGCTGTGCG	TGCAAAAGTT	ACCGACATCA
15	701	AAGCTGATAT	CGCTACGAAC	AAAGATAATA	TTGCTAAAAA	AGCAAACAGT
	751	GCCGACGTGT	ACACCAGAGA	AGAGTCTGAC	AGCAAATTTG	TCAGAATTGA
	801	TGGTCTGAAC	GCTACTACCG	AAAAATTGGA	CACACGCTTG	GCTTCTGCTG
	851	AAAAATCCAT	TGCCGATCAC	GATACTCGCC	TGAACGGTTT	GGATAAAACA
	901	GTGT CAGACC	TGCGCAAAGA	AACCCGCCAA	GGCCTTG CAG	AACAAGCCGC
20	951	GCTCTCCGCT	CTGTTCCAAC	CTTACAACGT	GGGTCGGTTC	AATGTAACGG
	1001	CTGCAGTCGG	CGGCTACAAA	TCCGAATCGG	CAGTCGCCAT	CGGTACCGGC
	1051	TTCCGCTTTA	CCGAAAAC TT	TGCCGCCAAA	GCAGGCGTGG	CAGTCGGCAC
	1101	TTCGTCCGGT	TCTTCCGCAG	CCTACCATGT	CGGCGTCAAT	TACGAGTGGG
	1151	GATCCGGCGG	AGGCGGCAC T	TCTGCGCCCG	ACTTCAATGC	AGGCGGTACC
	1201	GGTATCGGCA	GCAACAGCAG	AGCAACAACA	GCGAAATCAG	CAGCAGTATC
25	1251	TTACGCCGGT	ATCAAGAACG	AAATGTGCAA	AGACAGAAGC	ATGCTCTGTG
	1301	CCGGTCGGGA	TGACGTTGCG	GTTACAGACA	GGGATGCCAA	AATCAATGCC
	1351	CCCCCCCCGA	ATCTGCATAC	CGGAGACTTT	CCAAACCCAA	ATGACGCATA
	1401	CAAGAATTTG	ATCAACCTCA	AACCTGCAAT	TGAAGCAGGC	TATACAGGAC
	1451	GCGGGGTAGA	GGTAGGTATC	GTCGACACAG	GCGAATCCGT	CGGCAGCATA
30	1501	TCCTTTCCCG	AACTGTATGG	CAGAAAAGAA	CACGGCTATA	ACGAAAATTA
	1551	CAAAAAC TAT	ACGGCGTATA	TGCGGAAGGA	AGCGCCTGAA	GACGGAGGCG
	1601	GTAAAGACAT	TGAAGCTTCT	TTCGACGATG	AGGCCGTTAT	AGAGACTGAA
	1651	GCAAAGCCGA	CGGATATCCG	CCACGTAAAA	GAAATCGGAC	ACATCGATTT
	1701	GGTCTCCCAT	ATTATTGGCG	GGCGTTCCGT	GGACGGCAGA	CCTGCAGGCG
	1751	GTATTGCGCC	CGATGCGACG	CTACACATAA	TGAATACGAA	TGATGAAACC
35	1801	AAGAACGAAA	TGATGGTTGC	AGCCATCCGC	AATGCATGGG	TCAAGCTGGG
	1851	CGAACGTGGC	GTGCGCATCG	TCAATAACAG	TTTTTGAACA	ACATCGAGGG
	1901	CAGGCACTGC	CGACCTTTTC	CAAATAGCCA	ATTTCGGAGGA	GCAGTACCGC
	1951	CAAGCGTTGC	TCGACTATT C	CGGCGGTGAT	AAAACAGACG	AGGGTATCCG
	2001	CCTGATGCAA	CAGAGCGATT	ACGGCAACCT	GTCCTACCAC	ATCCGTAATA
	2051	AAAACATGCT	TTTCATCTTT	TCGACAGGCA	ATGACGCACA	AGCTCAGCCC
40	2101	AACACATATG	CCCTATTGCC	ATTTTATGAA	AAAGACGCTC	AAAAAGGCAT
	2151	TATCACAGTC	GCAGGCGTAG	ACCGCAGTGG	AGAAAAGTTC	AAACGGGAAA
	2201	TGTATGGAGA	ACCGGGTACA	GAACCGCTTG	AGTATGGCTC	CAACCATTGC
	2251	GGAATTACTG	CCATGTGGTG	CCTGTCGGCA	CCCTATGAAG	CAAGCGTCCG
	2301	TTTCACCCGT	ACAAACCCGA	TTCAAATTGC	CGGAACATCC	TTTTCCGCAC
	2351	CCATCGTAAC	CGGCACGGCG	GCTCTGCTGC	TGCAGAAATA	CCCGTGGATG

45

50

55

EP 1 790 660 A2

	2401	AGCAACGACA	ACCTGCGTAC	CACGTTGCTG	ACGACGGCTC	AGGACATCGG
	2451	TGCAGTCGGC	GTGGACAGCA	AGTTCGGCTG	GGGACTGCTG	GATGCGGGTA
	2501	AGGCCATGAA	CGGACCCGCG	TCCTTTCCGT	TCGGCGACTT	TACCGCCGAT
5	2551	ACGAAAGGTA	CATCCGATAT	TGCCTACTCC	TTCCGTAACG	ACATTTTCAGG
	2601	CACGGGCGGC	CTGATCAAAA	AAGGCGGCAG	CCAAGTGCAG	CTGCACGGCA
	2651	ACAACACCTA	TACGGGCAAA	ACCATTATCG	AAGGCGGTTC	GCTGGTGTTC
	2701	TACGGCAACA	ACAAATCGGA	TATGCGCGTC	GAAACCAAAG	GTGCGCTGAT
	2751	TTATAACGGG	GCGGCATCCG	GCGGCAGCCT	GAACAGCGAC	GGCATTGTCT
10	2801	ATCTGGCAGA	TACCGACCAA	TCCGGCGCAA	ACGAAACCGT	ACACATCAAA
	2851	GGCAGTCTGC	AGCTGGACGG	CAAAGGTACG	CTGTACACAC	GTTTGGGCAA
	2901	ACTGCTGAAA	GTGGACGGTA	CGGCGATTAT	CGGCGGCAAG	CTGTACATGT
	2951	CGGCACGCGG	CAAGGGGGCA	GGCTATCTCA	ACAGTACCGG	ACGACCTGTT
	3001	CCCTTCCTGA	GTGCCGCCAA	AATCGGGCAG	GATTATTCTT	TCTTCACAAA
	3051	CATCGAAACC	GACGGCGGCC	TGCTGGCTTC	CCTCGACAGC	GTGCAAAAAA
15	3101	CAGCGGGCAG	TGAAGGCGAC	ACGCTGTCCT	ATTATGTCCG	TCGCGGCAAT
	3151	GCGGCACGGA	CTGCTTCGGC	AGCGGCACAT	TCCGCGCCCG	CCGGTCTGAA
	3201	ACACGCCGTA	GAACAGGGCG	GCAGCAATCT	GGAAAACCTG	ATGGTCGAAC
	3251	TGGATGCCTC	CGAATCATCC	GCAACACCCG	AGACGGTTGA	AACTGCGGCA
	3301	GCCGACCGCA	CAGATATGCC	GGGCATCCGC	CCCTACGGCG	CAACTTTCCG
	3351	CGCAGCGGCA	GCCGTACAGC	ATGCGAATGC	CGCCGACGGT	GTACGCATCT
20	3401	TCAACAGTCT	CGCCGCTACC	GTCTATGCCG	ACAGTACCGC	CGCCCATGCC
	3451	GATATGCAGG	GACGCCGCCT	GAAAGCCGTA	TCGGACGGGT	TGGACCACAA
	3501	CGGCACGGGT	CTGCGCGTCA	TCGCGCAAAC	CCAACAGGAC	GGTGGAACGT
	3551	GGGAACAGGG	CGGTGTTGAA	GGCAAATGCA	GCGGCAGTAC	CCAAACCGTC
	3601	GGCATTGCCG	CGAAAACCGG	CGAAAATACG	ACAGCAGCCG	CCACACTGGG
	3651	CATGGGACGC	AGCACATGGA	GCGAAAACAG	TGCAAATGCA	AAAACCGACA
25	3701	GCATTAGTCT	GTTTGCAGGC	ATACGGCACG	ATGCGGGCGA	TATCGGCTAT
	3751	CTCAAAGGCC	TGTTCTCCTA	CGGACGCTAC	AAAAACAGCA	TCAGCCGCAG
	3801	CACCGGTGCG	GACGAACATG	CGGAAGGCAG	CGTCAACGGC	ACGCTGATGC
	3851	AGCTGGGCGC	ACTGGGCGGT	GTCAACGTTT	CGTTTGCCGC	AACGGGAGAT
	3901	TTGACGGTCG	AAGGCGGTCT	GCGCTACGAC	CTGCTCAAAC	AGGATGCATT
30	3951	CGCCGAAAAA	GGCAGTGCTT	TGGGCTGGAG	CGGCAACAGC	CTCACTGAAG
	4001	GCACGCTGGT	CGGACTCGCG	GGTCTGAAGC	TGTCGCAACC	CTTGAGCGAT
	4051	AAAGCCGTCC	TGTTTGCAAC	GGCGGGCGTG	GAACGCGACC	TGAACGGACG
	4101	CGACTACACG	GTAACGGGCG	GCTTTACCGG	CGCGACTGCA	GCAACCGGCA
	4151	AGACGGGGGC	ACGCAATATG	CCGCACACCC	GTCTGGTTGC	CGGCCTGGGC
	4201	GCGGATGTCG	AATTCGGCAA	CGGCTGGAAC	GGCTTGGCAC	GTTACAGCTA
35	4251	CGCCGGTTCC	AAACAGTACG	GCAACCACAG	CGGACGAGTC	GGCGTAGGCT
	4301	ACCGGTTTCT	CGAGCACCAC	CACCACCACC	ACTGA	

40

45

50

55

EP 1 790 660 A2

5	1	MATNDDDVKK	AATVAIAAAY	NNGQEINGFK	AGETIYDIDE	DGTITKKDAT
	51	AADVEADDFK	GLGLKKVVTN	LTKTVNENKQ	NVDAKVKAAE	SEIEKLTTKL
	101	ADTDAALADT	DAALDATTNA	LNKLGENITT	FAEETKTNTIV	KIDEKLEAVA
	151	DTVDKHAEAF	NDIADSLDET	NTKADEAVKT	ANEAKQTAE	TKQNVDAKVK
	201	AEETAAGKAE	AAAGTANTAA	DKAEAVAAKV	TDIKADIATN	KDNIAKKANS
10	251	ADVYTREESD	SKFVRIDGLN	ATTEKLDTRL	ASAEKSIADH	DTRLNGLDKT
	301	VSDLRKETRQ	GLAEQAALSG	LFQPYNVGRF	NVTAAVGGYK	SESAVAIGTG
	351	FRFTENFAAK	AGVAVGTSSG	SSAAYHVGVN	YEWGSGGGGT	SAPDFNAGGT
	401	GIGNSNRATT	AKSAAVSYAG	IKNEMCKDRS	MLCAGRDDVA	VTDRDAKINA
	451	PPPNLHTGDF	PNPNDAYKNL	INLKPAIEAG	YTGRGVEVGI	VDPTGESVGS
15	501	SFPELYGRKE	HGYNENYKNY	TAYMRKEAPE	DGGGKDIEAS	FDDEAVIETE
	551	AKPTDIRHVK	EIGHIDLVS	IIGGRSV DGR	PAGGTAPDAT	LHMTNTNDET
	601	KNEMMVAAIR	NAWVKLGERG	VRIVNNSFGT	TSRAGTADLF	QIANSEEQYR
	651	QALLDYSGGD	KTDEGIRLMQ	QSDYGNLSYH	IRNKNMLFIF	STGNDAQAQP
	701	NTYALLPFYE	KDAQKGIIITV	AGVDRSEKFF	KREMYEGPGT	EPLYEYGNHC
20	751	GITAMWCLSA	PYEASVRFTR	TNPIQIAGTS	FSAPIVTGTA	ALLLQKYPWM
	801	SNDNLRRTTLL	TTAQDIGAVG	VDSKFGWGLL	DAGKAMNGPA	SFPFGDFTAD
	851	TKGTSDIAYS	FRNDISGTGG	LIKKGGSQQL	LHGNNYTYTGK	TIIEGGSLVL
	901	YGNNKSDMRV	ETKGALIYNG	AASGGSLSND	GIVYLADTDQ	SGANETVHIK
	951	GSLQLDGKGT	LYTRLGKLLK	VDGTAIIGGK	LYMSARCKGA	GYLNSTGRRV
25	1001	PFLSAAKIGQ	DYSFFTNIET	DGGLLASLDS	VEKTAGSEGD	TLSYYVRRGN
	1051	AARTASAAAH	SAPAGLKHAV	EQGGSNLNENL	MVELDASESS	ATPETVETAA
	1101	ADRTDMPGIR	PGYATFRAAA	AVQHANAADG	VRIFNSLAAT	VYADSTAAHA
	1151	DMQGRRLKAV	SDGLDHNGTG	LRVIAQTTQD	GGTWEQGGVE	GKMRGSTQTV
	1201	GIAAKTGENT	TAAATLGMGR	STWSSENSANA	KTDSISLFA	IRHDAGDIGY
25	1251	LKGLFSYGRY	KNSISRSTGA	DEHAEGSVNG	TLMQLGALGG	VNVPFAATGD
	1301	LTVEGGLRYD	LLKQDAFAEK	GSALGWSGNS	LTEGTLVGLA	GLKLSQPLSD
	1351	KAVLFATAGV	ERDLNGRDYT	VTGGFTGATA	ATGKTGARNM	PHTRLVAGLG
	1401	ADVEFGNGWN	GLARYSYAGS	KOYGNHSGRV	GVGYRFLFHH	HHHH*

961c-ORF46.1

	1	ATGGCCACAA	ACGACGACGA	TGTTAAAAAA	GCTGCCACTG	TGGCCATTGC
	51	TGCTGCCTAC	AACAATGGCC	AAGAAATCAA	CGGTTTCAAA	GCTGGAGAGA
5	101	CCATCTACGA	CATTGATGAA	GACGGCACAA	TTACCAAAAA	AGACGCAACT
	151	GCAGCCGATG	TTGAAGCCGA	CGACTTTAAA	GGTCTGGGTC	TGAAAAAAGT
	201	CGTGACTAAC	CTGACCAAAA	CCGTCAATGA	AAACAAACAA	AACGTCGATG
	251	CCAAAGTAAA	AGCTGCAGAA	TCTGAAATAG	AAAAGTTAAC	AACCAAGTTA
	301	GCAGACACTG	ATGCCGCTTT	AGCAGATACT	GATGCCGCTC	TGGATGCAAC
10	351	CACCAACGCC	TTGAATAAAT	TGGGAGAAAA	TATAACGACA	TTTGCTGAAG
	401	AGACTAAGAC	AAATATCGTA	AAAATTGATG	AAAAATTAGA	AGCCGTGGCT
	451	GATACCGTCG	ACAAGCATGC	CGAAGCATTC	AACGATATCG	CCGATTCAAT
	501	GGATGAAACC	AACACTAAGG	CAGACGAAGC	CGTCAAAACC	GCCAATGAAG
	551	CCAAACAGAC	GGCCGAAGAA	ACCAAAACAA	ACGTCGATGC	CAAAGTAAAA
	601	GCTGCAGAAA	CTGCAGCAGG	CAAAGCCGAA	GCTGCCGCTG	GCACAGCTAA
15	651	TACTGCAGCC	GACAAGGCCG	AAGCTGTGCG	TGCAAAAGTT	ACCGACATCA
	701	AAGCTGATAT	CGCTACGAAC	AAAGATAATA	TTGCTAAAAA	AGCAAACAGT
	751	GCCGACGTGT	ACACCAGAGA	AGAGTCTGAC	AGCAAATTTG	TCAGAATTGA
	801	TGGTCTGAAC	GCTACTACCG	AAAAATTGGA	CACACGCTTG	GCTTCTGCTG
	851	AAAAATCCAT	TGCCGATCAC	GATACTCGCC	TGAACGGTTT	GGATAAAACA
	901	GTGTCAGACC	TGCGCAAAGA	AACCCGCCAA	GGCCTTGCG	AACAAGCCGC
20	951	GCTCTCCGGT	CTGTTCCAAC	CTTACAACGT	GGGTGGATCC	GGAGGAGGAG
	1001	GATCAGATTT	GGCAAACGAT	TCTTTTATCC	GGCAGGTTCT	CGACCGTCAG
	1051	CATTTCGAAC	CCGACGGGAA	ATACCACCTA	TTCGGCAGCA	GGGGGGAAC
	1101	TGCCGAGCGC	AGCGGCCATA	TCGGATTGGG	AAAAATACAA	AGCCATCAGT
	1151	TGGGCAACCT	GATGATTCAA	CAGGCGGCCA	TTAAAGGAAA	TATCGGCTAC
	1201	ATTGTCCGCT	TTTCCGATCA	CGGGCACGAA	GTCCATTCCC	CCTTCGACAA
25	1251	CCATGCCTCA	CATTCCGATT	CTGATGAAGC	CGGTAGTCCC	GTTGACGGAT
	1301	TTAGCCTTTA	CCGCATCCAT	TGGGACGGAT	ACGAACACCA	TCCCGCCGAC
	1351	GGCTATGACG	GGCCACAGGG	CGGCGGCTAT	CCCGCTCCCA	AAGGCGCGAG
	1401	GGATATATAC	AGCTACGACA	TAAAAGGCGT	TGCCCAAAAT	ATCCGCCTCA
	1451	ACCTGACCGA	CAACCGCAGC	ACCGGACAAC	GGCTTGCCGA	CCGTTTCCAC
30	1501	AATGCCGGTA	GTATGCTGAC	GCAAGGAGTA	GGCGACGGAT	TCAAACGCGC
	1551	CACCCGATAC	AGCCCCGAGC	TGGACAGATC	GGGCAATGCC	GCCGAAGCCT
	1601	TCAACGGCAC	TGCAGATATC	GTTAAAAACA	TCATCGGCGC	GGCAGGAGAA
	1651	ATTGTCCGCG	CAGGCGATGC	CGTGCAGGGC	ATAAGCGAAG	GCTCAAACAT
	1701	TGCTGTCTATG	CACGGCTTGG	GTCTGCTTTC	CACCGAAAAC	AAGATGGCGC
	1751	GCATCAACGA	TTTGGCAGAT	ATGGCGCAAC	TCAAAGACTA	TGCCGCAGCA
35	1801	GCCATCCGCG	ATTGGGCAGT	CCAAAACCCC	AATGCCGCAC	AAGGCATAGA
	1851	AGCCGTCAGC	AATATCTTTA	TGGCAGCCAT	CCCCATCAAA	GGGATTGGAG
	1901	CTGTTCCGGG	AAAATACGGC	TTGGGCGGCA	TCACGGCACA	TCCTATCAAG
	1951	CGTCTCGAGA	TGGGCGCGAT	CGCATTGCCG	AAAGGGAAAT	CCGCCGTCAG
	2001	CGACAATTTT	GCCGATGCGG	CATACGCCAA	ATACCCGTCC	CCTTACCATT
	2051	CCCGAAATAT	CCGTTCAAAC	TTGGAGCAGC	GTTACGGCAA	AGAAAACATC
40	2101	ACCTCCTCAA	CCGTGCCGCC	GTCAAACGGC	AAAAATGTCA	AACTGGCAGA
	2151	CCAACGCCAC	CCGAAGACAG	GCGTACCGTT	TGACGGTAAA	GGGTTTCCGA
	2201	ATTTTGAGAA	GCACGTGAAA	TATGATACGC	TCGAGCACCA	CCACCACCAC
	2251	CACTGA				

EP 1 790 660 A2

1 MATNDDDVKK AATVAIAAAY NNGQEINGFK AGETIYDIDE DGTITKKDAT
51 AADVEADDFK GLGLKKVVTN LTKTVNENKQ NVDAKVKAAE SEIEKLTTKL
101 ADTDAALADT DAALDATTN LNKLGENTIT FAEETKTNIV KIDEKLEAVA
5 151 DTVDKHAEAF NDIADSLDET NTKADEAVKT ANEAKQTAE TKQNVDAKVK
201 AAETAAGKAE AAAGTANTAA DKAEAVAAKV TDIKADIATN KDNIKKANS
251 ADVYTREESD SKFVRIDGLN ATTEKLDTRL ASAEKSIADH DTRLNGLDKT
301 VSDLRKETRQ GLAEQAALSG LFQPYNVGGS GGGGSDLAND SFIRQVLDRO
351 HFEPDGKYHL FGSRGELAER SGHIGLGKIQ SHQLGNLMIQ QAAIKGNIGY
401 IVRFSDHGHE VHSFPDNHAS HSDSDEAGSP VDGFSLYRIH WDGYEHPAD
10 451 GYDGPQGGGY PAPKGARDIY SYDIKGVAQN IRLNLTDNRS TGQRLADRFH
501 NAGSMLTQGV GDGFKRATRY SPELDRSGNA AEAFTNGTADI VKNIIGAAGE
551 IVGAGDAVQG ISEGSNIAVM HGLGLLSTEN KMARINDLAD MAQLKDYAAA
601 AIRDWAVQNP NAAQGIEAVS NIFMAAIPK GIGAVRGKYG LGGITAHPIK
651 RSQMGAIALP KGKSAVSDNF ADAAYAKYPS PYHSRNIRSN LEQRYGKENI
701 TSSTVPPSNG KNVKLADQRH PKTGVFPDGK GFPNFEKHVK YDTLEHHHHH

15

751 H*

20

961c-741

1 ATGGCCACAA ACGACGACGA TGTAAAAAA GCTGCCACTG TGGCCATTGC
51 TGCTGCCTAC AACAAATGGCC AAGAAATCAA CGGTTTCAAA GCTGGAGAGA
25 101 CCATCTACGA CATTGATGAA GACGGCACAA TTACCAAAAA AGACGCAACT
151 GCAGCCGATG TTGAAGCCGA CGACTTTAAA GGTCTGGGTC TGAAAAAAGT
201 CGTGACTAAC CTGACCAAAA CCGTCAATGA AAACAAACAA AACGTCGATG
251 CCAAAGTAAA AGCTGCAGAA TCTGAAATAG AAAAGTTAAC AACCAAGTTA
301 GCAGACACTG ATGCCGCTTT AGCAGATACT GATGCCGCTC TGGATGCAAC
351 CACCAACGCC TTGAATAAAT TGGGAGAAAA TATAACGACA TTTGCTGAAG
30 401 AGACTAAGAC AAATATCGTA AAAATTGATG AAAAAATTAGA AGCCGTGGCT
451 GATACCGTCG ACAAGCATGC CGAAGCATTC AACGATATCG CCGATTCAAT
501 GGATGAAACC AACACTAAGG CAGACGAAGC CGTCAAAACC GCCAATGAAG
551 CCAAACAGAC GGCCGAAGAA ACCAAACAAA ACGTCGATGC CAAAGTAAAA
601 GCTGCAGAAA CTGCAGCAGG CAAAGCCGAA GCTGCCGCTG GCACAGCTAA
651 TACTGCAGCC GACAAGGCCG AAGCTGTCGC TGCAAAAAGTT ACCGACATCA
35 701 AAGCTGATAT CGCTACGAAC AAAGATAATA TTGCTAAAAA AGCAAACAGT
751 GCCGACGTGT ACACCAGAGA AGAGTCTGAC AGCAAATTTG TCAGAATTGA
801 TGGTCTGAAC GCTACTACCG AAAAATTGGA CACACGCTTG GCTTCTGCTG
851 AAAAATCCAT TGCCGATCAC GATACTCGCC TGAACGGTTT GGATAAAACA
901 GTGTCAGACC TGCACAAAGA AACCCGCCAA GGCTTGCAAG AACAAAGCCG
40 951 GCTCTCCGGT CTGTTCCAAC CTTACAACGT GGGTGGATCC GGAGGGGGTG
1001 GTGTCGCCGC CGACATCGGT GCGGGGCTTG CCGATGCACT AACCCGACCG
1051 CTCGACCATA AAGACAAAGG TTTGCAGTCT TTGACGCTGG ATCAGTCCGT
1101 CAGGAAAAAC GAGAAACTGA AGCTGGCGGC ACAAGGTGCG GAAAAAACTT
1151 ATGGAAACGG TGACAGCCTC AATACGGGCA AATTGAAGAA CGACAAGGTC
1201 AGCCGTTTCG ACTTTATCCG CCAAATCGAA GTGGACGGGC AGCTCATTAC
45 1251 CTTGGAGAGT GGAGAGTTCC AAGTATACAA ACAAAGCCAT TCCGCCTTAA
1301 CCGCCTTTCA GACCGAGCAA ATACAAGATT CGGAGCATTC CGGGAAGATG
1351 GTTGCGAAAC GCCAGTTCAG AATCGGCGAC ATAGCGGGCG AACATACATC
1401 TTTTGACAAG CTCCCAGAAG GCGGCAGGGC GACATATCGC GGGACGGCGT
1451 TCGGTTTCAGA CGATGCCGGC GGAAAACTGA CCTACACCAT AGATTTTCGCC
1501 GCCAAGCAGG GAAACGGCAA AATCGAACAT TTGAAATCGC CAGAACTCAA
50 1551 TGTCGACCTG GCCGCCGCCG ATATCAAGCC GGATGGAAAA CGCCATGCCG
1601 TCATCAGCGG TTCCGTCCTT TACAACCAAG CCGAGAAAGG CAGTTACTCC
1651 CTCGGTATCT TTGGCGGAAA AGCCCAGGAA GTTGCCGGCA GCGCGGAAGT
1701 GAAAACCGTA AACGGCATA CCGCATATCGG CCTTGCCGCC AAGCAACTCG
1751 AGCACCACCA CCACCACCAC TGA

55

EP 1 790 660 A2

1 MATNDDDVKK AATVAIAAAY NNGQEINGFK AGETIYDIDE DGTITKKDAT
 51 AADVEADDFK GLGLKKVVTN LTKTVNENKQ NVDAKVAAE SEIEKLTTKL
 101 ADTDAALADT DAALDATNA LNKLGENTTT FAEETKTNIV KIDEKLEAVA
 151 DTVDKHAEAF NDIADSLDET NTKADEAVKT ANEAKQTAE TKQNVDAKVK
 201 AAETAAGKAE AAAGTANTAA DKAEAVAAKV TDIKADIATN KDNIKKANS
 251 ADVYTREESD SKFVRIDGLN ATTEKLDTRL ASAEKSIADH DTRLNGLDKT
 301 VSDLRKETRQ GLAEQAALSG LFQPYNVVGS GGGGVAADIG AGLADALTAP
 351 LDHKDKGLQS LTLDQSVRKN EKLKLAQGA EKYNGGDSL NTGKLNKDV
 401 SRFD FIRQIE VDGQLITLES GEFQVYQSH SALTAFTQEQ IQDSEHSGKM
 451 VAKRQFRIGD IAGEHTSFDK LPEGGRATYR GTAFGSDDAG GKLTYYTIDFA
 501 AKQNGKIEH LKSPELNVDL AAADIKPDGK RHAVISGSVL YNQAEGKSYS
 551 LGIFGGKAQE VAGSAEVKTV NGIRHIGLAA KQLEHHHHHH *

961c-983

1 ATGGCCACAA ACGACGACGA TGTTAAAAAA GCTGCCACTG TGGCCATTGC
 51 TGCTGCCTAC AACAAATGGCC AAGAAATCAA CGGTTTCAAA GCTGGAGAGA
 101 CCATCTACGA CATTGATGAA GACGGCACAA TTACCAAAAA AGACGCAACT
 151 GCAGCCGATG TTGAAGCCGA CGACTTTAAA GGTCTGGGTC TGAAAAAAGT
 201 CGTGACTAAC CTGACCAAAA CCGTCAATGA AAACAAACAA AACGTCGATG
 251 CCAAAGTAAA AGCTGCAGAA TCTGAAATAG AAAAGTTAAC AACCAAGTTA
 301 GCAGACACTG ATGCCGCTTT AGCAGATACT GATGCCGCTC TGGATGCAAC
 351 CACCAACGCC TTGAATAAAT TGGGAGAAAA TATAACGACA TTTGCTGAAG
 401 AGACTAAGAC AAATATCGTA AAAATTGATG AAAAATTAGA AGCCGTGGCT
 451 GATACCGTCG ACAAGCATGC CGAAGCATTG AACGATATCG CCGATTTCAT
 501 GGATGAAACC AACACTAAGG CAGACGAAGC CGTCAAAACC GCCAATGAAG

	551	CCAAACAGAC	GGCCGAAGAA	ACCAAACAAA	ACGTGATGTC	CAAAGTAAAA
	601	GCTGCAGAAA	CTGCAGCAGG	CAAAGCCGAA	GCTGCCGCTG	GCACAGCTAA
	651	TACTGCAGCC	GACAAGGCCG	AAGCTGTGCG	TGCAAAAGTT	ACCGACATCA
5	701	AAGCTGATAT	CGCTACGAAC	AAAGATAATA	TTGCTAAAAA	AGCAAACAGT
	751	GCCGACGTGT	ACACCAGAGA	AGAGTCTGAC	AGCAAATTTG	TCAGAATTGA
	801	TGGTCTGAAC	GCTACTACCG	AAAAATTGGA	CACACGCTTG	GCTTCTGCTG
	851	AAAAATCCAT	TGCCGATCAC	GATACTCGCC	TGAACGGTTT	GGATAAAACA
	901	GTGTCAGACC	TGCGCAAAGA	AACCCGCCAA	GGCCTTGCAG	AACAAGCCGC
	951	GCTCTCCGGT	CTGTTCCAAC	CTTACAACGT	GGGTGGATCC	GGCGGAGGCG
10	1001	GCACTTCTGC	GCCCGACTTC	AATGCAGGCG	GTACCGGTAT	CGGCAGCAAC
	1051	AGCAGAGCAA	CAACAGCGAA	ATCAGCAGCA	GTATCTTACG	CCGGTATCAA
	1101	GAACGAAATG	TGCAAAGACA	GAAGCATGCT	CTGTGCCGGT	CGGGATGACG
	1151	TTGCCGTTAC	AGACAGGGAT	GCCAAAATCA	ATGCCCCCCC	CCCGAATCTG
	1201	CATACCGGAG	ACTTTCCAAA	CCCAAATGAC	GCATACAAGA	ATTTGATCAA
	1251	CCTCAAACCT	GCAATTGAAG	CAGGCTATAC	AGGACGCGGG	GTAGAGGTAG
	1301	GTATCGTCTG	CACAGGCGAA	TCCGTGCGCA	GCATATCCTT	TCCCGAACTG
15	1351	TATGGCAGAA	AAGAACACGG	CTATAACGAA	AATTACAAAA	ACTATACGGC
	1401	GTATATGCGG	AAGGAAGCGC	CTGAAGACGG	AGGCGGTAAA	GACATTGAAG
	1451	CTTCTTTCTG	CGATGAGGCC	GTTATAGAGA	CTGAAGCAAA	CGCGACGGAT
	1501	ATCCGCCACG	TAAAAGAAAT	CGGACACATC	GATTTGGTCT	CCCATATTAT
	1551	TGGCGGGCGT	TCCGTGGACG	GCAGACCTGC	AGGCGGTATT	GCGCCCGATG
20	1601	CGACGCTACA	CATAATGAAT	ACGAATGATG	AAACCAAGAA	CGAAATGATG
	1651	GTTGCAGCCA	TCCGCAATGC	ATGGGTCAAG	CTGGGCGAAC	GTGGCGTGCG
	1701	CATCGTCAAT	AACAGTTTTG	GAACAACATC	GAGGGCAGGC	ACTGCCGACC
	1751	TTTTCCAAAT	AGCCAATTTC	GAGGAGCAGT	ACGCCCAAGC	GTTGCTCGAC
	1801	TATTCCGGCG	GTGATAAAAC	AGACGAGGGT	ATCCGCCTGA	TGCAACAGAG
	1851	CGATTACGGC	AACCTGTCTT	ACCACATCCG	TAATAAAAAA	ATGCTTTTCA
	1901	TCTTTTCGAC	AGGCAATGAC	GCACAAGCTC	AGCCCAACAC	ATATGCCCTA
25	1951	TTGCCATTTT	ATGAAAAAGA	CGCTCAAAAA	GGCATTATCA	CAGTCGCGAG
	2001	CGTAGACCGC	AGTGGAGAAA	AGTTCAAACG	GGAAATGTAT	GGAGAACCGG
	2051	GTACAGAACC	GCTTGAGTAT	GGCTCCAACC	ATTGCGGAAT	TACTGCCATG
	2101	TGGTGCCTGT	CGGCACCCTA	TGAAGCAAGC	GTCCGTTTCA	CCCGTACAAA
	2151	CCCGATTCAA	ATTGCCGGAA	CATCCTTTTC	CGCACCCATC	GTAACCGGCA
	2201	CGGCGGCTCT	GCTGCTGCAG	AAATACCCGT	GGATGAGCAA	CGACAACCTG
30	2251	CGTACCACGT	TGCTGACGAC	GGCTCAGGAC	ATCGGTGCAG	TCCGCCGTGGA
	2301	CAGCAAGTTC	GGCTGGGGAC	TGCTGGATGC	GGGTAAAGCC	ATGAACGGAC
	2351	CCGCGTCCTT	TCCGTTTCGC	GACTTTACCG	CCGATACGAA	AGGTACATCC
	2401	GATATTGCCT	ACTCCTTCCG	TAACGACATT	TCAGGCACGG	GCGGCCTGAT
	2451	CAAAAAAGGC	GGCAGCCAAC	TGCAACTGCA	CGGCAACAAC	ACCTATACGG
	2501	GCAAAACCAT	TATCGAAGGC	GTTTCGCTGG	TGTTGTACGG	CAACAACAAA
35	2551	TCGGATATGC	CGGTCGAAAC	CAAAGGTGCG	CTGATTTATA	ACGGGGCGGC
	2601	ATCCGGCGGC	AGCCTGAACA	GCGACGGCAT	TGTCTATCTG	GCAGATACCG
	2651	ACCAATCCGG	CGCAAAACGAA	ACCGTACACA	TCAAAGGCAG	TCTGCAGCTG
	2701	GACGGCAAAG	GTACGCTGTA	CACACGTTTG	GGCAAACTGC	TGAAAGTGGG
	2751	CGGTACGGCG	ATTATCGGCG	GCAAGCTGTA	CATGTGCGCA	CGCGGCAAGG
	2801	GGGCAGGCTA	TCTCAACAGT	ACCGGACGAC	GTGTTCCCTT	CCTGAGTGCC
	2851	GCCAAAATCG	GGCAGGATTA	TTCTTTCTTC	ACAAAACATC	AAACCGACGG
40	2901	CGGCCTGCTG	GCTTCCCTCG	ACAGCGTCGA	AAAAACAGCG	GGCAGTGAAG
	2951	GCGACACGCT	GTCTATTAT	GTCCGTGCGG	GCAATGCGGC	ACGGACTGCT
	3001	TCGGCAGCGG	CACATTCCGC	GCCGCGCGGT	CTGAAACACG	CCGTAGAACA
	3051	GGGCGGCAGC	AATCTGGAAA	ACCTGATGGT	CGAACTGGAT	GCCTCCGAAT
	3101	CATCCGCAAC	ACCCGAGACG	GTTGAAACTG	CGGCAGCCGA	CCGCACAGAT
	3151	ATGCCGGGCA	TCCGCCCCCTA	CGGCGCAACT	TTCCGCGCAG	CGGCAGCCGT
45	3201	ACAGCATGCG	AATGCCGCGG	ACGGTGTACG	CATCTTCAAC	AGTCTCGCCG
	3251	CTACCGTCTA	TGCCGACAGT	ACCGCCGCCC	ATGCCGATAT	GCAGGGACGC
	3301	CGCCTGAAAG	CCGTATCGGA	CGGGTTGGAC	CACAAACGGCA	CGGGTCTGCG
	3351	CGTCATCGCG	CAAACCCCAAC	AGGACGGTGG	AACGTGGGAA	CAGGGCGGTG
	3401	TTGAAGGCAA	AATGCGCGGC	AGTACCCAAA	CCGTGCGCAT	TGCCGCGAAA
	3451	ACCGGCGAAA	ATACGACAGC	AGCCGCCACA	CTGGGCATGG	GACGCAGCAC
50	3501	ATGGAGCGAA	AACAGTGCAA	ATGCAAAAAA	CGACAGCATT	AGTCTGTTTG
	3551	CAGGCATACG	GCACGATGCG	GGCGATATCG	GCTATCTCAA	AGGCCTGTTC
	3601	TCCTACGGAC	GCTACAAAAA	CAGCATCAGC	CGCAGACCCG	GTGCGGACGA
	3651	ACATGCGGAA	GGCAGCGTCA	ACGGCACGCT	GATGCAGCTG	GGCGCACTGG
	3701	GCGGTGTCAA	CGTTCGGTTT	GCCGCAACGG	GAGATTGAC	GGTCGAAGGC
	3751	GGTCTGCGCT	ACGACCTGCT	CAAACAGGAT	GCATTGCGCG	AAAAAGGCAG
55	3801	TGCTTTGGGC	TGGAGCGGCA	ACAGCCTCAC	TGAAGGCACG	CTGGTTCGGAC
	3851	TCGCGGGTCT	GAAGCTGTGCG	CAACCCTTGA	GCGATAAAGC	CCTCTCTGTT

5

3901 GCAACGGCGG GCGTGGAAACG CGACCTGAAC GGACGCGACT ACACGGTAAC
 3951 GGGCGGCTTT ACCGGCGCGA CTGCAGCAAC CGGCAAGACG GGGGCACGCA
 4001 ATATGCCGCA CACCGTCTG GTTCCCGGCC TGGGCGCGGA TGTCGAATTC
 4051 GGCAACGGCT GGAACGGCTT GGCACGTTAC AGCTACGCCG GTTCCAAACA
 4101 GTACGGCAAC CACAGCGGAC GAGTCGGCGT AGGCTACCGG TTCCTCGAGC
 4151 ACCACCACCA CCACCACTGA

10

15

20

25

30

35

40

45

50

55

1 MATNDDDVKK AATVAIAAAY NNGQEINGFK AGETIYDIDE DGTITKKDAT
 51 AADVEADDFK GLGLKKVVTN LTKTVNENKQ NVDAKVKAAE SEIEKLTTKL
 101 ADTDAALADT DAALDATTN LNKLGENTTT FAEETKTNIV KIDEKLEAVA
 151 DTVDKHAEAF NDIADSLDET NTKADEAVKT ANEAKQTAE TKQNVDAKVK
 201 AAETAAGKAE AAAGTANTAA DKAEAVAAKV TDIKADIATN KDNIAKKANS
 251 ADVYTREESD SKFVRIDGLN ATTEKLDTRL ASAEKSIADH DTRLNGLDKT
 301 VSDLRKETRQ GLAEQAALSG LFQPYNVGGS GGGGTSAPDF NAGGTGIGSN
 351 SRATTAKSAA VSYAGIKNEM CKDRSMLCAG RDDVAVTDRD AKINAPPPNL
 401 HTGDFPNPND AYKNLINLKP AIEAGYTGRG VEVGIVDTGE SVGSISFPEL
 451 YGRKEHGYNE NYKNYTAYMR KEAPEDGGGK DIEASFDDEA VIETEAKPTD
 501 IRHVKEIGHI DLVSHIIGGR SVDGRPAGGI APDATLHIMN TNDETKNEMM
 551 VAAIRNAWVK LGERGVRIVN NSFGTTSRAG TADLFQIANS EEQYRQALLD
 601 YSGGDKTDEG IRLMQQSDYG NLSYHIRNKN MLFIFSTGND AQAQPNTYAL
 651 LPFYEKDAQK GIITVAGVDR SGEKFKREMY GEPGTEPLEY GSNHCGITAM
 701 WCLSAPYEAS VRFTRTNPIQ IAGTSFSAPI VTGTAALLLQ KYPWMSNDNL
 751 RTTLLTQAQD IGAVGVDSKF GWGLLDAGKA MNGPASFPFG DFTADTKGTS
 801 DIAYSFRNDI SGTGGLIKKG GSQQLHGN TYTGKTIIEG GSLVLYGNK
 851 SDMRVETKGA LIYNGAASGG SLNSDGIVYL ADTDQSGANE TVHIKGSLLQ
 901 DGKGTLYTRL GKLLKVDGTA IIGGKLYMSA RGKGAGYLNS TGRRVPFLLSA
 951 AKIGQDYSFF TNIEDGGLL ASLDSVEKTA GSEGD TLSYY VRRGNAARTA
 1001 SAAHSAPAG LKHAVEQGGG NLENLMVELD AESSATPET VETAAADRDT
 1051 MPGIRPYGAT FRAAAVQHA NAADGVRIFN SLAATVYADS TAAHADMQGR
 1101 RLKAVSDGLD HNGTGLRVIA QTQQDGGTWE QGGVEGKMRG STQTVGIAAK
 1151 TGENTTAAAT LGMGRSTWSE NSANAKTDSI SLFAGIRHDA GDIGYLKGLF
 1201 SYGRYKNSIS RSTGADEHAE GSVNGTLMQL GALGGVNVPF AATGDLTVEG
 1251 GLRYDLLKQD AFAEKGSALG WSGNSLTGEG LVGLAGLKLK QPLSDKAVLF
 1301 ATAGVERDLN GRDYTVTGGF TGATAATGKT GARNMPHTRL VAGLGADVEF
 1351 GNGWNLARY SYAGSKQYGN HSGRVGVGYR FLEHHHHHH*

961cL-ORF46.1

	1	ATGAAACACT	TTCCATCCAA	AGTACTGACC	ACAGCCATCC	TTGCCACTTT
5	51	CTGTAGCGGC	GCACTGGCAG	CCACAAACGA	CGACGATGTT	AAAAAAGCTG
	101	CCACTGTGGC	CATTGCTGCT	GCCTACAACA	ATGGCCAAGA	AATCAACGGT
	151	TTCAAAGCTG	GAGAGACCAT	CTACGACATT	GATGAAGACG	GCACAATTAC
	201	CAAAAAGAG	GCAACTGCAG	CCGATGTTGA	AGCCGACGAC	TTTAAAGGTC
	251	TGGGTCTGAA	AAAAGTCGTG	ACTAACCTGA	CCAAAACCGT	CAATGAAAAC
	301	AAACAAAACG	TCGATGCCAA	AGTAAAAGCT	GCAGAATCTG	AAATAGAAAA
10	351	GTTAACAACC	AAGTTAGCAG	ACACTGATGC	CGCTTTAGCA	GATACTGATG
	401	CCGCTCTGGA	TGCAACCACC	AACGCCTTGA	ATAAATTGGG	AGAAAAATATA
	451	ACGACATTTG	CTGAAGAGAC	TAAGACAAAT	ATCGTAAAAA	TTGATGAAAA
	501	ATTAGAAGCC	GTGGCTGATA	CCGTCGACAA	GCATCGCGAA	GCATTCAACG
	551	ATATCGCCGA	TTCATTGGAT	GAAACCAACA	CTAAGGCAGA	CGAAGCCGTC
	601	AAAACCGCCA	ATGAAGCCAA	ACAGACGGCC	GAAGAAACCA	AACAAAACGT
15	651	CGATGCCAAA	GTAAAAGCTG	CAGAAACTGC	AGCAGGCAAA	GCCGAAGCTG
	701	CCGCTGGCAC	AGCTAATACT	GCAGCCGACA	AGGCCGAAGC	TGTCGCTGCA
	751	AAAGTTACCG	ACATCAAAGC	TGATATCGCT	ACGACAAAG	ATAATATTGC
	801	TAAAAAAGCA	AACAGTGCCG	ACGTGTACAC	CAGAGGAAG	TCTGACAGCA
	851	AATTTGTCAG	AATTGATGGT	CTGAACGCTA	CTACCGAAAA	ATTGGGACACA
	901	CGCTTGGCTT	CTGCTGAAAA	ATCCATTGCC	GATCACGATA	CTCGCCTGAA
20	951	CGGTTTGGAT	AAAACAGTGT	CAGACCTGCG	CAAAGAAACC	CGCCAAGGCC
	1001	TTGCAGAACA	AGCCGCGCTC	TCCGGTCTGT	TCCAACCTTA	CAACGTGGGT
	1051	GGATCCGGAG	GAGGAGGATC	AGATTTGGCA	AACGATTCTT	TTATCCGGTA
	1101	GGTTCTCGAC	CGTCAGCATT	TCGAACCCGA	CGGGAATATC	CACCTATTTC
	1151	GCAGCAGGGG	GGAActTGCC	GAGCGCAGCG	GCCATATCGG	ATTGGGAAAA
	1201	ATACAAAGCC	ATCAGTTGGG	CAACCTGATG	ATTCAACAGG	CGGCCATTAA
25	1251	AGGAAATATC	GGCTACATTG	TCCGCTTTTC	CGATCACGGG	CACGAAGTCC
	1301	ATTCCCCCTT	CGACAACCAT	GCCTCACATT	CCGATTCTGA	TGAAGCCGGT
	1351	AGTCCCGTTG	ACGGATTTAG	CCTTTACCGC	ATCCATTGGG	ACGGATACGA
	1401	ACACCATTCC	GCCGACGGCT	ATGACGGGCC	ACAGGGCGGC	GGCTATCCCC

30

35

40

45

50

55

EP 1 790 660 A2

1 MKHFPSKVLT TAILATFCSG ALAATNDDDV KKAATVAIAA AYNNGQEING
 51 FKAGETIYDI DEDGTITKKD ATAADVEADD FKGLGLKKVV TNLTKTVNEN
 101 KQNVDAKVA AESEIEKLTT KLADTDAAALA DTDAAALDATT NALNKLGENI
 5 TTFAEETKTN IVKIDEKLEA VADTVDKHAE AFNDIADSLD ETNTKADEAV
 201 KTANEAKQTA EETKQNVDAK VKAAETAAGK AEAAAAGTANT AADKAEAVAA
 251 KVTDIKADIA TNKDNIAKKA NSADVYTREE SDSKFVTRIDG LNAATTEKLDLT
 301 RLASAEKSIA DHDTRLNGLD KTVSDLRKET RQGLAEQAAL SGLFQPYNVG
 351 GSGGGGSDLA NDSFIRQVLD RQHFEPDGKY HLFGRGELA ERSGHIGLGK
 10 IQSHQLGNLM IQQAAIKGNI GYIVRFSDBG HEVHSPFDNH ASHSDSDEAG
 451 SPVDGFSLYR IHWDGYEHHP ADGYDGPQGG GYPAPKGARD IYSYDIKVA
 501 QNIRLNLTDN RSTGQRLADR FHNAGSMLTQ GVGDGFKRAT RYSPELDRSG
 551 NAAEAFNGTA DIVKNIIGAA GEIVGAGDAV QGISEGSNIA VMHGLGLLST
 601 ENKMARINDL ADMAQLKDYA AAAIRDWAVQ NPNAAQGIEA VSNIFMAAIP
 651 IKGIGAVRGK YGLGGITAHF IKRSQMGAIK LPKGKSAVSD NFADAAAYAKY
 15 701 PSPYHSRNIR SNLEQRYGKE NITSSTVPPS NGKNVKLADQ RHPKTGVPPD
 751 GKGFPNFEKH VKYDT*

20 **961cL-741**
 1 ATGAAACACT TTCCATCCAA AGTACTGACC ACAGCCATCC TTGCCACTTT
 51 CTGTAGCGGC GCCTAGCGAG CCACAAACGA CGACGATGTT AAAAAAGCTG
 101 CCACTGTGGC CATTGTGCTGCT GCCTACAACA ATGGCCAAGA AATCAACGGT
 151 TTCAAAGCTG GAGAGACCAT CTACGACATT GATGAAGACG GCACAATTAC
 201 CAAAAAAGAC GCAACTGCAG CCGATGTTGA AGCCGACGAC TTTAAAGGTC
 25 TGGGTCTGAA AAAAGTCGTG ACTAACCTGA CCAAAACCGT CAATGAAAAAC
 301 AAACAAAACG TCGATGCCAA AGTAAAAGCT GCAGAATCTG AAATAGAAAAA
 351 GTTAACAACC AAGTTAGCAG ACCTGATGTC CGCTTTAGCA GATACTGATG
 401 CCGCTCTGGA TGCAACCACC AACGCCTTGA ATAAATTGGG AGAAAAATATA
 451 ACGACATTG CTGAAGAGAC TAAGACAAAT ATCGTAAAAA TTGATGAAAA
 501 ATTAGAAGCC GTGGCTGATA CCGTCGACAA GCATGCCGAA GCATTCAACG
 30 ATATCGCCGA TTCATTGGAT GAAACCAACA CTAAGGCAGA CGAAGCCGTC
 601 AAAACCGCCA ATGAAGCCAA ACAGACGGCC GAAGAAACCA AACAAAACGT
 651 CGATGCCAAA GTAAAAGCTG CAGAACTGC AGCAGGCAAA GCCGAAGCTG
 701 CCGCTGGCAC AGCTAATACT GCAGCCGACA AGGCCGAAGC TGTCGCTGCA
 751 AAAGTTACCG ACATCAAAGC TGATATCGCT ACGAACAAAG ATAATATTGC
 35 801 TAAAAAAGCA AACAGTGCCG ACGTGTACAC CAGAGAAGAG TCTGACGACA
 851 AATTTGTGAG AATTGATGGT CTGAACGCTA CTACCGAAAA ATTGGACACA
 901 CGCTTGGCTT CTGCTGAAAA ATCCATTGCC GATCACGATA CTCGCTGAA
 951 CGGTTTGGAT AAAACAGTGT CAGACCTGCG CAAAGAAACC CGCCAAGGCC
 1001 TTGCAGAACAA AGCCGCGCTC TCCGGTCTGT TCCAACCTTA CAACGTGGGT
 1051 GGATCCGGAG GGGGTGGTGT CGCCGCCGAC ATCGGTGCGG GGCTTGCCGA
 40 1101 TGCACTAACC GCACCGCTCG ACCATAAAGA CAAAGGTTTG CAGTCTTTGA
 1151 CGCTGGATCA GTCCGTCAGG AAAACGAGA AACTGAAGCT GGCGGCACAA
 1201 GGTGCGGAAA AAACCTTATG AAACGGTGAC AGCCTCAATA CGGGCAAATT
 1251 GAAGAACGAC AAGGTCAGCC GTTTCGACTT TATCCGCCAA ATCGAAGTGG
 1301 AGGGCAGCT CATTACCTTG GAGAGTGGAG AGTTCCAAGT ATACAAACAA
 1351 AGCCATTCCG CCTTAACCGC CTTTCAGACC GAGCAAATAC AAGATTCCGA
 45 1401 GCATTCCGGG AAGATGGTTG CGAAACGCCA GTTCAGAATC GGCGACATAG

50 1451 CGGGCGAACA TACATCTTTT GACAAGCTTC CCGAAGGCGG CAGGGCGACA
 1501 TATCGCGGGA CGGCGTTCGG TTCAGACGAT GCCGCGGAA AACTGACCTA
 1551 CACCATAGAT TTCGCCGCCA AGCAGGAAAA CGGCAAAATC GAACATTTGA
 1601 AATCGCCAGA ACTCAATGTC GACCTGGCCG CCGCCGATAT CAAGCCGGAT
 1651 GGAAAACGCC ATGCCGTCAT CAGCGGTTCC GTCCTTTACA ACCAAGCCGA
 1701 GAAAGGCAGT TACTCCCTCG GTATCTTTGG CGGAAAAGCC CAGGAAGTTG
 55 1751 CCGGCAGGCG GGAAGTGAAA ACCGTAAACG GCATACGCCA TATCGGCCCT
 1801 GCCGCCAAGC AACTCGAGCA CCACCACCAC CACCACTGA

EP 1 790 660 A2

1	MKHFPSKVL	TAILATFCSG	ALAATNDDDV	KKAATVAIAA	AYNNGQEING
51	FKAGETIYDI	DEDGTITKKD	ATAADVEADD	FKGLGLKKVV	TNLTKTVNEN
101	KQNVDAKVA	AESEIEKLTT	KLADTDALA	DTDAALDATT	NALNKLGENI
151	TTFAEETKT	IVKIDEKLEA	VADTVDKHAE	AFNDIADSLD	ETNTKADEAV
201	KTANEAKQTA	EETKQNVDAK	VKAAETAAGK	AEAAAAGTANT	AADKAEAVAA
251	KVTDIKADIA	TNKDNIAKKA	NSADVYTREE	SDSKFVRIDG	LNATTEKLDT
301	RLASAEKSIA	DHDTRLNLGLD	KTVSDLRKET	RQGLAEQAAL	SGLFQPYNVG
351	SGSGGGVAAD	IGAGLADALT	APLDHKDKGL	QSLTLDQSVR	KNEKLKLAQA
401	GAEKTYGNGD	SLNTGKLKND	KVSRFDFIRQ	IEVDGQLITL	ESGEFQVYKQ
451	YRSALTAFTQ	EQIQDSEHSG	KMVAKRQFRI	GDIAGEHTSF	DKLPEGGRAT
501	YRGTAFGSDD	AGGKLTYYTID	FAAKQGNKGI	EHLKSPELNV	DLAAADIKPD
551	GKRHAVISGS	VLYNQAEKGS	YSLGIFGGKA	QEVAGSAEVK	TVNGIRHIGL
601	AAKQLEHHHH	HH*			

961cL-983

1	ATGAAACACT	TTCCATCCAA	AGTACTGACC	ACAGCCATCC	TTGCCACTTT
51	CTGTAGCGGC	GCACTGGCAG	CCACAAACGA	CGACGATGTT	AAAAAAGCTG
101	CCACTGTGGC	CATTGCTGCT	GCCTACAACA	ATGGCCAAGA	AATCAACGGT
151	TTCAAAGCTG	GAGAGACCAT	CTACGACATT	GATGAAGACG	GCACAATTAC
201	CAAAAAGAC	GCAACTGCAG	CCGATGTTGA	AGCCGACGAC	TTTAAAGGTC
251	TGGGTCTGAA	AAAAGTCGTG	ACTAACCTGA	CCAAAACCGT	CAATGAAAAC
301	AAACAAAACG	TCGATGCCAA	AGTAAAAGCT	GCAGAATCTG	AAATAGAAAA
351	GTTAACAACC	AAGTTAGCAG	ACACTGATGC	CGCTTTAGCA	GATACTGATG
401	CCGCTCTGGA	TGCAACCACC	AACGCCTTGA	ATAAATTGGG	AGAAAAATATA
451	ACGACATTTG	CTGAAGAGAC	TAAGACAAAT	ATCGTAAAAA	TTGATGAAAA
501	ATTAGAAGCC	GTGGCTGATA	CCGTCGACAA	GCATGCCGAA	GCATTCAACG
551	ATATCGCCGA	TTCATTGGAT	GAAACCAACA	CTAAGGCAGA	CGAAGCCGTC
601	AAAACCGCCA	ATGAAGCCAA	ACAGACGGCC	GAAGAAACCA	AACAAAACGT
651	CGATGCCAAA	GTAAAAGCTG	CAGAAACTGC	AGCAGGCAAA	GCCGAAGCTG
701	CCGCTGGCAC	AGCTAATACT	GCAGCCGACA	AGGCCGAAGC	TGTCGCTGCA
751	AAAGTTACCG	ACATCAAAGC	TGATATCGCT	ACGAACAAAG	ATAATATTGC
801	TAAAAAAGCA	AACAGTGCCG	ACGTGTACAC	CAGAGAAGAG	TCTGACAGCA
851	AATTTGTCTAG	AATTGATGGT	CTGAACGCTA	CTACCGAAAA	ATTGGACACA
901	CGCTTGGCTT	CTGCTGAAAA	ATCCATTGCC	GATCACGATA	CTCGCTTGAA
951	CGGTTTGGAT	AAAACAGTGT	CAGACCTGCG	CAAAGAAACC	CGCCAAGGCC
1001	TTGCAGAACA	AGCCGCGCTC	TCCGGTCTGT	TCCAACCTTA	CAACGTGGGT
1051	GGATCCGGCG	GAGCGGCAC	TTCTGCGCCC	GACTTCAATG	CAGGCGGTAC
1101	CGGTATCGGC	AGCAACAGCA	GAGCAACAAC	AGCGAAATCA	GCAGCAGTAT
1151	CTTACGCCGG	TATCAAGAAC	GAAATGTGCA	AAGACAGAAG	CATGCTCTGT
1201	GCCGGTCGGG	ATGACGTTGC	GGTTACAGAC	AGGGATGCCA	AAATCAATGC
1251	CCCCCCCCCG	AATCTGCATA	CCGGAGACTT	TCCAAACCCA	AATGACGCAT
1301	ACAAGAATTT	GATCAACCTC	AAACCTGCAA	TTGAAGCAGG	CTATACAGGA
1351	CGCGGGGTAG	AGGTAGGTAT	CGTCGACACA	GGCGAATCCG	TCGGCAGCAT
1401	ATCCTTTCCC	GAAGTGTATG	GCAGAAAAGA	ACACGGCTAT	AACGAAAATT
1451	ACAAAAACTA	TACGGCGTAT	ATGCGGAAGG	AAGCGCTTGA	AGACGGAGGC
1501	GGTAAAGACA	TTGAAGCTTC	TTTCGACGAT	GAGGCCGTTA	TAGAGACTGA
1551	AGCAAAGCCG	ACGGATATCC	GCCACGTAAA	AGAAATCGGA	CACATCGATT
1601	TGGTCTCCCA	TATTATTGGC	GGGCGTTCCG	TGGACGGCAG	ACCTGCAGGC
1651	GGTATTGCGC	CCGATGCGAC	GCTACACATA	ATGAATACGA	ATGATGAAAC
1701	CAAGAACGAA	ATGATGGTTG	CAGCCATCCG	CAATGCATGG	GTCAAGCTGG
1751	GCGAACGTGG	CGTGCGCATC	GTCAATAACA	GTTTTGGAAC	AACATCGAGG
1801	GCAGGCACTG	CCGACCTTTT	CCAAATAGCC	AATTTCGGAGG	AGCAGTACCG
1851	CCAAGCGTTG	CTCGACTATT	CCGGCGGTGA	TAAAACAGAC	GAGGGTATCC
1901	GCCTGATGCA	ACAGAGCGAT	TACGGCAACC	TGTCCTACCA	CATCCGTAAT
1951	AAAAACATGC	TTTTTCATCTT	TTTCGACAGG	AATGACGCAC	AAGCTCAGCC
2001	CAACACATAT	GCCCTATTGC	CATTTTATGA	AAAAGACGCT	CAAAAAGGCA
2051	TTATCACAGT	CGCAGGCGTA	GACCGCAGTG	GAGAAAAGTT	CAACCGGGAA

EP 1 790 660 A2

5	2101	ATGTATGGAG	AACCGGGTAC	AGAACCCTT	GAGTATGGCT	CCAACCATTG
	2151	CGGAATTACT	GCCATGTGGT	GCCTGTCGGC	ACCCTATGAA	GCAAGCGTCC
	2201	GTTTCACCCG	TACAAACCCG	ATTCAAATTG	CCGGAACATC	CTTTTCCGCA
	2251	CCCATCGTAA	CCGGCACGGC	GGCTCTGTCT	CTGCAGAAAT	ACCCGTGGAT
	2301	GAGCAACGAC	AACCTGCGTA	CCACGTTGCT	GACGACGGT	CAGGACATCG
10	2351	GTGCAGTCGG	CGTGGACAGC	AAGTTCGGCT	GGGACTGCT	GGATGCGGGT
	2401	AAGGCCATGA	ACGGACCCGC	GTCTTTCCG	TTCGGCGACT	TTACCGCCGA
	2451	TACGAAAGGT	ACATCCGATA	TTGCCTACTC	CTTCGGTAAC	GACATTTTCA
	2501	GCACGGGCGG	CCTGATCAAA	AAAGGCGGCA	GCCAACTGCA	ACTGCACGGC
	2551	AACAACACCT	ATACGGGCAA	AACCATTAATC	GAAAGCGGTT	CGCTGGTGT
15	2601	GTACGCGCAAC	AACAAATCGG	ATATGCGCGT	CGAAACCAAA	GGTGCCTGTA
	2651	TTTATAACGG	GGCGGCATCC	GGCGGCAGCC	TGAACAGCGA	CGGCATTGTC
	2701	TATCTGGCAG	ATACCGACCA	ATCCGGCGCA	AACGAAACCG	TACACATCAA
	2751	AGGCACTCTG	CAGCTGGACG	GCAAAGGTAT	GCTGTACACA	CGTTTGGGCA
	2801	AACTGCTGAA	AGTGGACGGT	ACGGCGATTA	TCGGCGGCAA	GCTGTACATG
20	2851	TCGGCAGCGG	GCAAGGGGGC	AGGCTATTCT	AACGATACCG	GACGACGTGT
	2901	TCCCTTCTCTG	AGTGCCGCCA	AAATCGGGCA	GGATTATTCT	TTCTTCACAA
	2951	ACATCGAAAC	CGACGGCGGC	CTGCTGGCTT	CCCTCGACAG	CGTCGAAAAA
	3001	ACAGCGGGCA	GTGAAGGCGA	CACGCTGTCC	TATTATGTCC	GTGCGGGCAA
	3051	TGCGGCACGG	ACTGCTTCGG	CAGCGGCACA	TTCCGCGCCT	GCCGGTCTGA
25	3101	AACACGCCGT	AGAACAGGGC	GGCAGCAATC	TGGAAAACCT	GATGGTCTGA
	3151	CTGGATGCCT	CCGAATCATC	CGCAACACCC	GAGACGGTTG	AAACTGCGGC
	3201	AGCCGACCGC	ACAGATATGC	CGGGCATCCG	CCCCTACGGC	GCAACTTTCC
	3251	GCGCAGCGGC	AGCCGTACAG	CATGCGAATG	CCGCGACGG	TGTACGCATC
	3301	TTCAACAGTC	TCGCCGCTAC	CGTCTATGCG	GACAGTACCG	CCGCCCCATG
30	3351	CGATATGCAG	GGACGCCGCG	TGAAAGCCGT	ATCGGACGGG	TTGGACCACA
	3401	ACGGCAGCGG	TCTGCGCGTC	ATCGCGCAAA	CCCAACAGGA	CGGTGGAACG
	3451	TGGGAACAGG	GCGGTGTTGA	AGGCAAAATG	CGCGGCAGTA	CCCAAAACCGT
	3501	CGGCATTGCC	GCGAAAACCG	GCGAAAATAC	GACAGCAGCC	GCCACACTGG
	3551	GCATGGGACG	CAGCACATGG	AGCGAAAAAC	GTGCAAATGC	AAAAACCGAC
35	3601	AGCATTAGTC	TGTTTGACGG	CATACGGCAC	GATGCGGGCG	ATATCGGCTA
	3651	TCTCAAAGGC	CTGTTCTCCT	ACGGACGCTA	CAAAAACAGC	ATCAGCCGCA
	3701	GCACCGGTGC	GGACGAACAT	GCGGAAGGCA	GCGTCAACGG	CACGCTGATG
	3751	CAGCTGGGCG	CACTGGGCGG	TGTCAACGTT	CCGTTTGCCG	CAACGGGAGA
	3801	TTTGACGGTC	GAAGGCGGTC	TGCGCTACGA	CCTGCTCAAA	CAGGATGCAT
40	3851	TCGCCGAAAA	AGGCAGTGCT	TTGGGCTGGA	CGGGCAACAG	CCTCACTGAA
	3901	GGCAGCGCTG	TCGACTCGC	GGGTCTGAAG	CTGTGCAAC	CCTTGAGCGA
	3951	TAAAGCCGTC	CTGTTTGCAA	CGGCGGGCGT	GGAACGCGAC	CTGAACGGAC
	4001	GCGACTACAC	GGTAACGGGC	GGCTTTACCG	GCGCGACTGC	AGCAACCGGC
	4051	AAGACGGGGG	CACGCAATAT	GCCGCACACC	CGTCTGGTTG	CCGGCCTGGG
	4101	CGCGGATGTC	GAATTCCGGCA	ACGGCTGGAA	CGGCTTGGCA	CGTTACAGCT
	4151	ACGCCGGTTC	CAACAGTATC	GGCAACCACA	GCGGACGAGT	CGGCGTAGGC
	4201	TACCGGTTCT	GACTCGAG			

```

1   MKHFPSKVL TAILATFCSG ALAATNDDDV KKAATVAIAA AYNNGQEING
51  FKAGETIYDI DEDGTITKKD ATAADVEADD FKGLGLKKVV TNLTKTVNEN
101 KQNVDAKVKA AESEIEKLTT KLADTDAAAL DTDAAALDATT NALNKLGENI
5   151 TTFAEETKTN IVKIDEKLEA VADTVDKHAE AFNDIADSLD ETNTKADEAV
201 KTANEAKQTA EETKQNVDAK VKAAETAAGK AEAAGTANT AADKAEAVAA
251 KVTDIKADIA TNKDNIAKKA NSADVYTREE SDSKFVRIDG LNAATTEKLDLT
301 RLASAEKSIA DHDTRLNGLD KTVSDLRKET RQGLAEQAAL SGLFQPYNVG
351 GSGGGGTSAP DFNAGGTGIG SNSRATTAKS AAVSYAGIKN EMCKDRSMLC
401 AGRDDVAVTD RDAKINAPPP NLHTGDFPNP NDAYKNLNLN KPAIEAGYTG
10  451 RGVEVGIVDT GESVGSISFP ELYGRKEHGY NENYKNYTAY MRKEAPEDGG
501 GKDIEASFDD EAVIETEAKP TDIRHVKEIG HIDLVSHIIG GRSVDGRFAG
551 GIAPDATLHI MNTNDETKNE MMVAAIRNAW VKLGERGVRI VNNSEFGTTSR
601 AGTADLFQIA NSEEQYRQAL LDYSGGDKTD EGIRLMQQSD YGNLSYHIRN
651 KNMLFIFSTG NDAQAQPNY ALLPFYEKDA QKGIITVAGV DRSGEKFKRE
15  701 MYGEPGTEPL EYGSNHCGIT AMWCLSAPYE ASVRFTRTNP IQIAGTSFSA
751 PIVTGTAALL LQKYPWMSND NLRTTLLTTA QDIGAVGVDS KFGWGLLDAG
801 KAMNGPASFP FGDFTADTKG TSDIAYSFRN DISGTGGLIK KGGSQLQLHG
851 NNTYTGTGII EGGSLVLYGN NKSDMRVETK GALIYNGAAS GGSLSNSDGIV
901 YLADTDQSGA NETVHIKGS LLDGKGTLYT RLGLKLLKVDG TAIIGGKLYM
951 SARGKGAGYL NSTGRRVPFL SAAKIGQDYS FFTNIETDGG LLASLDSVEK
20  1001 TAGSEDTLS YYVRRGNAAR TASAAHSAP AGLKHAVEQG GSNLENLMVE
1051 LDASESSATP ETVETAADR TDMPGIRPYG ATFRAAAQVQ HANAADGVRI
1101 FNSLAATVYA DSTAAHADMQ GRRLKAVSDG LDHNGTGLRV IAQTQQDGGT

25  1151 WEQGGVEGKM RGSTQTVGIA AKTGENTTAA ATLGMRSTW SENSANAKTD
1201 SISLFAGIRH DAGDIGYLKG LFSYGRYKNS ISRSTGADEH AEGSVNGTLM
1251 QLGALGGVNV PFAATGDLTV EGGLRYDLLK QDAFAEKGS A LGWSGNSLTE
1301 GTLVGLAGLK LSQPLSDKAV LFATAGVERD LNGRDYTVTG GFTGATAATG
1351 KTGARNMPHT RLVAGLGADV EFGNGWNGLA RYSYAGSKQY GNHSGRVGVG
30  1401 YRF*

```

[0279] It will be understood that the invention has been described by way of example only and modifications may be made whilst remaining within the scope and spirit of the invention. For instance, the use of proteins from other strains is envisaged [e.g. see WO00/66741 for polymorphic sequences for ORF4, ORF40, ORF46, 225, 235, 287, 519, 726, 919 and 953].

EXPERIMENTAL DETAILS

FPLC protein purification

[0280] The following table summarises the FPLC protein purification that was used:

Protein	PI	Column	Buffer	pH	Protocol
121.1untagged	6.23	Mono Q	Tris	8.0	A
128.1untagged	5.04	Mono Q	Bis-Tris propane	6.5	A
406.1L	7.75	Mono Q	Diethanolamine	9.0	B
576.1L	5.63	Mono Q	Tris	7.5	B
593untagged	8.79	Mono S	Hepes	7.4	A
726untagged	4.95	Hi-trap S	Bis-Tris	6.0	A
919untagged	10.5(-leader)	Mono S	Bicine	8.5	C
919Lorf4	10.4(-leader)	Mono S	Tris	8.0	B
920L	6.92(-leader)	Mono Q	Diethanolamine	8.5	A
953L	7.56(-leader)	Mono S	MES	6.6	D

(continued)

Protein	PI	Column	Buffer	pH	Protocol
982untagged	4.73	Mono Q	Bis-Tris propane	6.5	A
919-287	6.58	Hi-trap Q	Tris	8.0	A
953-287	4.92	Mono Q	Bis-Tris propane	6.2	A

[0281] Buffer solutions included 20-120 mM NaCl, 5.0 mg/ml CHAPS and 10% v/v glycerol. The dialysate was centrifuged at 13000g for 20 min and applied to either a mono Q or mono S FPLC ion-exchange resin. Buffer and ion exchange resins were chosen according to the pI of the protein of interest and the recommendations of the FPLC protocol manual [Pharmacia: *FPLC Ion Exchange and Chromatofocussing; Principles and Methods*. Pharmacia Publication]. Proteins were eluted using a step-wise NaCl gradient. Purification was analysed by SDS-PAGE and protein concentration determined by the Bradford method.

[0282] The letter in the 'protocol' column refers to the following:

[0283] FPLC-A: Clones 121.1, 128.1, 593, 726, 982, periplasmic protein 920L and hybrid proteins 919-287, 953-287 were purified from the soluble fraction of *E.coli* obtained after disruption of the cells. Single colonies harbouring the plasmid of interest were grown overnight at 37°C in 20 ml of LB/Amp (100 µg/ml) liquid culture. Bacteria were diluted 1:30 in 1.0 L of fresh medium and grown at either 30°C or 37°C until the OD₅₅₀ reached 0.6-0.8. Expression of recombinant protein was induced with IPTG at a final concentration of 1.0 mM. After incubation for 3 hours, bacteria were harvested by centrifugation at 8000g for 15 minutes at 4°C. When necessary cells were stored at -20°C. All subsequent procedures were performed on ice or at 4°C. For cytosolic proteins (121.1, 128.1, 593, 726 and 982) and periplasmic protein 920L, bacteria were resuspended in 25 ml of PBS containing complete protease inhibitor (Boehringer-Mannheim). Cells were lysed by sonication using a Branson Sonifier 450. Disrupted cells were centrifuged at 8000g for 30 min to sediment unbroken cells and inclusion bodies and the supernatant taken to 35% v/v saturation by the addition of 3.9 M (NH₄)₂SO₄. The precipitate was sedimented at 8000g for 30 minutes. The supernatant was taken to 70% v/v saturation by the addition of 3.9 M (NH₄)₂SO₄ and the precipitate collected as above. Pellets containing the protein of interest were identified by SDS-PAGE and dialysed against the appropriate ion-exchange buffer (see below) for 6 hours or overnight. The periplasmic fraction from *E.coli* expressing 953L was prepared according to the protocol of Evans et. al. [Infect. Immun. (1974), 10:1010-1017] and dialysed against the appropriate ion-exchange buffer. Buffer and ion exchange resin were chosen according to the pI of the protein of interest and the recommendations of the FPLC protocol manual (Pharmacia). Buffer solutions included 20 mM NaCl, and 10% (v/v) glycerol. The dialysate was centrifuged at 13000g for 20 min and applied to either a mono Q or mono S FPLC ion-exchange resin. Buffer and ion exchange resin were chosen according to the pI of the protein of interest and the recommendations of the FPLC protocol manual (Pharmacia). Proteins were eluted from the ion-exchange resin using either step-wise or continuous NaCl gradients. Purification was analysed by SDS-PAGE and protein concentration determined by Bradford method. Cleavage of the leader peptide of periplasmic proteins was demonstrated by sequencing the NH₂-terminus (see below).

[0284] FPLC-B: These proteins were purified from the membrane fraction of *E.coli*. Single colonies harbouring the plasmid of interest were grown overnight at 37°C in 20 ml of LB/Amp (100 µg/ml) liquid culture. Bacteria were diluted 1:30 in 1.0 L of fresh medium. Clones 406.1L and 919Lorf4 were grown at 30°C and Orf25L and 576.1L at 37°C until the OD₅₅₀ reached 0.6-0.8. In the case of 919Lorf4, growth at 30°C was essential since expression of recombinant protein at 37°C resulted in lysis of the cells. Expression of recombinant protein was induced with IPTG at a final concentration of 1.0 mM. After incubation for 3 hours, bacteria were harvested by centrifugation at 8000g for 15 minutes at 4°C. When necessary cells were stored at -20 °C. All subsequent procedures were performed at 4°C. Bacteria were resuspended in 25 ml of PBS containing complete protease inhibitor (Boehringer-Mannheim) and lysed by osmotic shock with 2-3 passages through a French Press. Unbroken cells were removed by centrifugation at 5000g for 15 min and membranes precipitated by centrifugation at 100000g (Beckman Ti50, 38000rpm) for 45 minutes. A Dounce homogenizer was used to re-suspend the membrane pellet in 7.5 ml of 20 mM Tris-HCl (pH 8.0), 1.0 M NaCl and complete protease inhibitor. The suspension was mixed for 2-4 hours, centrifuged at 100000g for 45 min and the pellet resuspended in 7.5 ml of 20mM Tris-HCl (pH 8.0), 1.0M NaCl, 5.0mg/ml CHAPS, 10% (v/v) glycerol and complete protease inhibitor. The solution was mixed overnight, centrifuged at 100000g for 45 minutes and the supernatant dialysed for 6 hours against an appropriately selected buffer. In the case of Orf25.L, the pellet obtained after CHAPS extraction was found to contain the recombinant protein. This fraction, without further purification, was used to immunise mice.

[0285] FPLC-C: Identical to FPLC-A, but purification was from the soluble fraction obtained after permeabilising *E.coli* with polymyxin B, rather than after cell disruption.

[0286] FPLC-D: A single colony harbouring the plasmid of interest was grown overnight at 37°C in 20 ml of LB/Amp (100 µg/ml) liquid culture. Bacteria were diluted 1:30 in 1.0 L of fresh medium and grown at 30°C until the OD₅₅₀ reached

0.6-0.8. Expression of recombinant protein was induced with IPTG at a final concentration of 1.0mM. After incubation for 3 hours, bacteria were harvested by centrifugation at 8000g for 15 minutes at 4°C. When necessary cells were stored at -20 °C. All subsequent procedures were performed on ice or at 4°C. Cells were resuspended in 20mM Bicine (pH 8.5), 20mM NaCl, 10% (v/v) glycerol, complete protease inhibitor (Boehringer-Mannheim) and disrupted using a Branson Sonifier 450. The sonicate was centrifuged at 8000g for 30 min to sediment unbroken cells and inclusion bodies. The recombinant protein was precipitated from solution between 35% v/v and 70% v/v saturation by the addition of 3.9M (NH₄)₂SO₄. The precipitate was sedimented at 8000g for 30 minutes, resuspended in 20 mM Bicine (pH 8.5), 20 mM NaCl, 10% (v/v) glycerol and dialysed against this buffer for 6 hours or overnight. The dialysate was centrifuged at 13000g for 20 min and applied to the FPLC resin. The protein was eluted from the column using a step-wise NaCl gradients. Purification was analysed by SDS-PAGE and protein concentration determined by Bradford method.

Cloning strategy and oligonucleotide design

[0287] Genes coding for antigens of interest were amplified by PCR, using oligonucleotides designed on the basis of the genomic sequence of *N. meningitidis* B MC58. Genomic DNA from strain 2996 was always used as a template in PCR reactions, unless otherwise specified, and the amplified fragments were cloned in the expression vector pET21 b+ (Novagen) to express the protein as C-terminal His-tagged product, or in pET-24b+(Novagen) to express the protein in 'untagged' form (e.g. ΔG 287K).

[0288] Where a protein was expressed without a fusion partner and with its own leader peptide (if present), amplification of the open reading frame (ATG to STOP codons) was performed.

[0289] Where a protein was expressed in 'untagged' form, the leader peptide was omitted by designing the 5'-end amplification primer downstream from the predicted leader sequence.

[0290] The melting temperature of the primers used in PCR depended on the number and type of hybridising nucleotides in the whole primer, and was determined using the formulae:

$$T_{m1} = 4 (G+C) + 2 (A+T) \quad \text{(tail excluded)}$$

$$T_{m2} = 64.9 + 0.41 (\% \text{ GC}) - 600/N \quad \text{(whole primer)}$$

[0291] The melting temperatures of the selected oligonucleotides were usually 65-70°C for the whole oligo and 50-60°C for the hybridising region alone.

[0292] Oligonucleotides were synthesised using a Perkin Elmer 394 DNA/RNA Synthesizer, eluted from the columns in 2.0ml NH₄OH, and deprotected by 5 hours incubation at 56°C. The oligos were precipitated by addition of 0.3M Na-Acetate and 2 volumes ethanol. The samples were centrifuged and the pellets resuspended in water.

		Sequences	Restriction site
5	Orf1L	Fwd CGCGGATCCGCTAGC-AAAACAACCGACAAACGG	NheI
		Rev CCCGCTCGAG-TTACCAGCGGTAGCCTA	XhoI
	Orf1	Fwd CTAGCTAGC-GGACACACTTATTTGCGCATC	NheI
		Rev CCCGCTCGAG-TTACCAGCGGTAGCCTAATTTG	XhoI
10	Orf1LOmpA	Fwd	NdeI-(NheI)
		Rev CCCGCTCGAG-	XhoI
	Orf4L	Fwd CGCGGATCCCATATG-AAAACCTTCTTCAAAACC	NdeI
		Rev CCCGCTCGAG-TTATTTGGCTGCGCCTTC	XhoI
15	Orf7-1L	Fwd GCGGCATTAAT-ATGTTGAGAAAATTGTTGAAATGG	Asel
		Rev GCGGCCTCGAG-TTATTTTTCAAAATATATTTGC	XhoI
	Orf9-1L	Fwd GCGGCCATATG-TTACCTAACC GTTTCAAAATGT	NdeI
		Rev GCGGCCTCGAG-TTATTTCGAGGTTTTCGGG	XhoI
20	Orf23L	Fwd CGCGGATCCCATATG-ACACGCTTCAAATATTC	NdeI
		Rev CCCGCTCGAG-TTATTTAAACCGATAGGTAAA	XhoI
	Orf25-1 His	Fwd CGCGGATCCCATATG-GGCAGGGAAGAACCGC	NdeI
		Rev GCCCAAGCTT-ATCGATGGAATAGCCGCG	HindIII
25	Orf29-1 b-His (MC58)	Fwd CGCGGATCCGCTAGC-AACGGTTTGGATGCCCCG	NheI
		Rev CCCGCTCGAG-TTTGTCTAAGTTCCTGATAT CCCGCTCGAG-ATTCCACCTGCCATC	XhoI
	Orf29-1 b-L (MC58)	Fwd CGCGGATCCGCTAGC-ATGAATTTGCCTATTCAAAAAT	NheI
		Rev CCCGCTCGAG-TTAATTTCCACCTGCCATC	XhoI
30	Orf29-1 c-His (MC58)	Fwd CGCGGATCCGCTAGC-ATGAATTTGCCTATTCAAAAAT	NheI
		Rev CCCGCTCGAG-TTGGACGATGCCCCGGA	XhoI
	Orf29-1 c-L (MC58)	Fwd CGCGGATCCGCTAGC-ATGAATTTGCCTATTCAAAAAT	NheI
		Rev CCCGCTCGAG-TTATTGGACGATGCCCCG	XhoI
35	Orf25L	Fwd CGCGGATCCCATATG-TATCGCAAACGATTGC	NdeI
		Rev CCCGCTCGAG-CTAATCGATGGAATAGCC	XhoI
	Orf37L	Fwd CGCGGATCCCATATG-AAACAGACAGTCAAATG	NdeI
		Rev CCCGCTCGAG-TCAATAACCCGCCTTCAG	XhoI
40	Orf38L	Fwd CGCGGATCCCATATG- TTACGTTTGACTGCTTAGCCGTATGCACC	NdeI
		Rev CCCGCTCGAG- TTATTTTGCCGCGTTAAAAGCGTCGGCAAC	XhoI
45	Orf40L	Fwd CGCGGATCCCATATG-AACAAAATATACCGCAT	NdeI
		Rev CCCGCTCGAG-TTACCACTGATAACCGAC	XhoI
	Orf40.2-His	Fwd CGCGGATCCCATATG-ACCGATGACGACGATTTAT	NdeI
		Rev GCCCAAGCTT-CCACTGATAACCGACAGA	HindIII
50	Orf40.2L	Fwd CGCGGATCCCATATG-AACAAAATATACCGCAT	NdeI
		Rev GCCCAAGCTT-TTACCACTGATAACCGAC	HindIII
	Orf46-2L	Fwd GGGAATTCCATATG-GGCATTTCCCGCAAAATATC	NdeI
		Rev CCCGCTCGAG-TTATTACTCCTATAACGAGGTCTCTTAAC	XhoI
55	Orf46-2	Fwd GGGAATTCCATATG-TCAGATTTGGCAAACGATTCTT	NdeI
		Rev CCCGCTCGAG-TTATTACTCCTATAACGAGGTCTCTTAAC	XhoI
	Orf46.1L	Fwd GGGAATTCCATATG-GGCATTTCCCGCAAAATATC	NdeI

	Rev	CCCGCTCGAG-TTACGTATCATATTTACGTGC	XhoI
orf46. (His-GST)	Fwd	GGGAATTCCATATGCACGTGAAATATGATACGAAG	BamHI-NdeI
	Rev	CCCGCTCGAGTTTACTCCTATAACGAGGTCTCTTAAC	XhoI
orf46.1-His	Fwd	GGGAATTCCATATGTCAGATTTGGCAAACGATTCTT	NdeI
	Rev	CCCGCTCGAGCGTATCATATTTACGTGC	XhoI
orf46.2-His	Fwd	GGGAATTCCATATGTCAGATTTGGCAAACGATTCTT	NdeI
	Rev	CCCGCTCGAGTTTACTCCTATAACGAGGTCTCTTAAC	XhoI
Orf65-1-(His/GST) (MC58)	Fwd	CGCGGATCCCATATG-CAAAATGCGTTCAAAATCCC	BamHI-NdeI
	Rev	CGCGGATCCCATATG-AACAAAATATACCGCAT CCCGCTCGAG-TTTGCTTTGATAGAACGG	XhoI
Orf72-1L	Fwd	GCGGCCATATG-GTCATAAAATATACAAATTTGAA	NdeI
	Rev	GCGGCCTCGAG-TTAGCCTGAGACCTTTGCAAATT	XhoI
Orf76-1L	Fwd	GCGGCCATATG-AAACAGAAAAAACCGCTG	NdeI
	Rev	GCGGCCTCGAG-TTACGGTTTGACACCGTTTTTC	XhoI
Orf83.1L	Fwd	CGCGGATCCCATATG-AAAACCCTGCTCCTC	NdeI
	Rev	CCCGCTCGAG-TTATCCTCCTTTGCGGC	XhoI
Orf85-2L	Fwd	GCGGCCATATG-GCAAAAATGATGAAATGGG	NdeI
	Rev	GCGGCCTCGAG-TTATCGGCGCGGCGGGCC	XhoI
Orf91L (MC58)	Fwd	GCGGCCATATGAAAAAATCCTCCCTCATCA	NdeI
	Rev	GCGGCCTCGAGTTATTTGCCGCCGTTTTTGGC	XhoI
Orf91-His(MC58)	Fwd	GCGGCCATATGGCCCTGCCGACGCGGTAAG	NdeI
	Rev	GCGGCCTCGAGTTTGCCGCCGTTTTTGGCTTTC	XhoI
Orf97-1L	Fwd	GCGGCCATATG-AAACACATACTCCCCCTGA	NdeI
	Rev	GCGGCCTCGAG-TTATTCGCCTACGGTTTTTTTG	XhoI
Orf119L (MC58)	Fwd	GCGGCCATATGATTTACATCGTACTGTTTC	NdeI
	Rev	GCGGCCTCGAGTTAGGAGAACAGGCGCAATGC	XhoI
Orf119-His(MC58)	Fwd	GCGGCCATATGTACAACATGTATCAGGAAAAC	NdeI
	Rev	GCGGCCTCGAGGGGAGAACAGGCGCAATGCGG	XhoI
Orf137.1 (His- GST) (MC58)	Fwd	CGCGGATCCGCTAGCTGCGGCACGGCGGG	BamHI-NheI
	Rev	CCCGCTCGAGATAACGGTATGCCGCCAG	XhoI
Orf143-1L	Fwd	CGCGGATCCCATATG-GAATCAACACTTTCAC	NdeI
	Rev	CCCGCTCGAG-TTACACGCGTTGCTGT	XhoI
008	Fwd	CGCGGATCCCATATG-AACAACAGACATTTTG	NdeI
	Rev	CCCGCTCGAG-TTACCTGTCCGGTAAAAG	XhoI
050-1(48)	Fwd	CGCGGATCCGCTAGC-ACCGTCATCAAACAGGAA	NheI
	Rev	CCCGCTCGAG-TCAAGATTTCGACGGGGA	XhoI
105	Fwd	CGCGGATCCCATATG-TCCGCAAACGAATACG	NdeI
	Rev	CCCGCTCGAG-TCAGTGTCTGCCAGTTT	XhoI
111L	Fwd	CGCGGATCCCATATG-CCGTCTGAAACACG	NdeI
	Rev	CCCGCTCGAG-TTAGCGGAGCAGTTTTTC	XhoI
117-1	Fwd	CGCGGATCCCATATG-ACCGCCATCAGCC	NdeI
	Rev	CCCGCTCGAG-TTAAAGCCGGGTAAACGC	XhoI
121-1	Fwd	GCGGCCATATG-GAAACACAGCTTTACATCGG	NdeI
	Rev	GCGGCCTCGAG-TCAATAATAATATCCCCGCG	XhoI

	122-1	Fwd	GCGGCCATATG-ATTAAAATCCGCAATATCC	NdeI
		Rev	GCGGCCTCGAG-TTAAATCTTGGTAGATTGGATTGG	XhoI
5	128-1	Fwd	GCGGCCATATG-ACTGACAACGCACTGCTCC	NdeI
		Rev	GCGGCCTCGAG-TCAGACCGCGTTGTCGAAAC	XhoI
	148	Fwd	CGCGGATCCCATATG-GCGTTAAAAACATCAAA	NdeI
		Rev	CCCGCTCGAG-TCAGCCCTTCATACAGC	XhoI
10	149.1L (MC58)	Fwd	GCGGCATTAATGGCACAACACTACACTCAAACC	Asel
		Rev	GCGGCCTCGAGTTAAAACTTCACGTTACGCGCG	XhoI
	149.1-His(MC58)	Fwd	GCGGCATTAATGCATGAACTGAGCAATCGGTGG	Asel
		Rev	GCGGCCTCGAGAAACTTCACGTTACGCGCGCGGTAAA	XhoI
15	205 (His-GST) (MC58)	Fwd	CGCGGATCCCATATGGGCAAATCCGAAAAATACG	BamHI-NdeI
		Rev	CCCGCTCGAGATAATGGCGGCGGCGG	XhoI
	206L	Fwd	CGCGGATCCCATATG-TTCCCCCGACAA	NdeI
		Rev	CCCGCTCGAG-TCATTCTGTAAAAAAGTATG	XhoI
20	214 (His-GST) (MC58)	Fwd	CGCGGATCCCATATGCTTCAAAGCGACAGCAG	BamHI-NdeI
		Rev	CCCGCTCGAGTTCGGATTTTTGCGTACTC	XhoI
	216	Fwd	CGCGGATCCCATATG-GCAATGGCAGAAAACG	NdeI
		Rev	CCCGCTCGAG-CTATACAATCCGTGCCG	XhoI
25	225-1L	Fwd	CGCGGATCCCATATG-GATTCTTTTTTCAAACC	NdeI
		Rev	CCCGCTCGAG-TCAGTTCAGAAAGCGGG	XhoI
	235L	Fwd	CGCGGATCCCATATG-AAACCTTTGATTTTAGG	NdeI
		Rev	CCCGCTCGAG-TTATTTGGGCTGCTCTTC	XhoI
30	243	Fwd	CGCGGATCCCATATG-GTAATCGTCTGGTTG	NdeI
		Rev	CCCGCTCGAG-CTACGACTTGGTTACCG	XhoI
	247-1L	Fwd	GCGGCCATATG-AGACGTAAATGCTAAAGCTAC	NdeI
		Rev	GCGGCCTCGAG-TCAAAGTGTCTGTTTGCGC	XhoI
35	264-His	Fwd	GCCGCCATATG-TTGACTTTAACCCGAAAAA	NdeI
		Rev	GCCGCCTCGAG-GCCGGCGGTCAATACCGCCCGAA	XhoI
40	270 (His-GST) (MC58)	Fwd	CGCGGATCCCATATGGCGCAATGCGATTTGAC	BamHI-NdeI
		Rev	CCCGCTCGAGTTCGGCGGTAAATGCCG	XhoI
	274L	Fwd	GCGGCCATATG-GCGGGGCCGATTTTGT	NdeI
		Rev	GCGGCCTCGAG-TTATTTGCTTTCAGTATTATTG	XhoI
45	283L	Fwd	GCGGCCATATG-AACTTTGCTTTATCCGTCA	NdeI
		Rev	GCGGCCTCGAG-TTAACGGCAGTATTTGTTAC	XhoI
	285-His	Fwd	CGCGGATCCCATATGGGTTTGCGCTTCGGGC	BamHI
		Rev	GCCCAAGCTTTTTTCCTTTGCCGTTTCCG	HindIII
50	286-His (MC58)	Fwd	CGCGGATCCCATATG-GCCGACCTTTCCGAAAA	NdeI
		Rev	CCCGCTCGAG-GAAGCGCGTTCCCAAGC	XhoI
	286L (MC58)	Fwd	CGCGGATCCCATATG-CACGACACCCGTAC	NdeI
		Rev	CCCGCTCGAG-TTAGAAGCGCGTTCCCAA	XhoI
55	287L	Fwd	CTAGCTAGC-TTTAAACGCAGCGTAATCGCAATGG	NheI
		Rev	CCCGCTCGAG-TCAATCCTGCTCTTTTTTGCC	XhoI

	287	Fwd	CTAGCTAGC-GGGGGCGGCGGTGGCG	NheI
		Rev	CCCGCTCGAG-TCAATCCTGCTCTTTTTTGCC	XhoI
5	287Lorf4	Fwd	CTAGCTAGCGCTCATCCTCGCCGCC-TGCGGGGGCGGCGGT	NheI
		Rev	CCCGCTCGAG-TCAATCCTGCTCTTTTTTGCC	XhoI
10	287-fu	Fwd	CGGGGATCC-GGGGGCGGCGGTGGCG	BamHI
		Rev	CCCGCTCGAG-TCAATCCTGCTCTTTTTTGCC	XhoI
	287-His	Fwd	CTAGCTAGC-GGGGGCGGCGGTGGCG	NheI
		Rev	CCCGCTCGAG-ATCCTGCTCTTTTTTGCC *	XhoI
15	287-His(2996)	Fwd	CTAGCTAGC-TGCGGGGGCGGCGGTGGCG	NheI
		Rev	CCCGCTCGAG-ATCCTGCTCTTTTTTGCC	XhoI
	Δ1 287-His	Fwd	CGCGGATCCGCTAGC-CCCGATGTAAATCGGC §	NheI
		Fwd	CGCGGATCCGCTAGC-CAAGATATGGCGGCAGT §	NheI
20	Δ2 287-His	Fwd	CGCGGATCCGCTAGC-GCCGAATCCGCAAATCA §	NheI
		Fwd	CGCGCTAGC-GGAAGGGTTGATTTGGCTAATGG §	NheI
	Δ4 287MC58-His	Fwd	CGCGCTAGC-GGAAGGGTTGATTTGGCTAATGG §	NheI
		Fwd	CGCCATATG-TTAAACGCAGCGTAATCGC	NdeI
25	287a-His	Fwd	CGCCATATG-TTAAACGCAGCGTAATCGC	NdeI
		Rev	CCCGCTCGAG-AAAATTGCTACCGCCATTCGCAGG	XhoI
	287b-His	Fwd	CGCCATATG-GGAAGGGTTGATTTGGCTAATGG	NdeI
		Rev	CCCGCTCGAG-CTTGTCTTTATAAATGATGACATATTTG	XhoI
30	287b-2996-His	Rev	CCCGCTCGAG-TTTATAAAAGATAATATATTGATTGATTCC	XhoI
		Fwd	CGCGCTAGC-ATGCCGCTGATTCCCGTCAATC §	NheI
	287c-2996-His	Fwd	CGCGCTAGC-ATGCCGCTGATTCCCGTCAATC §	NheI
		Fwd	CTAGCTAGC-GGGGGCGGCGGTGGCG	NheI
35	287 ^{untagged} (2996)	Rev	CCCGCTCGAG-TCAATCCTGCTCTTTTTTGCC	XhoI
		Fwd	CGCGGATCCGCTAGC-CCCGATGTAAATCGGC	NheI
	ΔG287-His *	Rev	CCCGCTCGAG-ATCCTGCTCTTTTTTGCC	XhoI
		Fwd	CGCGGATCCGCTAGC-CCCGATGTAAATCGGC	NheI
40	ΔG287K(2996)	Rev	CCCGCTCGAG-TCAATCCTGCTCTTTTTTGCC	XhoI
		Fwd	CGCGGATCCGCTAGC-CCCGATGTAAATCGGC	NheI
	ΔG 287-L	Fwd	CGCGGATCCGCTAGC-TTGAACGCAGTGTGCAATGGCTTGTATTTTTGCC	NheI
		Rev	CTTTCAGCCTGT TCGCCCGATGTAAATCGGCG	XhoI
45	ΔG 287-Orf4L	Fwd	CGCGGATCCGCTAGC-AAAACCTTCTTCAAAACCCTTCCGCCGCCGCACTCGCG	NheI
		Rev	CTCATCCTCGCCGCCTGC TCGCCCGATGTAAATCG	XhoI
50	292L	Fwd	CGCGGATCCCATATG-AAAACCAAGTTAATCAAA	NdeI
		Rev	CCCGCTCGAG-TTATTGATTTTTGCGGATGA	XhoI
	308-1	Fwd	CGCGGATCCCATATG-TTAAATCGGGTATTTTATC	NdeI
		Rev	CCCGCTCGAG-TTAATCCGCCATTCCCTG	XhoI
55	401L	Fwd	GCGGCCATATG-AAATTACAACAATTGGCTG	NdeI
		Rev	GCGGCCTCGAG-TTACCTTACGTTTTTCAAAG	XhoI
	406L	Fwd	CGCGGATCCCATATG-CAAGCACGGCTGCT	NdeI
		Rev	CCCGCTCGAG-TCAAGGTTGTCCTTGTCTA	XhoI
55	502-1L	Fwd	CGCGGATCCCATATG-ATGAAACCGCACAAAC	NdeI
		Rev	CCCGCTCGAG-TCAGTTGCTCAACACGTC	XhoI

502-A (His-GST)	Fwd	CGCGGATCCCATATGGTAGACGCGCTTAAGCA	BamHI-NdeI
	Rev	CCCGCTCGAGAGCTGCATGGCGGCG	XhoI
503-1L	Fwd	CGCGGATCCCATATG-GCACGGTCGTTATAC	NdeI
	Rev	CCCGCTCGAG-CTACCGCGCATTCTCTG	XhoI
519-1L	Fwd	GCGGCCATATG-GAATTTTTCATTATCTTGTT	NdeI
	Rev	GCGGCCTCGAG-TTATTTGGCGGTTTTGCTGC	XhoI
525-1L	Fwd	GCGGCCATATG-AAGTATGTCCGGTTATTTTC	NdeI
	Rev	GCGGCCTCGAG-TTATCGGCTTGTGCAACGG	XhoI
529-(His/GST) (MC58)	Fwd	CGCGGATCCGCTAGC-TCCGGCAGCAAAACCGA	Bam HI-NheI
	Rev	GCCCAAGCTT-ACGCAGTTCGGAATGGAG	HindIII
552L	Fwd	GCCGCCATATGTTGAATATTAACTGAAAACCTTG	NdeI
	Rev	GCCGCCTCGAGTTATTTCTGATGCCTTTTCCC	XhoI
556L	Fwd	GCCGCCATATGGACAATAAGACCAAACCTG	NdeI
	Rev	GCCGCCTCGAGTTAACGGTGCGGACGTTTC	XhoI
557L	Fwd	CGCGGATCCCATATG-AACAACTGTTTCTTAC	NdeI
	Rev	CCCGCTCGAG-TCATTCCGCCTTCAGAAA	XhoI
564ab-(His/GST) (MC58)	Fwd	CGCGGATCCCATATG-CAAGGTATCGTTGCCGACAAATCCGCACCT	BamHI-NdeI
	Rev	CCCGCTCGAG-AGCTAATTGTGCTTGGTTTGCAGATAGGAGTT	XhoI
564abL (MC58)	Fwd	CGCGGATCCCATATG-AACCGCACCTGTACAAAGTTGTATTTAACAAACATC	NdeI
	Rev	CCCGCTCGAG-TTAAGCTAATTGTGCTTGGTTTGCAGATAGGAGTT	XhoI
564b-(His/GST)(MC58)	Fwd	CGCGGATCCCATATG-ACGGGAGAAAATCATGCGGTTTCACTTCATG	BamHI-NdeI
	Rev	CCCGCTCGAG-AGCTAATTGTGCTTGGTTTGCAGATAGGAGTT	XhoI
564c-(His/GST)(MC58)	Fwd	CGCGGATCCCATATG-GTTTCAGACGGCCTATACAACCAACATGGTGAAATT	BamHI-NdeI
	Rev	CCCGCTCGAG-GCGGTAAGTCCGCTTGCCTGAATCCGTAA	XhoI
564bc-(His/GST)(MC58)	Fwd	CGCGGATCCCATATG-ACGGGAGAAAATCATGCGGTTTCACTTCATG	BamHI-NdeI
	Rev	CCCGCTCGAG-GCGGTAAGTCCGCTTGCCTGAATCCGTAA	XhoI
564d-(His/GST)(MC58)	Fwd	CGCGGATCCCATATG-CAAAGCAAAGTCAAAGCAGACCATGCCTCCGTAA	BamHI-NdeI
	Rev	CCCGCTCGAG-TCTTTTCCTTTCAATTATAACTTTAGTAGGTTCAATTTTG GTCCCC	XhoI
564cd-(His/GST)(MC58)	Fwd	CGCGGATCCCATATG-GTTTCAGACGGCCTATACAACCAACATGGTGAAATT	BamHI-NdeI
	Rev	CCCGCTCGAG-TCTTTTCCTTTCAATTATAACTTTAGTAGGTTCAATTTTG GTCCCC	XhoI
570L	Fwd	GCGGCCATATG-ACCCGTTTGACCCGCG	NdeI
	Rev	GCGGCCTCGAG-TCAGCGGGCGTTCAATTCTT	XhoI
576-1L	Fwd	CGCGGATCCCATATG-AACACCATTTTCAAATC	NdeI
	Rev	CCCGCTCGAG-TTAATTTACTTTTTTGATGTCG	XhoI

	580L	Fwd	GCGGCCATATG-GATTCGCCCAAGGTCGG	NdeI
		Rev	GCGGCCTCGAG-CTACACTTCCCCGAAGTGG	XhoI
5	583L	Fwd	CGCGGATCCCATATG-ATAGTTGACCAAAGCC	NdeI
		Rev	CCCGCTCGAG-TTATTTTTCCGATTTTTTCGG	XhoI
	593	Fwd	GCGGCCATATG-CTTGAACCTGAACGGACT	NdeI
		Rev	GCGGCCTCGAG-TCAGCGGAAGCGGACGATT	XhoI
10	650 (His-GST) (MC58)	Fwd	CGCGGATCCCATATGTCCAAACTCAAAACCATCG	BamHI-NdeI
		Rev	CCCGCTCGAGGCTTCCAATCAGTTTGACC	XhoI
	652	Fwd	GCGGCCATATG-AGCGCAATCGTTGATATTTTC	NdeI
		Rev	GCGGCCTCGAG-TTATTGCCCAGTTGGTAGAATG	XhoI
15	664L	Fwd	GCGGCCATATG-GTGATACATCCGCACTACTTC	NdeI
		Rev	GCGGCCTCGAG-TCAAAATCGAGTTTACACCA	XhoI
	726	Fwd	GCGGCCATATG-ACCATCTATTTCAAAAACGG	NdeI
		Rev	GCGGCCTCGAG-TCAGCCGATGTTTAGCGTCCATT	XhoI
20	741-His(MC58)	Fwd	CGCGGATCCCATATG-AGCAGCGGAGGGGGTG	NdeI
		Rev	CCCGCTCGAG-TTGCTTGCGGCAAGGC	XhoI
	ΔG741-His(MC58)	Fwd	CGCGGATCCCATATG-GTCGCCGCCGACATCG	NdeI
		Rev	CCCGCTCGAG-TTGCTTGCGGCAAGGC	XhoI
25	686-2-(His/GST) (MC58)	Fwd	CGCGGATCCCATATG-GGCGTTTCGGAAGGCG	BamHI-NdeI
		Rev	CCCGCTCGAG-TTGAACACTGATGTCTTTTCCGA	XhoI
	719-(His/GST) (MC58)	Fwd	CGCGGATCCGCTAGC-AAACTGTGCTTGGTGTTAAC	BamHI-NheI
		Rev	CCCGCTCGAG-TTGACCCGCTCCACGG	XhoI
30	730-His (MC58)	Fwd	GCCGCCATATGGCGGACTTGGCGCAAGACCC	NdeI
		Rev	GCCGCCTCGAGATCTCCTAAACCTGTTTAAACAATGCCG	XhoI
	730A-His (MC58)	Fwd	GCCGCCATATGGCGGACTTGGCGCAAGACCC	NdeI
		Rev	GCGGCCTCGAGCTCCATGCTGTTGCCCCAGC	XhoI
35	730B-His (MC58)	Fwd	GCCGCCATATGGCGGACTTGGCGCAAGACCC	NdeI
		Rev	GCGGCCTCGAGAAAATCCCCGCTAACCGCAG	XhoI
	741-His (MC58)	Fwd	CGCGGATCCCATATG-AGCAGCGGAGGGGGTG	NdeI
		Rev	CCCGCTCGAG-TTGCTTGCGGCAAGGC	XhoI
40	ΔG741-His (MC58)	Fwd	CGCGGATCCCATATG-GTCGCCGCCGACATCG	NdeI
		Rev	CCCGCTCGAG-TTGCTTGCGGCAAGGC	XhoI
	743 (His-GST)	Fwd	CGCGGATCCCATATGGACGGTGTGTGCCTGTT	BamHI-NdeI
		Rev	CCCGCTCGAGCTTACGGATCAAATTGACG	XhoI
45	757 (His-GST) (MC58)	Fwd	CGCGGATCCCATATGGGCAGCCAATCTGAAGAA	BamHI-NdeI
		Rev	CCCGCTCGAGCTCAGCTTTTGCCGTCAA	XhoI
	759-His/GST (MC58)	Fwd	CGCGGATCCGCTAGC-TACTCATCCATTGTCCGC	BamHI-NheI
		Rev	CCCGCTCGAG-CCAGTTGTAGCCTATTTTG	XhoI
50	759L (MC58)	Fwd	CGCGGATCCGCTAGC-ATGCGCTTCACACACAC	NheI
		Rev	CCCGCTCGAG-TTACCAGTTGTAGCCTATTT	XhoI
	760-His	Fwd	GCCGCCATATGGCACAACGGAAGGTTTGAA	NdeI
		Rev	GCCGCCTCGAGAAAACCTGTAACGCAGGTTTGCCGTC	XhoI
55	769-His (MC58)	Fwd	GCGGCCATATGGAAGAAACACCGCGCAACCG	NdeI

	Rev	GCGGCCTCGAGGAACGTTTTATTAAACTCGAC	XhoI
907L	Fwd	GCGGCC <u>CATATG</u> -AGAAAACCGACCGATACCCTA	NdeI
	Rev	GCGGCCTCGAG-TCAACGCCACTGCCAGCGGTTG	XhoI
911L	Fwd	CGCGGATCCCATATG-AAGAAGAACATATTGGAATTTTGGGTCGGACTG	NdeI
	Rev	CCCG <u>CTCGAG</u> -TTATTCGGCGGCTTTTTCCGCATTGCCG	XhoI
911LOmpA	Fwd	GGGAATTCCATATGAAAAAGACAGCTATCGCGATTGCA GTGGCACTGGCTGGTTTCGCTACCGTAGCGCAGGCCGC TAGC-GCTTTCCGCGTGGCCGGCGGTGC	NdeI-(NheI)
	Rev	CCCG <u>CTCGAG</u> -TTATTCGGCGGCTTTTTCCGCATTGCCG	XhoI
911LPelB	Fwd	CATGCCATGG-CTTTCGCGTGGCCGGCGGTGC	NcoI
	Rev	CCCG <u>CTCGAG</u> -TTATTCGGCGGCTTTTTCCGCATTGCCG	XhoI
913-His/GST (MC58)	Fwd	CGCGGATCCCATATG-TTTGCCGAAACCCGCC	BamHI-NdeI
	Rev	CCCG <u>CTCGAG</u> -AGGTTGTGTTCCAGGTTG	XhoI
913L (MC58)	Fwd	CGCGGATCCCATATG-AAAAAAACCGCCTATG	NdeI
	Rev	CCCG <u>CTCGAG</u> -TTAAGGTTGTGTTCCAGG	XhoI
919L	Fwd	CGCGGATCCCATATG-AAAAATACCTATTCCGC	NdeI
	Rev	CCCG <u>CTCGAG</u> -TTACGGGCGGTATTCGG	XhoI
919	Fwd	CGCGGATCCCATATG-CAAAGCAAGAGCATCCAAA	NdeI
	Rev	CCCG <u>CTCGAG</u> -TTACGGGCGGTATTCGG	XhoI
919L Orf4	Fwd	GGGAATTCCATATGAAAACCTTCTTCAAACCCTTTCCG CCGCCGCGCTAGCGCTCATCCTCGCCGCC- TGCCAAAGCAAGAGCATC	NdeI-(NheI)
	Rev	CCCG <u>CTCGAG</u> -TTACGGGCGGTATTCGGGCTTCATACCG	XhoI
(919)-287fusion	Fwd	CGCGGATCCGTCGAC-TGTGGGGGCGGCGGTGGC	Sall
	Rev	CCCG <u>CTCGAG</u> -TCAATCCTGCTCTTTTTTGCC	XhoI
920-1L	Fwd	GCGGCCATATG-AAGAAAACATTGACACTGC	NdeI
	Rev	GCGGCCTCGAG-TTAATGGTGCGAATGACCGAT	XhoI
925-His/GST (MC58) _{GATE}	Fwd	ggggacaagttgtacaaaaagcaggctTGCGGCAAGGATGCCGG	attB1
	Rev	ggggaccactttgtacaagaagctgggtCTAAAGCAACAATGCCGG	attB2
926L	Fwd	CGCGGATCCCATATG-AAACACACCGTATCC	NdeI
	Rev	CCCG <u>CTCGAG</u> -TTATCTCGTGCGCGCC	XhoI
927-2-(His/GST) (MC58)	Fwd	CGCGGATCCCATATG-AGCCCCGCGCCGATT	BamHI-NdeI
	Rev	CCCG <u>CTCGAG</u> -TTTTTGTGCGGTCAGGCG	XhoI
932-His/GST (MC58) _{GATE}	Fwd	ggggacaagttgtacaaaaagcaggctTGTTGCTTTGGGGGATTAA ACCAAACCAAATC	attB1
935 (His-GST) (MC58)	For	CGCGGATCCCATATGGCGGATGCGCCCCGCG	BamHI-NdeI
	Rev	CCCG <u>CTCGAG</u> AAACCGCCAATCCGCC	XhoI
936-1L	Rev	ggggaccactttgtacaagaagctgggtTCATTTTGTTTTTCCTTCTTCT CGAGGCCATT	attB2
	Fwd	CGCGGATCCCATATG-AAACCCAAACCGCAC	NdeI
	Rev	CCCG <u>CTCGAG</u> -TCAGCGTTGGACGTAGT	XhoI
953L	Fwd	GGGAATTCCATATG-AAAAAATCATCTTCGCCG	NdeI
	Rev	CCCG <u>CTCGAG</u> -TTATTGTTTGGCTGCCTCGAT	XhoI
953-fu	Fwd	GGGAATTCCATATG-GCCACCTACAAAGTGACG	NdeI
	Rev	CGGGGATCC-TTGTTTGGCTGCCTCGATTG	BamHI

	5	954 (His-GST) (MC58)	Fwd	CGCGGATCCCATATGCAAGAACAATCGCAGAAAG	BamHI-NdeI
			Rev	CCCCTCGAGTTTTTCGGCAAATTGGCTT	XhoI
	10	958-His/GST (MC58) GATE	Fwd	ggggacaagttgtacaaaaagcaggctGCCGATGCCGTTGCGG	<i>attB1</i>
			Rev	ggggaccacttgtacaagaaagctgggtTCAGGGTCGTTTGTGCG	<i>attB2</i>
	15	961L	Fwd	CGCGGATCCCATATG-AAACACTTTCCATCC	NdeI
			Rev	CCCCTCGAG-TTACCACTCGTAATTGAC	XhoI
	20	961	Fwd	CGCGGATCCCATATG-GCCACAAGCGACGAC	NdeI
			Rev	CCCCTCGAG-TTACCACTCGTAATTGAC	XhoI
	25	961 c (His/GST)	Fwd	CGCGGATCCCATATG-GCCACAAACGACG	BamHI-NdeI
			Rev	CCCCTCGAG-ACCCACGTTGTAAGGTTG	XhoI
	30	961 c-(His/GST) (MC58)	Fwd	CGCGGATCCCATATG-GCCACAAGCGACGACGA	BamHI-NdeI
			Rev	CCCCTCGAG-ACCCACGTTGTAAGGTTG	XhoI
	35	961 c-L	Fwd	CGCGGATCCCATATG-ATGAAACACTTTCCATCC	NdeI
			Rev	CCCCTCGAG-TTAACCCACGTTGTAAGGT	XhoI
	40	961 c-L (MC58)	Fwd	CGCGGATCCCATATG-ATGAAACACTTTCCATCC	NdeI
			Rev	CCCCTCGAG-TTAACCCACGTTGTAAGGT	XhoI
	45	961 d (His/GST)	Fwd	CGCGGATCCCATATG-GCCACAAACGACG	BamHI-NdeI
			Rev	CCCCTCGAG-GTCTGACACTGTTTTATCC	XhoI
	50	961 Δ1-L	Fwd	CGCGGATCCCATATG-ATGAAACACTTTCCATCC	NdeI
			Rev	CCCCTCGAG-TTATGCTTTGGCGGCAAAG	XhoI
	55	fu 961-...	Fwd	CGCGGATCCCATATG- GCCACAAACGACGAC	NdeI
			Rev	CGCGGATCC-CCACTCGTAATTGACGCC	BamHI
	60	fu 961-... (MC58)	Fwd	CGCGGATCCCATATG-GCCACAAGCGACGAC	NdeI
			Rev	CGCGGATCC-CCACTCGTAATTGACGCC	BamHI
	65	fu 961 c -...	Fwd	CGCGGATCCCATATG-GCCACAAACGACGAC	NdeI
			Rev	CGCGGATCC -ACCCACGTTGTAAGGTTG	BamHI
	70	fu 961 c-L-...	Fwd	CGCGGATCCCATATG- ATGAAACACTTTCCATCC	NdeI
			Rev	CGCGGATCC -ACCCACGTTGTAAGGTTG	BamHI
	75	fu (961)- 741(MC58)-His	Fwd	CGCGGATCC -GGAGGGGGTGGTGTCG	BamHI
			Rev	CCCCTCGAG-TTGCTTGGCGGCAAGGC	XhoI
	80	fu (961)-983-His	Fwd	CGCGGATCC - GGCGGAGGCGGCACTT	BamHI
			Rev	CCCCTCGAG-GAACCGGTAGCCTACG	XhoI
	85	fu (961)- Orf46.1- His	Fwd	CGCGGATCCGGTGGTGGTGGT- TCAGATTTGGCAAACGATTC	BamHI
			Rev	CCCCTCGAG-CGTATCATATTTACGTGC	XhoI
	90	fu (961 c-L)- 741(MC58)	Fwd	CGCGGATCC -GGAGGGGGTGGTGTCG	BamHI
			Rev	CCCCTCGAG-TTATTGCTTGGCGGCAAG	XhoI
	95	fu (961c-L)-983	Fwd	CGCGGATCC - GGCGGAGGCGGCACTT	BamHI
			Rev	CCCCTCGAG-TCAGAACCGGTAGCCTAC	XhoI
	100	fu (961c-L)- Orf46.1	Fwd	CGCGGATCCGGTGGTGGTGGT- TCAGATTTGGCAAACGATTC	BamHI
			Rev	CCCCTCGAG-TTACGTATCATATTTACGTGC	XhoI
		961-(His/GST)	Fwd	CGCGGATCCCATATG-GCCACAAGCGACGACG	BamHI-NdeI

	(MC58)	Rev	CCCGCTCGAG-CCACTCGTAATTGACGCC	XhoI
	961 Δ1-His	Fwd	CGCGGATCCC <u>CATATG</u> -GCCACAAACGACGAC	NdeI
5		Rev	CCCGCTCGAG-TGCTTTGGCGGCAAAGTT	XhoI
	961a-(His/GST)	Fwd	CGCGGATCCC <u>CATATG</u> -GCCACAAACGACGAC	BamHI-NdeI
		Rev	CCCGCTCGAG-TTTAGCAATATTATCTTTGTTCGTAGC	XhoI
	961b-(His/GST)	Fwd	CGCGGATCCC <u>CATATG</u> -AAAGCAAACCGTGCCGA	BamHI-NdeI
10		Rev	CCCGCTCGAG-CCACTCGTAATTGACGCC	XhoI
	961-His/GST ^{GATE}	Fwd	ggggacaagttgtacaaaaagcaggctGCAGCCACAAACGACGACG ATGTTAAAAAAGC	attB1
		Rev	ggggaccacttgtacaagaagctgggtTTACCACTCGTAATTGACGC CGACATGGTAGG	attB2
15	982	Fwd	GCGGCC <u>CATATG</u> -GCAGCAAAAGACGTACAGTT	NdeI
		Rev	GCGGCCTCGAG-TTACATCATGCCGCCATACCA	XhoI
	983-His (2996)	Fwd	CGCGGATCCGCTAGC-TTAGGCGGCGGCGGAG	NheI
		Rev	CCCGCTCGAG-GAACCGGTAGCCTACG	XhoI
20	ΔG983-His (2996)	Fwd	CCCCTAGCTAGC-ACTTCTGCGCCCGACTT	NheI
		Rev	CCCGCTCGAG-GAACCGGTAGCCTACG	XhoI
	983-His	Fwd	CGCGGATCCGCTAGC-TTAGGCGGCGGCGGAG	NheI
		Rev	CCCGCTCGAG-GAACCGGTAGCCTACG	XhoI
25	ΔG983-His	Fwd	CGCGGATCCGCTAGC-ACTTCTGCGCCCGACTT	NheI
		Rev	CCCGCTCGAG-GAACCGGTAGCCTACG	XhoI
	983L	Fwd	CGCGGATCCGCTAGC- CGAACGACCCCAACCTTCCCTACAAAACTTTCAA	NheI
		Rev	CCCGCTCGAG-TCAGAACCGACGTGCCAAGCCGTTT	XhoI
30	987-His (MC58)	Fwd	GCCGCCATATGCCCCCACTGGAAGAACGGACG	NdeI
		Rev	GCCGCCTCGAGTAATAAACCTTCTATGGGCAGCAG	XhoI
	989-(His/GST) (MC58)	Fwd	CGCGGATCCC <u>CATATG</u> -TCCGTCCACGCATCCG	BamHI-NdeI
35		Rev	CCCGCTCGAG-TTTGAATTTGTAGGTGTATTG	XhoI
	989L (MC58)	Fwd	CGCGGATCCC <u>CATATG</u> -ACCCCTTCCGCACT	NdeI
		Rev	CCCGCTCGAG-TTATTTGAATTTGTAGGTGTAT	XhoI
	CrgA-His (MC58)	Fwd	CGCGGATCCC <u>CATATG</u> -AAAACCAATTCAGAAGAA	NdeI
		Rev	CCCGCTCGAG-TCCACAGAGATTGTTTCC	XhoI
40	PilC1-ES (MC58)	Fwd	GATGCCCCGAAGGGCGGG	
		Rev	GCCCAAGCTT-TCAGAAGAAGACTTCACGC	
	PilC1-His (MC58)	Fwd	CGCGGATCCC <u>CATATG</u> -CAAACCCATAAATACGCTATT	NdeI
		Rev	GCCCAAGCTT-GAAGAAGACTTCACGCCAG	HindIII
45	Δ1PilC1-His (MC58)	Fwd	CGCGGATCCC <u>CATATG</u> -GTCTTTTTCGACAATACCGA	NdeI
		Rev	GCCCAAGCTT-	HindIII
	PilC1L (MC58)	Fwd	CGCGGATCCC <u>CATATG</u> -AATAAACTTTAAAAAGGCGG	NdeI
		Rev	GCCCAAGCTT-TCAGAAGAAGACTTCACGC	HindIII
50	ΔGTbp2-His (MC58)	Fwd	CGCGAATCCC <u>CATATG</u> -TTCGATCTTGATTCTGTCTGA	NdeI
		Rev	CCCGCTCGAG-TCGCACAGGCTGTTGGCG	XhoI
	Tbp2-His (MC58)	Fwd	CGCGAATCCC <u>CATATG</u> -TTGGGCGGAGGCGGCAG	NdeI
		Rev	CCCGCTCGAG-TCGCACAGGCTGTTGGCG	XhoI
55	Tbp2-His(MC58)	Fwd	CGCGAATCCC <u>CATATG</u> -TTGGGCGGAGGCGGCAG	NdeI
		Rev	CCCGCTCGAG-TCGCACAGGCTGTTGGCG	XhoI

5	NMB0109- (His/GST) (MC58)	Fwd	CGCGGATCCCATATG-GCAAATTTGGAGGTGCGC	BamHI-NdeI
		Rev	CCCCTCGAG-TTCGGAGCGGTTGAAGC	XhoI
	NMB0109L (MC58)	Fwd	CGCGGATCCCATATG-CAACGTCGTATTATAACCC	NdeI
		Rev	CCCCTCGAG-TTATTCGGAGCGGTTGAAG	XhoI
10	NMB0207- (His/GST) (MC58)	Fwd	CGCGGATCCCATATG- GGCATCAAAGTCGCCATCAACGGCTAC	BamHI-NdeI
		Rev	CCCCTCGAG-TTTGAGCGGGCGCACTTCAAGTCCG	XhoI
	NMB0462- (His/GST) (MC58)	Fwd	CGCGGATCCCATATG-GGCGGCAGCGAAAAAAC	BamHI-NdeI
		Rev	CCCCTCGAG-GTTGGTGCCGACTTTGAT	XhoI
15	NMB0623- (His/GST) (MC58)	Fwd	CGCGGATCCCATATG-GGCGGCGGAAGCGATA	BamHI-NdeI
		Rev	CCCCTCGAG-TTTGCCCGCTTTGAGCC	XhoI
20	NMB0625 (His- GST)(MC58)	Fwd	CGCGGATCCCATATGGGCCAAATCCGAAAAATACG	BamHI-NdeI
		Rev	CCCCTCGAGCATCCCCTACTGTTTCG	XhoI
25	NMB0634 (His/GST)(MC58)	Fwd	ggggacaagttgtacaaaaagcaggctCCGACATTACCGTGACAAC GGCCAACAAAGAA	<i>attB1</i>
		Rev	ggggaccactttgtacaagaagctgggtCTTATTTTCATACCGGCTTGCT CAAGCAGCCGG	<i>attB2</i>
30	NMB0776- His/GST (MC58) GATE	Fwd	ggggacaagttgtacaaaaagcaggctGATACGGTGTTTTCTGTAA AACGGACAACAA	<i>attB1</i>
		Rev	ggggaccactttgtacaagaagctgggtCTAGGAAAAATCGTCATCGT TGAAATTCGCC	<i>attB2</i>
35	NMB1115- His/GST (MC58) GATE	Fwd	ggggacaagttgtacaaaaagcaggctATGCACCCCATCGAAACC	<i>attB1</i>
		Rev	ggggaccactttgtacaagaagctgggtCTAGTCTTGCAGTGCCTC	<i>attB2</i>
	NMB1343- (His/GST) (MC58)	Fwd	CGCGGATCCCATATG- GGAAATTTCTTATATAGAGGCATTAG	BamHI-NdeI
		Rev	CCCCTCGAG- GTTAATTTCTATCAACTCTTTAGCAATAAT	XhoI
40	NMB1369 (His- GST) (MC58)	Fwd	CGCGGATCCCATATGGCCTGCCAAGACGACA	BamHI-NdeI
		Rev	CCCCTCGAGCCGCCTCTGCCGAAA	XhoI
	NMB1551 (His- GST)(MC58)	Fwd	CGCGGATCCCATATGGCAGAGATCTGTTTGATAA	BamHI-NdeI
		Rev	CCCCTCGAGCGGTTTTCCGCCCAATG	XhoI
45	NMB1899 (His- GST) (MC58)	Fwd	CGCGGATCCCATATGCAGCCGGATACGGTC	BamHI-NdeI
		Rev	CCCCTCGAGAATCACTTCCAACACAAAAT	XhoI
	NMB2050- (His/GST) (MC58)	Fwd	CGCGGATCCCATATG-TGGTTGCTGATGAAGGGC	BamHI-NdeI
		Rev	CCCCTCGAG-GACTGCTTCATCTTCTGC	XhoI
50	NMB2050L (MC58)	Fwd	CGCGGATCCCATATG-GAACTGATGACTGTTTTCG	NdeI
		Rev	CCCCTCGAG-TCAGACTGCTTCATCTTCT	XhoI
55	NMB2159- (His/GST) (MC58)	Fwd	CGCGGATCCCATATG- AGCATTAAGTAGCGATTAACGGTTTCGGC	BamHI-NdeI
		Rev	CCCCTCGAG- GATTTTGCTGCGAAGTATTCAAAGTGCG	XhoI
	fu-ΔG287....-His	Fwd	CGCGGATCCGCTAGC-CCCGATGTTAAATCGGC	NheI

	Rev	CGGGGATCC-ATCCTGCTCTTTTTTGCCGG	BamHI
5	fu-(ΔG287)-919-His	Fwd CGCGGATCCGGTGGTGGTGGT-CAAAGCAAGAGCATCCAAACC	BamHI
	Rev	CCCAAGCTT-TTCGGGCGGTATTCGGGCTTC	HindIII
10	fu-(ΔG287)-953-His	Fwd CGCGGATCCGGTGGTGGTGGT-GCCACCTACAAAGTGGAC	BamHI
	Rev	GCCCAAGCTT-TTGTTTGGCTGCCTCGAT	HindIII
15	fu-(ΔG287)-961-His	Fwd CGCGGATCCGGTGGTGGTGGT-ACAAGCGACGACG	BamHI
	Rev	GCCCAAGCTT-CCACTCGTAATTGACGCC	HindIII
20	fu-(ΔG287)-Orf46.1-His	Fwd CGCGGATCCGGTGGTGGTGGT-TCAGATTTGGCAAACGATTC	BamHI
	Rev	CCCAAGCTT-CGTATCATATTTACGTGC	HindIII
25	fu-(ΔG287)-Orf46.1-His	Fwd CCCAAGCTTGGTGGTGGTGGTGGT-TCAGATTTGGCAAACGATTC	HindIII
	Rev	CCCCTCGAG-CGTATCATATTTACGTGC	XhoI
30	fu-(ΔG287)-Orf46.1)-919-His	Fwd CCCAAGCTTGGTGGTGGTGGTGGT-CAAAGCAAGAGCATCCAAACC	HindIII
	Rev	CCCCTCGAG-CGGGCGGTATTCGGGCTT	XhoI
35	fu ΔG287(394.98)-...	Fwd CGCGGATCCGCTAGC-CCCGATGTTAAATCGGC	NheI
	Rev	CGGGGATCC-ATCCTGCTCTTTTTTGCCGG	BamHI
40	fu Orf1-(Orf46.1)-His	Fwd CGCGGATCCGCTAGC-GGACACACTTATTCGGCATC	NheI
	Rev	CGCGGATCC-CCAGCGGTAGCCTAATTTGAT	
45	fu (Orf1)-Orf46.1-His	Fwd CGCGGATCCGGTGGTGGTGGT-TCAGATTTGGCAAACGATTC	BamHI
	Rev	CCCAAGCTT-CGTATCATATTTACGTGC	HindIII
50	fu (919)-Orf46.1-His	Fwd1 GCGGCGTCCGACGGTGGCGGAGGCACTGGATCCTCAG	Sall
	Fwd2	GGAGGCACTGGATCCTCAGATTTGGCAAACGATTC	
55	Fu orf46-....	Rev CCCGCTCGAG-CGTATCATATTTACGTGC	XhoI
	Fwd	GGAATTCATATGTCAGATTTGGCAAACGATTC	NdeI
60	Fu (orf46)-287-His	Rev CGCGGATCCCGTATCATATTTACGTGC	BamHI
	Fwd	CGGGGATCCGGGGGCGGCGGTGGCG	BamHI
65	Fu (orf46)-919-His	Rev CCCAAGCTTATCCTGCTCTTTTTTGCCGGC	HindIII
	Fwd	CGCGGATCCGGTGGTGGTGGTCAAAGCAAGAGCATCCA AACC	BamHI
70	Fu (orf46-919)-287-His	Rev CCCAAGCTTCGGGCGGTATTCGGGCTTC	HindIII
	Fwd	CCCCAAGCTTGGGGGCGGCGGTGGCG	HindIII
75	Fu (orf46-287)-919-His	Rev CCCGCTCGAGATCCTGCTCTTTTTTGCCGGC	XhoI
	Fwd	CCCAAGCTTGGTGGTGGTGGTGGTCAAAGCAAGAGCAT CCAAACC	HindIII
80	(ΔG741)-961c-His	Rev CCCGCTCGAGCGGGCGGTATTCGGGCTT	XhoI
	Fwd1	GGAGGCACTGGATCCGCAGCCACAAACGACGACGA	XhoI
85	(ΔG741)-961-His	Fwd2 GCGGCCTCGAG-GGTGGCGGAGGCACTGGATCCGCAG	XhoI
	Rev	CCCGCTCGAG-ACCCAGCTTGTAAGGTTG	XhoI
90	(ΔG741)-961-His	Fwd1 GGAGGCACTGGATCCGCAGCCACAAACGACGACGA	XhoI
	Fwd2	GCGGCCTCGAG-GGTGGCGGAGGCACTGGATCCGCAG	XhoI
95	Rev	CCCGCTCGAG-CCACTCGTAATTGACGCC	XhoI

5	(ΔG741)-983-His	Fwd	GCGGCCTCGAG-GGATCCGGCGGAGGCGGCACTTCTGCG	XhoI
		Rev	CCCGCTCGAG-GAACCGGTAGCCTACG	XhoI
10	(ΔG741)-orf46.1-His	Fwd1	GGAGGCACTGGATCCTCAGATTTGGCAAACGATTC	Sall
		Fwd2	GCGGCCTCGACGGTGGCGGAGGCACTGGATCCTCAGA	
		Rev	CCCGCTCGAG-CGTATCATATTTACGTGC	XhoI
15	(ΔG983)-741(MC58)-His	Fwd	GCGGCCTCGAG-GGATCCGGAGGGGGTGGTGTGCGCC	XhoI
		Rev	CCCGCTCGAG-TTGCTTGGCGGCAAG	XhoI
20	(ΔG983)-961c-His	Fwd1	GGAGGCACTGGATCCGCAGCCACAAACGACGACGA	XhoI
		Fwd2	GCGGCCTCGAG-GGTGGCGGAGGCACTGGATCCGCAG	
		Rev	CCCGCTCGAG-ACCCAGCTTGTAAGGTTG	XhoI
25	(ΔG983)-961-His	Fwd1	GGAGGCACTGGATCCGCAGCCACAAACGACGACGA	XhoI
		Fwd2	GCGGCCTCGAG-GGTGGCGGAGGCACTGGATCCGCAG	
		Rev	CCCGCTCGAG-CCACTCGTAATTGACGCC	XhoI
30	(ΔG983)-Orf46.1-His	Fwd1	GGAGGCACTGGATCCTCAGATTTGGCAAACGATTC	Sall
		Fwd2	GCGGCCTCGACGGTGGCGGAGGCACTGGATCCTCAGA	
		Rev	CCCGCTCGAG-CGTATCATATTTACGTGC	XhoI

* This primer was used as a Reverse primer for all the C terminal fusions of 287 to the His-tag.

[§] Forward primers used in combination with the 287-His Reverse primer.

NB – All PCR reactions use strain 2996 unless otherwise specified (e.g. strain MC58)

[0293] In all constructs starting with an ATG not followed by a unique *NheI* site, the ATG codon is part of the *NdeI* site used for cloning. The constructs made using *NheI* as a cloning site at the 5' end (e.g. all those containing 287 at the N-terminus) have two additional codons (GCT AGC) fused to the coding sequence of the antigen.

Preparation of chromosomal DNA templates

[0294] *N.meningitidis* strains 2996, MC58, 394.98, 1000 and BZ232 (and others) were grown to exponential phase in 100ml of GC medium, harvested by centrifugation, and resuspended in 5ml buffer (20% w/v sucrose, 50mM Tris-HCl, 50mM EDTA, pH8). After 10 minutes incubation on ice, the bacteria were lysed by adding 10ml of lysis solution (50mM NaCl, 1% Na-Sarkosyl, 50μg/ml Proteinase K), and the suspension incubated at 37°C for 2 hours. Two phenol extractions (equilibrated to pH 8) and one CHCl₃/isoamylalcohol (24:1) extraction were performed. DNA was precipitated by addition of 0.3M sodium acetate and 2 volumes of ethanol, and collected by centrifugation. The pellet was washed once with 70%(v/v) ethanol and redissolved in 4.0ml TE buffer (10mM Tris-HCl, 1mM EDTA, pH 8.0). The DNA concentration was measured by reading OD₂₆₀.

PCR Amplification

[0295] The standard PCR protocol was as follows: 200ng of genomic DNA from 2996, MC58/1000, or BZ232 strains or 10ng of plasmid DNA preparation of recombinant clones were used as template in the presence of 40μM of each oligonucleotide primer, 400-800 μM dNTPs solution, 1x PCR buffer (including 1.5mM MgCl₂), 2.5 units *Taq*/DNA polymerase (using Perkin-Elmer AmpliTaq, Boehringer Mannheim Expand™ Long Template).

[0296] After a preliminary 3 minute incubation of the whole mix at 95°C, each sample underwent a two-step amplification: the first 5 cycles were performed using the hybridisation temperature that excluded the restriction enzyme tail of the primer (T_{m1}). This was followed by 30 cycles according to the hybridisation temperature calculated for the whole length oligos (T_{m2}). Elongation times, performed at 68°C or 72°C, varied according to the length of the Orf to be amplified. In the case of Orf1 the elongation time, starting from 3 minutes, was increased by 15 seconds each cycle. The cycles were completed with a 10 minute extension step at 72°C.

[0297] The amplified DNA was either loaded directly on a 1% agarose gel. The DNA fragment corresponding to the band of correct size was purified from the gel using the Qiagen Gel Extraction Kit, following the manufacturer's protocol.

Digestion of PCR fragments and of the cloning vectors

[0298] The purified DNA corresponding to the amplified fragment was digested with the appropriate restriction enzymes for cloning into pET-21b+, pET22b+ or pET-24b+. Digested fragments were purified using the QIAquick PCR purification kit (following the manufacturer's instructions) and eluted with either H₂O or 10mM Tris, pH 8.5. Plasmid vectors were digested with the appropriate restriction enzymes, loaded onto a 1.0% agarose gel and the band corresponding to the digested vector purified using the Qiagen QIAquick Gel Extraction Kit.

Cloning

[0299] The fragments corresponding to each gene, previously digested and purified, were ligated into pET21 b+, pET22b+ or pET-24b+. A molar ratio of 3:1 fragment/vector was used with T4 DNA ligase in the ligation buffer supplied by the manufacturer.

[0300] Recombinant plasmid was transformed into competent *E.coli* DH5 or HB101 by incubating the ligase reaction solution and bacteria for 40 minutes on ice, then at 37°C for 3 minutes.

[0301] This was followed by the addition of 800µl LB broth and incubation at 37°C for 20 minutes. The cells were centrifuged at maximum speed in an Eppendorf microfuge, resuspended in approximately 200µl of the supernatant and plated onto LB ampicillin (100mg/ml) agar.

[0302] Screening for recombinant clones was performed by growing randomly selected colonies overnight at 37°C in 4.0ml of LB broth + 100µg/ml ampicillin. Cells were pelleted and plasmid DNA extracted using the Qiagen QIAprep Spin Miniprep Kit, following the manufacturer's instructions. Approximately 1 µg of each individual miniprep was digested with the appropriate restriction enzymes and the digest loaded onto a 1-1.5% agarose gel (depending on the expected insert size), in parallel with the molecular weight marker (1kb DNA Ladder, GIBCO). Positive clones were selected on the basis of the size of insert.

Expression

[0303] After cloning each gene into the expression vector, recombinant plasmids were transformed into *E.coli* strains suitable for expression of the recombinant protein. 1µl of each construct was used to transform *E.coli* BL21-DE3 as described above. Single recombinant colonies were inoculated into 2ml LB+Amp (100µg/ml), incubated at 37°C overnight, then diluted 1:30 in 20ml of LB+Amp (100µg/ml) in 100ml flasks, to give an OD₆₀₀ between 0.1 and 0.2. The flasks were incubated at 30°C or at 37°C in a gyratory water bath shaker until OD₆₀₀ indicated exponential growth suitable for induction of expression (0.4-0.8 OD). Protein expression was induced by addition of 1.0mM IPTG. After 3 hours incubation at 30°C or 37°C the OD₆₀₀ was measured and expression examined. 1.0ml of each sample was centrifuged in a microfuge, the pellet resuspended in PBS and analysed by SDS-PAGE and Coomassie Blue staining.

Gateway cloning and expression

[0304] Sequences labelled GATE were cloned and expressed using the GATEWAY Cloning Technology (GIBCO-BRL). Recombinational cloning (RC) is based on the recombination reactions that mediate the integration and excision of phage into and from the *E.coli* genome, respectively. The integration involves recombination of the *attP* site of the phage DNA within the *attB* site located in the bacterial genome (BP reaction) and generates an integrated phage genome flanked by *attL* and *attR* sites. The excision recombines *attL* and *attR* sites back to *attP* and *attB* sites (LR reaction). The integration reaction requires two enzymes [the phage protein Integrase (Int) and the bacterial protein integration host factor (IHF)] (BP clonase). The excision reaction requires Int, IHF, and an additional phage enzyme, Excisionase (Xis) (LR clonase). Artificial derivatives of the 25-bp bacterial *attB* recombination site, referred to as B 1 and B2, were added to the 5' end of the primers used in PCR reactions to amplify Neisserial ORFs. The resulting products were BP cloned into a "Donor vector" containing complementary derivatives of the phage *attP* recombination site (P1 and P2) using BP clonase. The resulting "Entry clones" contain ORFs flanked by derivatives of the *attL* site (L1 and L2) and were subcloned into expression "destination vectors" which contain derivatives of the *attL*-compatible *attR* sites (R1 and R2) using LR clonase. This resulted in "expression clones" in which ORFs are flanked by B1 and B2 and fused in frame to the GST or His N terminal tags.

[0305] The *E. coli* strain used for GATEWAY expression is BL21-SI. Cells of this strain are induced for expression of the T7 RNA polymerase by growth in medium containing salt (0.3 M NaCl).

[0306] Note that this system gives N-terminus His tags.

Preparation of membrane proteins.

[0307] Fractions composed principally of either inner, outer or total membrane were isolated in order to obtain recombinant proteins expressed with membrane-localisation leader sequences. The method for preparation of membrane fractions, enriched for recombinant proteins, was adapted from Filip et. al. [J.Bact. (1973) 115:717-722] and Davies et. al. [J.Immunol.Meth. (1990) 143:215-225]. Single colonies harbouring the plasmid of interest were grown overnight at 37°C in 20 ml of LB/Amp (100 µg/ml) liquid culture. Bacteria were diluted 1:30 in 1.0 L of fresh medium and grown at either 30°C or 37°C until the OD₅₅₀ reached 0.6-0.8. Expression of recombinant protein was induced with IPTG at a final concentration of 1.0 mM. After incubation for 3 hours, bacteria were harvested by centrifugation at 8000g for 15 minutes at 4°C and resuspended in 20 ml of 20 mM Tris-HCl (pH 7.5) and complete protease inhibitors (Boehringer-Mannheim). All subsequent procedures were performed at 4°C or on ice.

[0308] Cells were disrupted by sonication using a Branson Sonifier 450 and centrifuged at 5000g for 20 min to sediment unbroken cells and inclusion bodies. The supernatant, containing membranes and cellular debris, was centrifuged at 50000g (Beckman Ti50, 29000rpm) for 75 min, washed with 20 mM Bis-tris propane (pH 6.5), 1.0 M NaCl, 10% (v/v) glycerol and sedimented again at 50000g for 75 minutes. The pellet was resuspended in 20mM Tris-HCl (pH 7.5), 2.0% (v/v) Sarkosyl, complete protease inhibitor (1.0 mM EDTA, final concentration) and incubated for 20 minutes to dissolve inner membrane. Cellular debris was pelleted by centrifugation at 5000g for 10 min and the supernatant centrifuged at 75000g for 75 minutes (Beckman Ti50, 33000rpm). Proteins 008L and 519L were found in the supernatant suggesting inner membrane localisation. For these proteins both inner and total membrane fractions (washed with NaCl as above) were used to immunise mice. Outer membrane vesicles obtained from the 75000g pellet were washed with 20 mM Tris-HCl (pH 7.5) and centrifuged at 75000g for 75 minutes or overnight. The OMV was finally resuspended in 500 µl of 20 mM Tris-HCl (pH 7.5), 10% v/v glycerol. Orf1L and Orf40L were both localised and enriched in the outer membrane fraction which was used to immunise mice. Protein concentration was estimated by standard Bradford Assay (Bio-Rad), while protein concentration of inner membrane fraction was determined with the DC protein assay (Bio-Rad). Various fractions from the isolation procedure were assayed by SDS-PAGE.

Purification of His-tagged proteins

[0309] Various forms of 287 were cloned from strains 2996 and MC58. They were constructed with a C-terminus His-tagged fusion and included a mature form (aa 18-427), constructs with deletions ($\Delta 1$, $\Delta 2$, $\Delta 3$ and $\Delta 4$) and clones composed of either B or C domains. For each clone purified as a His-fusion, a single colony was streaked and grown overnight at 37°C on a LB/Amp (100 µg/ml) agar plate. An isolated colony from this plate was inoculated into 20ml of LB/Amp (100 µg/ml) liquid medium and grown overnight at 37°C with shaking. The overnight culture was diluted 1:30 into 1.0 L LB/Amp (100 µg/ml) liquid medium and allowed to grow at the optimal temperature (30 or 37°C) until the OD₅₅₀ reached 0.6-0.8. Expression of recombinant protein was induced by addition of IPTG (final concentration 1.0mM) and the culture incubated for a further 3 hours. Bacteria were harvested by centrifugation at 8000g for 15 min at 4°C. The bacterial pellet was resuspended in 7.5 ml of either (i) cold buffer A (300 mM NaCl, 50 mM phosphate buffer, 10 mM imidazole, pH 8.0) for soluble proteins or (ii) buffer B (10mM Tris-HCl, 100 mM phosphate buffer, pH 8.8 and, optionally, 8M urea) for insoluble proteins. Proteins purified in a soluble form included 287-His, $\Delta 1$, $\Delta 2$, $\Delta 3$ and $\Delta 4$ 287-His, $\Delta 4$ 287MC58-His, 287c-His and 287cMC58-His. Protein 287bMC58-His was insoluble and purified accordingly. Cells were disrupted by sonication on ice four times for 30 sec at 40W using a Branson sonifier 450 and centrifuged at 13000xg for 30 min at 4°C. For insoluble proteins, pellets were resuspended in 2.0 ml buffer C (6 M guanidine hydrochloride, 100 mM phosphate buffer, 10 mM Tris- HCl, pH 7.5 and treated with 10 passes of a Dounce homogenizer. The homogenate was centrifuged at 13000g for 30 min and the supernatant retained. Supernatants for both soluble and insoluble preparations were mixed with 150µl Ni²⁺-resin (previously equilibrated with either buffer A or buffer B, as appropriate) and incubated at room temperature with gentle agitation for 30 min. The resin was Chelating Sepharose Fast Flow (Pharmacia), prepared according to the manufacturer's protocol. The batch-wise preparation was centrifuged at 700g for 5 min at 4°C and the supernatant discarded. The resin was washed twice (batch-wise) with 10ml buffer A or B for 10 min, resuspended in 1.0 ml buffer A or B and loaded onto a disposable column. The resin continued to be washed with either (i) buffer A at 4°C or (ii) buffer B at room temperature, until the OD₂₈₀ of the flow-through reached 0.02-0.01. The resin was further washed with either (i) cold buffer C (300mM NaCl, 50mM phosphate buffer, 20mM imidazole, pH 8.0) or (ii) buffer D (10mM Tris-HCl, 100mM phosphate buffer, pH 6.3 and, optionally, 8M urea) until OD₂₈₀ of the flow-through reached 0.02-0.01. The His-fusion protein was eluted by addition of 700µl of either (i) cold elution buffer A (300 mM NaCl, 50mM phosphate buffer, 250 mM imidazole, pH 8.0) or (ii) elution buffer B (10 mM Tris-HCl, 100 mM phosphate buffer, pH 4.5 and, optionally, 8M urea) and fractions collected until the OD₂₈₀ indicated all the recombinant protein was obtained. 20µl aliquots of each elution fraction were analysed by SDS-PAGE. Protein concentrations were estimated using the Bradford assay.

Renaturation of denatured His-fusion proteins.

[0310] Denaturation was required to solubilize 287bMC8, so a renaturation step was employed prior to immunisation. Glycerol was added to the denatured fractions obtained above to give a final concentration of 10% v/v. The proteins were diluted to 200 µg/ml using dialysis buffer I (10% v/v glycerol, 0.5M arginine, 50 mM phosphate buffer, 5.0 mM reduced glutathione, 0.5 mM oxidised glutathione, 2.0M urea, pH 8.8) and dialysed against the same buffer for 12-14 hours at 4°C. Further dialysis was performed with buffer II (10% v/v glycerol, 0.5M arginine, 50mM phosphate buffer, 5.0mM reduced glutathione, 0.5mM oxidised glutathione, pH 8.8) for 12-14 hours at 4°C. Protein concentration was estimated using the formula:

$$\text{Protein (mg/ml)} = (1.55 \times OD_{280}) - (0.76 \times OD_{260})$$

Amino acid sequence analysis.

[0311] Automated sequence analysis of the NH₂-terminus of proteins was performed on a Beckman sequencer (LF 3000) equipped with an on-line phenylthiohydantoin-amino acid analyser (System Gold) according to the manufacturer's recommendations.

Immunization

[0312] Balb/C mice were immunized with antigens on days 0, 21 and 35 and sera analyzed at day 49.

Sera analysis - ELISA

[0313] The acapsulated MenB M7 and the capsulated strains were plated on chocolate agar plates and incubated overnight at 37°C with 5% CO₂. Bacterial colonies were collected from the agar plates using a sterile dracon swab and inoculated into Mueller-Hinton Broth (Difco) containing 0.25% glucose. Bacterial growth was monitored every 30 minutes by following OD₆₂₀. The bacteria were let to grow until the OD reached the value of 0.4-0.5. The culture was centrifuged for 10 minutes at 4000rpm. The supernatant was discarded and bacteria were washed twice with PBS, resuspended in PBS containing 0.025% formaldehyde, and incubated for 1 hour at 37°C and then overnight at 4°C with stirring. 100µl bacterial cells were added to each well of a 96 well Greiner plate and incubated overnight at 4°C. The wells were then washed three times with PBT washing buffer (0.1% Tween-20 in PBS). 200µl of saturation buffer (2.7% polyvinylpyrrolidone 10 in water) was added to each well and the plates incubated for 2 hours at 37°C. Wells were washed three times with PBT. 200µl of diluted sera (Dilution buffer: 1% BSA, 0.1 % Tween-20, 0.1 % NaN₃ in PBS) were added to each well and the plates incubated for 2 hours at 37°C. Wells were washed three times with PBT. 100µl of HRP-conjugated rabbit anti-mouse (Dako) serum diluted 1:2000 in dilution buffer were added to each well and the plates were incubated for 90 minutes at 37°C. Wells were washed three times with PBT buffer. 100µl of substrate buffer for HRP (25ml of citrate buffer pH5, 10mg of O-phenildiamine and 10µl of H₂O₂) were added to each well and the plates were left at room temperature for 20 minutes. 100µl 12.5% H₂SO₄ was added to each well and OD₄₉₀ was followed. The ELISA titers were calculated arbitrarily as the dilution of sera which gave an OD₄₉₀ value of 0.4 above the level of preimmune sera. The ELISA was considered positive when the dilution of sera with OD₄₉₀ of 0.4 was higher than 1:400.

Sera analysis - FACS Scan bacteria binding assay

[0314] The acapsulated MenB M7 strain was plated on chocolate agar plates and incubated overnight at 37°C with 5% CO₂. Bacterial colonies were collected from the agar plates using a sterile dracon swab and inoculated into 4 tubes containing 8ml each Mueller-Hinton Broth (Difco) containing 0.25% glucose. Bacterial growth was monitored every 30 minutes by following OD₆₂₀. The bacteria were let to grow until the OD reached the value of 0.35-0.5. The culture was centrifuged for 10 minutes at 4000rpm. The supernatant was discarded and the pellet was resuspended in blocking buffer (1% BSA in PBS, 0.4% NaN₃) and centrifuged for 5 minutes at 4000rpm. Cells were resuspended in blocking buffer to reach OD₆₂₀ of 0.05. 100µl bacterial cells were added to each well of a Costar 96 well plate. 100µl of diluted (1:100, 1:200, 1:400) sera (in blocking buffer) were added to each well and plates incubated for 2 hours at 4°C. Cells were centrifuged for 5 minutes at 4000rpm, the supernatant aspirated and cells washed by addition of 200µl/well of blocking buffer in each well. 100µl of R-Phicoerytrin conjugated F(ab)₂ goat anti-mouse, diluted 1:100, was added to each well and plates incubated for 1 hour at 4°C. Cells were spun down by centrifugation at 4000rpm for 5 minutes and washed by addition of 200µl/well of blocking buffer. The supernatant was aspirated and cells resuspended in 200µl/

well of PBS, 0.25% formaldehyde. Samples were transferred to FACScan tubes and read. The condition for FACScan (Laser Power 15mW) setting were: FL2 on; FSC-H threshold:92; FSC PMT Voltage: E 01; SSC PMT: 474; Amp. Gains 6.1; FL-2 PMT: 586; compensation values: 0.

5 **Sera analysis - bactericidal assay**

[0315] *N. meningitidis* strain 2996 was grown overnight at 37°C on chocolate agar plates (starting from a frozen stock) with 5% CO₂. Colonies were collected and used to inoculate 7ml Mueller-Hinton broth, containing 0.25% glucose to reach an OD₆₂₀ of 0.05-0.08. The culture was incubated for approximately 1.5 hours at 37 degrees with shaking until the OD₆₂₀ reached the value of 0.23-0.24. Bacteria were diluted in 50mM Phosphate buffer pH 7.2 containing 10mM MgCl₂, 10mM CaCl₂ and 0.5% (w/v) BSA (assay buffer) at the working dilution of 10⁵ CFU/ml. The total volume of the final reaction mixture was 50 µl with 25 µl of serial two fold dilution of test serum, 12.5 µl of bacteria at the working dilution, 12.5 µl of baby rabbit complement (final concentration 25%).

[0316] Controls included bacteria incubated with complement serum, immune sera incubated with bacteria and with complement inactivated by heating at 56°C for 30'. Immediately after the addition of the baby rabbit complement, 10µl of the controls were plated on Mueller-Hinton agar plates using the tilt method (time 0). The 96-wells plate was incubated for 1 hour at 37°C with rotation. 7µl of each sample were plated on Mueller-Hinton agar plates as spots, whereas 10µl of the controls were plated on Mueller-Hinton agar plates using the tilt method (time 1). Agar plates were incubated for 18 hours at 37 degrees and the colonies corresponding to time 0 and time 1 were counted.

20 **Sera analysis - western blots**

[0317] Purified proteins (500ng/lane), outer membrane vesicles (5µg) and total cell extracts (25µg) derived from MenB strain 2996 were loaded onto a 12% SDS-polyacrylamide gel and transferred to a nitrocellulose membrane. The transfer was performed for 2 hours at 150mA at 4°C, using transfer buffer (0.3% Tris base, 1.44% glycine, 20% (v/v) methanol). The membrane was saturated by overnight incubation at 4°C in saturation buffer (10% skimmed milk, 0.1% Triton X100 in PBS). The membrane was washed twice with washing buffer (3% skimmed milk, 0.1% Triton X100 in PBS) and incubated for 2 hours at 37°C with mice sera diluted 1:200 in washing buffer. The membrane was washed twice and incubated for 90 minutes with a 1:2000 dilution of horseradish peroxidase labelled anti-mouse Ig. The membrane was washed twice with 0.1% Triton X100 in PBS and developed with the Opti-4CN Substrate Kit (Bio-Rad). The reaction was stopped by adding water.

[0318] The OMVs were prepared as follows: *N. meningitidis* strain 2996 was grown overnight at 37 degrees with 5% CO₂ on 5 GC plates, harvested with a loop and resuspended in 10 ml of 20mM Tris-HCl pH 7.5, 2 mM EDTA. Heat inactivation was performed at 56°C for 45 minutes and the bacteria disrupted by sonication for 5 minutes on ice (50% duty cycle, 50% output, Branson sonifier 3 mm microtip). Unbroken cells were removed by centrifugation at 5000g for 10 minutes, the supernatant containing the total cell envelope fraction recovered and further centrifuged overnight at 50000g at the temperature of 4°C. The pellet containing the membranes was resuspended in 2% sarkosyl, 20mM Tris-HCl pH 7.5, 2 mM EDTA and incubated at room temperature for 20 minutes to solubilise the inner membranes. The suspension was centrifuged at 10000g for 10 minutes to remove aggregates, the supernatant was further centrifuged at 50000g for 3 hours. The pellet, containing the outer membranes was washed in PBS and resuspended in the same buffer. Protein concentration was measured by the D.C. Bio-Rad Protein assay (Modified Lowry method), using BSA as a standard.

[0319] Total cell extracts were prepared as follows: *N. meningitidis* strain 2996 was grown overnight on a GC plate, harvested with a loop and resuspended in 1 ml of 20mM Tris-HCl. Heat inactivation was performed at 56°C for 30 minutes.

45 **961 domain studies**

[0320] Cellular fractions preparation Total lysate, periplasm, supernatant and OMV of *E.coli* clones expressing different domains of 961 were prepared using bacteria from over-night cultures or after 3 hours induction with IPTG. Briefly, the periplasm were obtained suspending bacteria in saccarose 25% and Tris 50mM (pH 8) with polymyxine 100µg/ml. After 1hr at room temperature bacteria were centrifuged at 13000rpm for 15 min and the supernatant were collected. The culture supernatant were filtered with 0.2µm and precipitated with TCA 50% in ice for two hours. After centrifugation (30 min at 13000 rp) pellets were rinsed twice with ethanol 70% and suspended in PBS. The OMV preparation was performed as previously described. Each cellular fraction were analyzed in SDS-PAGE or in Western Blot using the polyclonal anti-serum raised against GST-961.

[0321] Adhesion assay Chang epithelial cells (Wong-Kilbourne derivative, clone 1-5c-4, human conjunctiva) were maintained in DMEM (Gibco) supplemented with 10% heat-inactivated FCS, 15mM L-glutamine and antibiotics.

[0322] For the adherence assay, sub-confluent culture of Chang epithelial cells were rinsed with PBS and treated with

EP 1 790 660 A2

trypsin-EDTA (Gibco), to release them from the plastic support. The cells were then suspended in PBS, counted and dilute in PBS to 5×10^5 cells/ml.

[0323] Bacteria from over-night cultures or after induction with IPTG, were pelleted and washed twice with PBS by centrifuging at 13000 for 5 min. Approximately $2-3 \times 10^8$ (cfu) were incubated with 0.5 mg/ml FITC (Sigma) in 1ml buffer containing 50mM NaHCO_3 and 100mM NaCl pH 8, for 30 min at room temperature in the dark. FITC-labeled bacteria were wash 2-3 times and suspended in PBS at $1-1.5 \times 10^9$ /ml. 200 μ l of this suspension ($2-3 \times 10^8$) were incubated with 200 μ l (1×10^5) epithelial cells for 30min a 37°C. Cells were than centrifuged at 2000rpm for 5 min to remove non-adherent bacteria, suspended in 200 μ l of PBS, transferred to FACScan tubes and read

Annex to the application documents - subsequently filed sequences listing

[0324]

SEQUENCE LISTING

<110> Chiron SRL

<120> Heterologous Expression of Neisserial Proteins

<130> P044747EP

<140> 06076718.3

<141> 2001-02-28

<150> 0004695.3

<151> 2000-02-28

<150> 0027675.8

<151> 2000-11-13

<160> 620

<170> Seqwin99, version 1.02

<210> 1

<211> 441

<212> PRT

<213> Neisseria meningitidis

<400> 1

Met Lys Lys Tyr Leu Phe Arg Ala Ala Leu Tyr Gly Ile Ala Ala Ala
1 5 10 15Ile Leu Ala Ala Cys Gln Ser Lys Ser Ile Gln Thr Phe Pro Gln Pro
20 25 30Asp Thr Ser Val Ile Asn Gly Pro Asp Arg Pro Val Gly Ile Pro Asp
35 40 45Pro Ala Gly Thr Thr Val Gly Gly Gly Gly Ala Val Tyr Thr Val Val
50 55 60Pro His Leu Ser Leu Pro His Trp Ala Ala Gln Asp Phe Ala Lys Ser
65 70 75 80Leu Gln Ser Phe Arg Leu Gly Cys Ala Asn Leu Lys Asn Arg Gln Gly
85 90 95Trp Gln Asp Val Cys Ala Gln Ala Phe Gln Thr Pro Val His Ser Phe
100 105 110Gln Ala Lys Gln Phe Phe Glu Arg Tyr Phe Thr Pro Trp Gln Val Ala
115 120 125Gly Asn Gly Ser Leu Ala Gly Thr Val Thr Gly Tyr Tyr Glu Pro Val
130 135 140Leu Lys Gly Asp Asp Arg Arg Thr Ala Gln Ala Arg Phe Pro Ile Tyr
145 150 155 160Gly Ile Pro Asp Asp Phe Ile Ser Val Pro Leu Pro Ala Gly Leu Arg
165 170 175Ser Gly Lys Ala Leu Val Arg Ile Arg Gln Thr Gly Lys Asn Ser Gly
180 185 190Thr Ile Asp Asn Thr Gly Gly Thr His Thr Ala Asp Leu Ser Arg Phe
195 200 205Pro Ile Thr Ala Arg Thr Thr Ala Ile Lys Gly Arg Phe Glu Gly Ser
210 215 220

EP 1 790 660 A2

Arg Phe Leu Pro Tyr His Thr Arg Asn Gln Ile Asn Gly Gly Ala Leu
 225 230 235 240
 5 Asp Gly Lys Ala Pro Ile Leu Gly Tyr Ala Glu Asp Pro Val Glu Leu
 245 250 255
 Phe Phe Met His Ile Gln Gly Ser Gly Arg Leu Lys Thr Pro Ser Gly
 260 270
 10 Lys Tyr Ile Arg Ile Gly Tyr Ala Asp Lys Asn Glu His Pro Tyr Val
 275 280 285
 Ser Ile Gly Arg Tyr Met Ala Asp Lys Gly Tyr Leu Lys Leu Gly Gln
 290 295 300
 15 Thr Ser Met Gln Gly Ile Lys Ala Tyr Met Arg Gln Asn Pro Gln Arg
 305 310 315 320
 Leu Ala Glu Val Leu Gly Gln Asn Pro Ser Tyr Ile Phe Phe Arg Glu
 325 330 335
 20 Leu Ala Gly Ser Ser Asn Asp Gly Pro Val Gly Ala Leu Gly Thr Pro
 340 345 350
 Leu Met Gly Glu Tyr Ala Gly Ala Val Asp Arg His Tyr Ile Thr Leu
 355 360 365
 25 Gly Ala Pro Leu Phe Val Ala Thr Ala His Pro Val Thr Arg Lys Ala
 370 375 380
 Leu Asn Arg Leu Ile Met Ala Gln Asp Thr Gly Ser Ala Ile Lys Gly
 385 390 395 400
 30 Ala Val Arg Val Asp Tyr Phe Trp Gly Tyr Gly Asp Glu Ala Gly Glu
 405 410 415
 Leu Ala Gly Lys Gln Lys Thr Thr Gly Tyr Val Trp Gln Leu Leu Pro
 420 425 430
 Asn Gly Met Lys Pro Glu Tyr Arg Pro
 435 440
 35 <210> 2
 <211> 420
 <212> PRT
 <213> Neisseria meningitidis
 40 <400> 2
 Gln Ser Lys Ser Ile Gln Thr Phe Pro Gln Pro Asp Thr Ser Val Ile
 1 5 10 15
 Asn Gly Pro Asp Arg Pro Val Gly Ile Pro Asp Pro Ala Gly Thr Thr
 20 25 30
 45 Val Gly Gly Gly Gly Ala Val Tyr Thr Val Val Pro His Leu Ser Leu
 35 40 45
 Pro His Trp Ala Ala Gln Asp Phe Ala Lys Ser Leu Gln Ser Phe Arg
 50 55 60
 50 Leu Gly Cys Ala Asn Leu Lys Asn Arg Gln Gly Trp Gln Asp Val Cys
 65 70 75 80
 Ala Gln Ala Phe Gln Thr Pro Val His Ser Phe Gln Ala Lys Gln Phe
 85 90 95
 55 Phe Glu Arg Tyr Phe Thr Pro Trp Gln Val Ala Gly Asn Gly Ser Leu
 100 105 110

EP 1 790 660 A2

	Ala	Gly	Thr	Val	Thr	Gly	Tyr	Tyr	Glu	Pro	Val	Leu	Lys	Gly	Asp	Asp
			115					120					125			
5	Arg	Arg	Thr	Ala	Gln	Ala	Arg	Phe	Pro	Ile	Tyr	Gly	Ile	Pro	Asp	Asp
		130					135					140				
	Phe	Ile	Ser	Val	Pro	Leu	Pro	Ala	Gly	Leu	Arg	Ser	Gly	Lys	Ala	Leu
	145					150					155					160
10	Val	Arg	Ile	Arg	Gln	Thr	Gly	Lys	Asn	Ser	Gly	Thr	Ile	Asp	Asn	Thr
					165					170					175	
	Gly	Gly	Thr	His	Thr	Ala	Asp	Leu	Ser	Arg	Phe	Pro	Ile	Thr	Ala	Arg
				180					185					190		
15	Thr	Thr	Ala	Ile	Lys	Gly	Arg	Phe	Glu	Gly	Ser	Arg	Phe	Leu	Pro	Tyr
			195					200					205			
	His	Thr	Arg	Asn	Gln	Ile	Asn	Gly	Gly	Ala	Leu	Asp	Gly	Lys	Ala	Pro
		210					215					220				
20	Ile	Leu	Gly	Tyr	Ala	Glu	Asp	Pro	Val	Glu	Leu	Phe	Phe	Met	His	Ile
	225					230					235					240
	Gln	Gly	Ser	Gly	Arg	Leu	Lys	Thr	Pro	Ser	Gly	Lys	Tyr	Ile	Arg	Ile
					245					250					255	
25	Gly	Tyr	Ala	Asp	Lys	Asn	Glu	His	Pro	Tyr	Val	Ser	Ile	Gly	Arg	Tyr
				260					265					270		
	Met	Ala	Asp	Lys	Gly	Tyr	Leu	Lys	Leu	Gly	Gln	Thr	Ser	Met	Gln	Gly
			275					280					285			
30	Ile	Lys	Ala	Tyr	Met	Arg	Gln	Asn	Pro	Gln	Arg	Leu	Ala	Glu	Val	Leu
		290					295					300				
	Gly	Gln	Asn	Pro	Ser	Tyr	Ile	Phe	Phe	Arg	Glu	Leu	Ala	Gly	Ser	Ser
	305					310					315					320
35	Asn	Asp	Gly	Pro	Val	Gly	Ala	Leu	Gly	Thr	Pro	Leu	Met	Gly	Glu	Tyr
					325					330					335	
	Ala	Gly	Ala	Val	Asp	Arg	His	Tyr	Ile	Thr	Leu	Gly	Ala	Pro	Leu	Phe
				340					345					350		
40	Val	Ala	Thr	Ala	His	Pro	Val	Thr	Arg	Lys	Ala	Leu	Asn	Arg	Leu	Ile
			355					360					365			
	Met	Ala	Gln	Asp	Thr	Gly	Ser	Ala	Ile	Lys	Gly	Ala	Val	Arg	Val	Asp
		370					375					380				
45	Tyr	Phe	Trp	Gly	Tyr	Gly	Asp	Glu	Ala	Gly	Glu	Leu	Ala	Gly	Lys	Gln
	385					390					395					400
	Lys	Thr	Thr	Gly	Tyr	Val	Trp	Gln	Leu	Leu	Pro	Asn	Gly	Met	Lys	Pro
					405					410					415	
	Glu	Tyr	Arg	Pro												
				420												
50	<210>	3														
	<211>	440														
	<212>	PRT														
	<213>	Artificial Sequence														
	<220>															
55	<223>	919														
	<400>	3														

EP 1 790 660 A2

	Met	Lys	Thr	Phe	Phe	Lys	Thr	Leu	Ser	Ala	Ala	Ala	Leu	Ala	Leu	Ile
	1				5					10					15	
5	Leu	Ala	Ala	Cys	Gln	Ser	Lys	Ser	Ile	Gln	Thr	Phe	Pro	Gln	Pro	Asp
				20					25					30		
	Thr	Ser	Val	Ile	Asn	Gly	Pro	Asp	Arg	Pro	Val	Gly	Ile	Pro	Asp	Pro
			35					40					45			
10	Ala	Gly	Thr	Thr	Val	Gly	Gly	Gly	Gly	Ala	Val	Tyr	Thr	Val	Val	Pro
		50					55					60				
	His	Leu	Ser	Leu	Pro	His	Trp	Ala	Ala	Gln	Asp	Phe	Ala	Lys	Ser	Leu
	65					70					75					80
15	Gln	Ser	Phe	Arg	Leu	Gly	Cys	Ala	Asn	Leu	Lys	Asn	Arg	Gln	Gly	Trp
					85					90					95	
	Gln	Asp	Val	Cys	Ala	Gln	Ala	Phe	Gln	Thr	Pro	Val	His	Ser	Phe	Gln
				100					105					110		
20	Ala	Lys	Gln	Phe	Phe	Glu	Arg	Tyr	Phe	Thr	Pro	Trp	Gln	Val	Ala	Gly
			115					120					125			
	Asn	Gly	Ser	Leu	Ala	Gly	Thr	Val	Thr	Gly	Tyr	Tyr	Glu	Pro	Val	Leu
		130					135					140				
25	Lys	Gly	Asp	Asp	Arg	Arg	Thr	Ala	Gln	Ala	Arg	Phe	Pro	Ile	Tyr	Gly
	145					150					155					160
	Ile	Pro	Asp	Asp	Phe	Ile	Ser	Val	Pro	Leu	Pro	Ala	Gly	Leu	Arg	Ser
					165					170					175	
30	Gly	Lys	Ala	Leu	Val	Arg	Ile	Arg	Gln	Thr	Gly	Lys	Asn	Ser	Gly	Thr
				180					185					190		
	Ile	Asp	Asn	Thr	Gly	Gly	Thr	His	Thr	Ala	Asp	Leu	Ser	Arg	Phe	Pro
			195					200					205			
35	Ile	Thr	Ala	Arg	Thr	Thr	Ala	Ile	Lys	Gly	Arg	Phe	Glu	Gly	Ser	Arg
		210					215					220				
	Phe	Leu	Pro	Tyr	His	Thr	Arg	Asn	Gln	Ile	Asn	Gly	Gly	Ala	Leu	Asp
	225					230					235					240
40	Gly	Lys	Ala	Pro	Ile	Leu	Gly	Tyr	Ala	Glu	Asp	Pro	Val	Glu	Leu	Phe
					245					250					255	
	Phe	Met	His	Ile	Gln	Gly	Ser	Gly	Arg	Leu	Lys	Thr	Pro	Ser	Gly	Lys
				260					265					270		
45	Tyr	Ile	Arg	Ile	Gly	Tyr	Ala	Asp	Lys	Asn	Glu	His	Pro	Tyr	Val	Ser
			275					280					285			
	Ile	Gly	Arg	Tyr	Met	Ala	Asp	Lys	Gly	Tyr	Leu	Lys	Leu	Gly	Gln	Thr
		290					295					300				
50	Ser	Met	Gln	Gly	Ile	Lys	Ser	Tyr	Met	Arg	Gln	Asn	Pro	Gln	Arg	Leu
	305					310					315					320
	Ala	Glu	Val	Leu	Gly	Gln	Asn	Pro	Ser	Tyr	Ile	Phe	Phe	Arg	Glu	Leu
					325					330					335	
55	Ala	Gly	Ser	Ser	Asn	Asp	Gly	Pro	Val	Gly	Ala	Leu	Gly	Thr	Pro	Leu
				340					345					350		
	Met	Gly	Glu	Tyr	Ala	Gly	Ala	Val	Asp	Arg	His	Tyr	Ile	Thr	Leu	Gly
			355					360					365			

EP 1 790 660 A2

Ala Pro Leu Phe Val Ala Thr Ala His Pro Val Thr Arg Lys Ala Leu
370 375 380

5 Asn Arg Leu Ile Met Ala Gln Asp Thr Gly Ser Ala Ile Lys Gly Ala
385 390 395 400

Val Arg Val Asp Tyr Phe Trp Gly Tyr Gly Asp Glu Ala Gly Glu Leu
405 410 415

10 Ala Gly Lys Gln Lys Thr Thr Gly Tyr Val Trp Gln Leu Leu Pro Asn
420 425 430

Gly Met Lys Pro Glu Tyr Arg Pro
435 440

15 <210> 4
<211> 58
<212> PRT
<213> Artificial Sequence

<220>
<223> 907-2.pep

20 <400> 4
Glu Arg Arg Arg Leu Leu Val Asn Ile Gln Tyr Glu Ser Ser Arg Ala
1 5 10 15

25 Gly Leu Asp Thr Gln Ile Val Leu Gly Leu Ile Glu Val Glu Ser Ala
20 25 30

Phe Arg Gln Tyr Ala Ile Ser Gly Val Gly Ala Arg Gly Leu Met Gln
35 40 45

30 Val Met Pro Phe Trp Lys Asn Tyr Ile Gly
50 55

<210> 5
<211> 60
<212> PRT
<213> Artificial Sequence

35 <220>
<223> Escherichia coli

<400> 5
Glu Arg Phe Pro Leu Ala Tyr Asn Asp Leu Phe Lys Arg Tyr Thr Ser
1 5 10 15

40 Gly Lys Glu Ile Pro Gln Ser Tyr Ala Met Ala Ile Ala Arg Gln Glu
20 25 30

Ser Ala Trp Asn Pro Lys Val Lys Ser Pro Val Gly Ala Ser Gly Leu
35 40 45

45 Met Gln Ile Met Pro Gly Thr Ala Thr His Thr Val
50 55 60

<210> 6
<211> 120
<212> PRT
<213> Artificial Sequence

50 <220>
<223> 922.pep

<400> 6
Val Ala Gln Lys Tyr Gly Val Pro Ala Glu Leu Ile Val Ala Val Ile
1 5 10 15

55

EP 1 790 660 A2

Gly Ile Glu Thr Asn Tyr Gly Lys Asn Thr Gly Ser Phe Arg Val Ala
20 25 30

5 Asp Ala Leu Ala Thr Leu Gly Phe Asp Tyr Pro Arg Arg Ala Gly Phe
35 40 45

Phe Gln Lys Glu Leu Val Glu Leu Leu Lys Leu Ala Lys Glu Glu Gly
50 55 60

10 Gly Asp Val Phe Ala Phe Lys Gly Ser Tyr Ala Gly Ala Met Gly Met
65 70 75 80

Pro Gln Phe Met Pro Ser Ser Tyr Arg Lys Trp Ala Val Asp Tyr Asp
85 90 95

15 Gly Asp Gly His Arg Asp Ile Trp Gly Asn Val Gly Asp Val Ala Ala
100 105 110

Ser Val Ala Asn Tyr Met Lys Gln
115 120

20 <210> 7
<211> 119
<212> PRT
<213> Artificial Sequence

<220>
<223> Escherichia coli

25 <400> 7
Ala Trp Gln Val Tyr Gly Val Pro Pro Glu Ile Ile Val Gly Ile Ile
1 5 10 15

Gly Val Glu Thr Arg Trp Gly Arg Val Met Gly Lys Thr Arg Ile Leu
20 25 30

30 Asp Ala Leu Ala Thr Leu Ser Phe Asn Tyr Pro Arg Arg Ala Glu Tyr
35 40 45

Phe Ser Gly Glu Leu Glu Thr Phe Leu Leu Met Ala Arg Asp Glu Gln
50 55 60

35 Asp Asp Pro Leu Asn Leu Lys Gly Ser Phe Ala Gly Ala Met Gly Tyr
65 70 75 80

Gly Gln Phe Met Pro Ser Ser Tyr Lys Gln Tyr Ala Val Asp Phe Ser
85 90 95

40 Gly Asp Gly His Ile Asn Leu Trp Asp Pro Val Asp Ala Ile Gly Ser
100 105 110

Val Ala Asn Tyr Phe Lys Ala
115

45 <210> 8
<211> 194
<212> PRT
<213> Artificial Sequence

<220>
<223> 919.pep

50 <400> 8
Ala Leu Asp Gly Lys Ala Pro Ile Leu Gly Tyr Ala Glu Asp Pro Val
1 5 10 15

55 Glu Leu Phe Phe Met His Ile Gln Gly Ser Gly Arg Leu Lys Thr Pro
20 25 30

EP 1 790 660 A2

Ser Gly Lys Tyr Ile Arg Ile Gly Tyr Ala Asp Lys Asn Glu His Pro
 35 40 45
 5 Tyr Val Ser Ile Gly Arg Tyr Met Ala Asp Lys Gly Tyr Leu Lys Leu
 50 55 60
 Gly Gln Thr Ser Met Gln Gly Ile Lys Ser Tyr Met Arg Gln Asn Pro
 65 70 75 80
 10 Gln Arg Leu Ala Glu Val Leu Gly Gln Asn Pro Ser Tyr Ile Phe Phe
 85 90 95
 Arg Glu Leu Ala Gly Ser Ser Asn Asp Gly Pro Val Gly Ala Leu Gly
 100 105 110
 15 Thr Pro Leu Met Gly Glu Tyr Ala Gly Ala Val Asp Arg His Tyr Ile
 115 120 125
 Thr Leu Gly Ala Pro Leu Phe Val Ala Thr Ala His Pro Val Thr Arg
 130 135 140
 20 Lys Ala Leu Asn Arg Leu Ile Met Ala Gln Asp Thr Gly Ser Ala Ile
 145 150 155 160
 Lys Gly Ala Val Arg Val Asp Tyr Phe Trp Gly Tyr Gly Asp Glu Ala
 165 170 175
 25 Gly Glu Leu Ala Gly Lys Gln Lys Thr Thr Gly Tyr Val Trp Gln Leu
 180 185 190
 Leu Pro
 30 <210> 9
 <211> 196
 <212> PRT
 <213> Escherichia coli
 <400> 9
 35 Ala Leu Ser Asp Lys Tyr Ile Leu Ala Tyr Ser Asn Ser Leu Met Asp
 1 5 10 15
 Asn Phe Ile Met Asp Val Gln Gly Ser Gly Tyr Ile Asp Phe Gly Asp
 20 25 30
 Gly Ser Pro Leu Asn Phe Phe Ser Tyr Ala Gly Lys Asn Gly His Ala
 35 40 45
 40 Tyr Arg Ser Ile Gly Lys Val Leu Ile Asp Arg Gly Glu Val Lys Lys
 50 55 60
 Glu Asp Met Ser Met Gln Ala Ile Arg His Trp Gly Glu Thr His Ser
 65 70 75 80
 45 Glu Ala Glu Val Arg Glu Leu Leu Glu Gln Asn Pro Ser Phe Val Phe
 85 90 95
 Phe Lys Pro Gln Ser Phe Ala Pro Val Lys Gly Ala Ser Ala Val Pro
 100 105 110
 50 Leu Val Gly Arg Ala Ser Val Ala Ser Asp Arg Ser Ile Ile Pro Pro
 115 120 125
 Gly Thr Thr Leu Leu Ala Glu Val Pro Leu Leu Asp Asn Asn Gly Lys
 130 135 140
 55 Phe Asn Gly Gln Tyr Glu Leu Arg Leu Met Val Ala Leu Asp Val Gly
 145 150 155 160

	Gly Ala Ile Lys Gly Gln His Phe Asp Ile Tyr Gln Gly Ile Gly Pro	
	165 170 175	
5	Glu Ala Gly His Arg Ala Gly Trp Tyr Asn His Tyr Gly Arg Val Trp	
	180 185 190	
	Val Leu Lys Thr	
	195	
10	<210> 10	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
15	<400> 10	
	cgaagacccc gtcggtcttt tttttatg	28
	<210> 11	
	<211> 28	
20	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
25	<400> 11	
	gtgcataaaa aaaagaccga cggggtct	28
	<210> 12	
	<211> 25	
	<212> DNA	
30	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 12	
35	aacgcctcgc cgggtgttttg ggtca	25
	<210> 13	
	<211> 25	
	<212> DNA	
	<213> Artificial Sequence	
40	<220>	
	<223> oligonucleotide	
	<400> 13	
	tttgacccaa aacaccggcg aggcg	25
45	<210> 14	
	<211> 26	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
50	<400> 14	
	tgccggcgca gtcggtcggc actaca	26
	<210> 15	
	<211> 26	
55	<212> DNA	
	<213> Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	15	
		taatgtagtg ccgaccgact gcgccg	26
	<210>	16	
	<211>	25	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	16	
15		tgattgaggt gggtagcgcg ttccg	25
	<210>	17	
	<211>	25	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	17	
		ggcggaacgc gctaccacc tcaat	25
25	<210>	18	
	<211>	34	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	18	
		ccggaattct tatgaaaaa atcatcttcg ccgc	34
35	<210>	19	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	19	
		gccaagctt ttattgtttg gctgcctcga tt	32
	<210>	20	
	<211>	37	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	20	
50		ccggaattct tatgtcgccc gatgttaa at cggcgga	37
	<210>	21	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400> 21 gccaagctt tcaatcctgc tcttttttgc cg	32
5	<210> 22 <211> 34 <212> DNA <213> Artificial Sequence	
10	<220> <223> oligonucleotide	
	<400> 22 ccggaattct tatgagccaa gatatggcgg cagt	34
15	<210> 23 <211> 32 <212> DNA <213> Artificial Sequence	
20	<220> <223> oligonucleotide	
	<400> 23 gccaagctt tcaatcctgc tcttttttgc cg	32
25	<210> 24 <211> 34 <212> DNA <213> Artificial Sequence	
30	<220> <223> oligonucleotide	
	<400> 24 ccggaattct tatgtccgcc gaatccgcaa atca	34
35	<210> 25 <211> 32 <212> DNA <213> Artificial Sequence	
40	<220> <223> oligonucleotide	
	<400> 25 gccaagctt tcaatcctgc tcttttttgc cg	32
45	<210> 26 <211> 36 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
50	<400> 26 ccggaattct tatgggaagg gttgatttgg ctaatg	36
55	<210> 27 <211> 32 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
	<400> 27 gccaagctt tcaatcctgc tcttttttgc cg	32

	<210> 28	
	<211> 36	
	<212> DNA	
5	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 28	
10	ccggaattct tatgtcagat ttggcaaacg attctt	36
	<210> 29	
	<211> 35	
	<212> DNA	
	<213> Artificial Sequence	
15	<220>	
	<223> oligonucleotide	
	<400> 29	
	gccaagctt ttacgtatca tatttcacgt gcttc	35
20	<210> 30	
	<211> 37	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> oligonucleotide	
	<400> 30	
	ccggaattct tatgtcgccc gatgttaaatt cggcgga	37
	<210> 31	
30	<211> 35	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
35	<400> 31	
	gccaagctt ttacgtatca tatttcacgt gcttc	35
	<210> 32	
	<211> 36	
	<212> DNA	
40	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 32	
45	ccggaattct tatgcaaagc aagagcatcc aaacct	36
	<210> 33	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
50	<220>	
	<223> oligonucleotide	
	<400> 33	
	gccaagctt ttacgggcgg tattcgggct	30
55	<210> 34	
	<211> 29	
	<212> DNA	

	<213>	Artificial Sequence	
	<220>		
5	<223>	oligonucleotide	
	<400>	34	
		ccggaattca tatgaaacac tttccatcc	29
	<210>	35	
	<211>	28	
10	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
15	<400>	35	
		gcccaagctt ttaccactcg taattgac	28
	<210>	36	
	<211>	29	
	<212>	DNA	
20	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
25	<400>	36	
		ccggaattca tatggccaca agcgacgac	29
	<210>	37	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	37	
		gcccaagctt ttaccactcg taattgac	28
35	<210>	38	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
40	<223>	oligonucleotide	
	<400>	38	
		ccggaattct tatgaaacac tttccatcc	29
	<210>	39	
	<211>	31	
45	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
50	<400>	39	
		gcccaagctt tcaaccacg ttgtaagggtt g	31
	<210>	40	
	<211>	30	
	<212>	DNA	
55	<213>	Artificial Sequence	
	<220>		

	<223> oligonucleotide	
	<400> 40	
5	ccggaattct tatggccaca aacgacgacg	30
	<210> 41	
	<211> 31	
	<212> DNA	
	<213> Artificial Sequence	
10	<220>	
	<223> oligonucleotide	
	<400> 41	
	gcccaagctt tcaaccacg ttgtaagggtt g	31
15	<210> 42	
	<211> 34	
	<212> DNA	
	<213> Artificial Sequence	
20	<220>	
	<223> oligonucleotide	
	<400> 42	
	ccggaattct tatggccacc tacaagtgg acga	34
25	<210> 43	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
30	<220>	
	<223> oligonucleotide	
	<400> 43	
	gcccaagctt ttattgtttg gctgcctcga tt	32
35	<210> 44	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
40	<220>	
	<223> oligonucleotide	
	<400> 44	
	cgcggatccg ctagccccga tgttaaactg gc	32
45	<210> 45	
	<211> 31	
	<212> DNA	
	<213> Artificial Sequence	
50	<220>	
	<223> oligonucleotide	
	<400> 45	
	cccgtcgcag tcaatcctgc tcttttttgc c	31
55	<210> 46	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 46	

	cgcggatccg ctagccaaga tatggcggca gt	32
5	<210> 47 <211> 32 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
10	<400> 47 cgcggatccg ctagcgccga atccgcaa at ca	32
15	<210> 48 <211> 32 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
20	<400> 48 cgcgctagcg gaagggttga tttggcta at gg	32
25	<210> 49 <211> 34 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
30	<400> 49 ggggaattcca tatgggcatt tcccgcacaa at tacc	34
35	<210> 50 <211> 32 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
40	<400> 50 cccgctcgag ttacgtatca tatttcacgt gc	32
45	<210> 51 <211> 34 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
50	<400> 51 ggggaattcca tatgggcatt tcccgcacaa at tacc	34
55	<210> 52 <211> 33 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
	<400> 52 cccgctcgag ttattctatg ccttgtgcgg cat	33
	<210> 53	

	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
5	<220>		
	<223>	oligonucleotide	
	<400>	53	
		cgcggatccc atatggccac aagcgacgac ga	32
10	<210>	54	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
15	<223>	oligonucleotide	
	<400>	54	
		cccgctcgag ttaccactcg taattgac	28
	<210>	55	
20	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
25	<400>	55	
		cgcggatccc atatggccac aaacgacg	28
	<210>	56	
	<211>	35	
	<212>	DNA	
30	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	56	
35		cccgctcgag tcatttagca atattatctt tgttc	35
	<210>	57	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	57	
		cgcggatccc atatgaaagc aaacagtgcc gac	33
45	<210>	58	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
50	<223>	oligonucleotide	
	<400>	58	
		cccgctcgag ttaccactcg taattgac	28
	<210>	59	
55	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	59	
		cgcggatccc atatggccac aaacgacg	28
	<210>	60	
	<211>	29	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	60	
15		cccgcctcgag ttaaccacg ttgtaaggt	29
	<210>	61	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	61	
		cgcggatccc atatgatgaa acactttcca tcc	33
25	<210>	62	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	62	
		cccgcctcgag ttaaccacg ttgtaaggt	29
35	<210>	63	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	63	
		cgcggatccc atatggccac aaacgacg	28
	<210>	64	
	<211>	32	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	64	
50		cccgcctcgag tcagtctgac actgttttat cc	32
	<210>	65	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

<400> 65
 cgcggatccg ctagccccga tgttaaatacg gc 32

5 <210> 66
 <211> 27
 <212> DNA
 <213> Artificial Sequence

10 <220>
 <223> oligonucleotide

<400> 66
 cccgctcgag ttacgggcgg tattcgg 27

15 <210> 67
 <211> 32
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> oligonucleotide

20 <400> 67
 cgcggatccg ctagccccga tgttaaatacg gc 32

25 <210> 68
 <211> 32
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> oligonucleotide

30 <400> 68
 cccgctcgag ttacgtatca tatttcacgt gc 32

<210> 69
 <211> 32
 <212> DNA
 <213> Artificial Sequence

35 <220>
 <223> oligonucleotide

<400> 69
 cgcggatccg ctagccccga tgttaaatacg gc 32

40 <210> 70
 <211> 28
 <212> DNA
 <213> Artificial Sequence

45 <220>
 <223> oligonucleotide

<400> 70
 cccgctcgag ttaccactcg taattgac 28

50 <210> 71
 <211> 1457
 <212> PRT
 <213> Neisseria meningitidis

55 <400> 71
 Met Lys Thr Thr Asp Lys Arg Thr Thr Glu Thr His Arg Lys Ala Pro
 1 5 10 15
 Lys Thr Gly Arg Ile Arg Phe Ser Pro Ala Tyr Leu Ala Ile Cys Leu

EP 1 790 660 A2

	20	25	30
5	Ser Phe Gly 35	Ile Leu Pro Gln Ala 40	Trp Ala Gly His Thr Tyr Phe Gly 45
	Ile Asn Tyr 50	Gln Tyr Tyr Arg Asp Phe Ala Glu 55	Asn Lys Gly Lys Phe 60
10	Ala Val Gly 65	Ala Lys Asp Ile Glu Val Tyr 70	Asn Lys Lys Gly Glu Leu 75 80
	Val Gly Lys Ser 85	Met Thr Lys Ala Pro Met Ile Asp Phe Ser Val Val 90 95	
15	Ser Arg Asn Gly 100	Val Ala Ala Leu Val Gly Asp Gln Tyr Ile Val Ser 105 110	
	Val Ala His 115	Asn Gly Gly Tyr Asn Asn Val Asp Phe Gly Ala Glu Gly 120 125	
20	Arg Asn Pro 130	Asp Gln His Arg Phe Thr Tyr Lys Ile Val Lys Arg Asn 135 140	
	Asn Tyr Lys 145	Ala Gly Thr Lys Gly His Pro Tyr Gly Gly Asp Tyr His 150 155 160	
25	Met Pro Arg 165	Leu His Lys Phe Val Thr Asp Ala Glu Pro Val Glu Met 170 175	
	Thr Ser Tyr Met 180	Asp Gly Arg Lys Tyr Ile Asp Gln Asn Asn Tyr Pro 185 190	
30	Asp Arg Val 195	Arg Ile Gly Ala Gly Arg Gln Tyr Trp Arg Ser Asp Glu 200 205	
	Asp Glu Pro 210	Asn Asn Arg Glu Ser Ser Tyr His Ile Ala Ser Ala Tyr 215 220	
35	Ser Trp Leu Val 225	Gly Gly Asn Thr Phe Ala Gln Asn Gly Ser Gly Gly 230 235 240	
	Gly Thr Val Asn 245	Leu Gly Ser Glu Lys Ile Lys His Ser Pro Tyr Gly 250 255	
40	Phe Leu Pro Thr 260	Gly Gly Ser Phe Gly Asp Ser Gly Ser Pro Met Phe 265 270	
	Ile Tyr Asp 275	Ala Gln Lys Gln Lys Trp Leu Ile Asn Gly Val Leu Gln 280 285	
45	Thr Gly Asn Pro Tyr Ile Gly Lys Ser Asn Gly Phe Gln Leu Val Arg 290 295 300		
	Lys Asp Trp Phe Tyr Asp Glu Ile Phe Ala Gly Asp Thr His Ser Val 305 310 315 320		
50	Phe Tyr Glu Pro Arg Gln Asn Gly Lys Tyr Ser Phe Asn Asp Asp Asn 325 330 335		
	Asn Gly Thr Gly Lys Ile Asn Ala Lys His Glu His Asn Ser Leu Pro 340 345 350		
55	Asn Arg Leu Lys Thr Arg Thr Val Gln Leu Phe Asn Val Ser Leu Ser 355 360 365		
	Glu Thr Ala Arg Glu Pro Val Tyr His Ala Ala Gly Gly Val Asn Ser 370 375 380		
	Tyr Arg Pro Arg Leu Asn Asn Gly Glu Asn Ile Ser Phe Ile Asp Glu		

EP 1 790 660 A2

	385		390		395		400										
	Gly	Lys	Gly	Glu	Leu	Ile	Leu	Thr	Ser	Asn	Ile	Asn	Gln	Gly	Ala	Gly	
5					405					410					415		
	Gly	Leu	Tyr	Phe	Gln	Gly	Asp	Phe	Thr	Val	Ser	Pro	Glu	Asn	Asn	Glu	
				420					425					430			
	Thr	Trp	Gln	Gly	Ala	Gly	Val	His	Ile	Ser	Glu	Asp	Ser	Thr	Val	Thr	
10			435					440					445				
	Trp	Lys	Val	Asn	Gly	Val	Ala	Asn	Asp	Arg	Leu	Ser	Lys	Ile	Gly	Lys	
		450					455					460					
	Gly	Thr	Leu	His	Val	Gln	Ala	Lys	Gly	Glu	Asn	Gln	Gly	Ser	Ile	Ser	
15		465				470					475					480	
	Val	Gly	Asp	Gly	Thr	Val	Ile	Leu	Asp	Gln	Gln	Ala	Asp	Asp	Lys	Gly	
					485					490					495		
	Lys	Lys	Gln	Ala	Phe	Ser	Glu	Ile	Gly	Leu	Val	Ser	Gly	Arg	Gly	Thr	
				500					505					510			
20		Val	Gln	Leu	Asn	Ala	Asp	Asn	Gln	Phe	Asn	Pro	Asp	Lys	Leu	Tyr	Phe
			515						520					525			
	Gly	Phe	Arg	Gly	Gly	Arg	Leu	Asp	Leu	Asn	Gly	His	Ser	Leu	Ser	Phe	
		530					535					540					
25		His	Arg	Ile	Gln	Asn	Thr	Asp	Glu	Gly	Ala	Met	Ile	Val	Asn	His	Asn
		545					550					555					560
	Gln	Asp	Lys	Glu	Ser	Thr	Val	Thr	Ile	Thr	Gly	Asn	Lys	Asp	Ile	Ala	
					565					570					575		
30		Thr	Thr	Gly	Asn	Asn	Asn	Ser	Leu	Asp	Ser	Lys	Lys	Glu	Ile	Ala	Tyr
				580						585					590		
	Asn	Gly	Trp	Phe	Gly	Glu	Lys	Asp	Thr	Thr	Lys	Thr	Asn	Gly	Arg	Leu	
			595					600					605				
35		Asn	Leu	Val	Tyr	Gln	Pro	Ala	Ala	Glu	Asp	Arg	Thr	Leu	Leu	Leu	Ser
			610					615					620				
	Gly	Gly	Thr	Asn	Leu	Asn	Gly	Asn	Ile	Thr	Gln	Thr	Asn	Gly	Lys	Leu	
		625				630					635					640	
40		Phe	Phe	Ser	Gly	Arg	Pro	Thr	Pro	His	Ala	Tyr	Asn	His	Leu	Asn	Asp
					645						650					655	
	His	Trp	Ser	Gln	Lys	Glu	Gly	Ile	Pro	Arg	Gly	Glu	Ile	Val	Trp	Asp	
				660					665					670			
45		Asn	Asp	Trp	Ile	Asn	Arg	Thr	Phe	Lys	Ala	Glu	Asn	Phe	Gln	Ile	Lys
			675						680					685			
	Gly	Gly	Gln	Ala	Val	Val	Ser	Arg	Asn	Val	Ala	Lys	Val	Lys	Gly	Asp	
		690					695					700					
50		Trp	His	Leu	Ser	Asn	His	Ala	Gln	Ala	Val	Phe	Gly	Val	Ala	Pro	His
		705					710					715					720
	Gln	Ser	His	Thr	Ile	Cys	Thr	Arg	Ser	Asp	Trp	Thr	Gly	Leu	Thr	Asn	
					725					730					735		
55		Cys	Val	Glu	Lys	Thr	Ile	Thr	Asp	Asp	Lys	Val	Ile	Ala	Ser	Leu	Thr
				740					745						750		
	Lys	Thr	Asp	Ile	Ser	Gly	Asn	Val	Asp	Leu	Ala	Asp	His	Ala	His	Leu	

EP 1 790 660 A2

	755		760		765
5	Asn Leu Thr Gly Leu Ala Thr	770	775	Leu Asn Gly Asn Leu Ser Ala Asn Gly	
	Asp Thr Arg Tyr Thr Val	785	790	Ser His Asn Ala Thr Gln Asn Gly Asn Leu	800
10	Ser Leu Val Gly Asn	805	Ala Gln Ala Thr Phe	810	Asn Gln Ala Thr Leu Asn
	Gly Asn Thr Ser Ala Ser Gly Asn	820	825	Ser Phe Asn Leu Ser Asp His	
15	Ala Val Gln Asn Gly Ser Leu Thr	835	840	Leu Ser Gly Asn Ala Lys Ala Asn	
	Val Ser His Ser Ala Leu Asn	850	855	Gly Asn Val Ser Leu Ala Asp Lys Ala	
20	Val Phe His Phe Glu Ser	865	870	Ser Arg Phe Thr Gly Gln Ile Ser Gly Gly	880
	Lys Asp Thr Ala Leu His	885	Leu Lys Asp Ser	890	Glu Trp Thr Leu Pro Ser
25	Gly Thr Glu Leu Gly Asn Leu Asn	900	905	Leu Asp Asn Ala Thr Ile Thr Leu	
	Asn Ser Ala Tyr Arg His Asp	915	920	Ala Gly Ala Gln Thr Gly Ser Ala	
30	Thr Asp Ala Pro Arg Arg	930	935	Ser Arg Arg Ser Arg Arg Ser Leu Leu	
	Ser Val Thr Pro Pro Thr	945	950	Ser Val Glu Ser Arg Phe Asn Thr Leu Thr	960
35	Val Asn Gly Lys Leu Asn	965	Gly Gln Gly Thr Phe Arg Phe Met	970	Ser Ser Glu
	Leu Phe Gly Tyr Arg Ser Asp	980	Lys Leu Lys Leu Ala Glu Ser	985	990
40	Gly Thr Tyr Thr Leu Ala Val	995	1000	Asn Thr Gly Asn Glu Pro Ala Ser	
	Leu Glu Gln Leu Thr Val	1010	1015	Val Glu Gly Lys Asp Asn Lys Pro Leu Ser	
45	Glu Asn Leu Asn Phe Thr	1025	1030	Leu Gln Asn Glu His Val Asp Ala Gly Ala	1040
	Trp Arg Tyr Gln Leu Ile	1045	Arg Lys Asp Gly Glu Phe Arg Leu His Asn	1050	1055
50	Pro Val Lys Glu Gln Glu Leu Ser	1060	1065	Asp Lys Leu Gly Lys Ala Glu Ala	
	Lys Lys Gln Ala Glu Lys Asp	1075	1080	Asn Ala Gln Ser Leu Asp Ala Leu Ile	
55	Ala Ala Gly Arg Asp Ala Val	1090	1095	Glu Lys Thr Glu Ser Val Ala Glu Pro	
	Ala Arg Gln Ala Gly Gly Glu Asn Val	1105	1110	Gly Ile Met Gln Ala Glu Glu	1120
	Glu Lys Lys Arg Val Gln Ala Asp			Lys Asp Thr Ala Leu Ala Lys Gln	

EP 1 790 660 A2

	1125	1130	1135
5	Arg Glu Ala Glu Thr Arg Pro Ala Thr Thr Ala Phe Pro Arg Ala Arg		
	1140	1145	1150
	Arg Ala Arg Arg Asp Leu Pro Gln Leu Gln Pro Gln Pro Gln Pro Gln		
	1155	1160	1165
10	Pro Gln Arg Asp Leu Ile Ser Arg Tyr Ala Asn Ser Gly Leu Ser Glu		
	1170	1175	1180
	Phe Ser Ala Thr Leu Asn Ser Val Phe Ala Val Gln Asp Glu Leu Asp		
	1185	1190	1195
15	Arg Val Phe Ala Glu Asp Arg Arg Asn Ala Val Trp Thr Ser Gly Ile		
	1205	1210	1215
	Arg Asp Thr Lys His Tyr Arg Ser Gln Asp Phe Arg Ala Tyr Arg Gln		
	1220	1225	1230
	Gln Thr Asp Leu Arg Gln Ile Gly Met Gln Lys Asn Leu Gly Ser Gly		
	1235	1240	1245
20	Arg Val Gly Ile Leu Phe Ser His Asn Arg Thr Glu Asn Thr Phe Asp		
	1250	1255	1260
	Asp Gly Ile Gly Asn Ser Ala Arg Leu Ala His Gly Ala Val Phe Gly		
	1265	1270	1275
25	Gln Tyr Gly Ile Asp Arg Phe Tyr Ile Gly Ile Ser Ala Gly Ala Gly		
	1285	1290	1295
	Phe Ser Ser Gly Ser Leu Ser Asp Gly Ile Gly Gly Lys Ile Arg Arg		
	1300	1305	1310
30	Arg Val Leu His Tyr Gly Ile Gln Ala Arg Tyr Arg Ala Gly Phe Gly		
	1315	1320	1325
	Gly Phe Gly Ile Glu Pro His Ile Gly Ala Thr Arg Tyr Phe Val Gln		
	1330	1335	1340
35	Lys Ala Asp Tyr Arg Tyr Glu Asn Val Asn Ile Ala Thr Pro Gly Leu		
	1345	1350	1355
	Ala Phe Asn Arg Tyr Arg Ala Gly Ile Lys Ala Asp Tyr Ser Phe Lys		
	1365	1370	1375
40	Pro Ala Gln His Ile Ser Ile Thr Pro Tyr Leu Ser Leu Ser Tyr Thr		
	1380	1385	1390
	Asp Ala Ala Ser Gly Lys Val Arg Thr Arg Val Asn Thr Ala Val Leu		
	1395	1400	1405
45	Ala Gln Asp Phe Gly Lys Thr Arg Ser Ala Glu Trp Gly Val Asn Ala		
	1410	1415	1420
	Glu Ile Lys Gly Phe Thr Leu Ser Leu His Ala Ala Ala Ala Lys Gly		
	1425	1430	1435
50	Pro Gln Leu Glu Ala Gln His Ser Ala Gly Ile Lys Leu Gly Tyr Arg		
	1445	1450	1455
	Trp		
55	<210> 72		
	<211> 21		
	<212> PRT		
	<213> Escherichia coli		

<400> 72
 Met Lys Lys Thr Ala Ile Ala Ile Ala Val Ala Leu Ala Gly Phe Ala
 1 5 10 15
 5 Thr Val Ala Gln Ala
 20
 <210> 73
 <211> 1439
 <212> PRT
 <213> Neisseria meningitidis
 10
 <400> 73
 Met Lys Lys Thr Ala Ile Ala Ile Ala Val Ala Leu Ala Gly Phe Ala
 1 5 10 15
 15 Thr Val Ala Gln Ala Ala Ser Ala Gly His Thr Tyr Phe Gly Ile Asn
 20 25 30
 Tyr Gln Tyr Tyr Arg Asp Phe Ala Glu Asn Lys Gly Lys Phe Ala Val
 35 40 45
 20 Gly Ala Lys Asp Ile Glu Val Tyr Asn Lys Lys Gly Glu Leu Val Gly
 50 55 60
 Lys Ser Met Thr Lys Ala Pro Met Ile Asp Phe Ser Val Val Ser Arg
 65 70 75 80
 25 Asn Gly Val Ala Ala Leu Val Gly Asp Gln Tyr Ile Val Ser Val Ala
 85 90 95
 His Asn Gly Gly Tyr Asn Asn Val Asp Phe Gly Ala Glu Gly Arg Asn
 100 105 110
 30 Pro Asp Gln His Arg Phe Thr Tyr Lys Ile Val Lys Arg Asn Asn Tyr
 115 120 125
 Lys Ala Gly Thr Lys Gly His Pro Tyr Gly Gly Asp Tyr His Met Pro
 130 135 140
 35 Arg Leu His Lys Phe Val Thr Asp Ala Glu Pro Val Glu Met Thr Ser
 145 150 155 160
 Tyr Met Asp Gly Arg Lys Tyr Ile Asp Gln Asn Asn Tyr Pro Asp Arg
 165 170 175
 40 Val Arg Ile Gly Ala Gly Arg Gln Tyr Trp Arg Ser Asp Glu Asp Glu
 180 185 190
 Pro Asn Asn Arg Glu Ser Ser Tyr His Ile Ala Ser Ala Tyr Ser Trp
 195 200 205
 45 Leu Val Gly Gly Asn Thr Phe Ala Gln Asn Gly Ser Gly Gly Gly Thr
 210 215 220
 Val Asn Leu Gly Ser Glu Lys Ile Lys His Ser Pro Tyr Gly Phe Leu
 225 230 235 240
 50 Pro Thr Gly Gly Ser Phe Gly Asp Ser Gly Ser Pro Met Phe Ile Tyr
 245 250 255
 Asp Ala Gln Lys Gln Lys Trp Leu Ile Asn Gly Val Leu Gln Thr Gly
 260 265 270
 55 Asn Pro Tyr Ile Gly Lys Ser Asn Gly Phe Gln Leu Val Arg Lys Asp
 275 280 285
 Trp Phe Tyr Asp Glu Ile Phe Ala Gly Asp Thr His Ser Val Phe Tyr

EP 1 790 660 A2

	290		295		300												
	Glu	Pro	Arg	Gln	Asn	Gly	Lys	Tyr	Ser	Phe	Asn	Asp	Asp	Asn	Asn	Gly	
5	305					310					315					320	
	Thr	Gly	Lys	Ile	Asn	Ala	Lys	His	Glu	His	Asn	Ser	Leu	Pro	Asn	Arg	
					325					330					335		
	Leu	Lys	Thr	Arg	Thr	Val	Gln	Leu	Phe	Asn	Val	Ser	Leu	Ser	Glu	Thr	
				340					345					350			
10	Ala	Arg	Glu	Pro	Val	Tyr	His	Ala	Ala	Gly	Gly	Val	Asn	Ser	Tyr	Arg	
			355					360					365				
	Pro	Arg	Leu	Asn	Asn	Gly	Glu	Asn	Ile	Ser	Phe	Ile	Asp	Glu	Gly	Lys	
		370					375					380					
15	Gly	Glu	Leu	Ile	Leu	Thr	Ser	Asn	Ile	Asn	Gln	Gly	Ala	Gly	Gly	Leu	
	385					390					395					400	
	Tyr	Phe	Gln	Gly	Asp	Phe	Thr	Val	Ser	Pro	Glu	Asn	Asn	Glu	Thr	Trp	
					405					410					415		
20	Gln	Gly	Ala	Gly	Val	His	Ile	Ser	Glu	Asp	Ser	Thr	Val	Thr	Trp	Lys	
				420					425					430			
	Val	Asn	Gly	Val	Ala	Asn	Asp	Arg	Leu	Ser	Lys	Ile	Gly	Lys	Gly	Thr	
			435					440					445				
25	Leu	His	Val	Gln	Ala	Lys	Gly	Glu	Asn	Gln	Gly	Ser	Ile	Ser	Val	Gly	
		450					455					460					
	Asp	Gly	Thr	Val	Ile	Leu	Asp	Gln	Gln	Ala	Asp	Asp	Lys	Gly	Lys	Lys	
	465					470					475					480	
30	Gln	Ala	Phe	Ser	Glu	Ile	Gly	Leu	Val	Ser	Gly	Arg	Gly	Thr	Val	Gln	
					485					490					495		
	Leu	Asn	Ala	Asp	Asn	Gln	Phe	Asn	Pro	Asp	Lys	Leu	Tyr	Phe	Gly	Phe	
				500					505					510			
35	Arg	Gly	Gly	Arg	Leu	Asp	Leu	Asn	Gly	His	Ser	Leu	Ser	Phe	His	Arg	
			515					520					525				
	Ile	Gln	Asn	Thr	Asp	Glu	Gly	Ala	Met	Ile	Val	Asn	His	Asn	Gln	Asp	
		530					535					540					
40	Lys	Glu	Ser	Thr	Val	Thr	Ile	Thr	Gly	Asn	Lys	Asp	Ile	Ala	Thr	Thr	
	545					550					555					560	
	Gly	Asn	Asn	Asn	Ser	Leu	Asp	Ser	Lys	Lys	Glu	Ile	Ala	Tyr	Asn	Gly	
					565					570					575		
45	Trp	Phe	Gly	Glu	Lys	Asp	Thr	Thr	Lys	Thr	Asn	Gly	Arg	Leu	Asn	Leu	
				580					585					590			
	Val	Tyr	Gln	Pro	Ala	Ala	Glu	Asp	Arg	Thr	Leu	Leu	Leu	Ser	Gly	Gly	
			595					600					605				
50	Thr	Asn	Leu	Asn	Gly	Asn	Ile	Thr	Gln	Thr	Asn	Gly	Lys	Leu	Phe	Phe	
		610					615					620					
	Ser	Gly	Arg	Pro	Thr	Pro	His	Ala	Tyr	Asn	His	Leu	Asn	Asp	His	Trp	
	625					630					635					640	
	Ser	Gln	Lys	Glu	Gly	Ile	Pro	Arg	Gly	Glu	Ile	Val	Trp	Asp	Asn	Asp	
					645					650					655		
55	Trp	Ile	Asn	Arg	Thr	Phe	Lys	Ala	Glu	Asn	Phe	Gln	Ile	Lys	Gly	Gly	

EP 1 790 660 A2

	660							665				670					
5	Gln	Ala	Val	Val	Ser	Arg	Asn	Val	Ala	Lys	Val	Lys	Gly	Asp	Trp	His	
			675					680					685				
	Leu	Ser	Asn	His	Ala	Gln	Ala	Val	Phe	Gly	Val	Ala	Pro	His	Gln	Ser	
		690					695					700					
10	His	Thr	Ile	Cys	Thr	Arg	Ser	Asp	Trp	Thr	Gly	Leu	Thr	Asn	Cys	Val	
	705					710					715					720	
	Glu	Lys	Thr	Ile	Thr	Asp	Asp	Lys	Val	Ile	Ala	Ser	Leu	Thr	Lys	Thr	
					725					730					735		
15	Asp	Ile	Ser	Gly	Asn	Val	Asp	Leu	Ala	Asp	His	Ala	His	Leu	Asn	Leu	
				740					745					750			
	Thr	Gly	Leu	Ala	Thr	Leu	Asn	Gly	Asn	Leu	Ser	Ala	Asn	Gly	Asp	Thr	
			755					760					765				
20	Arg	Tyr	Thr	Val	Ser	His	Asn	Ala	Thr	Gln	Asn	Gly	Asn	Leu	Ser	Leu	
		770					775					780					
	Val	Gly	Asn	Ala	Gln	Ala	Thr	Phe	Asn	Gln	Ala	Thr	Leu	Asn	Gly	Asn	
	785					790					795					800	
	Thr	Ser	Ala	Ser	Gly	Asn	Ala	Ser	Phe	Asn	Leu	Ser	Asp	His	Ala	Val	
					805				810						815		
25	Gln	Asn	Gly	Ser	Leu	Thr	Leu	Ser	Gly	Asn	Ala	Lys	Ala	Asn	Val	Ser	
				820					825					830			
	His	Ser	Ala	Leu	Asn	Gly	Asn	Val	Ser	Leu	Ala	Asp	Lys	Ala	Val	Phe	
			835					840					845				
30	His	Phe	Glu	Ser	Ser	Arg	Phe	Thr	Gly	Gln	Ile	Ser	Gly	Gly	Lys	Asp	
		850					855					860					
	Thr	Ala	Leu	His	Leu	Lys	Asp	Ser	Glu	Trp	Thr	Leu	Pro	Ser	Gly	Thr	
	865					870					875					880	
35	Glu	Leu	Gly	Asn	Leu	Asn	Leu	Asp	Asn	Ala	Thr	Ile	Thr	Leu	Asn	Ser	
					885					890					895		
	Ala	Tyr	Arg	His	Asp	Ala	Ala	Gly	Ala	Gln	Thr	Gly	Ser	Ala	Thr	Asp	
				900					905					910			
40	Ala	Pro	Arg	Arg	Arg	Ser	Arg	Arg	Ser	Arg	Arg	Ser	Leu	Leu	Ser	Val	
			915					920					925				
	Thr	Pro	Pro	Thr	Ser	Val	Glu	Ser	Arg	Phe	Asn	Thr	Leu	Thr	Val	Asn	
		930					935					940					
45	Gly	Lys	Leu	Asn	Gly	Gln	Gly	Thr	Phe	Arg	Phe	Met	Ser	Glu	Leu	Phe	
	945					950					955					960	
	Gly	Tyr	Arg	Ser	Asp	Lys	Leu	Lys	Leu	Ala	Glu	Ser	Ser	Glu	Gly	Thr	
					965					970					975		
50	Tyr	Thr	Leu	Ala	Val	Asn	Asn	Thr	Gly	Asn	Glu	Pro	Ala	Ser	Leu	Glu	
				980					985					990			
	Gln	Leu	Thr	Val	Val	Glu	Gly	Lys	Asp	Asn	Lys	Pro	Leu	Ser	Glu	Asn	
			995					1000					1005				
55	Leu	Asn	Phe	Thr	Leu	Gln	Asn	Glu	His	Val	Asp	Ala	Gly	Ala	Trp	Arg	
		1010					1015					1020					
	Tyr	Gln	Leu	Ile	Arg	Lys	Asp	Gly	Glu	Phe	Arg	Leu	His	Asn	Pro	Val	

EP 1 790 660 A2

	1025		1030		1035		1040
5	Lys Glu Gln Glu	Leu Ser Asp Lys	Leu Gly Lys	Ala Glu Ala	Lys Lys		
		1045		1050		1055	
	Gln Ala Glu	Lys Asp Asn Ala	Gln Ser Leu Asp	Ala Leu Ile	Ala Ala		
		1060		1065		1070	
10	Gly Arg Asp	Ala Val Glu Lys	Thr Glu Ser Val	Ala Glu Pro	Ala Arg		
		1075		1080		1085	
	Gln Ala Gly	Gly Glu Asn Val	Gly Ile Met	Gln Ala Glu	Glu Glu Lys		
		1090		1095		1100	
15	Lys Arg Val	Gln Ala Asp Lys	Asp Thr Ala	Leu Ala Lys	Gln Arg Glu		
		1105		1110		1115	
	Ala Glu Thr	Arg Pro Ala Thr	Thr Ala Phe	Pro Arg Ala	Arg Arg Ala		
		1125		1130		1135	
20	Arg Arg Asp	Leu Pro Gln Leu	Gln Pro Gln	Pro Gln Pro	Gln Pro Gln		
		1140		1145		1150	
	Arg Asp Leu	Ile Ser Arg Tyr	Ala Asn Ser	Gly Leu Ser	Glu Phe Ser		
		1155		1160		1165	
	Ala Thr Leu	Asn Ser Val Phe	Ala Val Gln	Asp Glu Leu	Asp Arg Val		
		1170		1175		1180	
25	Phe Ala Glu	Asp Arg Arg Asn	Ala Val Trp	Thr Ser Gly	Ile Arg Asp		
		1185		1190		1195	
	Thr Lys His	Tyr Arg Ser Gln	Asp Phe Arg	Ala Tyr Arg	Gln Gln Thr		
		1205		1210		1215	
30	Asp Leu Arg	Gln Ile Gly Met	Gln Lys Asn	Leu Gly Ser	Gly Arg Val		
		1220		1225		1230	
	Gly Ile Leu	Phe Ser His Asn	Arg Thr Glu	Asn Thr Phe	Asp Asp Gly		
		1235		1240		1245	
35	Ile Gly Asn	Ser Ala Arg Leu	Ala His Gly	Ala Val Phe	Gly Gln Tyr		
		1250		1255		1260	
	Gly Ile Asp	Arg Phe Tyr Ile	Gly Ile Ser	Ala Gly Ala	Gly Phe Ser		
		1265		1270		1275	
40	Ser Gly Ser	Leu Ser Asp Gly	Ile Gly Gly	Lys Ile Arg	Arg Arg Val		
		1285		1290		1295	
	Leu His Tyr	Gly Ile Gln Ala	Arg Tyr Arg	Ala Gly Phe	Gly Gly Phe		
		1300		1305		1310	
45	Gly Ile Glu	Pro His Ile Gly	Ala Thr Arg	Tyr Phe Val	Gln Lys Ala		
		1315		1320		1325	
	Asp Tyr Arg	Tyr Glu Asn Val	Asn Ile Ala	Thr Pro Gly	Leu Ala Phe		
		1330		1335		1340	
50	Asn Arg Tyr	Arg Ala Gly Ile	Lys Ala Asp	Tyr Ser Phe	Lys Pro Ala		
		1345		1350		1355	
	Gln His Ile	Ser Ile Thr Pro	Tyr Leu Ser	Leu Ser Tyr	Thr Asp Ala		
		1365		1370		1375	
55	Ala Ser Gly	Lys Val Arg Thr	Arg Val Asn	Thr Ala Val	Leu Ala Gln		
		1380		1385		1390	
	Asp Phe Gly	Lys Thr Arg Ser	Ala Glu Trp	Gly Val Asn	Ala Glu Ile		

EP 1 790 660 A2

1395 1400 1405

5 Lys Gly Phe Thr Leu Ser Leu His Ala Ala Ala Ala Lys Gly Pro Gln
1410 1415 1420

Leu Glu Ala Gln His Ser Ala Gly Ile Lys Leu Gly Tyr Arg Trp
1425 1430 1435

10 <210> 74
<211> 164
<212> PRT
<213> Neisseria meningitidis

<400> 74
Met Lys Lys Asn Ile Leu Glu Phe Trp Val Gly Leu Phe Val Leu Ile
1 5 10 15

Gly Ala Ala Ala Val Ala Phe Leu Ala Phe Arg Val Ala Gly Gly Ala
20 25 30

Ala Phe Gly Gly Ser Asp Lys Thr Tyr Ala Val Tyr Ala Asp Phe Gly
35 40 45

20 Asp Ile Gly Gly Leu Lys Val Asn Ala Pro Val Lys Ser Ala Gly Val
50 55 60

Leu Val Gly Arg Val Gly Ala Ile Gly Leu Asp Pro Lys Ser Tyr Gln
65 70 75 80

25 Ala Arg Val Arg Leu Asp Leu Asp Gly Lys Tyr Gln Phe Ser Ser Asp
85 90 95

Val Ser Ala Gln Ile Leu Thr Ser Gly Leu Leu Gly Glu Gln Tyr Ile
100 105 110

30 Gly Leu Gln Gln Gly Gly Asp Thr Glu Asn Leu Ala Ala Gly Asp Thr
115 120 125

Ile Ser Val Thr Ser Ser Ala Met Val Leu Glu Asn Leu Ile Gly Lys
130 135 140

35 Phe Met Thr Ser Phe Ala Glu Lys Asn Ala Asp Gly Gly Asn Ala Glu
145 150 155 160

Lys Ala Ala Glu

40 <210> 75
<211> 21
<212> PRT
<213> Erwinia carotovora

<400> 75
Met Lys Tyr Leu Leu Pro Thr Ala Ala Ala Gly Leu Leu Leu Ala Ala
1 5 10 15

Gln Pro Ala Met Ala
20

50 <210> 76
<211> 608
<212> PRT
<213> Neisseria meningitidis ORF46

<400> 76
Leu Gly Ile Ser Arg Lys Ile Ser Leu Ile Leu Ser Ile Leu Ala Val
1 5 10 15

55 Cys Leu Pro Met His Ala His Ala Ser Asp Leu Ala Asn Asp Ser Phe

EP 1 790 660 A2

	20	25	30
5	Ile Arg Gln Val Leu Asp Arg Gln His Phe Glu Pro Asp Gly Lys Tyr		
	35	40	45
	His Leu Phe Gly Ser Arg Gly Glu Leu Ala Glu Arg Ser Gly His Ile		
	50	55	60
10	Gly Leu Gly Lys Ile Gln Ser His Gln Leu Gly Asn Leu Met Ile Gln		
	65	70	75
	Gln Ala Ala Ile Lys Gly Asn Ile Gly Tyr Ile Val Arg Phe Ser Asp		
	85	90	95
15	His Gly His Glu Val His Ser Pro Phe Asp Asn His Ala Ser His Ser		
	100	105	110
	Asp Ser Asp Glu Ala Gly Ser Pro Val Asp Gly Phe Ser Leu Tyr Arg		
	115	120	125
20	Ile His Trp Asp Gly Tyr Glu His His Pro Ala Asp Gly Tyr Asp Gly		
	130	135	140
	Pro Gln Gly Gly Gly Tyr Pro Ala Pro Lys Gly Ala Arg Asp Ile Tyr		
	145	150	155
	Ser Tyr Asp Ile Lys Gly Val Ala Gln Asn Ile Arg Leu Asn Leu Thr		
	165	170	175
25	Asp Asn Arg Ser Thr Gly Gln Arg Leu Ala Asp Arg Phe His Asn Ala		
	180	185	190
	Gly Ser Met Leu Thr Gln Gly Val Gly Asp Gly Phe Lys Arg Ala Thr		
	195	200	205
30	Arg Tyr Ser Pro Glu Leu Asp Arg Ser Gly Asn Ala Ala Glu Ala Phe		
	210	215	220
	Asn Gly Thr Ala Asp Ile Val Lys Asn Ile Ile Gly Ala Ala Gly Glu		
	225	230	235
35	Ile Val Gly Ala Gly Asp Ala Val Gln Gly Ile Ser Glu Gly Ser Asn		
	245	250	255
	Ile Ala Val Met His Gly Leu Gly Leu Leu Ser Thr Glu Asn Lys Met		
	260	265	270
40	Ala Arg Ile Asn Asp Leu Ala Asp Met Ala Gln Leu Lys Asp Tyr Ala		
	275	280	285
	Ala Ala Ala Ile Arg Asp Trp Ala Val Gln Asn Pro Asn Ala Ala Gln		
	290	295	300
45	Gly Ile Glu Ala Val Ser Asn Ile Phe Met Ala Ala Ile Pro Ile Lys		
	305	310	315
	Gly Ile Gly Ala Val Arg Gly Lys Tyr Gly Leu Gly Gly Ile Thr Ala		
	325	330	335
50	His Pro Ile Lys Arg Ser Gln Met Gly Ala Ile Ala Leu Pro Lys Gly		
	340	345	350
	Lys Ser Ala Val Ser Asp Asn Phe Ala Asp Ala Ala Tyr Ala Lys Tyr		
	355	360	365
55	Pro Ser Pro Tyr His Ser Arg Asn Ile Arg Ser Asn Leu Glu Gln Arg		
	370	375	380
	Tyr Gly Lys Glu Asn Ile Thr Ser Ser Thr Val Pro Pro Ser Asn Gly		

EP 1 790 660 A2

	385		390		395		400									
5	Lys	Asn	Val	Lys	Leu 405	Ala	Asp	Gln	Arg	His 410	Pro	Lys	Thr	Gly	Val 415	Pro
	Phe	Asp	Gly	Lys 420	Gly	Phe	Pro	Asn	Phe 425	Glu	Lys	His	Val	Lys 430	Tyr	Asp
10	Thr	Lys	Leu 435	Asp	Ile	Gln	Glu 440	Leu	Ser	Gly	Gly	Gly	Ile 445	Pro	Lys	Ala
	Lys	Pro 450	Val	Ser	Asp	Ala	Lys 455	Pro	Arg	Trp	Glu	Val 460	Asp	Arg	Lys	Leu
15	Asn 465	Lys	Leu	Thr	Thr	Arg 470	Glu	Gln	Val	Glu	Lys 475	Asn	Val	Gln	Glu	Ile 480
	Arg	Asn	Gly	Asn	Lys 485	Asn	Ser	Asn	Phe	Ser 490	Gln	His	Ala	Gln	Leu 495	Glu
20	Arg	Glu	Ile	Asn 500	Lys	Leu	Lys	Ser	Ala 505	Asp	Glu	Ile	Asn	Phe 510	Ala	Asp
	Gly	Met	Gly 515	Lys	Phe	Thr	Asp	Ser 520	Met	Asn	Asp	Lys	Ala 525	Phe	Ser	Arg
25	Leu	Val 530	Lys	Ser	Val	Lys	Glu 535	Asn	Gly	Phe	Thr	Asn 540	Pro	Val	Val	Glu
	Tyr 545	Val	Glu	Ile	Asn	Gly 550	Lys	Ala	Tyr	Ile	Val 555	Arg	Gly	Asn	Asn	Arg 560
30	Val	Phe	Ala	Ala	Glu 565	Tyr	Leu	Gly	Arg	Ile 570	His	Glu	Leu	Lys	Phe 575	Lys
	Lys	Val	Asp	Phe 580	Pro	Val	Pro	Asn	Thr 585	Ser	Trp	Lys	Asn	Pro 590	Thr	Asp
35	Val	Leu	Asn 595	Glu	Ser	Gly	Asn	Val 600	Lys	Arg	Pro	Arg	Tyr 605	Arg	Ser	Lys
	<210>	77														
	<211>	584														
	<212>	PRT														
	<213>	Artificial Sequence														
40	<220>															
	<223>	ORF46-2														
	<400>	77														
45	Ser	Asp	Leu	Ala	Asn 5	Asp	Ser	Phe	Ile	Arg 10	Gln	Val	Leu	Asp	Arg 15	Gln
	His	Phe	Glu	Pro 20	Asp	Gly	Lys	Tyr	His 25	Leu	Phe	Gly	Ser	Arg 30	Gly	Glu
	Leu	Ala	Glu 35	Arg	Ser	Gly	His 40	Ile	Gly	Leu	Gly	Lys	Ile 45	Gln	Ser	His
50	Gln	Leu 50	Gly	Asn	Leu	Met	Ile 55	Gln	Gln	Ala	Ala	Ile 60	Lys	Gly	Asn	Ile
	Gly	Tyr	Ile	Val	Arg	Phe 70	Ser	Asp	His	Gly	His 75	Glu	Val	His	Ser	Pro 80
55	Phe	Asp	Asn	His	Ala 85	Ser	His	Ser	Asp	Ser 90	Asp	Glu	Ala	Gly	Ser 95	Pro

EP 1 790 660 A2

	Val	Asp	Gly	Phe 100	Ser	Leu	Tyr	Arg	Ile 105	His	Trp	Asp	Gly	Tyr 110	Glu	His
5	His	Pro	Ala 115	Asp	Gly	Tyr	Asp	Gly 120	Pro	Gln	Gly	Gly	Gly 125	Tyr	Pro	Ala
	Pro	Lys 130	Gly	Ala	Arg	Asp	Ile 135	Tyr	Ser	Tyr	Asp	Ile 140	Lys	Gly	Val	Ala
10	Gln	Asn	Ile	Arg	Leu	Asn 150	Leu	Thr	Asp	Asn	Arg 155	Ser	Thr	Gly	Gln	Arg 160
	Leu	Ala	Asp	Arg	Phe 165	His	Asn	Ala	Gly	Ser 170	Met	Leu	Thr	Gln	Gly 175	Val
15	Gly	Asp	Gly	Phe 180	Lys	Arg	Ala	Thr	Arg 185	Tyr	Ser	Pro	Glu	Leu 190	Asp	Arg
	Ser	Gly	Asn 195	Ala	Ala	Glu	Ala	Phe 200	Asn	Gly	Thr	Ala	Asp 205	Ile	Val	Lys
20	Asn	Ile 210	Ile	Gly	Ala	Ala	Gly 215	Glu	Ile	Val	Gly	Ala 220	Gly	Asp	Ala	Val
	Gln	Gly	Ile	Ser	Glu	Gly 230	Ser	Asn	Ile	Ala	Val 235	Met	His	Gly	Leu	Gly 240
25	Leu	Leu	Ser	Thr	Glu 245	Asn	Lys	Met	Ala	Arg 250	Ile	Asn	Asp	Leu	Ala 255	Asp
	Met	Ala	Gln	Leu 260	Lys	Asp	Tyr	Ala 265	Ala	Ala	Ile	Arg	Asp 270	Trp	Ala	
30	Val	Gln	Asn 275	Pro	Asn	Ala	Ala 280	Gln	Gly	Ile	Glu	Ala 285	Val	Ser	Asn	Ile
	Phe	Met 290	Ala	Ala	Ile	Pro	Ile 295	Lys	Gly	Ile	Gly	Ala 300	Val	Arg	Gly	Lys
35	Tyr	Gly	Leu	Gly	Gly	Ile 310	Thr	Ala	His	Pro	Ile 315	Lys	Arg	Ser	Gln	Met 320
	Gly	Ala	Ile	Ala	Leu 325	Pro	Lys	Gly	Lys	Ser 330	Ala	Val	Ser	Asp	Asn 335	Phe
40	Ala	Asp	Ala	Ala 340	Tyr	Ala	Lys	Tyr	Pro 345	Ser	Pro	Tyr	His 350	Ser	Arg	Asn
	Ile	Arg	Ser 355	Asn	Leu	Glu	Gln	Arg 360	Tyr	Gly	Lys	Glu	Asn 365	Ile	Thr	Ser
45	Ser	Thr	Val	Pro	Pro	Ser	Asn 375	Gly	Lys	Asn	Val	Lys 380	Leu	Ala	Asp	Gln
	Arg	His	Pro	Lys	Thr	Gly 390	Val	Pro	Phe	Asp	Gly 395	Lys	Gly	Phe	Pro	Asn 400
50	Phe	Glu	Lys	His 405	Val	Lys	Tyr	Asp	Thr	Lys 410	Leu	Asp	Ile	Gln	Glu	Leu
	Ser	Gly	Gly	Gly 420	Ile	Pro	Lys	Ala	Lys 425	Pro	Val	Ser	Asp	Ala 430	Lys	Pro
55	Arg	Trp	Glu 435	Val	Asp	Arg	Lys	Leu 440	Asn	Lys	Leu	Thr	Thr 445	Arg	Glu	Gln
	Val	Glu	Lys	Asn	Val	Gln	Glu 455	Ile	Arg	Asn	Gly	Asn 460	Lys	Asn	Ser	Asn

EP 1 790 660 A2

Phe Ser Gln His Ala Gln Leu Glu Arg Glu Ile Asn Lys Leu Lys Ser
 465 470 475 480
 5 Ala Asp Glu Ile Asn Phe Ala Asp Gly Met Gly Lys Phe Thr Asp Ser
 485 490 495
 Met Asn Asp Lys Ala Phe Ser Arg Leu Val Lys Ser Val Lys Glu Asn
 500 505 510
 10 Gly Phe Thr Asn Pro Val Val Glu Tyr Val Glu Ile Asn Gly Lys Ala
 515 520 525
 Tyr Ile Val Arg Gly Asn Asn Arg Val Phe Ala Ala Glu Tyr Leu Gly
 530 535 540
 15 Arg Ile His Glu Leu Lys Phe Lys Lys Val Asp Phe Pro Val Pro Asn
 545 550 555 560
 Thr Ser Trp Lys Asn Pro Thr Asp Val Leu Asn Glu Ser Gly Asn Val
 565 570 575
 Lys Arg Pro Arg Tyr Arg Ser Lys
 580
 <210> 78
 <211> 364
 <212> PRT
 <213> Neisseria meningitidis
 25 <400> 78
 Met Ser Met Lys His Phe Pro Ala Lys Val Leu Thr Thr Ala Ile Leu
 1 5 10 15
 Ala Thr Phe Cys Ser Gly Ala Leu Ala Ala Thr Ser Asp Asp Asp Val
 20 25 30
 Lys Lys Ala Ala Thr Val Ala Ile Val Ala Ala Tyr Asn Asn Gly Gln
 35 40
 Glu Ile Asn Gly Phe Lys Ala Gly Glu Thr Ile Tyr Asp Ile Gly Glu
 50 55 60
 35 Asp Gly Thr Ile Thr Gln Lys Asp Ala Thr Ala Asp Val Glu Ala
 65 70 75 80
 Asp Asp Phe Lys Gly Leu Gly Leu Lys Lys Val Val Thr Asn Leu Thr
 85 90 95
 40 Lys Thr Val Asn Glu Asn Lys Gln Asn Val Asp Ala Lys Val Lys Ala
 100 105 110
 Ala Glu Ser Glu Ile Glu Lys Leu Thr Thr Lys Leu Ala Asp Thr Asp
 115 120 125
 45 Ala Ala Leu Ala Asp Thr Asp Ala Ala Leu Asp Glu Thr Thr Asn Ala
 130 135 140
 Leu Asn Lys Leu Gly Glu Asn Ile Thr Thr Phe Ala Glu Glu Thr Lys
 145 150 155 160
 50 Thr Asn Ile Val Lys Ile Asp Glu Lys Leu Glu Ala Val Ala Asp Thr
 165 170 175
 Val Asp Lys His Ala Glu Ala Phe Asn Asp Ile Ala Asp Ser Leu Asp
 180 185 190
 55 Glu Thr Asn Thr Lys Ala Asp Glu Ala Val Lys Thr Ala Asn Glu Ala
 195 200 205

EP 1 790 660 A2

Lys Gln Thr Ala Glu Glu Thr Lys Gln Asn Val Asp Ala Lys Val Lys
 210 215 220
 5 Ala Ala Glu Thr Ala Ala Gly Lys Ala Glu Ala Ala Ala Gly Thr Ala
 225 230 235 240
 Asn Thr Ala Ala Asp Lys Ala Glu Ala Val Ala Ala Lys Val Thr Asp
 245 250 255
 10 Ile Lys Ala Asp Ile Ala Thr Asn Lys Ala Asp Ile Ala Lys Asn Ser
 260 265 270
 Ala Arg Ile Asp Ser Leu Asp Lys Asn Val Ala Asn Leu Arg Lys Glu
 275 280 285
 15 Thr Arg Gln Gly Leu Ala Glu Gln Ala Ala Leu Ser Gly Leu Phe Gln
 290 295 300
 Pro Tyr Asn Val Gly Arg Phe Asn Val Thr Ala Ala Val Gly Gly Tyr
 305 310 315 320
 20 Lys Ser Glu Ser Ala Val Ala Ile Gly Thr Gly Phe Arg Phe Thr Glu
 325 330 335
 Asn Phe Ala Ala Lys Ala Gly Val Ala Val Gly Thr Ser Ser Gly Ser
 340 345 350
 25 Ser Ala Ala Tyr His Val Gly Val Asn Tyr Glu Trp
 355 360
 <210> 79
 <211> 427
 <212> PRT
 <213> Neisseria meningitidis
 30 <400> 79
 Met Phe Glu Arg Ser Val Ile Ala Met Ala Cys Ile Phe Ala Leu Ser
 1 5 10 15
 35 Ala Cys Gly Gly Gly Gly Gly Gly Ser Pro Asp Val Lys Ser Ala Asp
 20 25 30
 Thr Leu Ser Lys Pro Ala Ala Pro Val Val Ala Glu Lys Glu Thr Glu
 35 40 45
 Val Lys Glu Asp Ala Pro Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro
 50 55 60
 40 Ser Thr Gln Gly Ser Gln Asp Met Ala Ala Val Ser Ala Glu Asn Thr
 65 70 75 80
 Gly Asn Gly Gly Ala Ala Thr Thr Asp Lys Pro Lys Asn Glu Asp Glu
 85 90 95
 45 Gly Pro Gln Asn Asp Met Pro Gln Asn Ser Ala Glu Ser Ala Asn Gln
 100 105 110
 Thr Gly Asn Asn Gln Pro Ala Asp Ser Ser Asp Ser Ala Pro Ala Ser
 115 120 125
 50 Asn Pro Ala Pro Ala Asn Gly Gly Ser Asn Phe Gly Arg Val Asp Leu
 130 135 140
 Ala Asn Gly Val Leu Ile Asp Gly Pro Ser Gln Asn Ile Thr Leu Thr
 145 150 155 160
 55 His Cys Lys Gly Asp Ser Cys Asn Gly Asp Asn Leu Leu Asp Glu Glu
 165 170 175

EP 1 790 660 A2

Ala Pro Ser Lys Ser Glu Phe Glu Asn Leu Asn Glu Ser Glu Arg Ile
180 185 190

5 Glu Lys Tyr Lys Lys Asp Gly Lys Ser Asp Lys Phe Thr Asn Leu Val
195 200 205

Ala Thr Ala Val Gln Ala Asn Gly Thr Asn Lys Tyr Val Ile Ile Tyr
210 215 220

10 Lys Asp Lys Ser Ala Ser Ser Ser Ser Ala Arg Phe Arg Arg Ser Ala
225 230 235 240

Arg Ser Arg Arg Ser Leu Pro Ala Glu Met Pro Leu Ile Pro Val Asn
245 250 255

15 Gln Ala Asp Thr Leu Ile Val Asp Gly Glu Ala Val Ser Leu Thr Gly
260 265 270

His Ser Gly Asn Ile Phe Ala Pro Glu Gly Asn Tyr Arg Tyr Leu Thr
275 280 285

20 Tyr Gly Ala Glu Lys Leu Pro Gly Gly Ser Tyr Ala Leu Arg Val Gln
290 295 300

Gly Glu Pro Ala Lys Gly Glu Met Leu Ala Gly Thr Ala Val Tyr Asn
305 310 315 320

25 Gly Glu Val Leu His Phe His Thr Glu Asn Gly Arg Pro Tyr Pro Thr
325 330 335

Arg Gly Arg Phe Ala Ala Lys Val Asp Phe Gly Ser Lys Ser Val Asp
340 345 350

30 Gly Ile Ile Asp Ser Gly Asp Asp Leu His Met Gly Thr Gln Lys Phe
355 360 365

Lys Ala Ala Ile Asp Gly Asn Gly Phe Lys Gly Thr Trp Thr Glu Asn
370 375 380

35 Gly Gly Gly Asp Val Ser Gly Arg Phe Tyr Gly Pro Ala Gly Glu Glu
385 390 395 400

Val Ala Gly Lys Tyr Ser Tyr Arg Pro Thr Asp Ala Glu Lys Gly Gly
405 410 415

Phe Gly Val Phe Ala Gly Lys Lys Glu Gln Asp
420 425

40 <210> 80
<211> 410
<212> PRT
<213> Artificial Sequence

45 <220>
<223> 287untagged

<400> 80
Cys Gly Gly Gly Gly Gly Ser Pro Asp Val Lys Ser Ala Asp Thr
1 5 10 15

50 Leu Ser Lys Pro Ala Ala Pro Val Val Ala Glu Lys Glu Thr Glu Val
20 25 30

Lys Glu Asp Ala Pro Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro Ser
35 40 45

55 Thr Gln Gly Ser Gln Asp Met Ala Ala Val Ser Ala Glu Asn Thr Gly
50 55 60

EP 1 790 660 A2

	Asn	Gly	Gly	Ala	Ala	Thr	Thr	Asp	Lys	Pro	Lys	Asn	Glu	Asp	Glu	Gly
	65					70					75					80
5	Pro	Gln	Asn	Asp	Met	Pro	Gln	Asn	Ser	Ala	Glu	Ser	Ala	Asn	Gln	Thr
					85					90					95	
	Gly	Asn	Asn	Gln	Pro	Ala	Asp	Ser	Ser	Asp	Ser	Ala	Pro	Ala	Ser	Asn
				100					105					110		
10	Pro	Ala	Pro	Ala	Asn	Gly	Gly	Ser	Asn	Phe	Gly	Arg	Val	Asp	Leu	Ala
			115					120					125			
	Asn	Gly	Val	Leu	Ile	Asp	Gly	Pro	Ser	Gln	Asn	Ile	Thr	Leu	Thr	His
		130					135					140				
15	Cys	Lys	Gly	Asp	Ser	Cys	Asn	Gly	Asp	Asn	Leu	Leu	Asp	Glu	Glu	Ala
	145					150					155					160
	Pro	Ser	Lys	Ser	Glu	Phe	Glu	Asn	Leu	Asn	Glu	Ser	Glu	Arg	Ile	Glu
					165					170					175	
20	Lys	Tyr	Lys	Lys	Asp	Gly	Lys	Ser	Asp	Lys	Phe	Thr	Asn	Leu	Val	Ala
				180					185					190		
	Thr	Ala	Val	Gln	Ala	Asn	Gly	Thr	Asn	Lys	Tyr	Val	Ile	Ile	Tyr	Lys
			195					200					205			
25	Asp	Lys	Ser	Ala	Ser	Ser	Ser	Ser	Ala	Arg	Phe	Arg	Arg	Ser	Ala	Arg
		210					215					220				
	Ser	Arg	Arg	Ser	Leu	Pro	Ala	Glu	Met	Pro	Leu	Ile	Pro	Val	Asn	Gln
		225				230					235					240
30	Ala	Asp	Thr	Leu	Ile	Val	Asp	Gly	Glu	Ala	Val	Ser	Leu	Thr	Gly	His
					245					250					255	
	Ser	Gly	Asn	Ile	Phe	Ala	Pro	Glu	Gly	Asn	Tyr	Arg	Tyr	Leu	Thr	Tyr
				260					265					270		
35	Gly	Ala	Glu	Lys	Leu	Pro	Gly	Gly	Ser	Tyr	Ala	Leu	Arg	Val	Gln	Gly
			275					280					285			
	Glu	Pro	Ala	Lys	Gly	Glu	Met	Leu	Ala	Gly	Thr	Ala	Val	Tyr	Asn	Gly
		290					295					300				
40	Glu	Val	Leu	His	Phe	His	Thr	Glu	Asn	Gly	Arg	Pro	Tyr	Pro	Thr	Arg
		305				310					315					320
	Gly	Arg	Phe	Ala	Ala	Lys	Val	Asp	Phe	Gly	Ser	Lys	Ser	Val	Asp	Gly
					325					330					335	
45	Ile	Ile	Asp	Ser	Gly	Asp	Asp	Leu	His	Met	Gly	Thr	Gln	Lys	Phe	Lys
				340					345					350		
	Ala	Ala	Ile	Asp	Gly	Asn	Gly	Phe	Lys	Gly	Thr	Trp	Thr	Glu	Asn	Gly
				355				360					365			
50	Gly	Gly	Asp	Val	Ser	Gly	Arg	Phe	Tyr	Gly	Pro	Ala	Gly	Glu	Glu	Val
		370					375					380				
	Ala	Gly	Lys	Tyr	Ser	Tyr	Arg	Pro	Thr	Asp	Ala	Glu	Lys	Gly	Gly	Phe
		385				390					395					400
55	Gly	Val	Phe	Ala	Gly	Lys	Lys	Glu	Gln	Asp						
					405					410						
	<210>				81											
	<211>				9											
	<212>				PRT											

<213> Artificial Sequence
 <220>
 <223> 920L N-terminal
 5
 <400> 81
 His Arg Val Trp Val Glu Thr Ala His
 1 5
 <210> 82
 <211> 16
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> 953L N-terminal
 15
 <400> 82
 Ala Thr Tyr Lys Val Asp Glu Tyr His Ala Asn Ala Arg Phe Ala Phe
 1 5 10 15
 <210> 83
 <211> 9
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> 519.1L N-terminal
 25
 <400> 83
 Met Glu Phe Phe Ile Ile Leu Leu Ala
 1 5
 <210> 84
 <211> 488
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> deltaG287
 35
 <400> 84
 Met Phe Lys Arg Ser Val Ile Ala Met Ala Cys Ile Phe Ala Leu Ser
 1 5 10 15
 Ala Cys Gly Gly Gly Gly Gly Gly Ser Pro Asp Val Lys Ser Ala Asp
 20 25 30
 Thr Leu Ser Lys Pro Ala Ala Pro Val Val Ser Glu Lys Glu Thr Glu
 35 40 45
 Ala Lys Glu Asp Ala Pro Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro
 50 55 60
 Ser Ala Gln Gly Ser Gln Asp Met Ala Ala Val Ser Glu Glu Asn Thr
 65 70 75 80
 Gly Asn Gly Gly Ala Val Thr Ala Asp Asn Pro Lys Asn Glu Asp Glu
 85 90 95
 Val Ala Gln Asn Asp Met Pro Gln Asn Ala Ala Gly Thr Asp Ser Ser
 100 105 110
 Thr Pro Asn His Thr Pro Asp Pro Asn Met Leu Ala Gly Asn Met Glu
 115 120 125
 Asn Gln Ala Thr Asp Ala Gly Glu Ser Ser Gln Pro Ala Asn Gln Pro
 130 135 140

EP 1 790 660 A2

	Asp	Met	Ala	Asn	Ala	Ala	Asp	Gly	Met	Gln	Gly	Asp	Asp	Pro	Ser	Ala
	145					150					155					160
5	Gly	Gly	Gln	Asn	Ala	Gly	Asn	Thr	Ala	Ala	Gln	Gly	Ala	Asn	Gln	Ala
					165					170					175	
	Gly	Asn	Asn	Gln	Ala	Ala	Gly	Ser	Ser	Asp	Pro	Ile	Pro	Ala	Ser	Asn
				180					185					190		
10	Pro	Ala	Pro	Ala	Asn	Gly	Gly	Ser	Asn	Phe	Gly	Arg	Val	Asp	Leu	Ala
			195					200					205			
	Asn	Gly	Val	Leu	Ile	Asp	Gly	Pro	Ser	Gln	Asn	Ile	Thr	Leu	Thr	His
	210						215					220				
15	Cys	Lys	Gly	Asp	Ser	Cys	Ser	Gly	Asn	Asn	Phe	Leu	Asp	Glu	Glu	Val
	225					230					235					240
	Gln	Leu	Lys	Ser	Glu	Phe	Glu	Lys	Leu	Ser	Asp	Ala	Asp	Lys	Ile	Ser
					245					250					255	
20	Asn	Tyr	Lys	Lys	Asp	Gly	Lys	Asn	Asp	Lys	Phe	Val	Gly	Leu	Val	Ala
				260					265					270		
	Asp	Ser	Val	Gln	Met	Lys	Gly	Ile	Asn	Gln	Tyr	Ile	Ile	Phe	Tyr	Lys
			275					280					285			
25	Pro	Lys	Pro	Thr	Ser	Phe	Ala	Arg	Phe	Arg	Arg	Ser	Ala	Arg	Ser	Arg
	290						295					300				
	Arg	Ser	Leu	Pro	Ala	Glu	Met	Pro	Leu	Ile	Pro	Val	Asn	Gln	Ala	Asp
	305					310					315					320
30	Thr	Leu	Ile	Val	Asp	Gly	Glu	Ala	Val	Ser	Leu	Thr	Gly	His	Ser	Gly
					325					330					335	
	Asn	Ile	Phe	Ala	Pro	Glu	Gly	Asn	Tyr	Arg	Tyr	Leu	Thr	Tyr	Gly	Ala
				340					345					350		
35	Glu	Lys	Leu	Pro	Gly	Gly	Ser	Tyr	Ala	Leu	Arg	Val	Gln	Gly	Glu	Pro
			355					360					365			
	Ala	Lys	Gly	Glu	Met	Leu	Ala	Gly	Ala	Ala	Val	Tyr	Asn	Gly	Glu	Val
	370						375					380				
40	Leu	His	Phe	His	Thr	Glu	Asn	Gly	Arg	Pro	Tyr	Pro	Thr	Arg	Gly	Arg
	385					390					395					400
	Phe	Ala	Ala	Lys	Val	Asp	Phe	Gly	Ser	Lys	Ser	Val	Asp	Gly	Ile	Ile
				405						410					415	
45	Asp	Ser	Gly	Asp	Asp	Leu	His	Met	Gly	Thr	Gln	Lys	Phe	Lys	Ala	Ala
				420					425					430		
	Ile	Asp	Gly	Asn	Gly	Phe	Lys	Gly	Thr	Trp	Thr	Glu	Asn	Gly	Ser	Gly
			435					440					445			
50	Asp	Val	Ser	Gly	Lys	Phe	Tyr	Gly	Pro	Ala	Gly	Glu	Glu	Val	Ala	Gly
	450						455					460				
	Lys	Tyr	Ser	Tyr	Arg	Pro	Thr	Asp	Ala	Glu	Lys	Gly	Gly	Phe	Gly	Val
	465					470					475					480
55	Phe	Ala	Gly	Lys	Lys	Glu	Gln	Asp								
					485											
	<210>	85														
	<211>	712														

EP 1 790 660 A2

<212> PRT
<213> Artificial Sequence

<220>
<223> TBP2

<400> 85
Met Asn Asn Pro Leu Val Asn Gln Ala Ala Met Val Leu Pro Val Phe
1 5 10 15
Leu Leu Ser Ala Cys Leu Gly Gly Gly Gly Ser Phe Asp Leu Asp Ser
20 25 30
Val Asp Thr Glu Ala Pro Arg Pro Ala Pro Lys Tyr Gln Asp Val Phe
35 40 45
Ser Glu Lys Pro Gln Ala Gln Lys Asp Gln Gly Gly Tyr Gly Phe Ala
50 55 60
Met Arg Leu Lys Arg Arg Asn Trp Tyr Pro Gln Ala Lys Glu Asp Glu
65 70 75 80
Val Lys Leu Asp Glu Ser Asp Trp Glu Ala Thr Gly Leu Pro Asp Glu
85 90 95
Pro Lys Glu Leu Pro Lys Arg Gln Lys Ser Val Ile Glu Lys Val Glu
100 105 110
Thr Asp Ser Asp Asn Asn Ile Tyr Ser Ser Pro Tyr Leu Lys Pro Ser
115 120 125
Asn His Gln Asn Gly Asn Thr Gly Asn Gly Ile Asn Gln Pro Lys Asn
130 135 140
Gln Ala Lys Asp Tyr Glu Asn Phe Lys Tyr Val Tyr Ser Gly Trp Phe
145 150 155 160
Tyr Lys His Ala Lys Arg Glu Phe Asn Leu Lys Val Glu Pro Lys Ser
165 170 175
Ala Lys Asn Gly Asp Asp Gly Tyr Ile Phe Tyr His Gly Lys Glu Pro
180 185 190
Ser Arg Gln Leu Pro Ala Ser Gly Lys Ile Thr Tyr Lys Gly Val Trp
195 200 205
His Phe Ala Thr Asp Thr Lys Lys Gly Gln Lys Phe Arg Glu Ile Ile
210 215 220
Gln Pro Ser Lys Ser Gln Gly Asp Arg Tyr Ser Gly Phe Ser Gly Asp
225 230 235 240
Asp Gly Glu Glu Tyr Ser Asn Lys Asn Lys Ser Thr Leu Thr Asp Gly
245 250 255
Gln Glu Gly Tyr Gly Phe Thr Ser Asn Leu Glu Val Asp Phe His Asn
260 265 270
Lys Lys Leu Thr Gly Lys Leu Ile Arg Asn Asn Ala Asn Thr Asp Asn
275 280 285
Asn Gln Ala Thr Thr Thr Gln Tyr Tyr Ser Leu Glu Ala Gln Val Thr
290 295 300
Gly Asn Arg Phe Asn Gly Lys Ala Thr Ala Thr Asp Lys Pro Gln Gln
305 310 315 320
Asn Ser Glu Thr Lys Glu His Pro Phe Val Ser Asp Ser Ser Ser Leu
325 330 335

EP 1 790 660 A2

	Ser	Gly	Gly	Phe 340	Phe	Gly	Pro	Gln	Gly 345	Glu	Glu	Leu	Gly	Phe 350	Arg	Phe
5	Leu	Ser	Asp 355	Asp	Gln	Lys	Val	Ala 360	Val	Val	Gly	Ser	Ala 365	Lys	Thr	Lys
	Asp	Lys	Pro	Ala	Asn	Gly	Asn 375	Thr	Ala	Ala	Ala	Ser	Gly	Gly	Thr	Asp
10	Ala 385	Ala	Ala	Ser	Asn	Gly 390	Ala	Ala	Gly	Thr	Ser 395	Ser	Glu	Asn	Gly	Lys 400
	Leu	Thr	Thr	Val	Leu 405	Asp	Ala	Val	Glu	Leu 410	Lys	Leu	Gly	Asp	Lys	Glu
15	Val	Gln	Lys	Leu 420	Asp	Asn	Phe	Ser	Asn 425	Ala	Ala	Gln	Leu	Val 430	Val	Asp
	Gly	Ile	Met 435	Ile	Pro	Leu	Leu	Pro 440	Glu	Ala	Ser	Glu	Ser	Gly	Asn	Asn
20	Gln	Ala 450	Asn	Gln	Gly	Thr	Asn 455	Gly	Gly	Thr	Ala	Phe 460	Thr	Arg	Lys	Phe
	Asp	His	Thr	Pro	Glu	Ser	Asp 470	Lys	Lys	Asp	Ala 475	Gln	Ala	Gly	Thr	Gln 480
25	Thr	Asn	Gly	Ala	Gln 485	Thr	Ala	Ser	Asn	Thr 490	Ala	Gly	Asp	Thr	Asn 495	Gly
	Lys	Thr	Lys	Thr 500	Tyr	Glu	Val	Glu	Val 505	Cys	Cys	Ser	Asn	Leu 510	Asn	Tyr
30	Leu	Lys	Tyr 515	Gly	Met	Leu	Thr	Arg 520	Lys	Asn	Ser	Lys	Ser 525	Ala	Met	Gln
	Ala	Gly	Glu	Ser	Ser	Ser	Gln 535	Ala	Asp	Ala	Lys	Thr 540	Glu	Gln	Val	Glu
35	Gln	Ser	Met	Phe	Leu	Gln 550	Gly	Glu	Arg	Thr	Asp 555	Glu	Lys	Glu	Ile	Pro 560
	Ser	Glu	Gln	Asn	Ile 565	Val	Tyr	Arg	Gly	Ser 570	Trp	Tyr	Gly	Tyr	Ile 575	Ala
40	Asn	Asp	Lys	Ser 580	Thr	Ser	Trp	Ser	Gly 585	Asn	Ala	Ser	Asn	Ala 590	Thr	Ser
	Gly	Asn	Arg 595	Ala	Glu	Phe	Thr	Val 600	Asn	Phe	Ala	Asp	Lys 605	Lys	Ile	Thr
45	Gly	Thr	Leu	Thr	Ala	Asp	Asn 615	Arg	Gln	Glu	Ala	Thr 620	Phe	Thr	Ile	Asp
	Gly	Asn	Ile	Lys	Asp	Asn 630	Gly	Phe	Glu	Gly	Thr 635	Ala	Lys	Thr	Ala	Glu 640
50	Ser	Gly	Phe	Asp	Leu 645	Asp	Gln	Ser	Asn	Thr 650	Thr	Arg	Thr	Pro	Lys 655	Ala
	Tyr	Ile	Thr	Asp 660	Ala	Lys	Val	Gln	Gly 665	Gly	Phe	Tyr	Gly	Pro 670	Lys	Ala
55	Glu	Glu	Leu 675	Gly	Gly	Trp	Phe	Ala 680	Tyr	Pro	Gly	Asp	Lys 685	Gln	Thr	Lys
	Asn	Ala	Thr	Asn	Ala	Ser	Gly 695	Asn	Ser	Ser	Ala	Thr 700	Val	Val	Phe	Gly

Ala Lys Arg Gln Gln Pro Val Arg
705 710

<210> 86
<211> 274
<212> PRT
<213> Artificial Sequence

<220>
<223> 741

<400> 86
Val Asn Arg Thr Ala Phe Cys Cys Leu Ser Leu Thr Thr Ala Leu Ile
1 5 10 15

Leu Thr Ala Cys Ser Ser Gly Gly Gly Gly Val Ala Ala Asp Ile Gly
20 25 30

Ala Gly Leu Ala Asp Ala Leu Thr Ala Pro Leu Asp His Lys Asp Lys
35 40 45

Gly Leu Gln Ser Leu Thr Leu Asp Gln Ser Val Arg Lys Asn Glu Lys
50 55 60

Leu Lys Leu Ala Ala Gln Gly Ala Glu Lys Thr Tyr Gly Asn Gly Asp
65 70 75 80

Ser Leu Asn Thr Gly Lys Leu Lys Asn Asp Lys Val Ser Arg Phe Asp
85 90 95

Phe Ile Arg Gln Ile Glu Val Asp Gly Gln Leu Ile Thr Leu Glu Ser
100 105 110

Gly Glu Phe Gln Val Tyr Lys Gln Ser His Ser Ala Leu Thr Ala Phe
115 120 125

Gln Thr Glu Gln Ile Gln Asp Ser Glu His Ser Gly Lys Met Val Ala
130 135 140

Lys Arg Gln Phe Arg Ile Gly Asp Ile Ala Gly Glu His Thr Ser Phe
145 150 155 160

Asp Lys Leu Pro Glu Gly Gly Arg Ala Thr Tyr Arg Gly Thr Ala Phe
165 170 175

Gly Ser Asp Asp Ala Gly Gly Lys Leu Thr Tyr Thr Ile Asp Phe Ala
180 185 190

Ala Lys Gln Gly Asn Gly Lys Ile Glu His Leu Lys Ser Pro Glu Leu
195 200 205

Asn Val Asp Leu Ala Ala Ala Asp Ile Lys Pro Asp Gly Lys Arg His
210 215 220

Ala Val Ile Ser Gly Ser Val Leu Tyr Asn Gln Ala Glu Lys Gly Ser
225 230 235 240

Tyr Ser Leu Gly Ile Phe Gly Gly Lys Ala Gln Glu Val Ala Gly Ser
245 250 255

Ala Glu Val Lys Thr Val Asn Gly Ile Arg His Ile Gly Leu Ala Ala
260 265 270

Lys Gln

<210> 87
<211> 1082

EP 1 790 660 A2

<212> PRT
<213> Artificial Sequence

<220>
<223> 983

<400> 87

5	Met	Arg	Thr	Thr	Pro	Thr	Phe	Pro	Thr	Lys	Thr	Phe	Lys	Pro	Thr	Ala
	1				5					10					15	
10	Met	Ala	Leu	Ala	Val	Ala	Thr	Thr	Leu	Ser	Ala	Cys	Leu	Gly	Gly	Gly
				20					25					30		
	Gly	Gly	Gly	Thr	Ser	Ala	Pro	Asp	Phe	Asn	Ala	Gly	Gly	Thr	Gly	Ile
			35					40					45			
15	Gly	Ser	Asn	Ser	Arg	Ala	Thr	Thr	Ala	Lys	Ser	Ala	Ala	Val	Ser	Tyr
		50					55					60				
	Ala	Gly	Ile	Lys	Asn	Glu	Met	Cys	Lys	Asp	Arg	Ser	Met	Leu	Cys	Ala
	65					70					75					80
20	Gly	Arg	Asp	Asp	Val	Ala	Val	Thr	Asp	Arg	Asp	Ala	Lys	Ile	Asn	Ala
					85					90					95	
	Pro	Pro	Pro	Asn	Leu	His	Thr	Gly	Asp	Phe	Pro	Asn	Pro	Asn	Asp	Ala
				100					105					110		
25	Tyr	Lys	Asn	Leu	Ile	Asn	Leu	Lys	Pro	Ala	Ile	Glu	Ala	Gly	Tyr	Thr
			115					120					125			
	Gly	Arg	Gly	Val	Glu	Val	Gly	Ile	Val	Asp	Thr	Gly	Glu	Ser	Val	Gly
		130					135					140				
30	Ser	Ile	Ser	Phe	Pro	Glu	Leu	Tyr	Gly	Arg	Lys	Glu	His	Gly	Tyr	Asn
	145					150					155					160
	Glu	Asn	Tyr	Lys	Asn	Tyr	Thr	Ala	Tyr	Met	Arg	Lys	Glu	Ala	Pro	Glu
					165					170					175	
35	Asp	Gly	Gly	Gly	Lys	Asp	Ile	Glu	Ala	Ser	Phe	Asp	Asp	Glu	Ala	Val
				180					185					190		
	Ile	Glu	Thr	Glu	Ala	Lys	Pro	Thr	Asp	Ile	Arg	His	Val	Lys	Glu	Ile
			195					200					205			
40	Gly	His	Ile	Asp	Leu	Val	Ser	His	Ile	Ile	Gly	Gly	Arg	Ser	Val	Asp
		210					215					220				
	Gly	Arg	Pro	Ala	Gly	Gly	Ile	Ala	Pro	Asp	Ala	Thr	Leu	His	Ile	Met
	225					230					235					240
45	Asn	Thr	Asn	Asp	Glu	Thr	Lys	Asn	Glu	Met	Met	Val	Ala	Ala	Ile	Arg
					245					250					255	
	Asn	Ala	Trp	Val	Lys	Leu	Gly	Glu	Arg	Gly	Val	Arg	Ile	Val	Asn	Asn
				260					265					270		
50	Ser	Phe	Gly	Thr	Thr	Ser	Arg	Ala	Gly	Thr	Ala	Asp	Leu	Phe	Gln	Ile
			275					280					285			
	Ala	Asn	Ser	Glu	Glu	Gln	Tyr	Arg	Gln	Ala	Leu	Leu	Asp	Tyr	Ser	Gly
		290					295					300				
55	Gly	Asp	Lys	Thr	Asp	Glu	Gly	Ile	Arg	Leu	Met	Gln	Gln	Ser	Asp	Tyr
	305					310					315					320
	Gly	Asn	Leu	Ser	Tyr	His	Ile	Arg	Asn	Lys	Asn	Met	Leu	Phe	Ile	Phe
					325					330					335	

EP 1 790 660 A2

Ser Thr Gly Asn Asp Ala Gln Ala Gln Pro Asn Thr Tyr Ala Leu Leu
 340 345 350
 5 Pro Phe Tyr Glu Lys Asp Ala Gln Lys Gly Ile Ile Thr Val Ala Gly
 355 360 365
 Val Asp Arg Ser Gly Glu Lys Phe Lys Arg Glu Met Tyr Gly Glu Pro
 370 375 380
 10 Gly Thr Glu Pro Leu Glu Tyr Gly Ser Asn His Cys Gly Ile Thr Ala
 385 390 395 400
 Met Trp Cys Leu Ser Ala Pro Tyr Glu Ala Ser Val Arg Phe Thr Arg
 405 410 415
 15 Thr Asn Pro Ile Gln Ile Ala Gly Thr Ser Phe Ser Ala Pro Ile Val
 420 425 430
 Thr Gly Thr Ala Ala Leu Leu Leu Gln Lys Tyr Pro Trp Met Ser Asn
 435 440 445
 20 Asp Asn Leu Arg Thr Thr Leu Leu Thr Thr Ala Gln Asp Ile Gly Ala
 450 455 460
 Val Gly Val Asp Ser Lys Phe Gly Trp Gly Leu Leu Asp Ala Gly Lys
 465 470 475 480
 25 Ala Met Asn Gly Pro Ala Ser Phe Pro Phe Gly Asp Phe Thr Ala Asp
 485 490 495
 Thr Lys Gly Thr Ser Asp Ile Ala Tyr Ser Phe Arg Asn Asp Ile Ser
 500 505 510
 30 Gly Thr Gly Gly Leu Ile Lys Lys Gly Gly Ser Gln Leu Gln Leu His
 515 520 525
 Gly Asn Asn Thr Tyr Thr Gly Lys Thr Ile Ile Glu Gly Gly Ser Leu
 530 535 540
 35 Val Leu Tyr Gly Asn Asn Lys Ser Asp Met Arg Val Glu Thr Lys Gly
 545 550 555 560
 Ala Leu Ile Tyr Asn Gly Ala Ala Ser Gly Gly Ser Leu Asn Ser Asp
 565 570 575
 40 Gly Ile Val Tyr Leu Ala Asp Thr Asp Gln Ser Gly Ala Asn Glu Thr
 580 585 590
 Val His Ile Lys Gly Ser Leu Gln Leu Asp Gly Lys Gly Thr Leu Tyr
 595 600 605
 45 Thr Arg Leu Gly Lys Leu Leu Lys Val Asp Gly Thr Ala Ile Ile Gly
 610 615 620
 Gly Lys Leu Tyr Met Ser Ala Arg Gly Lys Gly Ala Gly Tyr Leu Asn
 625 630 635 640
 50 Ser Thr Gly Arg Arg Val Pro Phe Leu Ser Ala Ala Lys Ile Gly Gln
 645 650 655
 Asp Tyr Ser Phe Phe Thr Asn Ile Glu Thr Asp Gly Gly Leu Leu Ala
 660 665 670
 Ser Leu Asp Ser Val Glu Lys Thr Ala Gly Ser Glu Gly Asp Thr Leu
 675 680 685
 55 Ser Tyr Tyr Val Arg Arg Gly Asn Ala Ala Arg Thr Ala Ser Ala Ala
 690 695 700

EP 1 790 660 A2

	Ala	His	Ser	Ala	Pro	Ala	Gly	Leu	Lys	His	Ala	Val	Glu	Gln	Gly	Gly
	705					710					715					720
5	Ser	Asn	Leu	Glu	Asn	Leu	Met	Val	Glu	Leu	Asp	Ala	Ser	Glu	Ser	Ser
					725					730					735	
	Ala	Thr	Pro	Glu	Thr	Val	Glu	Thr	Ala	Ala	Ala	Asp	Arg	Thr	Asp	Met
				740					745					750		
10	Pro	Gly	Ile	Arg	Pro	Tyr	Gly	Ala	Thr	Phe	Arg	Ala	Ala	Ala	Ala	Val
			755					760					765			
	Gln	His	Ala	Asn	Ala	Ala	Asp	Gly	Val	Arg	Ile	Phe	Asn	Ser	Leu	Ala
	770						775					780				
15	Ala	Thr	Val	Tyr	Ala	Asp	Ser	Thr	Ala	Ala	His	Ala	Asp	Met	Gln	Gly
	785					790					795					800
	Arg	Arg	Leu	Lys	Ala	Val	Ser	Asp	Gly	Leu	Asp	His	Asn	Gly	Thr	Gly
					805					810					815	
20	Leu	Arg	Val	Ile	Ala	Gln	Thr	Gln	Gln	Asp	Gly	Gly	Thr	Trp	Glu	Gln
				820					825					830		
	Gly	Gly	Val	Glu	Gly	Lys	Met	Arg	Gly	Ser	Thr	Gln	Thr	Val	Gly	Ile
			835					840					845			
25	Ala	Ala	Lys	Thr	Gly	Glu	Asn	Thr	Thr	Ala	Ala	Ala	Thr	Leu	Gly	Met
		850					855					860				
	Gly	Arg	Ser	Thr	Trp	Ser	Glu	Asn	Ser	Ala	Asn	Ala	Lys	Thr	Asp	Ser
	865					870					875					880
30	Ile	Ser	Leu	Phe	Ala	Gly	Ile	Arg	His	Asp	Ala	Gly	Asp	Ile	Gly	Tyr
					885					890					895	
	Leu	Lys	Gly	Leu	Phe	Ser	Tyr	Gly	Arg	Tyr	Lys	Asn	Ser	Ile	Ser	Arg
				900					905					910		
35	Ser	Thr	Gly	Ala	Asp	Glu	His	Ala	Glu	Gly	Ser	Val	Asn	Gly	Thr	Leu
			915					920					925			
	Met	Gln	Leu	Gly	Ala	Leu	Gly	Gly	Val	Asn	Val	Pro	Phe	Ala	Ala	Thr
		930					935					940				
40	Gly	Asp	Leu	Thr	Val	Glu	Gly	Gly	Leu	Arg	Tyr	Asp	Leu	Leu	Lys	Gln
	945					950					955					960
	Asp	Ala	Phe	Ala	Glu	Lys	Gly	Ser	Ala	Leu	Gly	Trp	Ser	Gly	Asn	Ser
					965					970					975	
45	Leu	Thr	Glu	Gly	Thr	Leu	Val	Gly	Leu	Ala	Gly	Leu	Lys	Leu	Ser	Gln
				980					985					990		
	Pro	Leu	Ser	Asp	Lys	Ala	Val	Leu	Phe	Ala	Thr	Ala	Gly	Val	Glu	Arg
			995					1000					1005			
50	Asp	Leu	Asn	Gly	Arg	Asp	Tyr	Thr	Val	Thr	Gly	Gly	Phe	Thr	Gly	Ala
	1010						1015					1020				
	Thr	Ala	Ala	Thr	Gly	Lys	Thr	Gly	Ala	Arg	Asn	Met	Pro	His	Thr	Arg
	1025					1030					1035					1040
	Leu	Val	Ala	Gly	Leu	Gly	Ala	Asp	Val	Glu	Phe	Gly	Asn	Gly	Trp	Asn
					1045					1050					1055	
55	Gly	Leu	Ala	Arg	Tyr	Ser	Tyr	Ala	Gly	Ser	Lys	Gln	Tyr	Gly	Asn	His
				1060					1065					1070		

Ser Gly Arg Val Gly Val Gly Tyr Arg Phe
1075 1080

<210> 88
<211> 2505
<212> DNA
<213> Artificial Sequence

<220>
<223> deltaG287-919

<400> 88
atggctagcc ccgatgttaa atcggcggac acgctgtcaa aaccggccgc tcctgttgtt 60
gctgaaaaag agacagaggt aaaagaagat gcgccacagg caggttctca aggacagggc 120
gcgccatcca cacaaggcag ccaagatatg gcggcagttt cggcagaaaa tacaggcaat 180
ggcgggtgcgg caacaacgga caaaccctaa aatgaagacg agggaccgca aaatgatatg 240
ccgcaaaatt ccgcccgaatc cgcaaatcaa acagggaaaca accaaccgcg cgattcttca 300
gattccgccc ccgctgcaaa ccctgcacct gcgaatggcg gtagcaattt tggaaggggt 360
gattttggcta atggcgtttt gattgatggg ccgtcgcaaa atataacgtt gaccacctgt 420
aaaggcgatt ctgtaatgg tgataattta ttggatgaag aagcaccgtc aaaatcagaa 480
tttgaaaatt taaatgagtc tgaacgaatt gagaaatata agaaagatgg gaaaagcgat 540
aaatttacta atttggttgc gacagcagtt caagctaatt gaactaacia atatgtcatc 600
atttataaag acaagtccgc ttcattcttca tctgcgcgat tcaggcggtc tgcacggctc 660
aggaggtcgc ttcttgcgga gatgccgcta atccccgtca atcaggcggg tacgctgatt 720
gtcgtatggg cctgacgggg cattccggca atatcttcgc gcccgaaagg 780
aattaccggt atctgactta cggggcggaa aaattgcccc gcggatcgta tgccctccgt 840
gtgcaaggcg aaccggcaaa aggcgaaatg cttgctggca cggccgtgta caacggcgaa 900
gtgctgcatt ttcatacggg aaacggccgt ccgtaccgga cttagggcag gtttgccgca 960
aaagtgcatt tcggcagcaa atctgtggac ggcattatcg acagcggcga tgatttgcatt 1020
atgggtacgc aaaaattcaa agccgccatc gatggaaacg gctttaaggg gacttgagc 1080
gaaaatggcg gcggggatgt ttccggaaag ttttacggcc cggccggcga ggaagtggcg 1140
ggaaaatata gctatcgccc gacagatgcg gaaaagggcg gattcggcgt gtttgcggcg 1200
aaaaaagagc aggatggatc cggaggagga ggatgccaaa gcaagagcat ccaaaccctt 1260
ccgcaaccgc acacatccgt catcaacggc ccggaccggc cggtcggcat ccccgacccc 1320
gccggaacga cggtcggcgg cggcggggcc gtctataccg ttgtaccgca cctgtcccctg 1380
ccccactggg cggcgcagga ttccgccaaa agcctgcaat ccttcgcct cggctgcgc 1440
aatgtgaaaa accgccaagg ctggcaggat gtgtgcgcc aagcctttca aaccgccgtc 1500
cattcctttc aggcaaaaca gttttttgaa cgctatttca cgccgtggca ggttgacggc 1560
aacggaagcc ttgcccgtac gggtaccggc tattacgagc cgggtgctgaa gggcgacgac 1620
aggcggacgg cacaagccc cttcccgaat tacggtattc ccgacgattt tatctccgtc 1680
cccctgcctg ccggttttgc gagcggaaaa gcccttgtcc gcatcaggca gacgggaaaa 1740
aacagcggca caatcgacaa taccggcggc acacataccg ccgacctctc ccgattcccc 1800
cataccgcgc gcacaacggc aatcaaaggc aggtttgaag gaagccgctt cctccccctac 1860
cacacgcgca accaaatcaa cggcggcgcg cttgacggca aagccccgat actcggttac 1920
gccgaagacc ccgtcgaact tttttttatg cacatccaag gctcggggcg tctgaaaacc 1980
ccgtccggca aatacatccg catcggctat gccgacaaaa acgaacatcc ctacgtttcc 2040
atcggacgct atatggcggg caaaggctac ctcaagctcg ggcagacctc gatgcagggc 2100
atcaaagcct atatgcggca aaatccgcaa cgcctcgccg aagttttggg tcaaaacccc 2160
agctatatct ttttccgcca gcttgccgga agcagcaatg acggctccgt cggcgacttg 2220
ggcacgccgt tgatggggga atatgccggc gcagtcgacc ggcactacat taccttgggc 2280
gcgcccttat ttgtcggcac cgcccatccg gttaccgcca aagccctcaa ccgctgatt 2340
atggcgagc ataccggcag cgcgattaaa ggcgcggtgc gcgtggatta tttttgggga 2400
tacggcgacg aagccggcga acttgccggc aaacagaaaa ccacgggtta cgtctggcag 2460
ctcctaccca acggtatgaa gcccgaatac cgcccgtaac tcgag 2505

<210> 89
<211> 832
<212> PRT
<213> Artificial Sequence

<220>
<223> deltaG287-919

<400> 89
Met Ala Ser Pro Asp Val Lys Ser Ala Asp Thr Leu Ser Lys Pro Ala
1 5 10 15

Ala Pro Val Val Ala Glu Lys Glu Thr Glu Val Lys Glu Asp Ala Pro

EP 1 790 660 A2

	20	25	30
5	Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro Ser Thr Gln Gly Ser Gln		
	35	40	45
	Asp Met Ala Ala Val Ser Ala Glu Asn Thr Gly Asn Gly Gly Ala Ala		
	50	55	60
10	Thr Thr Asp Lys Pro Lys Asn Glu Asp Glu Gly Pro Gln Asn Asp Met		
	65	70	75
	Pro Gln Asn Ser Ala Glu Ser Ala Asn Gln Thr Gly Asn Asn Gln Pro		
	85	90	95
15	Ala Asp Ser Ser Asp Ser Ala Pro Ala Ser Asn Pro Ala Pro Ala Asn		
	100	105	110
	Gly Gly Ser Asn Phe Gly Arg Val Asp Leu Ala Asn Gly Val Leu Ile		
	115	120	125
20	Asp Gly Pro Ser Gln Asn Ile Thr Leu Thr His Cys Lys Gly Asp Ser		
	130	135	140
	Cys Asn Gly Asp Asn Leu Leu Asp Glu Glu Ala Pro Ser Lys Ser Glu		
	145	150	155
25	Phe Glu Asn Leu Asn Glu Ser Glu Arg Ile Glu Lys Tyr Lys Lys Asp		
	165	170	175
	Gly Lys Ser Asp Lys Phe Thr Asn Leu Val Ala Thr Ala Val Gln Ala		
	180	185	190
30	Asn Gly Thr Asn Lys Tyr Val Ile Ile Tyr Lys Asp Lys Ser Ala Ser		
	195	200	205
	Ser Ser Ser Ala Arg Phe Arg Arg Ser Ala Arg Ser Arg Ser Leu		
	210	215	220
35	Pro Ala Glu Met Pro Leu Ile Pro Val Asn Gln Ala Asp Thr Leu Ile		
	225	230	235
	Val Asp Gly Glu Ala Val Ser Leu Thr Gly His Ser Gly Asn Ile Phe		
	245	250	255
40	Ala Pro Glu Gly Asn Tyr Arg Tyr Leu Thr Tyr Gly Ala Glu Lys Leu		
	260	265	270
	Pro Gly Gly Ser Tyr Ala Leu Arg Val Gln Gly Glu Pro Ala Lys Gly		
	275	280	285
	Glu Met Leu Ala Gly Thr Ala Val Tyr Asn Gly Glu Val Leu His Phe		
	290	295	300
45	His Thr Glu Asn Gly Arg Pro Tyr Pro Thr Arg Gly Arg Phe Ala Ala		
	305	310	315
	Lys Val Asp Phe Gly Ser Lys Ser Val Asp Gly Ile Ile Asp Ser Gly		
	325	330	335
50	Asp Asp Leu His Met Gly Thr Gln Lys Phe Lys Ala Ala Ile Asp Gly		
	340	345	350
	Asn Gly Phe Lys Gly Thr Trp Thr Glu Asn Gly Gly Gly Asp Val Ser		
	355	360	365
55	Gly Arg Phe Tyr Gly Pro Ala Gly Glu Glu Val Ala Gly Lys Tyr Ser		
	370	375	380
	Tyr Arg Pro Thr Asp Ala Glu Lys Gly Gly Phe Gly Val Phe Ala Gly		

EP 1 790 660 A2

	385		390		395		400									
	Lys	Lys	Glu	Gln	Asp 405	Gly	Ser	Gly	Gly	Gly	Cys	Gln	Ser	Lys 415	Ser	
5	Ile	Gln	Thr	Phe 420	Pro	Gln	Pro	Asp	Thr 425	Ser	Val	Ile	Asn	Gly 430	Pro	Asp
	Arg	Pro	Val 435	Gly	Ile	Pro	Asp	Pro	Ala	Gly	Thr	Thr	Val 445	Gly	Gly	Gly
10	Gly	Ala 450	Val	Tyr	Thr	Val	Val 455	Pro	His	Leu	Ser	Leu 460	Pro	His	Trp	Ala
	Ala 465	Gln	Asp	Phe	Ala	Lys 470	Ser	Leu	Gln	Ser	Phe 475	Arg	Leu	Gly	Cys	Ala 480
15	Asn	Leu	Lys	Asn	Arg 485	Gln	Gly	Trp	Gln	Asp 490	Val	Cys	Ala	Gln	Ala 495	Phe
	Gln	Thr	Pro	Val 500	His	Ser	Phe	Gln	Ala 505	Lys	Gln	Phe	Phe	Glu 510	Arg	Tyr
20	Phe	Thr	Pro 515	Trp	Gln	Val	Ala	Gly 520	Asn	Gly	Ser	Leu	Ala 525	Gly	Thr	Val
	Thr	Gly 530	Tyr	Tyr	Glu	Pro	Val 535	Leu	Lys	Gly	Asp	Asp 540	Arg	Arg	Thr	Ala
25	Gln 545	Ala	Arg	Phe	Pro	Ile 550	Tyr	Gly	Ile	Pro	Asp 555	Asp	Phe	Ile	Ser	Val 560
	Pro	Leu	Pro	Ala	Gly 565	Leu	Arg	Ser	Gly	Lys 570	Ala	Leu	Val	Arg	Ile 575	Arg
30	Gln	Thr	Gly	Lys 580	Asn	Ser	Gly	Thr	Ile 585	Asp	Asn	Thr	Gly	Gly 590	Thr	His
	Thr	Ala	Asp 595	Leu	Ser	Arg	Phe	Pro 600	Ile	Thr	Ala	Arg	Thr 605	Thr	Ala	Ile
35	Lys	Gly 610	Arg	Phe	Glu	Gly	Ser 615	Arg	Phe	Leu	Pro	Tyr 620	His	Thr	Arg	Asn
	Gln 625	Ile	Asn	Gly	Gly	Ala 630	Leu	Asp	Gly	Lys	Ala 635	Pro	Ile	Leu	Gly	Tyr 640
40	Ala	Glu	Asp	Pro	Val 645	Glu	Leu	Phe	Phe	Met 650	His	Ile	Gln	Gly	Ser 655	Gly
	Arg	Leu	Lys	Thr 660	Pro	Ser	Gly	Lys	Tyr 665	Ile	Arg	Ile	Gly	Tyr 670	Ala	Asp
45	Lys	Asn	Glu 675	His	Pro	Tyr	Val	Ser 680	Ile	Gly	Arg	Tyr	Met 685	Ala	Asp	Lys
	Gly	Tyr 690	Leu	Lys	Leu	Gly	Gln 695	Thr	Ser	Met	Gln	Gly 700	Ile	Lys	Ala	Tyr
50	Met 705	Arg	Gln	Asn	Pro	Gln 710	Arg	Leu	Ala	Glu	Val 715	Leu	Gly	Gln	Asn	Pro 720
	Ser	Tyr	Ile	Phe	Phe 725	Arg	Glu	Leu	Ala	Gly 730	Ser	Ser	Asn	Asp	Gly 735	Pro
55	Val	Gly	Ala	Leu 740	Gly	Thr	Pro	Leu	Met 745	Gly	Glu	Tyr	Ala	Gly 750	Ala	Val
	Asp	Arg	His	Tyr	Ile	Thr	Leu	Gly	Ala	Pro	Leu	Phe	Val	Ala	Thr	Ala

EP 1 790 660 A2

	755		760		765	
	His Pro Val Thr Arg Lys Ala Leu Asn Arg Leu Ile Met Ala Gln Asp					
5	770		775		780	
	Thr Gly Ser Ala Ile Lys Gly Ala Val Arg Val Asp Tyr Phe Trp Gly					
	785		790		795	800
	Tyr Gly Asp Glu Ala Gly Glu Leu Ala Gly Lys Gln Lys Thr Thr Gly					
10		805		810		815
	Tyr Val Trp Gln Leu Leu Pro Asn Gly Met Lys Pro Glu Tyr Arg Pro					
		820		825		830
	<210> 90					
15	<211> 1746					
	<212> DNA					
	<213> Artificial Sequence					
	<220>					
	<223> deltaG287-953					
20	<400> 90					
	atggctagcc ccgatgttaa atcggcggac acgctgtcaa aaccggccgc tcctgttgtt					60
	gctgaaaaag agacagaggt aaaagaagat gcgccacagg caggtttctca aggacagggc					120
	gcgccatcca cacaaggcag ccaagatatg gcggcagttt cggcagaaaa tacaggcaat					180
	ggcgggtgcgg caacaacgga caaaccctaaa aatgaagacg agggaccgca aaatgatatg					240
25	ccgcaaaaatt ccgcccgaatc cgcaaatcaa acagggaaaca accaaccgcg cgattcttca					300
	gattccgccc ccgcgtcaaaa ccctgcacct gcgaatggcg gtagcaattt tggaaggggt					360
	gatttggtcta atggcggttt gattgatggg ccgtcgcaaa atataacgtt gacccactgt					420
	aaaggcgatt cttgtaattg tgataattta ttggatgaag aagcacctgc aaaatcagaa					480
	tttgaataatt taaatgagtc tgaacgaatt gagaaatata agaaagatgg gaaaagcgat					540
	aaatttacta atttggttgc gacagcagtt caagctaatt gaactaacaa atatgtcatc					600
	atttataaag acaagtccgc ttcatcttca tctgcgcgat tcaggcggtc tgcacggtcg					660
30	aggaggtcgc ttctgcccga gatgccgcta atcccgtca atcaggcgga tacgtgatt					720
	gtcgtatggg aagcggtcag cctgacgggg cattccggca atatcttcgc gcccgaggg					780
	aattaccggt atctgactta cggggcggaa aaattgcccg gcggatcgta tgccctccgt					840
	gtgcaaggcg aaccggcaaa aggcgaaatg cttgtggca cggccgtgta caacggcgaa					900
	gtgctgcatt ttcatacgga aaacggccgt ccgtaccgca ctagaggcag gtttgccgca					960
	aaagtgcatt tcggcagcaa atctgtggac ggcattatcg acagcggcga tgatttgcac					1020
35	atgggtacgc aaaaattcaa agccgccatc ttttacggcc cggccggcga gaaagtggcg					1080
	gaaaatggcg gcggggatgt ttccgggaagg ttttacggcc cggccggcga gaaagtggcg					1140
	ggaaaataca gctatcgccc gacagatgcg gaaaagggcg gattcggcgt gtttgccggc					1200
	aaaaaagagc aggatggatc cggaggagga ggagccacct acaaagtgga cgaatatcac					1260
	gccaacgccc gtttcgccat cgaccatttc aacaccagca ccaacgtcgg cggtttttac					1320
	ggctcgaccg gttccgtcga gtccgaccaa gcaaaacgcg acggtaaaat cgacatcac					1380
40	atccccgttg ccaacctgca aagcgggttcg caacacttta ccgaccacct gaaatcagcc					1440
	gacatcttcg atgcccggca atatccggac atccgctttg tttccacca attcaacttc					1500
	aacggcaaaa aactggtttc cgttgacggc aacctgacca tgcacggcaa aaccgcccc					1560
	gtcaaaactc aagccgaaaa attcaactgc taccaaagcc cgtatggcgaa aaccgaagtt					1620
	tgcggcggcg acttcagcac caccatcgac cgcaccaaat ggggcgtgga ctacctcgtt					1680
	aacgttggtg tgaccaaaa cgtccgcacg gacatccaaa tcgaggcagc caaacaataa					1740
45	ctcgag					1746
	<210> 91					
	<211> 579					
	<212> PRT					
	<213> Artificial Sequence					
	<220>					
	<223> deltaG287-953					
50	<400> 91					
	Met Ala Ser Pro Asp Val Lys Ser Ala Asp Thr Leu Ser Lys Pro Ala					
	1 5 10 15					
55	Ala Pro Val Val Ala Glu Lys Glu Thr Glu Val Lys Glu Asp Ala Pro					
	20 25 30					

EP 1 790 660 A2

	Gln	Ala	Gly ₃₅	Ser	Gln	Gly	Gln	Gly ₄₀	Ala	Pro	Ser	Thr	Gln ₄₅	Gly	Ser	Gln
5	Asp	Met ₅₀	Ala	Ala	Val	Ser	Ala ₅₅	Glu	Asn	Thr	Gly	Asn ₆₀	Gly	Gly	Ala	Ala
	Thr	Thr	Asp	Lys	Pro	Lys ₇₀	Asn	Glu	Asp	Glu	Gly ₇₅	Pro	Gln	Asn	Asp	Met ₈₀
10	Pro	Gln	Asn	Ser	Ala ₈₅	Glu	Ser	Ala	Asn	Gln ₉₀	Thr	Gly	Asn	Asn	Gln ₉₅	Pro
	Ala	Asp	Ser	Ser ₁₀₀	Asp	Ser	Ala	Pro	Ala ₁₀₅	Ser	Asn	Pro	Ala	Pro ₁₁₀	Ala	Asn
15	Gly	Gly	Ser ₁₁₅	Asn	Phe	Gly	Arg	Val ₁₂₀	Asp	Leu	Ala	Asn	Gly ₁₂₅	Val	Leu	Ile
	Asp	Gly ₁₃₀	Pro	Ser	Gln	Asn	Ile ₁₃₅	Thr	Leu	Thr	His	Cys ₁₄₀	Lys	Gly	Asp	Ser
20	Cys	Asn	Gly	Asp	Asn	Leu ₁₅₀	Leu	Asp	Glu	Glu	Ala ₁₅₅	Pro	Ser	Lys	Ser	Glu ₁₆₀
	Phe	Glu	Asn	Leu	Asn ₁₆₅	Glu	Ser	Glu	Arg	Ile ₁₇₀	Glu	Lys	Tyr	Lys	Lys ₁₇₅	Asp
25	Gly	Lys	Ser	Asp ₁₈₀	Lys	Phe	Thr	Asn	Leu ₁₈₅	Val	Ala	Thr	Ala	Val ₁₉₀	Gln	Ala
	Asn	Gly	Thr ₁₉₅	Asn	Lys	Tyr	Val	Ile ₂₀₀	Ile	Tyr	Lys	Asp	Lys ₂₀₅	Ser	Ala	Ser
30	Ser	Ser ₂₁₀	Ser	Ala	Arg	Phe	Arg ₂₁₅	Arg	Ser	Ala	Arg	Ser ₂₂₀	Arg	Arg	Ser	Leu
	Pro	Ala	Glu	Met	Pro	Leu ₂₃₀	Ile	Pro	Val	Asn	Gln ₂₃₅	Ala	Asp	Thr	Leu	Ile ₂₄₀
35	Val	Asp	Gly	Glu	Ala ₂₄₅	Val	Ser	Leu	Thr	Gly ₂₅₀	His	Ser	Gly	Asn	Ile ₂₅₅	Phe
	Ala	Pro	Glu	Gly ₂₆₀	Asn	Tyr	Arg	Tyr	Leu ₂₆₅	Thr	Tyr	Gly	Ala	Glu ₂₇₀	Lys	Leu
40	Pro	Gly	Gly ₂₇₅	Ser	Tyr	Ala	Leu	Arg ₂₈₀	Val	Gln	Gly	Glu	Pro ₂₈₅	Ala	Lys	Gly
	Glu	Met ₂₉₀	Leu	Ala	Gly	Thr	Ala ₂₉₅	Val	Tyr	Asn	Gly	Glu ₃₀₀	Val	Leu	His	Phe
45	His	Thr	Glu	Asn	Gly	Arg ₃₁₀	Pro	Tyr	Pro	Thr	Arg ₃₁₅	Gly	Arg	Phe	Ala	Ala ₃₂₀
	Lys	Val	Asp	Phe	Gly ₃₂₅	Ser	Lys	Ser	Val	Asp ₃₃₀	Gly	Ile	Ile	Asp	Ser ₃₃₅	Gly
50	Asp	Asp	Leu	His ₃₄₀	Met	Gly	Thr	Gln	Lys ₃₄₅	Phe	Lys	Ala	Ala	Ile ₃₅₀	Asp	Gly
	Asn	Gly	Phe ₃₅₅	Lys	Gly	Thr	Trp	Thr ₃₆₀	Glu	Asn	Gly	Gly	Gly ₃₆₅	Asp	Val	Ser
55	Gly	Arg ₃₇₀	Phe	Tyr	Gly	Pro	Ala ₃₇₅	Gly	Glu	Glu	Val	Ala ₃₈₀	Gly	Lys	Tyr	Ser
	Tyr	Arg	Pro	Thr	Asp	Ala ₃₉₀	Glu	Lys	Gly	Gly	Phe ₃₉₅	Gly	Val	Phe	Ala	Gly ₄₀₀

Lys Lys Glu Gln Asp Gly Ser Gly Gly Gly Gly Ala Thr Tyr Lys Val
 405 410 415
 5 Asp Glu Tyr His Ala Asn Ala Arg Phe Ala Ile Asp His Phe Asn Thr
 420 425 430
 Ser Thr Asn Val Gly Gly Phe Tyr Gly Leu Thr Gly Ser Val Glu Phe
 435 440 445
 10 Asp Gln Ala Lys Arg Asp Gly Lys Ile Asp Ile Thr Ile Pro Val Ala
 450 455 460
 Asn Leu Gln Ser Gly Ser Gln His Phe Thr Asp His Leu Lys Ser Ala
 465 470 475 480
 15 Asp Ile Phe Asp Ala Ala Gln Tyr Pro Asp Ile Arg Phe Val Ser Thr
 485 490 495
 Lys Phe Asn Phe Asn Gly Lys Lys Leu Val Ser Val Asp Gly Asn Leu
 500 505 510
 20 Thr Met His Gly Lys Thr Ala Pro Val Lys Leu Lys Ala Glu Lys Phe
 515 520 525
 Asn Cys Tyr Gln Ser Pro Met Ala Lys Thr Glu Val Cys Gly Gly Asp
 530 535 540
 25 Phe Ser Thr Thr Ile Asp Arg Thr Lys Trp Gly Val Asp Tyr Leu Val
 545 550 555 560
 Asn Val Gly Met Thr Lys Ser Val Arg Ile Asp Ile Gln Ile Glu Ala
 565 570 575
 Ala Lys Gln
 30
 <210> 92
 <211> 2388
 <212> DNA
 <213> Artificial Sequence
 35
 <220>
 <223> deltaG287-961
 <400> 92
 atggctagcc cccgatgttaa atcggcggac acgctgtcaa aaccggccgc tcctgttgtt 60
 gctgaaaaag agacagaggt aaaagaagat gcgccacagg caggttctca aggacagggc 120
 40 gcgccatcca cacaaggcag ccaagatatg gcggcagttt cggcagaaaa tacaggcaat 180
 ggcggtgcgg caacaacgga caaaccacaa aatgaagacg agggaccgca aaatgatatg 240
 ccgcaaaatt ccgccgaatc cgcaaatcaa acagggaaca accaaccgcg cgattcttca 300
 gattccgccc ccgcgtcaaa ccctgcacct gcgaatggcg gtagcaattt tggaaggggt 360
 gatttggcta atggcgtttt gattgatggg ccgtcgcaaa atataacgtt gacctactgt 420
 45 aaaggcgatt cttgtaatgg tgataattta ttggatgaag aagcaccgtc aaaatcagaa 480
 ttgaaaaatt taaatgagtc tgaacgaatt gagaaatata agaaagatgg gaaaagcgat 540
 aaatttacta atttggttgc gacagcagtt caagctaatt gaactaacia atatgtcatc 600
 atttataaag acaagtcgcg ttcattctta tctgcgcgat tcaggcggtc tgcacggtcg 660
 aggaggtcgc ttcttgccga gatgccgcta atccccgtca atcaggcgga tacgctgatt 720
 gtcgatgggg aagcggtcag cctgacgggg cattccggca atatcttcgc gcccgagggg 780
 aattaccggt atctgactta cggggcggaa aaattgcccg gcggatcgta tgccctccgt 840
 50 gtgcaaggcg aaccggcaaa aggcgaaatg cttgctggca cggccgtgta caacggcgaa 900
 gtgctgcatt ttcatacgga aaacggccgt ccgtaccgca ctagaggcag gtttgccgca 960
 aaagtcgatt tcggcagcaa atctgtggac ggcattatcg acagcggcga tgatttgcac 1020
 atgggtacgc aaaaattcaa agccgccatc gatggaaacg gctttaaggg gacttggacg 1080
 gaaaaatggc gcggggatgt ttccggaagg ttttacggcc cggccggcga ggaagtggcg 1140
 ggaaaataca gctatcgccc gacagatgcg gaaaagggcg gattcggcgt gtttgccggc 1200
 55 aaaaaagagc aggatggatc cggaggagga ggagccacaa acgacgacga tgtaaaaaaa 1260
 gctgccactg tggccattgc tgctgcctac aacaatggcc aagaaatcaa cggtttcaaa 1320
 gctggagaga ccatctacga cattgatgaa gacggcacaa ttaccaaaaa agacgcaact 1380

	gcagccgatg	ttgaagccga	cgactttaaa	ggctctgggtc	tgaaaaaagt	cgtgactaac	1440
	ctgacccaaa	ccgtcaatga	aaacaaacaa	aacgtcgtatg	ccaaagtaaa	agctgcagaa	1500
	tctgaaatag	aaaagttaac	aaccaagtta	gcagacactg	atgccgcttt	agcagatact	1560
5	gatgccgctc	tggaatgcaac	caccaacgcc	ttgaataaat	tgggagaaaa	tataacgaca	1620
	tttgctgaag	agactaagac	aaatatcgta	aaaattgatg	aaaaattaga	agccgtgggt	1680
	gataccgtcg	acaagcatgc	cgaaagcattc	aacgatatcg	ccgattcatt	ggatgaaacc	1740
	aacactaagg	cagacgaagc	cgtaaaaacc	gccaatgaag	ccaaacagac	ggccgaagaa	1800
	accaaaca	acgtcgtatgc	caaagtataaa	gctgcagaaa	ctgcagcagg	caaagccgaa	1860
	gctgccgctg	gcacagctaa	tactgcagcc	gacaaggccg	aagctgtcgc	tgcaaaagtt	1920
	accgacatca	aagctgatata	cgctacgaac	aaagataata	ttgctaaaaa	agcaaacagt	1980
10	gccgacgtgt	acaccagaga	agagctcgac	agcaaatttg	tcagaattga	tggtctgaac	2040
	gctactacgc	aaaaattgga	cacacgcttg	gcttctgctg	aaaaatccat	tgccgatcac	2100
	gatactcgcc	tgaacgggtt	ggataaaaca	gtgtcagacc	tgcgcaaaga	aaccgcgcaa	2160
	ggccttgtag	aacaagccgc	gctctccggt	ctgttccaac	cttacaacgt	gggtcgggtc	2220
	aatgtaacgg	ctgcagtcgg	cggtacacaa	tccgaatcgg	cagtcgccat	cggtaccggc	2280
	ttccgcttta	ccgaaaactt	tgccgcctaaa	gcaggcgtgg	cagtcggcac	ttcgtccggt	2340
15	tcttccgcag	cctaccatgt	cggcgtcaat	tacgagtggg	aactcgag		2388

<210> 93
 <211> 793
 <212> PRT
 <213> Artificial Sequence

20 <220>
 <223> deltaG287-961

<400> 93
 Met Ala Ser Pro Asp Val Lys Ser Ala Asp Thr Leu Ser Lys Pro Ala
 1 5 10 15

25 Ala Pro Val Val Ala Glu Lys Glu Thr Glu Val Lys Glu Asp Ala Pro
 20 25 30

30 Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro Ser Thr Gln Gly Ser Gln
 35 40 45

35 Asp Met Ala Ala Val Ser Ala Glu Asn Thr Gly Asn Gly Gly Ala Ala
 50 55 60

40 Thr Thr Asp Lys Pro Lys Asn Glu Asp Glu Gly Pro Gln Asn Asp Met
 65 70 75 80

45 Pro Gln Asn Ser Ala Glu Ser Ala Asn Gln Thr Gly Asn Asn Gln Pro
 85 90 95

50 Ala Asp Ser Ser Asp Ser Ala Pro Ala Ser Asn Pro Ala Pro Ala Asn
 100 105 110

55 Gly Gly Ser Asn Phe Gly Arg Val Asp Leu Ala Asn Gly Val Leu Ile
 115 120 125

60 Asp Gly Pro Ser Gln Asn Ile Thr Leu Thr His Cys Lys Gly Asp Ser
 130 135 140

65 Cys Asn Gly Asp Asn Leu Leu Asp Glu Glu Ala Pro Ser Lys Ser Glu
 145 150 155 160

70 Phe Glu Asn Leu Asn Glu Ser Glu Arg Ile Glu Lys Tyr Lys Lys Asp
 165 170 175

75 Gly Lys Ser Asp Lys Phe Thr Asn Leu Val Ala Thr Ala Val Gln Ala
 180 185 190

80 Asn Gly Thr Asn Lys Tyr Val Ile Ile Tyr Lys Asp Lys Ser Ala Ser
 195 200 205

85 Ser Ser Ser Ala Arg Phe Arg Arg Ser Ala Arg Ser Arg Arg Ser Leu
 210 215 220

EP 1 790 660 A2

	Pro	Ala	Glu	Met	Pro	Leu	Ile	Pro	Val	Asn	Gln	Ala	Asp	Thr	Leu	Ile
	225					230					235					240
5	Val	Asp	Gly	Glu	Ala	Val	Ser	Leu	Thr	Gly	His	Ser	Gly	Asn	Ile	Phe
					245					250					255	
	Ala	Pro	Glu	Gly	Asn	Tyr	Arg	Tyr	Leu	Thr	Tyr	Gly	Ala	Glu	Lys	Leu
				260					265					270		
10	Pro	Gly	Gly	Ser	Tyr	Ala	Leu	Arg	Val	Gln	Gly	Glu	Pro	Ala	Lys	Gly
			275					280					285			
	Glu	Met	Leu	Ala	Gly	Thr	Ala	Val	Tyr	Asn	Gly	Glu	Val	Leu	His	Phe
		290					295					300				
15	His	Thr	Glu	Asn	Gly	Arg	Pro	Tyr	Pro	Thr	Arg	Gly	Arg	Phe	Ala	Ala
	305					310					315					320
	Lys	Val	Asp	Phe	Gly	Ser	Lys	Ser	Val	Asp	Gly	Ile	Ile	Asp	Ser	Gly
					325					330					335	
	Asp	Asp	Leu	His	Met	Gly	Thr	Gln	Lys	Phe	Lys	Ala	Ala	Ile	Asp	Gly
20				340					345					350		
	Asn	Gly	Phe	Lys	Gly	Thr	Trp	Thr	Glu	Asn	Gly	Gly	Gly	Asp	Val	Ser
			355					360					365			
	Gly	Arg	Phe	Tyr	Gly	Pro	Ala	Gly	Glu	Glu	Val	Ala	Gly	Lys	Tyr	Ser
25		370					375					380				
	Tyr	Arg	Pro	Thr	Asp	Ala	Glu	Lys	Gly	Gly	Phe	Gly	Val	Phe	Ala	Gly
	385					390					395					400
	Lys	Lys	Glu	Gln	Asp	Gly	Ser	Gly	Gly	Gly	Gly	Ala	Thr	Asn	Asp	Asp
					405					410					415	
30	Asp	Val	Lys	Lys	Ala	Ala	Thr	Val	Ala	Ile	Ala	Ala	Ala	Tyr	Asn	Asn
				420					425					430		
	Gly	Gln	Glu	Ile	Asn	Gly	Phe	Lys	Ala	Gly	Glu	Thr	Ile	Tyr	Asp	Ile
35			435					440					445			
	Asp	Glu	Asp	Gly	Thr	Ile	Thr	Lys	Lys	Asp	Ala	Thr	Ala	Ala	Asp	Val
		450					455					460				
	Glu	Ala	Asp	Asp	Phe	Lys	Gly	Leu	Gly	Leu	Lys	Lys	Val	Val	Thr	Asn
40		465				470					475					480
	Leu	Thr	Lys	Thr	Val	Asn	Glu	Asn	Lys	Gln	Asn	Val	Asp	Ala	Lys	Val
					485					490					495	
	Lys	Ala	Ala	Glu	Ser	Glu	Ile	Glu	Lys	Leu	Thr	Thr	Lys	Leu	Ala	Asp
				500					505					510		
45	Thr	Asp	Ala	Ala	Leu	Ala	Asp	Thr	Asp	Ala	Ala	Leu	Asp	Ala	Thr	Thr
			515					520					525			
	Asn	Ala	Leu	Asn	Lys	Leu	Gly	Glu	Asn	Ile	Thr	Thr	Phe	Ala	Glu	Glu
							535					540				
50	Thr	Lys	Thr	Asn	Ile	Val	Lys	Ile	Asp	Glu	Lys	Leu	Glu	Ala	Val	Ala
						550					555					560
	Asp	Thr	Val	Asp	Lys	His	Ala	Glu	Ala	Phe	Asn	Asp	Ile	Ala	Asp	Ser
					565					570					575	
55	Leu	Asp	Glu	Thr	Asn	Thr	Lys	Ala	Asp	Glu	Ala	Val	Lys	Thr	Ala	Asn
				580					585					590		

EP 1 790 660 A2

Glu Ala Lys Gln Thr Ala Glu Glu Thr Lys Gln Asn Val Asp Ala Lys
 595 600 605
 5 Val Lys Ala Ala Glu Thr Ala Ala Gly Lys Ala Glu Ala Ala Ala Gly
 610 615 620
 Thr Ala Asn Thr Ala Ala Asp Lys Ala Glu Ala Val Ala Ala Lys Val
 625 630 635 640
 10 Thr Asp Ile Lys Ala Asp Ile Ala Thr Asn Lys Asp Asn Ile Ala Lys
 645 650 655
 Lys Ala Asn Ser Ala Asp Val Tyr Thr Arg Glu Glu Ser Asp Ser Lys
 660 665 670
 15 Phe Val Arg Ile Asp Gly Leu Asn Ala Thr Thr Glu Lys Leu Asp Thr
 675 680 685
 Arg Leu Ala Ser Ala Glu Lys Ser Ile Ala Asp His Asp Thr Arg Leu
 690 695 700
 20 Asn Gly Leu Asp Lys Thr Val Ser Asp Leu Arg Lys Glu Thr Arg Gln
 705 710 715 720
 Gly Leu Ala Glu Gln Ala Ala Leu Ser Gly Leu Phe Gln Pro Tyr Asn
 725 730 735
 25 Val Gly Arg Phe Asn Val Thr Ala Ala Val Gly Gly Tyr Lys Ser Glu
 740 745 750
 Ser Ala Val Ala Ile Gly Thr Gly Phe Arg Phe Thr Glu Asn Phe Ala
 755 760 765
 30 Ala Lys Ala Gly Val Ala Val Gly Thr Ser Ser Gly Ser Ser Ala Ala
 770 775 780
 Tyr His Val Gly Val Asn Tyr Glu Trp
 785 790
 <210> 94
 <211> 2700
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> deltaG287NZ-919
 <400> 94
 40 atggctagcc ccgatgtcaa gtcggcggac acgctgtcaa aacctgccgc ccctgttgtt 60
 tctgaaaaag agacagaggg aaaggaagat gcgccacagg caggttctca aggacagggc 120
 gcgccatccg cacaaggcgg tcaagatatg gcggcggttt cggaagaaaa tacaggcaat 180
 ggcggtgctg cagcaacgga caaacccaaa aatgaagacg agggggcgca aaatgatatg 240
 ccgcaaaatg ccgccgatac agatagtttg acaccgaatc acaccccggc ttcgaatatg 300
 ccggccggaa atatggaaaa ccaagcaccg gatgccgggg aatcggagca gccggcaaac 360
 45 caaccggata tggcaaatat ggccggacgga atgcagggtg acgatccgtc ggcaggcggg 420
 gaaaatgccg gcaatacggc tgcccaagggt acaaatcaag ccgaaaacaa tcaaaccgcc 480
 ggttctcaaa atcctgcctc ttcaaccaat cctagcgcca cgaatagcgg tgggtatttt 540
 ggaaggacga acgtggggcaa ttctgttgtg attgacgggc cgtcgcaaaa tataacgttg 600
 acccactgta aaggcgattc ttgtagtggc aataatttct tggatgaaga agtacagcta 660
 aaatcagaat ttgaaaaatt aagtgatgca gacaaaataa gtaattacaa gaaagatggg 720
 50 aagaatgacg ggaagaatga taaatttgct ggtttggttg ccgatagtgt gcagatgaag 780
 ggaatcaatc aatatattat cttttataaa cctaaaccca cttcatttgc gcgatttagg 840
 cgttctgcac ggtcgaggcg gtcgcttcg gcgagatgc cgtgattcc cgtcaatcag 900
 gcggatacgc tgattgtcga tggggaagcg gtcagcctga cggggcattc cggcaatatc 960
 ttcgcgcccg aagggaatta ccggtatctg cggaaaaatt gcccgcgga 1020
 tcgtatgccc tccgtgttca aggcgaacct tcaaaaggcg aaatgctcgc gggcacggca 1080
 gtgtacaacg gcgaagtgtc gcattttcat acggaaaacg gccgtccgtc cccgtccaga 1140
 55 ggcaggtttg ccgcaaaagt cgatttcggc agcaaactgt tggacggcat tatcgacagc 1200
 ggcgatgggt tgcatatggg tacgcaaaaa ttcaaagccg ccatcgatgg aaacggcttt 1260

	aaggggactt	ggagcgaaaa	tggcggcggg	gatgtttccg	gaaagtttta	cggcccggcc	1320
	ggcgaggaag	tggcgggaaa	atacagctat	cgcccaacag	atgcggaaaa	gggaggattc	1380
	ggcgtgtttg	ccggcaaaaa	agagcaggat	ggatccggag	gaggaggatg	ccaaagcaag	1440
5	agcatccaaa	cctttccgca	accgacaca	tccgtcatca	acggcccggg	ccggccgggtc	1500
	ggcatccccg	acccccgccg	aacgacggtc	ggcggcggcg	gggcccgtcta	taccgttgta	1560
	ccgcacctgt	ccctgcccc	ctgggcggcg	caggatttcg	ccaaaagcct	gcaatccttc	1620
	cgcctcggct	gcgccaattt	gaaaaaccgc	caaggctggc	aggatgtgtg	cgcccaagcc	1680
	tttcaaaccc	ccgtccattc	ctttcaggca	aaacagtitt	ttgaacgcta	tttcacggcg	1740
	tggcaggttg	caggcaacgg	aagccttgcc	ggtacggtta	ccggctatta	cgagccgggtg	1800
10	ctgaagggcg	acgacaggcg	gacggcacaa	gcccgcittc	cgatttacgg	tattcccgac	1860
	gattttatct	ccgtccccc	gcctgccggg	ttgcggagcg	gaaaagccct	tgtccgcac	1920
	aggcagacgg	gaaaaaacag	cggcacaaac	gacaataccg	gcggcacaca	taccgcccag	1980
	ctctcccgat	tccccatcac	cgcgcgcaca	acggcaatca	aaggcagggt	tgaaggaagc	2040
	cgtttcctcc	cctaccacac	gcgcaaccaa	atcaacggcg	gcgcgcttga	cggaacagcc	2100
	ccgatactcg	gttacgccga	agaccccgtc	gaactttttt	ttatgcacat	ccaaggctcg	2160
	ggccgtctga	aaaccccgtc	cggcaaatat	atccgcacat	gctatgccga	caaaaacgaa	2220
15	catccctacg	tttccatcgg	acgctatatg	gcggacaaaag	gctacctcaa	gctcgggcag	2280
	acctcgatgc	agggcaccaa	agcctatatg	cggcaaaatc	cgcaacgcct	cgccgaagtt	2340
	ttgggtcaaa	accccagcta	tatctttttc	cgcgagcttg	ccggaagcag	caatgacggt	2400
	cccgtcggcg	cactgggcac	gccgttgatg	ggggaatatg	ccggcgcagt	cgaccggcac	2460
	tacattacct	tgggcgcgcc	cttatttgtc	gccaccgccc	atccgggttac	ccgcaagacc	2520
	ctcaaccgcc	tgattatggc	gcaggatacc	ggcagcgcga	ttaaaggcgc	ggtgcgcgtg	2580
20	gattatTTTT	ggggatacgg	cgaaggaagc	ggcgaacttg	ccggcaaaac	gaaaaccacg	2640
	ggttacgtct	ggcagctcct	acccaacggt	atgaagcccg	aataccgccc	gtaaaagctt	2700

	<210>	95
	<211>	897
	<212>	PRT
25	<213>	Artificial Sequence

	<220>	
	<223>	deltaG287NZ-919

	<400>	95
30	Met Ala Ser Pro Asp Val Lys Ser Ala Asp Thr Leu Ser Lys Pro Ala	15
	1 5 10	
	Ala Pro Val Val Ser Glu Lys Glu Thr Glu Ala Lys Glu Asp Ala Pro	30
	20 25 30	
35	Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro Ser Ala Gln Gly Gly Gln	45
	35 40 45	
	Asp Met Ala Ala Val Ser Glu Glu Asn Thr Gly Asn Gly Gly Ala Ala	60
	50 55 60	
40	Ala Thr Asp Lys Pro Lys Asn Glu Asp Glu Gly Ala Gln Asn Asp Met	80
	65 70 75 80	
	Pro Gln Asn Ala Ala Asp Thr Asp Ser Leu Thr Pro Asn His Thr Pro	95
	85 90 95	
45	Ala Ser Asn Met Pro Ala Gly Asn Met Glu Asn Gln Ala Pro Asp Ala	110
	100 105 110	
	Gly Glu Ser Glu Gln Pro Ala Asn Gln Pro Asp Met Ala Asn Thr Ala	125
	115 120 125	
	Asp Gly Met Gln Gly Asp Asp Pro Ser Ala Gly Gly Glu Asn Ala Gly	140
	130 135 140	
50	Asn Thr Ala Ala Gln Gly Thr Asn Gln Ala Glu Asn Asn Gln Thr Ala	160
	145 150 155 160	
	Gly Ser Gln Asn Pro Ala Ser Ser Thr Asn Pro Ser Ala Thr Asn Ser	175
	165 170 175	
55	Gly Gly Asp Phe Gly Arg Thr Asn Val Gly Asn Ser Val Val Ile Asp	190
	180 185 190	

EP 1 790 660 A2

	Gly	Pro	Ser 195	Gln	Asn	Ile	Thr	Leu 200	Thr	His	Cys	Lys	Gly 205	Asp	Ser	Cys
5	Ser	Gly 210	Asn	Asn	Phe	Leu	Asp 215	Glu	Glu	Val	Gln	Leu 220	Lys	Ser	Glu	Phe
	Glu 225	Lys	Leu	Ser	Asp	Ala 230	Asp	Lys	Ile	Ser	Asn 235	Tyr	Lys	Lys	Asp	Gly 240
10	Lys	Asn	Asp	Gly	Lys 245	Asn	Asp	Lys	Phe	Val 250	Gly	Leu	Val	Ala	Asp 255	Ser
	Val	Gln	Met	Lys 260	Gly	Ile	Asn	Gln	Tyr 265	Ile	Ile	Phe	Tyr	Lys 270	Pro	Lys
15	Pro	Thr	Ser 275	Phe	Ala	Arg	Phe	Arg 280	Arg	Ser	Ala	Arg	Ser 285	Arg	Arg	Ser
	Leu	Pro 290	Ala	Glu	Met	Pro	Leu 295	Ile	Pro	Val	Asn	Gln 300	Ala	Asp	Thr	Leu
20	Ile 305	Val	Asp	Gly	Glu	Ala 310	Val	Ser	Leu	Thr	Gly 315	His	Ser	Gly	Asn	Ile 320
	Phe	Ala	Pro	Glu	Gly 325	Asn	Tyr	Arg	Tyr	Leu 330	Thr	Tyr	Gly	Ala	Glu 335	Lys
25	Leu	Pro	Gly	Gly 340	Ser	Tyr	Ala	Leu	Arg 345	Val	Gln	Gly	Glu	Pro 350	Ser	Lys
	Gly	Glu	Met 355	Leu	Ala	Gly	Thr	Ala 360	Val	Tyr	Asn	Gly	Glu 365	Val	Leu	His
30	Phe	His 370	Thr	Glu	Asn	Gly	Arg 375	Pro	Ser	Pro	Ser	Arg 380	Gly	Arg	Phe	Ala
	Ala 385	Lys	Val	Asp	Phe	Gly 390	Ser	Lys	Ser	Val	Asp 395	Gly	Ile	Ile	Asp	Ser 400
35	Gly	Asp	Gly	Leu	His 405	Met	Gly	Thr	Gln	Lys 410	Phe	Lys	Ala	Ala	Ile 415	Asp
	Gly	Asn	Gly	Phe 420	Lys	Gly	Thr	Trp	Thr 425	Glu	Asn	Gly	Gly	Gly 430	Asp	Val
40	Ser	Gly	Lys 435	Phe	Tyr	Gly	Pro	Ala 440	Gly	Glu	Glu	Val	Ala 445	Gly	Lys	Tyr
	Ser	Tyr 450	Arg	Pro	Thr	Asp	Ala 455	Glu	Lys	Gly	Gly	Phe 460	Gly	Val	Phe	Ala
45	Gly 465	Lys	Lys	Glu	Gln	Asp 470	Gly	Ser	Gly	Gly	Gly 475	Gly	Cys	Gln	Ser	Lys 480
	Ser	Ile	Gln	Thr	Phe 485	Pro	Gln	Pro	Asp	Thr 490	Ser	Val	Ile	Asn	Gly 495	Pro
50	Asp	Arg	Pro	Val 500	Gly	Ile	Pro	Asp	Pro 505	Ala	Gly	Thr	Thr	Val 510	Gly	Gly
	Gly	Gly	Ala 515	Val	Tyr	Thr	Val	Val 520	Pro	His	Leu	Ser	Leu 525	Pro	His	Trp
55	Ala	Ala 530	Gln	Asp	Phe	Ala	Lys 535	Ser	Leu	Gln	Ser	Phe 540	Arg	Leu	Gly	Cys
	Ala 545	Asn	Leu	Lys	Asn	Arg 550	Gln	Gly	Trp	Gln	Asp 555	Val	Cys	Ala	Gln	Ala 560

EP 1 790 660 A2

	Phe	Gln	Thr	Pro	Val	His	Ser	Phe	Gln	Ala	Lys	Gln	Phe	Phe	Glu	Arg
					565					570					575	
5	Tyr	Phe	Thr	Pro	Trp	Gln	Val	Ala	Gly	Asn	Gly	Ser	Leu	Ala	Gly	Thr
				580					585					590		
	Val	Thr	Gly	Tyr	Tyr	Glu	Pro	Val	Leu	Lys	Gly	Asp	Asp	Arg	Arg	Thr
			595					600					605			
10	Ala	Gln	Ala	Arg	Phe	Pro	Ile	Tyr	Gly	Ile	Pro	Asp	Asp	Phe	Ile	Ser
		610					615					620				
	Val	Pro	Leu	Pro	Ala	Gly	Leu	Arg	Ser	Gly	Lys	Ala	Leu	Val	Arg	Ile
		625				630					635					640
15	Arg	Gln	Thr	Gly	Lys	Asn	Ser	Gly	Thr	Ile	Asp	Asn	Thr	Gly	Gly	Thr
					645					650					655	
	His	Thr	Ala	Asp	Leu	Ser	Arg	Phe	Pro	Ile	Thr	Ala	Arg	Thr	Thr	Ala
				660					665					670		
20	Ile	Lys	Gly	Arg	Phe	Glu	Gly	Ser	Arg	Phe	Leu	Pro	Tyr	His	Thr	Arg
			675					680					685			
	Asn	Gln	Ile	Asn	Gly	Gly	Ala	Leu	Asp	Gly	Lys	Ala	Pro	Ile	Leu	Gly
		690					695					700				
25	Tyr	Ala	Glu	Asp	Pro	Val	Glu	Leu	Phe	Phe	Met	His	Ile	Gln	Gly	Ser
		705				710					715					720
	Gly	Arg	Leu	Lys	Thr	Pro	Ser	Gly	Lys	Tyr	Ile	Arg	Ile	Gly	Tyr	Ala
					725					730					735	
30	Asp	Lys	Asn	Glu	His	Pro	Tyr	Val	Ser	Ile	Gly	Arg	Tyr	Met	Ala	Asp
				740					745					750		
	Lys	Gly	Tyr	Leu	Lys	Leu	Gly	Gln	Thr	Ser	Met	Gln	Gly	Ile	Lys	Ala
			755					760					765			
35	Tyr	Met	Arg	Gln	Asn	Pro	Gln	Arg	Leu	Ala	Glu	Val	Leu	Gly	Gln	Asn
		770					775					780				
	Pro	Ser	Tyr	Ile	Phe	Phe	Arg	Glu	Leu	Ala	Gly	Ser	Ser	Asn	Asp	Gly
		785				790					795				800	
40	Pro	Val	Gly	Ala	Leu	Gly	Thr	Pro	Leu	Met	Gly	Glu	Tyr	Ala	Gly	Ala
					805					810					815	
	Val	Asp	Arg	His	Tyr	Ile	Thr	Leu	Gly	Ala	Pro	Leu	Phe	Val	Ala	Thr
				820					825					830		
45	Ala	His	Pro	Val	Thr	Arg	Lys	Ala	Leu	Asn	Arg	Leu	Ile	Met	Ala	Gln
			835					840					845			
	Asp	Thr	Gly	Ser	Ala	Ile	Lys	Gly	Ala	Val	Arg	Val	Asp	Tyr	Phe	Trp
			850				855					860				
50	Gly	Tyr	Gly	Asp	Glu	Ala	Gly	Glu	Leu	Ala	Gly	Lys	Gln	Lys	Thr	Thr
						870					875					880
	Gly	Tyr	Val	Trp	Gln	Leu	Leu	Pro	Asn	Gly	Met	Lys	Pro	Glu	Tyr	Arg
					885					890					895	
	Pro															
55	<210>	96														
	<211>	1941														

<212> DNA
<213> Artificial Sequence

<220>
<223> deltaG287NZ-953

<400> 96
atggctagcc cccgatgtcaa gtcggcgggac acgctgtcaa aacctgccgc cccgtgtgtt 60
tctgaaaaaag agacagagggc aaaggaagat gcgccacagg caggttctca aggacagggc 120
gcgccatccg cacaaggcgg tcaagatatg gcggcggttt cggaagaaaa tacaggcaat 180
ggcgggtgcgg cagcaacgga caaacccaaa aatgaagacg agggggcgca aaatgatatg 240
ccgcaaaatg ccgcccatac agatagtttg acaccgaatc acaccccggc ttcgaatatg 300
ccggccggaa atatggaaaa ccaagcaccg gatgccgggg aatcggagca gccggcaaac 360
caaccggata tggcaaatac ggccggacgga atgcagggtg acgatccgtc ggcaggcggg 420
gaaaaatgcc gcaatacggc tgcccaaggt acaaatcaag ccgaaaacaa tcaaacccgc 480
ggttctcaaa atcctgcctc ttcaaccaat cctagcgcca cgaatagcgg tgggtgattt 540
ggaaggacga acgtgggcaa ttctgttgtg attgacgggc cgtcgcaaaa tataacgttg 600
accactgtta aaggcgattc ttgtagtggc aataatttct tggatgaaga agtacagcta 660
aaatcagaat ttgaaaaatt aagtgtatgca gacaaaataa gtaattacaa gaaagatggg 720
aagaatgacg ggaagaatga taaatttgtc ggtttgggtg ccgatagtgt gcagatgaag 780
ggaatcaatc aatatattat cttttataaa cctaaaccca cttcatttgc gcgatttagg 840
cgttctgcac ggtcgagggc gtcgcttccg gccgagatgc cgtgatcccg cgtcaatcag 900
tcggtatgcc tgattgtcga tggggaagcg gtcagcctga cggggcattc cggcaatatc 960
ttcgcgcccg aagggaatta ccggtatctg acttacgggg cggaaaaatt gcccgcgga 1020
tcgtatgccc tccgtgttca aggcgaacct tcaaaaggcg aaatgctcgc gggcacggca 1080
gtgtacaacg gcgaagtgtc gcattttcat acggaaaacg gccgtccgtc cccgtccaga 1140
ggcagggttg ccgcaaaagt cgatttcggc agcaaatctg tggacggcat tatcgacagc 1200
ggcgatgggt tgcataatgg tacgcaaaaa ttcaaagccg ccacgatgg aaacggcttt 1260
aaggggactt ggacggaaaa tggcgggcgg gatgtttccg gaaagtttta cggcccgcc 1320
ggcgaggaag tggcgggaaa atacagctat cgcccaacag atgcggaaaa gggcggttc 1380
ggcgtgtttg ccggcaaaaa agagcaggat ggatccggag gaggaggagc cacctacaaa 1440
gtggacgaat atcacgccaa cgcccgtttc gccatcgacc atttcaaac cagcaccac 1500
gtcggcggtt ttacaggtct gaccggttcc gtcgagttcg accaagcaaa acgcgacggt 1560
aaaatcgaca tcaccatccc cgttgccaac ctgcaaaagc gttcgcaaca ctttaccgac 1620
cacctgaaat cagccgacat cttcgatgcc gcccaatata cggacatccg ctttgtttcc 1680
accaaaattca acttcaacgg caaaaaactg gtttccgttg acggcaacct gaccatgcac 1740
ggcaaaaccg ccccgctcaa actcaaagcc gaaaaattca actgctacca aagcccgatg 1800
gcgaaaaccg aagtttgccg cggcgacttc agcaccacca tcgaccgcac caaatggggc 1860
gtggactacc tcgttaacgt tggatgacc aaaagcgctc gcatcgacat ccaaatcgag 1920
gcagccaaac aataaaagct t 1941

<210> 97
<211> 644
<212> PRT
<213> Artificial Sequence

<220>
<223> deltaG287NZ-953

<400> 97
Met Ala Ser Pro Asp Val Lys Ser Ala Asp Thr Leu Ser Lys Pro Ala
1 5 10 15
Ala Pro Val Val Ser Glu Lys Glu Thr Glu Ala Lys Glu Asp Ala Pro
20 25 30
Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro Ser Ala Gln Gly Gly Gln
35 40 45
Asp Met Ala Ala Val Ser Glu Glu Asn Thr Gly Asn Gly Gly Ala Ala
50 55 60
Ala Thr Asp Lys Pro Lys Asn Glu Asp Glu Gly Ala Gln Asn Asp Met
65 70 75 80
Pro Gln Asn Ala Ala Asp Thr Asp Ser Leu Thr Pro Asn His Thr Pro
85 90 95
Ala Ser Asn Met Pro Ala Gly Asn Met Glu Asn Gln Ala Pro Asp Ala

EP 1 790 660 A2

	100		105		110												
	Gly	Glu	Ser	Glu	Gln	Pro	Ala	Asn	Gln	Pro	Asp	Met	Ala	Asn	Thr	Ala	
5			115					120					125				
	Asp	Gly	Met	Gln	Gly	Asp	Asp	Pro	Ser	Ala	Gly	Gly	Glu	Asn	Ala	Gly	
		130					135					140					
	Asn	Thr	Ala	Ala	Gln	Gly	Thr	Asn	Gln	Ala	Glu	Asn	Asn	Gln	Thr	Ala	
10		145				150					155					160	
	Gly	Ser	Gln	Asn	Pro	Ala	Ser	Ser	Thr	Asn	Pro	Ser	Ala	Thr	Asn	Ser	
					165					170					175		
	Gly	Gly	Asp	Phe	Gly	Arg	Thr	Asn	Val	Gly	Asn	Ser	Val	Val	Ile	Asp	
15				180					185					190			
	Gly	Pro	Ser	Gln	Asn	Ile	Thr	Leu	Thr	His	Cys	Lys	Gly	Asp	Ser	Cys	
			195					200					205				
	Ser	Gly	Asn	Asn	Phe	Leu	Asp	Glu	Glu	Val	Gln	Leu	Lys	Ser	Glu	Phe	
		210					215					220					
20	Glu	Lys	Leu	Ser	Asp	Ala	Asp	Lys	Ile	Ser	Asn	Tyr	Lys	Lys	Asp	Gly	
		225				230					235					240	
	Lys	Asn	Asp	Gly	Lys	Asn	Asp	Lys	Phe	Val	Gly	Leu	Val	Ala	Asp	Ser	
					245					250					255		
25	Val	Gln	Met	Lys	Gly	Ile	Asn	Gln	Tyr	Ile	Ile	Phe	Tyr	Lys	Pro	Lys	
				260					265					270			
	Pro	Thr	Ser	Phe	Ala	Arg	Phe	Arg	Arg	Ser	Ala	Arg	Ser	Arg	Arg	Ser	
			275					280					285				
30	Leu	Pro	Ala	Glu	Met	Pro	Leu	Ile	Pro	Val	Asn	Gln	Ala	Asp	Thr	Leu	
		290					295					300					
	Ile	Val	Asp	Gly	Glu	Ala	Val	Ser	Leu	Thr	Gly	His	Ser	Gly	Asn	Ile	
		305				310					315					320	
35	Phe	Ala	Pro	Glu	Gly	Asn	Tyr	Arg	Tyr	Leu	Thr	Tyr	Gly	Ala	Glu	Lys	
					325					330					335		
	Leu	Pro	Gly	Gly	Ser	Tyr	Ala	Leu	Arg	Val	Gln	Gly	Glu	Pro	Ser	Lys	
				340					345					350			
40	Gly	Glu	Met	Leu	Ala	Gly	Thr	Ala	Val	Tyr	Asn	Gly	Glu	Val	Leu	His	
			355					360					365				
	Phe	His	Thr	Glu	Asn	Gly	Arg	Pro	Ser	Pro	Ser	Arg	Gly	Arg	Phe	Ala	
		370					375					380					
45	Ala	Lys	Val	Asp	Phe	Gly	Ser	Lys	Ser	Val	Asp	Gly	Ile	Ile	Asp	Ser	
		385				390					395					400	
	Gly	Asp	Gly	Leu	His	Met	Gly	Thr	Gln	Lys	Phe	Lys	Ala	Ala	Ile	Asp	
					405					410					415		
50	Gly	Asn	Gly	Phe	Lys	Gly	Thr	Trp	Thr	Glu	Asn	Gly	Gly	Gly	Asp	Val	
				420					425					430			
	Ser	Gly	Lys	Phe	Tyr	Gly	Pro	Ala	Gly	Glu	Glu	Val	Ala	Gly	Lys	Tyr	
			435					440					445				
55	Ser	Tyr	Arg	Pro	Thr	Asp	Ala	Glu	Lys	Gly	Gly	Phe	Gly	Val	Phe	Ala	
		450					455					460					
	Gly	Lys	Lys	Glu	Gln	Asp	Gly	Ser	Gly	Gly	Gly	Gly	Ala	Thr	Tyr	Lys	

EP 1 790 660 A2

	465		470		475		480
	Val Asp Glu Tyr His	Ala Asn Ala Arg Phe	Ala Ile Asp His Phe	Asn			
5		485		490		495	
	Thr Ser Thr Asn Val Gly Gly Phe Tyr	Gly Leu Thr Gly Ser Val Glu					
		500		505		510	
	Phe Asp Gln Ala Lys Arg Asp Gly Lys Ile Asp Ile Thr Ile Pro Val						
10		515		520		525	
	Ala Asn Leu Gln Ser Gly Ser Gln His Phe Thr Asp His Leu Lys Ser						
		530		535		540	
	Ala Asp Ile Phe Asp Ala Ala Gln Tyr Pro Asp Ile Arg Phe Val Ser						
15		545		550		555	
	Thr Lys Phe Asn Phe Asn Gly Lys Lys Leu Val Ser Val Asp Gly Asn						
		565		570		575	
	Leu Thr Met His Gly Lys Thr Ala Pro Val Lys Leu Lys Ala Glu Lys						
20		580		585		590	
	Phe Asn Cys Tyr Gln Ser Pro Met Ala Lys Thr Glu Val Cys Gly Gly						
		595		600		605	
	Asp Phe Ser Thr Thr Ile Asp Arg Thr Lys Trp Gly Val Asp Tyr Leu						
		610		615		620	
25	Val Asn Val Gly Met Thr Lys Ser Val Arg Ile Asp Ile Gln Ile Glu						
		625		630		635	
	Ala Ala Lys Gln						
30	<210> 98						
	<211> 2583						
	<212> DNA						
	<213> Artificial sequence						
	<220>						
35	<223> deltaG287NZ-961						
	<400> 98						
	atggctagcc cccgatgtcaa gtcggcggac acgctgtcaa aacctgccgc ccctgttgtt						60
	tctgaaaaag agacagaggc aaaggaagat gcgccacagg caggttctca aggaacgggc						120
	gcgccatccg cacaaggcgg tcaagatatg gcggcggttt cggaagaaaa tacaggcaat						180
40	ggcgggtgcgg cagcaacgga caaacccaaa aatgaagacg agggggcgca aaatgatatg						240
	ccgcaaaaatg ccgccgatac agatagtttg acaccgaatc acaccccgcc ttcgaatatg						300
	ccggccggaa atatggaaaa ccaagcaccg gatgccgggg aatcggagca gccggcaaac						360
	caaccggata tggcaaatat ggcggacgga atgcagggtg acgatccgtc ggcaggcggg						420
	gaaaatgccg gcaatacggc tgcccaaggt acaaatcaag ccgaaaacaa tcaaaccgcc						480
	ggttctcaaa atcctgcctc ttcaaccaat cctagcgcca cgaatagcgg tgggtatttt						540
	ggaaggacga acgtgggcaa ttctgtttgtg attgacgggc acttacgggg cggaataatt						600
45	acccactgta aaggcgattc ttgtagtggc aataatttct tggatgaaga agtacagcta						660
	aaatcagaat ttgaaaaatt aagtgatgca gacaaaaataa gtaattacaa gaaagatggg						720
	aagaatgacg ggaagaatga taaattttgtc ggtttggttg ccgatagtgt gcagatgaag						780
	ggaatcaatc aatatattat cttttataaa cctaaaccca cttcatttgc gcgatttagg						840
	cgttctgcac ggtcgaaggcg gtcgcttccg gccgagatgc cgctgattcc cgtcaatcag						900
	gcgggatacgc tgattgtcga tggggaagcg gtcagcctga cggggcattc cggcaatatc						960
50	ttcgcgcccg aagggaattt ccggtatctg acttacgggg cggaataatt gcccgcgga						1020
	tcgtatgccc tccgtgttca aggcgaacct tcaaaaggcg aaatgctcgc gggcacggca						1080
	gtgtacaacg gcgaagtgtc gcattttcat acggaaaaacg gccgtccgtc cccgtccaga						1140
	ggcaggtttg ccgcaaaagt cagatttcggc agcaaatctg tggacggcat tatcgacagc						1200
	ggcgatgggt tgcatatggg tacgcaaaaa ttcaaaagccg ccatcgatgg aaacggcttt						1260
	aaggggactt ggacggaaaa tggcggcggg gatgtttccg gaaagtttta cggcccggcc						1320
	ggcgaaggaag tggcgggaaa atacagctat cgcccaacag atcgggaaaaa gggcggattc						1380
55	ggcgtgtttg ccggcaaaaa agagcaggat ggcctcggag gaggaggagc cacaaacgac						1440
	cacgatgtta aaaaagctgc cactgtggcc attgtgtctg cctacaacaa tggccaagaa						1500

	atcaacgggtt	tcaaagctgg	agagaccatc	tacgacattg	atgaagacgg	cacaattacc	1560
	aaaaaagacg	caactgcagc	cgatgttgaa	gccgacgact	ttaaagggtct	gggtctgaaa	1620
	aaagtcgtga	ctaactgcac	caaaaccgtc	aatgaaaaca	aacaaaacgt	cgatgccaaa	1680
5	gtaaaagctg	cagaatctga	aatagaaaag	ttaacaacca	agttagcaga	cactgatgcc	1740
	gctttagcag	atactgatgc	cgctctggat	gcaaccacca	acgccttgaa	taaattggga	1800
	gaaaatataa	cgacatttgc	tgaagagact	aagacaaata	tcgtaaaaat	tgatgaaaaa	1860
	ttagaagccg	tggctgatac	cgtcgacaag	catgccgaag	cattcaacga	tatgccgat	1920
	tcattggatg	aaaccaacac	taaggcagac	gaagccgtca	aaaccgccaa	tgaagccaaa	1980
	cagacggccg	aagaaaccaa	acaaaacgtc	gatgccaaag	taaaagctgc	agaaactgca	2040
10	gcaggcaaa	ccgaagctgc	cgctggcaca	gctaatactg	cagccgacaa	ggccgaagct	2100
	gtcgtgcaa	aagtaccga	catcaaagct	gatatcgcta	cgaacaaaga	taatattgct	2160
	aaaaaagcaa	acagtgccga	cggttacacc	agagaagagt	ctgacagcaa	atttgtcaga	2220
	attgatggtc	tgaacgctac	taccgaaaaa	ttggacacac	gcttggcttc	tgctgaaaaa	2280
	tccattgccg	atcacgatac	tcgcctgaac	ggtttgata	aaacagtgtc	agacctgcgc	2340
	aaagaaaccc	gccaaaggct	tgcagaacaa	gccgcgctct	ccggtctgtt	ccaaccttac	2400
	aacgtgggtc	ggttcaatgt	aacggctgca	gtcggcggct	acaaatccga	atcggcagtc	2460
15	gccatcggtg	ccggcttccg	ctttaccgaa	aactttgccg	ccaaagcagg	cgtggcagtc	2520
	ggcacttcgt	ccggttcttc	cgcagcctac	catgtcggcg	tcaattacga	gtggtaaaag	2580
	ctt						2583

	<210>	99
	<211>	858
20	<212>	PRT
	<213>	Artificial Sequence

	<220>	
	<223>	deltaG287NZ-961

25	<400>	99
	Met Ala Ser Pro Asp Val Lys Ser Ala Asp Thr Leu Ser Lys Pro Ala	
	1 5 10 15	
	Ala Pro Val Val Ser Glu Lys Glu Thr Glu Ala Lys Glu Asp Ala Pro	
	20 25 30	
30	Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro Ser Ala Gln Gly Gly Gln	
	35 40 45	
	Asp Met Ala Ala Val Ser Glu Glu Asn Thr Gly Asn Gly Gly Ala Ala	
	50 55 60	
35	Ala Thr Asp Lys Pro Lys Asn Glu Asp Glu Gly Ala Gln Asn Asp Met	
	65 70 75 80	
	Pro Gln Asn Ala Ala Asp Thr Asp Ser Leu Thr Pro Asn His Thr Pro	
	85 90 95	
40	Ala Ser Asn Met Pro Ala Gly Asn Met Glu Asn Gln Ala Pro Asp Ala	
	100 105 110	
	Gly Glu Ser Glu Gln Pro Ala Asn Gln Pro Asp Met Ala Asn Thr Ala	
	115 120 125	
45	Asp Gly Met Gln Gly Asp Asp Pro Ser Ala Gly Gly Glu Asn Ala Gly	
	130 135 140	
	Asn Thr Ala Ala Gln Gly Thr Asn Gln Ala Glu Asn Asn Gln Thr Ala	
	145 150 155 160	
	Gly Ser Gln Asn Pro Ala Ser Ser Thr Asn Pro Ser Ala Thr Asn Ser	
50	165 170 175	
	Gly Gly Asp Phe Gly Arg Thr Asn Val Gly Asn Ser Val Val Ile Asp	
	180 185 190	
	Gly Pro Ser Gln Asn Ile Thr Leu Thr His Cys Lys Gly Asp Ser Cys	
55	195 200 205	
	Ser Gly Asn Asn Phe Leu Asp Glu Glu Val Gln Leu Lys Ser Glu Phe	

EP 1 790 660 A2

	210					215					220				
5	Glu 225	Lys	Leu	Ser	Asp	Ala 230	Asp	Lys	Ile	Ser	Asn 235	Tyr	Lys	Lys	Asp 240
	Lys	Asn	Asp	Gly	Lys 245	Asn	Asp	Lys	Phe	Val 250	Gly	Leu	Val	Ala	Asp 255
10	Val	Gln	Met	Lys 260	Gly	Ile	Asn	Gln	Tyr 265	Ile	Ile	Phe	Tyr	Lys 270	Pro
	Pro	Thr	Ser 275	Phe	Ala	Arg	Phe	Arg 280	Arg	Ser	Ala	Arg	Ser 285	Arg	Arg
	Leu	Pro 290	Ala	Glu	Met	Pro	Leu 295	Ile	Pro	Val	Asn	Gln 300	Ala	Asp	Thr
15	Ile 305	Val	Asp	Gly	Glu	Ala 310	Val	Ser	Leu	Thr	Gly 315	His	Ser	Gly	Asn
	Phe	Ala	Pro	Glu	Gly 325	Asn	Tyr	Arg	Tyr	Leu 330	Thr	Tyr	Gly	Ala	Glu 335
20	Leu	Pro	Gly	Gly 340	Ser	Tyr	Ala	Leu	Arg 345	Val	Gln	Gly	Glu	Pro 350	Ser
	Gly	Glu	Met 355	Leu	Ala	Gly	Thr	Ala 360	Val	Tyr	Asn	Gly	Glu 365	Val	Leu
25	Phe	His 370	Thr	Glu	Asn	Gly	Arg 375	Pro	Ser	Pro	Ser	Arg 380	Gly	Arg	Phe
	Ala 385	Lys	Val	Asp	Phe	Gly 390	Ser	Lys	Ser	Val	Asp 395	Gly	Ile	Ile	Asp
30	Gly	Asp	Gly	Leu	His 405	Met	Gly	Thr	Gln	Lys 410	Phe	Lys	Ala	Ala	Ile 415
	Gly	Asn	Gly	Phe 420	Lys	Gly	Thr	Trp	Thr 425	Glu	Asn	Gly	Gly	Gly 430	Asp
35	Ser	Gly	Lys 435	Phe	Tyr	Gly	Pro	Ala 440	Gly	Glu	Glu	Val	Ala 445	Gly	Lys
	Ser	Tyr 450	Arg	Pro	Thr	Asp	Ala 455	Glu	Lys	Gly	Gly	Phe 460	Gly	Val	Phe
40	Gly 465	Lys	Lys	Glu	Gln	Asp 470	Gly	Ser	Gly	Gly	Gly 475	Gly	Ala	Thr	Asn
	Asp	Asp	Val	Lys	Lys 485	Ala	Ala	Thr	Val	Ala 490	Ile	Ala	Ala	Ala	Tyr 495
45	Asn	Gly	Gln	Glu 500	Ile	Asn	Gly	Phe	Lys 505	Ala	Gly	Glu	Thr	Ile 510	Tyr
	Ile	Asp	Glu 515	Asp	Gly	Thr	Ile	Thr 520	Lys	Lys	Asp	Ala	Thr 525	Ala	Ala
50	Val	Glu 530	Ala	Asp	Asp	Phe	Lys 535	Gly	Leu	Gly	Leu	Lys 540	Lys	Val	Val
	Asn 545	Leu	Thr	Lys	Thr	Val 550	Asn	Glu	Asn	Lys	Gln 555	Asn	Val	Asp	Ala
55	Val	Lys	Ala	Ala	Glu 565	Ser	Glu	Ile	Glu	Lys 570	Leu	Thr	Thr	Lys	Leu
	Asp	Thr	Asp	Ala	Ala	Leu	Ala	Asp	Thr	Asp	Ala	Ala	Leu	Asp	Ala

EP 1 790 660 A2

[illegible]

	cctgaagacg	gagggcggtaa	agacattgaa	gcttctttcg	acgatgaggc	cgttatagag	480
	actgaagcaa	agccgacgga	tatccgccac	gtaaaagaaa	tcggacacat	cgatttggtc	540
	tcccataatta	ttggcgggcg	ttccgtggac	ggcagacctg	caggcggtat	tgcgcccgat	600
5	gcgacgctac	acataatgaa	tacgaatgat	gaaaccaaga	acgaaatgat	ggttgcagcc	660
	atccgcaatg	catgggtcaa	gctgggcgaa	cgtggcggtg	gcatcgtaaa	taacagtttt	720
	ggaacaacat	cgaggcgagg	cactgcccac	cttttccaaa	tagccaattc	ggaggagcag	780
	taccgccaag	cgttgctcga	ctattccggc	gggtataaaa	cagacgaggg	tatccgcctg	840
	atgcaacaga	gcgattacgg	caacctgtcc	taccacatcc	gtaataaaaa	catgcttttc	900
	atcttttcga	caggcaatga	cgacacaagc	cagcccaaca	catatgccct	attgccattt	960
10	tatgaaaaag	acgctcaaaa	aggcattatc	acagtcgcag	gcgtagaccg	cagtggagaa	1020
	aagttcaaac	gggaaatgta	tggagaaccg	ggtacagaac	cgcttgagta	tggctccaac	1080
	cattgcgga	ttactgccat	gtgggtgcctg	tcggcaccct	atgaagcaag	cgctccgtttc	1140
	acccgtacaa	acccgattca	aattggccga	acatcctttt	cgcaccccat	cgtaaccggc	1200
	acggcggtc	tgctgctgca	gaaatacccg	tggatgagca	acgacaacct	gcgtaccacg	1260
	ttgctgacga	cggctcagga	catcggtgca	gtcggcggtg	acagcaagtt	cggctgggga	1320
	ctgctggatg	cgggtaaggc	catgaacgga	cccgcgtcct	ttccgttcgg	cgactttacc	1380
15	gccgatacga	ttgtctatct	cgatattgcc	tactccttcc	gtaacgacat	ttcaggcacg	1440
	ggcggcctga	tcaaaaaagg	cggcagccaa	ctgcaactgc	acggcaacaa	cacctatacg	1500
	ggcaaaaacca	ttatcgaagg	cggttcgctg	gtgtgttacg	gcaacaacaa	atcggtatatg	1560
	cgcgctgaaa	ccaaagggtgc	gctgatttat	aacggggcgg	catccggcgg	cagcctgaac	1620
	agcgacgga	ttgtctatct	ggcagatacc	gaccaatccg	gcgcaaacga	aaccgtacac	1680
	atcaaaggca	gtctgcagct	ggacggcaaa	ggtacgctgt	acacacgttt	gggcaaacctg	1740
20	ctgaaagtgg	acggtacggc	gattatcggc	ggcaagctgt	acatgtcggc	acgcggcaag	1800
	ggggcaggct	attctcaacag	taccggacga	cggtttccct	tcctgagtgc	cgccaaaatc	1860
	gggcaggatt	attcttttctt	cacaaacatc	gaaaccgcag	gcggcctgct	ggcttccctc	1920
	gacagcgtcg	aaaaaacagc	gggcagtgaa	ggcgacacgc	tgctctatta	tgctcgtcgc	1980
	ggcaatgcgg	cacggactgc	ttcggcagcg	gcacattccg	cgcccgcggg	tctgaaacac	2040
	gccgtagaa	agggcggcag	caatctggaa	aactctgatg	tcgaactgga	tgctcccgaa	2100
25	tcattccgaa	cacccgagac	ggttgaaact	gcggcagccg	accgcacaga	tatgccgggc	2160
	atccgccccct	acggcgcaac	tttcgcgcga	gcggcagccg	tacagcatgc	gaatgccgcc	2220
	gacgggtgac	gcatcttcaa	cagtcctgcg	gctaccgtct	atgccgacag	taccgccgcc	2280
	catgccgata	ccgcctgaaa	ccgcctgaaa	ccggtatcgg	acgggttggg	ccacaacggc	2340
	acgggtctgc	gcgtcatcgc	gcaaacccaa	caggacgggtg	gaacgtggga	acagggcggt	2400
	gttgaaaggca	aaatgcgcgg	cagtacccaa	accgtcgcca	ttgccgcgaa	aaccggcgaa	2460
	aatacacag	cagccgccac	actgggcagc	ggagcagca	catggagcga	aaacagtgc	2520
30	aatgcaaaaa	ccgacagcat	tagtctgttt	gcaggcagac	ggcacgatgc	gggcgatatac	2580
	ggctatctca	aaggcctgtt	ctcctacgga	cgctacaaaa	acagcatcag	ccgcagcacc	2640
	ggtgcggacg	aacatgcgga	aggcagcgtc	aacggcacgc	tgatgcagct	gggcgcactg	2700
	ggcggtgtca	acgttccgtt	tgccgcaacg	ggagatttga	cggtcgaagg	cggtctgcgc	2760
	tacgacctgc	tcaaacagga	tgcatctgcc	gaaaaaggca	gtgctttggg	ctggagcggc	2820
	aacagcctca	ctgaaggcac	gctggctgga	ctcgcgggtc	tgaagctgtc	gcaacccttg	2880
35	agcgataaag	ccgtcctgtt	tgcaacggcg	ggcgtggaac	gcgacctgaa	cggacgcgac	2940
	tacacggtaa	cgggcggcct	taccggcgcg	actgcagcaa	ccggcaagac	gggggcacgc	3000
	aatatgccgc	acaccgctct	ggttgccggc	ctgggcgcgg	atgtcgaatt	cggcaacggc	3060
	tggaaacggct	tggcacgtta	cagctacgcc	ggttccaaac	agtacggcaa	ccacagcgga	3120
	cgatgcggcg	taggttaccg	gttctctgac	ggtggcggag	gcactggatc	ctcagatttg	3180
	gcaaacgatt	cttttatccg	gcaggttctc	gaccgtcagc	atttcgaacc	cgacgggaaa	3240
40	taccacctat	tcggcagcag	gggggaactt	gccgagcgca	gcggccatat	cggattggga	3300
	aaaatacaaa	gccatcagtt	gggcaacctg	atgattcaac	aggcgcccat	taaaggaaat	3360
	atcggctaca	ttgtccgctt	ttccgatcac	gggcacgaag	tccattcccc	cttcgacaac	3420
	catgcctcac	attccgattc	tgatgaagcc	ggtagtcccg	ttgacggatt	tagcctttac	3480
	cgcattccatt	gggacggata	cgaacaccat	cccgcgcagc	gctatgacgg	gccacagggc	3540
	ggcggtatc	ccgctcccaa	aggcgcgagg	gatataata	gctacgacat	aaaaggcggt	3600
45	gccccaaaata	tccgctcaa	cctgaccgac	aaccgcagca	ccggacaacg	gcttgccgac	3660
	cgtttccaca	atgccggtag	tatgctgacg	caaggagtag	gcgacggatt	caaacgcgcc	3720
	acccgatata	gccccgagct	ggacagatcg	ggcaatgccg	ccgaagcctt	caacggcact	3780
	gcagatatcg	ttaaaaacat	catcggcgcg	gcaggagaaa	ttgtcggcgc	aggcgatgcc	3840
	gtgcagggca	taagcgaagg	ctcaaacatt	gctgtcatgc	acggccttgg	tctgctttcc	3900
	accgaaaaca	agatggcgcg	catcaacgat	ttggcagata	tggcgcaact	caaagactat	3960
	gccgcagcag	ccatccgcga	ttgggcagtc	caaaacccca	atgccgcaca	aggcatagaa	4020
50	cccgtagcga	atatctttat	ggcagccatc	cccatcaaa	ggattggagc	tggtcgggga	4080
	aaatacggct	tgggcggcat	cacggcacat	cctatcaagc	ggtcgcagat	gggcgcgac	4140
	gcattgccga	aagggaaatc	cgccgtcagc	gacaattttg	ccgatgcggc	atacgccaaa	4200
	gaaacgtccc	cttaccattc	ccgaaatata	cgttcaaaat	tggagcagcg	ttacggcaaa	4260
	gaaaacatca	cttcctcaac	cgtgccgcgc	tcaaacggca	aaaatgtcaa	actggcagac	4320
	caacgccacc	cgaagacagg	cgtaccgttt	gacggtaaag	ggtttccgaa	ttttgagaag	4380
55	cacgtgaaat	atgatacgct	cgagcaccac	caccaccacc	actga		4425

<210> 101

EP 1 790 660 A2

<211> 1474
<212> PRT
<213> Artificial Sequence

<220>
<223> deltaG983-ORF46.1

<400> 101
Met Thr Ser Ala Pro Asp Phe Asn Ala Gly Gly Thr Gly Ile Gly Ser
1 5 10
Asn Ser Arg Ala Thr Thr Ala Lys Ser Ala Ala Val Ser Tyr Ala Gly
20
Ile Lys Asn Glu Met Cys Lys Asp Arg Ser Met Leu Cys Ala Gly Arg
35 40 45
Asp Asp Val Ala Val Thr Asp Arg Asp Ala Lys Ile Asn Ala Pro Pro
50 55 60
Pro Asn Leu His Thr Gly Asp Phe Pro Asn Pro Asn Asp Ala Tyr Lys
65 70 75 80
Asn Leu Ile Asn Leu Lys Pro Ala Ile Glu Ala Gly Tyr Thr Gly Arg
85 90 95
Gly Val Glu Val Gly Ile Val Asp Thr Gly Glu Ser Val Gly Ser Ile
100 105 110
Ser Phe Pro Glu Leu Tyr Gly Arg Lys Glu His Gly Tyr Asn Glu Asn
115 120 125
Tyr Lys Asn Tyr Thr Ala Tyr Met Arg Lys Glu Ala Pro Glu Asp Gly
130 135 140
Gly Gly Lys Asp Ile Glu Ala Ser Phe Asp Asp Glu Ala Val Ile Glu
145 150 155 160
Thr Glu Ala Lys Pro Thr Asp Ile Arg His Val Lys Glu Ile Gly His
165 170 175
Ile Asp Leu Val Ser His Ile Ile Gly Gly Arg Ser Val Asp Gly Arg
180 185 190
Pro Ala Gly Gly Ile Ala Pro Asp Ala Thr Leu His Ile Met Asn Thr
195 200 205
Asn Asp Glu Thr Lys Asn Glu Met Met Val Ala Ala Ile Arg Asn Ala
210 215 220
Trp Val Lys Leu Gly Glu Arg Gly Val Arg Ile Val Asn Asn Ser Phe
225 230 235 240
Gly Thr Thr Ser Arg Ala Gly Thr Ala Asp Leu Phe Gln Ile Ala Asn
245 250 255
Ser Glu Glu Gln Tyr Arg Gln Ala Leu Leu Asp Tyr Ser Gly Gly Asp
260 265 270
Lys Thr Asp Glu Gly Ile Arg Leu Met Gln Gln Ser Asp Tyr Gly Asn
275 280 285
Leu Ser Tyr His Ile Arg Asn Lys Asn Met Leu Phe Ile Phe Ser Thr
290 295 300
Gly Asn Asp Ala Gln Ala Gln Pro Asn Thr Tyr Ala Leu Leu Pro Phe
305 310 315 320
Tyr Glu Lys Asp Ala Gln Lys Gly Ile Ile Thr Val Ala Gly Val Asp

EP 1 790 660 A2

					325						330					335
	Arg	Ser	Gly	Glu	Lys	Phe	Lys	Arg	Glu	Met	Tyr	Gly	Glu	Pro	Gly	Thr
5				340					345					350		
	Glu	Pro	Leu	Glu	Tyr	Gly	Ser	Asn	His	Cys	Gly	Ile	Thr	Ala	Met	Trp
			355					360					365			
	Cys	Leu	Ser	Ala	Pro	Tyr	Glu	Ala	Ser	Val	Arg	Phe	Thr	Arg	Thr	Asn
10		370					375					380				
	Pro	Ile	Gln	Ile	Ala	Gly	Thr	Ser	Phe	Ser	Ala	Pro	Ile	Val	Thr	Gly
	385					390					395					400
	Thr	Ala	Ala	Leu	Leu	Leu	Gln	Lys	Tyr	Pro	Trp	Met	Ser	Asn	Asp	Asn
15					405					410					415	
	Leu	Arg	Thr	Thr	Leu	Leu	Thr	Thr	Ala	Gln	Asp	Ile	Gly	Ala	Val	Gly
				420					425					430		
	Val	Asp	Ser	Lys	Phe	Gly	Trp	Gly	Leu	Leu	Asp	Ala	Gly	Lys	Ala	Met
20			435					440					445			
	Asn	Gly	Pro	Ala	Ser	Phe	Pro	Phe	Gly	Asp	Phe	Thr	Ala	Asp	Thr	Lys
		450					455					460				
	Gly	Thr	Ser	Asp	Ile	Ala	Tyr	Ser	Phe	Arg	Asn	Asp	Ile	Ser	Gly	Thr
	465					470					475					480
25																
	Gly	Gly	Leu	Ile	Lys	Lys	Gly	Gly	Ser	Gln	Leu	Gln	Leu	His	Gly	Asn
					485					490					495	
	Asn	Thr	Tyr	Thr	Gly	Lys	Thr	Ile	Ile	Glu	Gly	Gly	Ser	Leu	Val	Leu
				500					505					510		
30																
	Tyr	Gly	Asn	Asn	Lys	Ser	Asp	Met	Arg	Val	Glu	Thr	Lys	Gly	Ala	Leu
			515					520					525			
	Ile	Tyr	Asn	Gly	Ala	Ala	Ser	Gly	Gly	Ser	Leu	Asn	Ser	Asp	Gly	Ile
		530					535					540				
35																
	Val	Tyr	Leu	Ala	Asp	Thr	Asp	Gln	Ser	Gly	Ala	Asn	Glu	Thr	Val	His
	545					550					555					560
	Ile	Lys	Gly	Ser	Leu	Gln	Leu	Asp	Gly	Lys	Gly	Thr	Leu	Tyr	Thr	Arg
					565					570					575	
40																
	Leu	Gly	Lys	Leu	Leu	Lys	Val	Asp	Gly	Thr	Ala	Ile	Ile	Gly	Gly	Lys
				580					585					590		
	Leu	Tyr	Met	Ser	Ala	Arg	Gly	Lys	Gly	Ala	Gly	Tyr	Leu	Asn	Ser	Thr
			595					600					605			
45																
	Gly	Arg	Arg	Val	Pro	Phe	Leu	Ser	Ala	Ala	Lys	Ile	Gly	Gln	Asp	Tyr
		610					615					620				
	Ser	Phe	Phe	Thr	Asn	Ile	Glu	Thr	Asp	Gly	Gly	Leu	Leu	Ala	Ser	Leu
	625					630					635					640
	Asp	Ser	Val	Glu	Lys	Thr	Ala	Gly	Ser	Glu	Gly	Asp	Thr	Leu	Ser	Tyr
50					645					650					655	
	Tyr	Val	Arg	Arg	Gly	Asn	Ala	Ala	Arg	Thr	Ala	Ser	Ala	Ala	Ala	His
				660					665					670		
	Ser	Ala	Pro	Ala	Gly	Leu	Lys	His	Ala	Val	Glu	Gln	Gly	Gly	Ser	Asn
55			675					680					685			
	Leu	Glu	Asn	Leu	Met	Val	Glu	Leu	Asp	Ala	Ser	Glu	Ser	Ser	Ala	Thr

EP 1 790 660 A2

	690		695		700												
	Pro	Glu	Thr	Val	Glu	Thr	Ala	Ala	Ala	Asp	Arg	Thr	Asp	Met	Pro	Gly	
5	705					710					715					720	
	Ile	Arg	Pro	Tyr	Gly	Ala	Thr	Phe	Arg	Ala	Ala	Ala	Ala	Val	Gln	His	
					725					730					735		
	Ala	Asn	Ala	Ala	Asp	Gly	Val	Arg	Ile	Phe	Asn	Ser	Leu	Ala	Ala	Thr	
				740					745					750			
10	Val	Tyr	Ala	Asp	Ser	Thr	Ala	Ala	His	Ala	Asp	Met	Gln	Gly	Arg	Arg	
			755					760					765				
	Leu	Lys	Ala	Val	Ser	Asp	Gly	Leu	Asp	His	Asn	Gly	Thr	Gly	Leu	Arg	
		770					775					780					
15	Val	Ile	Ala	Gln	Thr	Gln	Gln	Asp	Gly	Gly	Thr	Trp	Glu	Gln	Gly	Gly	
		785				790					795					800	
	Val	Glu	Gly	Lys	Met	Arg	Gly	Ser	Thr	Gln	Thr	Val	Gly	Ile	Ala	Ala	
					805					810					815		
20	Lys	Thr	Gly	Glu	Asn	Thr	Thr	Ala	Ala	Ala	Thr	Leu	Gly	Met	Gly	Arg	
				820					825					830			
	Ser	Thr	Trp	Ser	Glu	Asn	Ser	Ala	Asn	Ala	Lys	Thr	Asp	Ser	Ile	Ser	
			835					840					845				
25	Leu	Phe	Ala	Gly	Ile	Arg	His	Asp	Ala	Gly	Asp	Ile	Gly	Tyr	Leu	Lys	
		850					855					860					
	Gly	Leu	Phe	Ser	Tyr	Gly	Arg	Tyr	Lys	Asn	Ser	Ile	Ser	Arg	Ser	Thr	
		865				870					875					880	
30	Gly	Ala	Asp	Glu	His	Ala	Glu	Gly	Ser	Val	Asn	Gly	Thr	Leu	Met	Gln	
					885					890					895		
	Leu	Gly	Ala	Leu	Gly	Gly	Val	Asn	Val	Pro	Phe	Ala	Ala	Thr	Gly	Asp	
				900					905					910			
35	Leu	Thr	Val	Glu	Gly	Gly	Leu	Arg	Tyr	Asp	Leu	Leu	Lys	Gln	Asp	Ala	
			915					920					925				
	Phe	Ala	Glu	Lys	Gly	Ser	Ala	Leu	Gly	Trp	Ser	Gly	Asn	Ser	Leu	Thr	
		930					935					940					
40	Glu	Gly	Thr	Leu	Val	Gly	Leu	Ala	Gly	Leu	Lys	Leu	Ser	Gln	Pro	Leu	
		945				950					955					960	
	Ser	Asp	Lys	Ala	Val	Leu	Phe	Ala	Thr	Ala	Gly	Val	Glu	Arg	Asp	Leu	
					965					970					975		
45	Asn	Gly	Arg	Asp	Tyr	Thr	Val	Thr	Gly	Gly	Phe	Thr	Gly	Ala	Thr	Ala	
				980					985					990			
	Ala	Thr	Gly	Lys	Thr	Gly	Ala	Arg	Asn	Met	Pro	His	Thr	Arg	Leu	Val	
			995					1000					1005				
50	Ala	Gly	Leu	Gly	Ala	Asp	Val	Glu	Phe	Gly	Asn	Gly	Trp	Asn	Gly	Leu	
		1010					1015					1020					
	Ala	Arg	Tyr	Ser	Tyr	Ala	Gly	Ser	Lys	Gln	Tyr	Gly	Asn	His	Ser	Gly	
		1025				1030					1035					1040	
55	Arg	Val	Gly	Val	Gly	Tyr	Arg	Phe	Leu	Asp	Gly	Gly	Gly	Gly	Thr	Gly	
					1045					1050					1055		
	Ser	Ser	Asp	Leu	Ala	Asn	Asp	Ser	Phe	Ile	Arg	Gln	Val	Leu	Asp	Arg	

EP 1 790 660 A2

	1060	1065	1070
	Gln His Phe Glu Pro Asp Gly Lys Tyr His Leu Phe Gly Ser Arg Gly		
5	1075	1080	1085
	Glu Leu Ala Glu Arg Ser Gly His Ile Gly Leu Gly Lys Ile Gln Ser		
	1090	1095	1100
	His Gln Leu Gly Asn Leu Met Ile Gln Gln Ala Ala Ile Lys Gly Asn		
10	1105	1110	1115
	Ile Gly Tyr Ile Val Arg Phe Ser Asp His Gly His Glu Val His Ser		
	1125	1130	1135
	Pro Phe Asp Asn His Ala Ser His Ser Asp Ser Asp Glu Ala Gly Ser		
	1140	1145	1150
15	Pro Val Asp Gly Phe Ser Leu Tyr Arg Ile His Trp Asp Gly Tyr Glu		
	1155	1160	1165
	His His Pro Ala Asp Gly Tyr Asp Gly Pro Gln Gly Gly Gly Tyr Pro		
	1170	1175	1180
20	Ala Pro Lys Gly Ala Arg Asp Ile Tyr Ser Tyr Asp Ile Lys Gly Val		
	1185	1190	1195
	Ala Gln Asn Ile Arg Leu Asn Leu Thr Asp Asn Arg Ser Thr Gly Gln		
	1205	1210	1215
25	Arg Leu Ala Asp Arg Phe His Asn Ala Gly Ser Met Leu Thr Gln Gly		
	1220	1225	1230
	Val Gly Asp Gly Phe Lys Arg Ala Thr Arg Tyr Ser Pro Glu Leu Asp		
	1235	1240	1245
30	Arg Ser Gly Asn Ala Ala Glu Ala Phe Asn Gly Thr Ala Asp Ile Val		
	1250	1255	1260
	Lys Asn Ile Ile Gly Ala Ala Gly Glu Ile Val Gly Ala Gly Asp Ala		
	1265	1270	1275
35	Val Gln Gly Ile Ser Glu Gly Ser Asn Ile Ala Val Met His Gly Leu		
	1285	1290	1295
	Gly Leu Leu Ser Thr Glu Asn Lys Met Ala Arg Ile Asn Asp Leu Ala		
	1300	1305	1310
40	Asp Met Ala Gln Leu Lys Asp Tyr Ala Ala Ala Ala Ile Arg Asp Trp		
	1315	1320	1325
	Ala Val Gln Asn Pro Asn Ala Ala Gln Gly Ile Glu Ala Val Ser Asn		
	1330	1335	1340
45	Ile Phe Met Ala Ala Ile Pro Ile Lys Gly Ile Gly Ala Val Arg Gly		
	1345	1350	1355
	Lys Tyr Gly Leu Gly Gly Ile Thr Ala His Pro Ile Lys Arg Ser Gln		
	1365	1370	1375
50	Met Gly Ala Ile Ala Leu Pro Lys Gly Lys Ser Ala Val Ser Asp Asn		
	1380	1385	1390
	Phe Ala Asp Ala Ala Tyr Ala Lys Tyr Pro Ser Pro Tyr His Ser Arg		
	1395	1400	1405
55	Asn Ile Arg Ser Asn Leu Glu Gln Arg Tyr Gly Lys Glu Asn Ile Thr		
	1410	1415	1420
	Ser Ser Thr Val Pro Pro Ser Asn Gly Lys Asn Val Lys Leu Ala Asp		

	1425	1430	1435	1440
	Gln Arg His Pro Lys Thr Gly Val Pro Phe Asp Gly Lys Gly Phe Pro			
5		1445	1450	1455
	Asn Phe Glu Lys His Val Lys Tyr Asp Thr Leu Glu His His His His			
		1460	1465	1470
	His His			
10				
	<210> 102			
	<211> 3939			
	<212> DNA			
	<213> Artificial Sequence			
15				
	<220>			
	<223> deltaG983-741			
	<400> 102			
	atgactttctg cgcccgactt caatgcaggc ggtaccggta tcggcagcaa cagcagagca 60			
	acaacagcga aatcagcagc agtatcttac gccgggtatca agaacgaaat gtgcaaagac 120			
20	agaagcatgc tctgtgccgg tcgggatgac gttgcggtta cagacaggga tgccaaaatc 180			
	aatgcccccc ccccgaaatct gcataaccgga gactttccaa acccaaatga cgcatacaag 240			
	aatttgatca acctcaaacc tgcaattgaa gcaggctata caggacgcgg ggtagaggta 300			
	ggtatcgtcg acacaggcga atccgctcggc agcatatcct ttcccgaact gtatggcaga 360			
	aaagaacacg gctataacga aaattacaaa aactatacgg cgtatatgcy gaaggaagcg 420			
	cctgaagacg gaggcggtaa agacattgaa gcttctttcg acgatgaggc cgttatagag 480			
25	actgaagcaa agccgacgga tatccgccac gtaaaagaaa tcggacacat cgatttggtc 540			
	tcccatatta ttggcgggcyg ttccgctggac ggcagacctg caggcggtat tgcgcccgat 600			
	gcgacgctac acataatgaa tacgaatgat gaaaccaaga acgaaatgat ggttgacgac 660			
	atccgcaatg catgggtcaa gctgggcgaa cgtggcggtc gcacgtcaa taacagtttt 720			
	ggaacaacat cgagggcagg cactgccgac cttttccaaa tagccaattc ggaggagcag 780			
	taccgccaaag cgttgctcga ctattccggc ggtgataaaa cagacgaggg tatccgcctg 840			
	atgcaacaga gcgattacgg caacctgtcc taccacatcc gtaataaaaa catgcttttc 900			
30	atcttttcga caggcaatga cgcacaagct cagcccaaca catatgccct attgccattt 960			
	tatgaaaaaag acgctcaaaa aggcattatc acagtcgcag gcgtagaccg cagtggagaa 1020			
	aagttcaaac gggaaatgta tggagaaccg ggtacagaac cgcttgagta tggctccaac 1080			
	cattgcggaa ttactgccat gtggtgcctg tcggcacctt atgaagcaag cgtccgtttc 1140			
	acccgtacaa acccgattca aattgcccga acatcctttt ccgcacccat cgtaaccggc 1200			
	acggcgggctc tgctgctgca gaaatacccg tggatgagca acgacaacct gcgtaccacg 1260			
35	ttgctgacga cggctcagga catcgggtgca gtcggcggtg acagcaagtt cggctgggga 1320			
	ctgctggatg cgggttaaggc catgaacgga cccgcgtcct ttccggttcgg cgactttacc 1380			
	gccgatacga aaggtacatc cgaatattgcc tactccttcc gtaacgacat ttcaggcacg 1440			
	ggcggcctga tcaaaaaagg cggcagccaa ctgcaactgc acggcaacaa cacctatacg 1500			
	ggcaaaacca ttatcgaaag cggttcgtcg gtgtgtgtag gcaacaacaa atcggatatg 1560			
	cgcgtcgaaa ccaaaaggtg cgtgatttat aacggggcgg catccggcgg cagcctgaac 1620			
40	agcgacggca ttgtctatct ggcagatacc gaccaatccg gcgcaaacga aaccgtacac 1680			
	atcaaaggca gtctgcagct ggacggcaaa ggtacgctgt acacacgttt gggcaaacgt 1740			
	ctgaaagtgg acggtaaggc gattatcggc ggcaagctgt acatgtcggc acgcggcaag 1800			
	ggggcaggct atctcaacag taccggacga cgtgttccct tcctgagtgc cgccaaaatc 1860			
	gggcaggatt attctttctt cacaacatc gaaaccgacg gcggcctgct ggcttccctc 1920			
	gacagcgtcg aaaaaacagc gggcagtgaa ggcgacacgc tgtcctatta tgtccgtcgc 1980			
45	ggcaatgcgg cacggactgc ttccggcagc gcacattccg cgcccgccgg tctgaaacac 2040			
	gccgtagaac agggcggcag caatctggaa aacctgatgg tcgaaactgga tgcctccgaa 2100			
	tcatccgcaa caccgagac ggttgaaact gcggcagccg accgcacaga tatgccgggc 2160			
	atccgccccct acggcgcaac tttccgcgca gcggcagccg tacagcatgc gaatgccgcc 2220			
	gacgggtgtac gcatcttcaa cagtctcgcc gctaccgtct atgccgacag taccgccgcc 2280			
	catgccgata tgcaggagcg ccgcctgaaa gccgtatcgg acgggttggg ccacaacggc 2340			
	acgggtctgc gcgtcatcgc gcaaacccaa caggacggtg gaacgtggga acagggcggt 2400			
50	gttgaaaggca aaatgcgcgg cagtacccaa accgtcggca ttgccgcgaa aaccggcgaa 2460			
	aatacgacag aagcgccac actggcctag aacgcagcga catggagcga aaacagtgca 2520			
	aatgcaaaaa ccgacagcat tagtctgttt gcaggcatac ggcacgatgc gggcgatatc 2580			
	ggctatctca aaggcctgtt ctctacgga cgctacaaaa acagcatcag ccgcagcacc 2640			
	ggtgcggacg aacatgcgga aggcagcgtc aacggcagca tgatgcagct gggcgacatg 2700			
	ggcggtgtca acgttccgtt tggcgcaacg ggagatttga cggtcgaagg cggctcgcgc 2760			
55	tacgacctgc tcaaacagga tgcattcgcc gaaaaaggca gtgctttggg ctggagcggc 2820			
	aacagcctca ctgaaggcac gctggtcggg ctcgcgggtc tgaagctgtc gcaacccttg 2880			
	agcgataaag ccgtcctgtt tgcaacggcg ggcgtggaac gcgacctgaa cggacgcgac 2940			

EP 1 790 660 A2

	tacacggtaa	cgggcggtt	taccggcgcg	actgcagcaa	ccggcaagac	gggggcacgc	3000
	aatatgccgc	acaccgtct	ggttgccggc	ctgggcgcgg	atgtcgaatt	cggaacggc	3060
	tggaaacggct	tggcacgtta	cagctacgcc	ggttccaaac	agtacggcaa	ccacagcgga	3120
5	cgagtcggcg	taggtaccg	gttcctcgag	ggatccggag	ggggtggtgt	cgccgcggac	3180
	atcggtgcgg	ggcttgccga	tgcactaacc	gcaccgctcg	accataaaga	caaagggttg	3240
	cagtctttga	cgctggatca	gtccgtcagg	aaaaacgaga	aactgaagct	ggcggcacia	3300
	ggtgcggaaa	aaacttatgg	aaacgggtgac	agcctcaata	cgggcaaatt	gaagaacgac	3360
	aaggtcagcc	gtttcgactt	tatccgcca	atcgaagtgg	acgggcagct	cattaccttg	3420
	gagagtggag	agttccaagt	atacaaaaca	agccattccg	ccttaaccgc	ctttcagacc	3480
10	gagcaaatac	aagattcgga	gcattccggg	aagatggttg	cgaaacgcca	gttcagaatc	3540
	ggcgacatag	cgggcgaaca	tacatctttt	gacaagcttc	ccgaaggcgg	cagggcgaca	3600
	tatcgcgga	cggcgttcgg	ttcagacgat	gccggcgga	aactgacct	caccatagat	3660
	ttcgccgcca	agcaggga	cggaataatc	gaacatttga	aatcgccaga	actcaatgtc	3720
	gacctggccg	ccgccgat	caagccggat	ggaaaacgcc	atgccgtcat	cagcggttcc	3780
	gtccttttaca	accaagccga	gaaaggcagt	tactccctcg	gtatcttttg	cggaaaagcc	3840
	caggaagtgtg	ccggcagcgc	ggaagtga	acgtaaacg	gcatacgcca	tatcggcctt	3900
15	gccgccaagc	aactcgagca	ccaccaccac	caccactga			3939

<210> 103
 <211> 1312
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> deltaG983-741

<400> 103
 Met Thr Ser Ala Pro Asp Phe Asn Ala Gly Gly Thr Gly Ile Gly Ser
 1 5 10 15
 Asn Ser Arg Ala Thr Thr Ala Lys Ser Ala Ala Val Ser Tyr Ala Gly
 20 25 30
 Ile Lys Asn Glu Met Cys Lys Asp Arg Ser Met Leu Cys Ala Gly Arg
 35 40 45
 Asp Asp Val Ala Val Thr Asp Arg Asp Ala Lys Ile Asn Ala Pro Pro
 50 55 60
 Pro Asn Leu His Thr Gly Asp Phe Pro Asn Pro Asn Asp Ala Tyr Lys
 65 70 75 80
 Asn Leu Ile Asn Leu Lys Pro Ala Ile Glu Ala Gly Tyr Thr Gly Arg
 85 90 95
 Gly Val Glu Val Gly Ile Val Asp Thr Gly Glu Ser Val Gly Ser Ile
 100 105 110
 Ser Phe Pro Glu Leu Tyr Gly Arg Lys Glu His Gly Tyr Asn Glu Asn
 115 120 125
 Tyr Lys Asn Tyr Thr Ala Tyr Met Arg Lys Glu Ala Pro Glu Asp Gly
 130 135 140
 Gly Gly Lys Asp Ile Glu Ala Ser Phe Asp Asp Glu Ala Val Ile Glu
 145 150 155 160
 Thr Glu Ala Lys Pro Thr Asp Ile Arg His Val Lys Glu Ile Gly His
 165 170 175
 Ile Asp Leu Val Ser His Ile Ile Gly Gly Arg Ser Val Asp Gly Arg
 180 185 190
 Pro Ala Gly Gly Ile Ala Pro Asp Ala Thr Leu His Ile Met Asn Thr
 195 200 205
 Asn Asp Glu Thr Lys Asn Glu Met Met Val Ala Ala Ile Arg Asn Ala
 210 215 220

EP 1 790 660 A2

	Trp	Val	Lys	Leu	Gly	Glu	Arg	Gly	Val	Arg	Ile	Val	Asn	Asn	Ser	Phe
	225					230					235					240
5	Gly	Thr	Thr	Ser	Arg	Ala	Gly	Thr	Ala	Asp	Leu	Phe	Gln	Ile	Ala	Asn
					245					250					255	
	Ser	Glu	Glu	Gln	Tyr	Arg	Gln	Ala	Leu	Leu	Asp	Tyr	Ser	Gly	Gly	Asp
				260					265					270		
10	Lys	Thr	Asp	Glu	Gly	Ile	Arg	Leu	Met	Gln	Gln	Ser	Asp	Tyr	Gly	Asn
			275					280					285			
	Leu	Ser	Tyr	His	Ile	Arg	Asn	Lys	Asn	Met	Leu	Phe	Ile	Phe	Ser	Thr
		290					295					300				
15	Gly	Asn	Asp	Ala	Gln	Ala	Gln	Pro	Asn	Thr	Tyr	Ala	Leu	Leu	Pro	Phe
	305					310					315					320
	Tyr	Glu	Lys	Asp	Ala	Gln	Lys	Gly	Ile	Ile	Thr	Val	Ala	Gly	Val	Asp
					325					330					335	
20	Arg	Ser	Gly	Glu	Lys	Phe	Lys	Arg	Glu	Met	Tyr	Gly	Glu	Pro	Gly	Thr
				340					345					350		
	Glu	Pro	Leu	Glu	Tyr	Gly	Ser	Asn	His	Cys	Gly	Ile	Thr	Ala	Met	Trp
			355					360					365			
25	Cys	Leu	Ser	Ala	Pro	Tyr	Glu	Ala	Ser	Val	Arg	Phe	Thr	Arg	Thr	Asn
	370						375					380				
	Pro	Ile	Gln	Ile	Ala	Gly	Thr	Ser	Phe	Ser	Ala	Pro	Ile	Val	Thr	Gly
	385					390					395					400
30	Thr	Ala	Ala	Leu	Leu	Leu	Gln	Lys	Tyr	Pro	Trp	Met	Ser	Asn	Asp	Asn
					405					410					415	
	Leu	Arg	Thr	Thr	Leu	Leu	Thr	Thr	Ala	Gln	Asp	Ile	Gly	Ala	Val	Gly
				420					425					430		
35	Val	Asp	Ser	Lys	Phe	Gly	Trp	Gly	Leu	Leu	Asp	Ala	Gly	Lys	Ala	Met
			435					440					445			
	Asn	Gly	Pro	Ala	Ser	Phe	Pro	Phe	Gly	Asp	Phe	Thr	Ala	Asp	Thr	Lys
		450					455					460				
40	Gly	Thr	Ser	Asp	Ile	Ala	Tyr	Ser	Phe	Arg	Asn	Asp	Ile	Ser	Gly	Thr
	465					470					475					480
	Gly	Gly	Leu	Ile	Lys	Lys	Gly	Gly	Ser	Gln	Leu	Gln	Leu	His	Gly	Asn
					485					490					495	
45	Asn	Thr	Tyr	Thr	Gly	Lys	Thr	Ile	Ile	Glu	Gly	Gly	Ser	Leu	Val	Leu
				500					505					510		
	Tyr	Gly	Asn	Asn	Lys	Ser	Asp	Met	Arg	Val	Glu	Thr	Lys	Gly	Ala	Leu
			515					520					525			
50	Ile	Tyr	Asn	Gly	Ala	Ala	Ser	Gly	Gly	Ser	Leu	Asn	Ser	Asp	Gly	Ile
		530					535					540				
	Val	Tyr	Leu	Ala	Asp	Thr	Asp	Gln	Ser	Gly	Ala	Asn	Glu	Thr	Val	His
	545					550					555					560
	Ile	Lys	Gly	Ser	Leu	Gln	Leu	Asp	Gly	Lys	Gly	Thr	Leu	Tyr	Thr	Arg
					565					570					575	
55	Leu	Gly	Lys	Leu	Leu	Lys	Val	Asp	Gly	Thr	Ala	Ile	Ile	Gly	Gly	Lys
				580					585					590		

EP 1 790 660 A2

	Leu	Tyr	Met	Ser	Ala	Arg	Gly	Lys	Gly	Ala	Gly	Tyr	Leu	Asn	Ser	Thr
			595					600					605			
5	Gly	Arg	Arg	Val	Pro	Phe	Leu	Ser	Ala	Ala	Lys	Ile	Gly	Gln	Asp	Tyr
		610					615					620				
	Ser	Phe	Phe	Thr	Asn	Ile	Glu	Thr	Asp	Gly	Gly	Leu	Leu	Ala	Ser	Leu
	625					630					635					640
10	Asp	Ser	Val	Glu	Lys	Thr	Ala	Gly	Ser	Glu	Gly	Asp	Thr	Leu	Ser	Tyr
					645					650					655	
	Tyr	Val	Arg	Arg	Gly	Asn	Ala	Ala	Arg	Thr	Ala	Ser	Ala	Ala	Ala	His
				660					665					670		
15	Ser	Ala	Pro	Ala	Gly	Leu	Lys	His	Ala	Val	Glu	Gln	Gly	Gly	Ser	Asn
			675					680					685			
	Leu	Glu	Asn	Leu	Met	Val	Glu	Leu	Asp	Ala	Ser	Glu	Ser	Ser	Ala	Thr
	690						695					700				
20	Pro	Glu	Thr	Val	Glu	Thr	Ala	Ala	Ala	Asp	Arg	Thr	Asp	Met	Pro	Gly
	705					710					715					720
	Ile	Arg	Pro	Tyr	Gly	Ala	Thr	Phe	Arg	Ala	Ala	Ala	Ala	Val	Gln	His
					725					730					735	
25	Ala	Asn	Ala	Ala	Asp	Gly	Val	Arg	Ile	Phe	Asn	Ser	Leu	Ala	Ala	Thr
				740					745					750		
	Val	Tyr	Ala	Asp	Ser	Thr	Ala	Ala	His	Ala	Asp	Met	Gln	Gly	Arg	Arg
			755					760					765			
30	Leu	Lys	Ala	Val	Ser	Asp	Gly	Leu	Asp	His	Asn	Gly	Thr	Gly	Leu	Arg
	770						775					780				
	Val	Ile	Ala	Gln	Thr	Gln	Gln	Asp	Gly	Gly	Thr	Trp	Glu	Gln	Gly	Gly
	785					790					795					800
35	Val	Glu	Gly	Lys	Met	Arg	Gly	Ser	Thr	Gln	Thr	Val	Gly	Ile	Ala	Ala
				805						810					815	
	Lys	Thr	Gly	Glu	Asn	Thr	Thr	Ala	Ala	Ala	Thr	Leu	Gly	Met	Gly	Arg
				820					825					830		
40	Ser	Thr	Trp	Ser	Glu	Asn	Ser	Ala	Asn	Ala	Lys	Thr	Asp	Ser	Ile	Ser
			835					840					845			
	Leu	Phe	Ala	Gly	Ile	Arg	His	Asp	Ala	Gly	Asp	Ile	Gly	Tyr	Leu	Lys
	850						855					860				
45	Gly	Leu	Phe	Ser	Tyr	Gly	Arg	Tyr	Lys	Asn	Ser	Ile	Ser	Arg	Ser	Thr
	865					870					875					880
	Gly	Ala	Asp	Glu	His	Ala	Glu	Gly	Ser	Val	Asn	Gly	Thr	Leu	Met	Gln
					885					890					895	
50	Leu	Gly	Ala	Leu	Gly	Gly	Val	Asn	Val	Pro	Phe	Ala	Ala	Thr	Gly	Asp
				900					905					910		
	Leu	Thr	Val	Glu	Gly	Gly	Leu	Arg	Tyr	Asp	Leu	Leu	Lys	Gln	Asp	Ala
			915					920					925			
55	Phe	Ala	Glu	Lys	Gly	Ser	Ala	Leu	Gly	Trp	Ser	Gly	Asn	Ser	Leu	Thr
	930						935					940				
	Glu	Gly	Thr	Leu	Val	Gly	Leu	Ala	Gly	Leu	Lys	Leu	Ser	Gln	Pro	Leu
	945					950					955					960

EP 1 790 660 A2

Ser Asp Lys Ala Val Leu Phe Ala Thr Ala Gly Val Glu Arg Asp Leu
 965 970 975
 5 Asn Gly Arg Asp Tyr Thr Val Thr Gly Gly Phe Thr Gly Ala Thr Ala
 980 985 990
 Ala Thr Gly Lys Thr Gly Ala Arg Asn Met Pro His Thr Arg Leu Val
 995 1000 1005
 10 Ala Gly Leu Gly Ala Asp Val Glu Phe Gly Asn Gly Trp Asn Gly Leu
 1010 1015 1020
 Ala Arg Tyr Ser Tyr Ala Gly Ser Lys Gln Tyr Gly Asn His Ser Gly
 1025 1030 1035 1040
 15 Arg Val Gly Val Gly Tyr Arg Phe Leu Glu Gly Ser Gly Gly Gly Gly
 1045 1050 1055
 Val Ala Ala Asp Ile Gly Ala Gly Leu Ala Asp Ala Leu Thr Ala Pro
 1060 1065 1070
 20 Leu Asp His Lys Asp Lys Gly Leu Gln Ser Leu Thr Leu Asp Gln Ser
 1075 1080 1085
 Val Arg Lys Asn Glu Lys Leu Lys Leu Ala Ala Gln Gly Ala Glu Lys
 1090 1095 1100
 25 Thr Tyr Gly Asn Gly Asp Ser Leu Asn Thr Gly Lys Leu Lys Asn Asp
 1105 1110 1115 1120
 Lys Val Ser Arg Phe Asp Phe Ile Arg Gln Ile Glu Val Asp Gly Gln
 1125 1130 1135
 30 Leu Ile Thr Leu Glu Ser Gly Glu Phe Gln Val Tyr Lys Gln Ser His
 1140 1145 1150
 Ser Ala Leu Thr Ala Phe Gln Thr Glu Gln Ile Gln Asp Ser Glu His
 1155 1160 1165
 Ser Gly Lys Met Val Ala Lys Arg Gln Phe Arg Ile Gly Asp Ile Ala
 1170 1175 1180
 35 Gly Glu His Thr Ser Phe Asp Lys Leu Pro Glu Gly Gly Arg Ala Thr
 1185 1190 1195 1200
 Tyr Arg Gly Thr Ala Phe Gly Ser Asp Asp Ala Gly Gly Lys Leu Thr
 1205 1210 1215
 40 Tyr Thr Ile Asp Phe Ala Ala Lys Gln Gly Asn Gly Lys Ile Glu His
 1220 1225 1230
 Leu Lys Ser Pro Glu Leu Asn Val Asp Leu Ala Ala Ala Asp Ile Lys
 1235 1240 1245
 45 Pro Asp Gly Lys Arg His Ala Val Ile Ser Gly Ser Val Leu Tyr Asn
 1250 1255 1260
 Gln Ala Glu Lys Gly Ser Tyr Ser Leu Gly Ile Phe Gly Gly Lys Ala
 1265 1270 1275 1280
 50 Gln Glu Val Ala Gly Ser Ala Glu Val Lys Thr Val Asn Gly Ile Arg
 1285 1290 1295
 His Ile Gly Leu Ala Ala Lys Gln Leu Glu His His His His His His
 1300 1305 1310
 55 <210> 104
 <211> 4344

<212> DNA
<213> Artificial Sequence

<220>
<223> deltaG983-961

<400> 104

	atgacttctg	cgccccgactt	caatgcaggc	ggtaccggta	tcggcagcaa	cagcagagca	60
	acaacagcga	aatcagcagc	agtatcttac	gccgggtatca	agaacgaaat	gtgcaaaagac	120
	agaagcatgc	tctgtgccc	tcgggatgac	gttgccggtta	cagacaggga	tgccaaaatc	180
10	aatgcccccc	ccccgaatct	gcataccgga	gactttccaa	acccaaatga	cgcatacaag	240
	aatttgatca	acctcaaacc	tgcaattgaa	gcaggctata	caggacgcgg	ggtagaggta	300
	ggtatcgctg	acacaggcga	atccgtcggc	agcatatcct	ttcccgaact	gtatggcaga	360
	aaagaacacg	gctataacga	aaattacaaa	aactatacgg	cgtatatgcg	gaaggaagcg	420
	cctgaagacg	gaggcggtaa	agacattgaa	gcttctttcg	acgatgaggc	cgttatagag	480
	actgaagcaa	agccgacgga	tatccgccac	gtaaaagaaa	tcggacacat	cgatttggtc	540
15	tcccatatta	ttggcggg	ttccgtggac	ggcagacctg	caggcggtat	tgccccgat	600
	gcgacgctac	acataatgaa	tacgaatgat	gaaaccaaga	acgaaatgat	ggttgacagc	660
	atccgcaatg	catgggtcaa	gctgggcgaa	cgtagcgctg	gcacgtgcaa	taacagtttt	720
	ggaaacaacg	cagtgccgac	cactgccgac	cttttccaaa	tagccaattc	ggaggagcag	780
	taccgccaag	cggtgctcga	ctattccggc	ggtgataaaa	cagacgagg	tatccgcctg	840
	atgcaacaga	gcgattacgg	caacctgtcc	taccacatcc	gtaataaaaa	catgcttttc	900
20	atctttttcg	caggcaatga	cgcacaagct	cagcccaaca	catatgccct	attgccattt	960
	tatgaaaaag	aaggtacaaa	aggcatttat	acagtgcgag	gcgtagaccg	cattggagaa	1020
	aagttaaacc	gggaaatgta	tggagaaccg	ggtacagaac	cgcttgagta	tggctccaac	1080
	cattgctgaa	ttactgccat	gtggtgcctg	tcggcaccct	atgaagcaag	cgctccgtttc	1140
	acccgtacaa	acccgtatca	aattgccgga	acatcctttt	ccgcacccat	cgtaaccggc	1200
	acggcggtc	tgctgctgca	gaaatacccg	tggatgagca	acgacaacct	gcgtaccacg	1260
25	ttgtgacga	cggtcagga	catcggtgca	gtcggcggtg	acagcaagtt	cggtgggga	1320
	ctgctggatg	cggttaaggc	catgaacgga	cccgcgtcct	ttccgttcgg	cgactttacc	1380
	gccgatacga	aaggtacatc	cgatatgtcc	tactccttcc	gtaacgacat	ttcaggcacg	1440
	ggcggtcga	tcaaaaaagg	cggcagccaa	ctgcaactgc	acggcaacaa	cacctatacg	1500
	ggcaaaacca	ttatcgaagg	cggttcgctg	gtgttgtagc	gcaacaacaa	atcggatatg	1560
	cggtcgaaa	ccaaagggtg	gctgatttat	aacggggcgg	catccggcgg	cagcctgaac	1620
30	agcgacggca	ttgtctatct	ggcagatacc	gaccaatccg	gcgcaaacga	aaccgtacac	1680
	atcaaaggca	gtctgcagct	ggacggcaaa	ggtacgtgtg	acacacgttt	gggcaaaactg	1740
	ctgaaagtgg	acggtagcgc	gattatcggc	ggcaagctgt	acatgtcggc	acgcggcaag	1800
	ggggcagggt	atctcaacag	taccggacga	cggtgtccct	tcctgagtgc	cgccaaaaatc	1860
	gggcaggatt	attctttctt	cacaacatc	gaaaccgacg	gcggcctgct	ggcttccctc	1920
	gacagcgtcg	aaaaaacagc	gggcagtga	ggcgacacgc	tgctctatta	tgctcgtcgc	1980
	ggcaatgcgg	cacggactgc	ttcggcagcg	gcacattccg	cgcccgccgg	tctgaaacac	2040
35	gccgtagaac	agggcggcag	caatctggaa	aactgtatgg	tcgaaactgga	tgcttccgaa	2100
	tcattccgca	caccgagac	ggttgaaact	gcggcagccg	accgcacaga	tatgccgggc	2160
	atccgcccct	acggcgcaac	tttccgcgca	gcggcagccg	tacagcatgc	gaatgccggc	2220
	gacggtgtac	gcatcttcaa	cagtctcgcc	gctaccgtct	atgccgacag	taccgccggc	2280
	catgccgata	tcgctgga	ccgctgaaa	ccggtatcgg	acgggttggg	ccacaacggc	2340
	acgggtctgc	gcgtcatcgc	gcaaacccaa	caggacggtg	gaacgtggga	acagggcggt	2400
40	gttgaaggca	aaatgcgcgg	cagtacccaa	accgtcggca	ttgccgcgaa	aaccggcgaa	2460
	aatacgacag	cagccgccac	actgggcatg	ggacgcagca	catggagcga	aaacagtgca	2520
	aatgcacaaa	ccgacagcat	tagtctgttt	gcaggcatac	ggcacgatgc	gggcgatatc	2580
	ggctatctca	aaggcctgtt	ctcctacgga	cgctacaaaa	acagcatcag	ccgcagcacc	2640
	ggtgcggacg	aacatgcgga	aggcagcgtc	aacggcacgc	tgatgcagct	gggcgcactg	2700
	ggcgggtgtc	acgttccggt	tgccgcaacg	ggagatttga	cggtcgaagg	cggtctgcgc	2760
45	tacgacctgc	tcaaacagga	tgcatctgcc	gaaaaaggca	gtgctttggg	ctggagcggc	2820
	aacagcctca	ctgaaggcac	gctggtcggg	ctcgcgggtc	tgaagctgtc	gcaacccttg	2880
	agcgataaag	ccgtcctggt	tgcaacggcg	ggcgtggaac	gcgacctgaa	cggacgcgac	2940
	tacacggtaa	cgggcggctt	taccggcgcg	actgcagcaa	ccggcaagac	gggggcacgc	3000
	aatatgcccg	acaccgctct	ggttgccggc	ctgggcgcgg	atgtcgaatt	cggcaacggc	3060
	tggaacggct	tggtcacgtta	cagctacgcc	ggttccaaac	agtagcgcaa	ccacagcgga	3120
	cgagtcggcg	taggtaccg	gttccctcag	ggtggcggag	gcactggatc	cgccacaaac	3180
50	gacgacgatg	ttaaaaaagc	tgccactgtg	gccattgctg	ctgcctacaa	caatggccaa	3240
	gaaatcaacg	gtttcaaaag	tggagagacc	atctacgaca	ttgatgaaga	cggcacattt	3300
	acaaaaaag	acgcaactgc	agccgatggt	gaagccgacg	actttaaagg	tctgggtctg	3360
	aaaaaagtgc	tgactaacct	gacaaaaacc	gtcaatgaaa	acaaacaaaa	cgctcgatgcc	3420
	aaagtataag	ctgcagaatc	tgaaatagaa	aagtttaaca	ccaagttagc	agacactgat	3480
	gccgcttttag	cagatactga	tgccgctctg	gatgcaacca	ccaacgcctt	gaataaattg	3540
55	ggagaaaata	taacgacatt	tgctgaagag	actaagacaa	atatcgtaaa	aattgatgaa	3600
	aaattagaag	ccgtggctga	taccgtcgac	aagcatgccg	aagcattcaa	cgatatcgcc	3660
	gattcattgg	atgaaaccaa	cactaaggca	gacgaaagcc	tcaaaaccgc	caatgaagcc	3720

	aaacagacgg	ccgaagaaac	caaacaaaac	gtcgaatgcca	aagtaaaagc	tgcagaaact	3780
	gcagcaggca	aagccgaagc	tgccgctggc	acagctaata	ctgcagccga	caaggccgaa	3840
	gctgtcgctg	caaaagttac	cgacatcaaa	gctgatatcg	ctacgaacaa	agataatatt	3900
5	gctaaaaaag	caaacagtgc	cgacgtgtac	accagagaag	agtctgacag	caaatttgtc	3960
	agaattgatg	gtctgaacgc	tactaccgaa	aaattggaca	cacgcttggc	ttctgctgaa	4020
	aaatccattg	ccgatcacga	tactgcctg	aacggtttgg	ataaaaacagt	gtcagacctg	4080
	cgcaaagaaa	cccgcgaagg	ccttgacagaa	caagccgcgc	tctccggtct	gttccaacct	4140
	tacaacgtgg	gtcgggttcaa	tgtaacggct	gcagtcggcg	gctacaaatc	cgaatcggca	4200
	gtcgccatcg	gtaccggctt	ccgctttacc	gaaaactttg	ccgccaagc	aggcgtggca	4260
10	gtcggcactt	cgtccggttc	ttccgcagcc	taccatgtcg	gcgtcaatta	cgagtggctc	4320
	gagcaccacc	accaccacca	ctga				4344

<210> 105
 <211> 1447
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> deltaG983-961

	<400>	105
20	Met Thr Ser Ala Pro Asp Phe Asn Ala Gly Gly Thr Gly Ile Gly Ser	
	1 5 10 15	
	Asn Ser Arg Ala Thr Thr Ala Lys Ser Ala Ala Val Ser Tyr Ala Gly	
	20 25 30	
25	Ile Lys Asn Glu Met Cys Lys Asp Arg Ser Met Leu Cys Ala Gly Arg	
	35 40 45	
	Asp Asp Val Ala Val Thr Asp Arg Asp Ala Lys Ile Asn Ala Pro Pro	
	50 55 60	
30	Pro Asn Leu His Thr Gly Asp Phe Pro Asn Pro Asn Asp Ala Tyr Lys	
	65 70 75 80	
	Asn Leu Ile Asn Leu Lys Pro Ala Ile Glu Ala Gly Tyr Thr Gly Arg	
	85 90 95	
35	Gly Val Glu Val Gly Ile Val Asp Thr Gly Glu Ser Val Gly Ser Ile	
	100 105 110	
	Ser Phe Pro Glu Leu Tyr Gly Arg Lys Glu His Gly Tyr Asn Glu Asn	
	115 120 125	
40	Tyr Lys Asn Tyr Thr Ala Tyr Met Arg Lys Glu Ala Pro Glu Asp Gly	
	130 135 140	
	Gly Gly Lys Asp Ile Glu Ala Ser Phe Asp Asp Glu Ala Val Ile Glu	
	145 150 155 160	
	Thr Glu Ala Lys Pro Thr Asp Ile Arg His Val Lys Glu Ile Gly His	
	165 170 175	
45	Ile Asp Leu Val Ser His Ile Ile Gly Gly Arg Ser Val Asp Gly Arg	
	180 185 190	
	Pro Ala Gly Gly Ile Ala Pro Asp Ala Thr Leu His Ile Met Asn Thr	
	195 200 205	
50	Asn Asp Glu Thr Lys Asn Glu Met Met Val Ala Ala Ile Arg Asn Ala	
	210 215 220	
	Trp Val Lys Leu Gly Glu Arg Gly Val Arg Ile Val Asn Asn Ser Phe	
	225 230 235 240	
55	Gly Thr Thr Ser Arg Ala Gly Thr Ala Asp Leu Phe Gln Ile Ala Asn	
	245 250 255	

EP 1 790 660 A2

	Ser	Glu	Glu	Gln	Tyr	Arg	Gln	Ala	Leu	Leu	Asp	Tyr	Ser	Gly	Gly	Asp
				260					265					270		
5	Lys	Thr	Asp	Glu	Gly	Ile	Arg	Leu	Met	Gln	Gln	Ser	Asp	Tyr	Gly	Asn
			275					280					285			
	Leu	Ser	Tyr	His	Ile	Arg	Asn	Lys	Asn	Met	Leu	Phe	Ile	Phe	Ser	Thr
		290					295					300				
10	Gly	Asn	Asp	Ala	Gln	Ala	Gln	Pro	Asn	Thr	Tyr	Ala	Leu	Leu	Pro	Phe
	305					310					315					320
	Tyr	Glu	Lys	Asp	Ala	Gln	Lys	Gly	Ile	Ile	Thr	Val	Ala	Gly	Val	Asp
					325					330					335	
15	Arg	Ser	Gly	Glu	Lys	Phe	Lys	Arg	Glu	Met	Tyr	Gly	Glu	Pro	Gly	Thr
				340					345					350		
	Glu	Pro	Leu	Glu	Tyr	Gly	Ser	Asn	His	Cys	Gly	Ile	Thr	Ala	Met	Trp
			355					360					365			
20	Cys	Leu	Ser	Ala	Pro	Tyr	Glu	Ala	Ser	Val	Arg	Phe	Thr	Arg	Thr	Asn
	370						375					380				
	Pro	Ile	Gln	Ile	Ala	Gly	Thr	Ser	Phe	Ser	Ala	Pro	Ile	Val	Thr	Gly
	385					390					395					400
25	Thr	Ala	Ala	Leu	Leu	Leu	Gln	Lys	Tyr	Pro	Trp	Met	Ser	Asn	Asp	Asn
				405						410					415	
	Leu	Arg	Thr	Thr	Leu	Leu	Thr	Thr	Ala	Gln	Asp	Ile	Gly	Ala	Val	Gly
				420					425					430		
30	Val	Asp	Ser	Lys	Phe	Gly	Trp	Gly	Leu	Leu	Asp	Ala	Gly	Lys	Ala	Met
			435					440					445			
	Asn	Gly	Pro	Ala	Ser	Phe	Pro	Phe	Gly	Asp	Phe	Thr	Ala	Asp	Thr	Lys
		450					455					460				
35	Gly	Thr	Ser	Asp	Ile	Ala	Tyr	Ser	Phe	Arg	Asn	Asp	Ile	Ser	Gly	Thr
	465					470					475					480
	Gly	Gly	Leu	Ile	Lys	Gly	Gly	Ser	Gln	Leu	Gln	Leu	His	Gly	Asn	
				485					490					495		
40	Asn	Thr	Tyr	Thr	Gly	Lys	Thr	Ile	Ile	Glu	Gly	Gly	Ser	Leu	Val	Leu
				500					505					510		
	Tyr	Gly	Asn	Asn	Lys	Ser	Asp	Met	Arg	Val	Glu	Thr	Lys	Gly	Ala	Leu
			515					520					525			
45	Ile	Tyr	Asn	Gly	Ala	Ala	Ser	Gly	Gly	Ser	Leu	Asn	Ser	Asp	Gly	Ile
		530					535					540				
	Val	Tyr	Leu	Ala	Asp	Thr	Asp	Gln	Ser	Gly	Ala	Asn	Glu	Thr	Val	His
	545					550					555					560
	Ile	Lys	Gly	Ser	Leu	Gln	Leu	Asp	Gly	Lys	Gly	Thr	Leu	Tyr	Thr	Arg
				565						570					575	
50	Leu	Gly	Lys	Leu	Leu	Lys	Val	Asp	Gly	Thr	Ala	Ile	Ile	Gly	Gly	Lys
				580					585					590		
	Leu	Tyr	Met	Ser	Ala	Arg	Gly	Lys	Gly	Ala	Gly	Tyr	Leu	Asn	Ser	Thr
			595					600					605			
55	Gly	Arg	Arg	Val	Pro	Phe	Leu	Ser	Ala	Ala	Lys	Ile	Gly	Gln	Asp	Tyr
	610						615					620				

EP 1 790 660 A2

	Ser	Phe	Phe	Thr	Asn	Ile	Glu	Thr	Asp	Gly	Gly	Leu	Leu	Ala	Ser	Leu
	625					630					635					640
5	Asp	Ser	Val	Glu	Lys	Thr	Ala	Gly	Ser	Glu	Gly	Asp	Thr	Leu	Ser	Tyr
					645					650					655	
	Tyr	Val	Arg	Arg	Gly	Asn	Ala	Ala	Arg	Thr	Ala	Ser	Ala	Ala	Ala	His
				660					665					670		
10	Ser	Ala	Pro	Ala	Gly	Leu	Lys	His	Ala	Val	Glu	Gln	Gly	Gly	Ser	Asn
			675					680					685			
	Leu	Glu	Asn	Leu	Met	Val	Glu	Leu	Asp	Ala	Ser	Glu	Ser	Ser	Ala	Thr
		690					695					700				
15	Pro	Glu	Thr	Val	Glu	Thr	Ala	Ala	Ala	Asp	Arg	Thr	Asp	Met	Pro	Gly
	705					710					715					720
	Ile	Arg	Pro	Tyr	Gly	Ala	Thr	Phe	Arg	Ala	Ala	Ala	Ala	Val	Gln	His
					725					730					735	
20	Ala	Asn	Ala	Ala	Asp	Gly	Val	Arg	Ile	Phe	Asn	Ser	Leu	Ala	Ala	Thr
				740					745					750		
	Val	Tyr	Ala	Asp	Ser	Thr	Ala	Ala	His	Ala	Asp	Met	Gln	Gly	Arg	Arg
			755					760					765			
25	Leu	Lys	Ala	Val	Ser	Asp	Gly	Leu	Asp	His	Asn	Gly	Thr	Gly	Leu	Arg
		770					775					780				
	Val	Ile	Ala	Gln	Thr	Gln	Gln	Asp	Gly	Gly	Thr	Trp	Glu	Gln	Gly	Gly
		785				790					795				800	
30	Val	Glu	Gly	Lys	Met	Arg	Gly	Ser	Thr	Gln	Thr	Val	Gly	Ile	Ala	Ala
					805					810					815	
	Lys	Thr	Gly	Glu	Asn	Thr	Thr	Ala	Ala	Ala	Thr	Leu	Gly	Met	Gly	Arg
				820					825					830		
35	Ser	Thr	Trp	Ser	Glu	Asn	Ser	Ala	Asn	Ala	Lys	Thr	Asp	Ser	Ile	Ser
			835					840					845			
	Leu	Phe	Ala	Gly	Ile	Arg	His	Asp	Ala	Gly	Asp	Ile	Gly	Tyr	Leu	Lys
		850					855					860				
40	Gly	Leu	Phe	Ser	Tyr	Gly	Arg	Tyr	Lys	Asn	Ser	Ile	Ser	Arg	Ser	Thr
		865				870					875					880
	Gly	Ala	Asp	Glu	His	Ala	Glu	Gly	Ser	Val	Asn	Gly	Thr	Leu	Met	Gln
					885					890					895	
45	Leu	Gly	Ala	Leu	Gly	Gly	Val	Asn	Val	Pro	Phe	Ala	Ala	Thr	Gly	Asp
				900					905					910		
	Leu	Thr	Val	Glu	Gly	Gly	Leu	Arg	Tyr	Asp	Leu	Leu	Lys	Gln	Asp	Ala
			915					920					925			
50	Phe	Ala	Glu	Lys	Gly	Ser	Ala	Leu	Gly	Trp	Ser	Gly	Asn	Ser	Leu	Thr
		930					935					940				
	Glu	Gly	Thr	Leu	Val	Gly	Leu	Ala	Gly	Leu	Lys	Leu	Ser	Gln	Pro	Leu
		945				950					955					960
55	Ser	Asp	Lys	Ala	Val	Leu	Phe	Ala	Thr	Ala	Gly	Val	Glu	Arg	Asp	Leu
					965					970					975	
	Asn	Gly	Arg	Asp	Tyr	Thr	Val	Thr	Gly	Gly	Phe	Thr	Gly	Ala	Thr	Ala
				980					985					990		

EP 1 790 660 A2

	Ala	Thr	Gly	Lys	Thr	Gly	Ala	Arg	Asn	Met	Pro	His	Thr	Arg	Leu	Val
			995					1000					1005			
5	Ala	Gly	Leu	Gly	Ala	Asp	Val	Glu	Phe	Gly	Asn	Gly	Trp	Asn	Gly	Leu
		1010				1015					1020					
	Ala	Arg	Tyr	Ser	Tyr	Ala	Gly	Ser	Lys	Gln	Tyr	Gly	Asn	His	Ser	Gly
	1025					1030					1035					1040
10	Arg	Val	Gly	Val	Gly	Tyr	Arg	Phe	Leu	Glu	Gly	Gly	Gly	Gly	Thr	Gly
					1045					1050					1055	
	Ser	Ala	Thr	Asn	Asp	Asp	Asp	Val	Lys	Lys	Ala	Ala	Thr	Val	Ala	Ile
				1060					1065						1070	
15	Ala	Ala	Ala	Tyr	Asn	Asn	Gly	Gln	Glu	Ile	Asn	Gly	Phe	Lys	Ala	Gly
			1075					1080					1085			
	Glu	Thr	Ile	Tyr	Asp	Ile	Asp	Glu	Asp	Gly	Thr	Ile	Thr	Lys	Lys	Asp
	1090						1095					1100				
20	Ala	Thr	Ala	Ala	Asp	Val	Glu	Ala	Asp	Asp	Phe	Lys	Gly	Leu	Gly	Leu
	1105					1110					1115					1120
	Lys	Lys	Val	Val	Thr	Asn	Leu	Thr	Lys	Thr	Val	Asn	Glu	Asn	Lys	Gln
					1125					1130					1135	
25	Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Ser	Glu	Ile	Glu	Lys	Leu
				1140					1145					1150		
	Thr	Thr	Lys	Leu	Ala	Asp	Thr	Asp	Ala	Ala	Leu	Ala	Asp	Thr	Asp	Ala
			1155					1160					1165			
30	Ala	Leu	Asp	Ala	Thr	Thr	Asn	Ala	Leu	Asn	Lys	Leu	Gly	Glu	Asn	Ile
	1170						1175					1180				
	Thr	Thr	Phe	Ala	Glu	Glu	Thr	Lys	Thr	Asn	Ile	Val	Lys	Ile	Asp	Glu
	1185					1190					1195					1200
35	Lys	Leu	Glu	Ala	Val	Ala	Asp	Thr	Val	Asp	Lys	His	Ala	Glu	Ala	Phe
				1205						1210					1215	
	Asn	Asp	Ile	Ala	Asp	Ser	Leu	Asp	Glu	Thr	Asn	Thr	Lys	Ala	Asp	Glu
				1220					1225					1230		
40	Ala	Val	Lys	Thr	Ala	Asn	Glu	Ala	Lys	Gln	Thr	Ala	Glu	Glu	Thr	Lys
			1235				1240						1245			
	Gln	Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Thr	Ala	Ala	Gly	Lys
	1250						1255					1260				
45	Ala	Glu	Ala	Ala	Ala	Gly	Thr	Ala	Asn	Thr	Ala	Ala	Asp	Lys	Ala	Glu
	1265					1270					1275					1280
	Ala	Val	Ala	Ala	Lys	Val	Thr	Asp	Ile	Lys	Ala	Asp	Ile	Ala	Thr	Asn
				1285						1290					1295	
	Lys	Asp	Asn	Ile	Ala	Lys	Lys	Ala	Asn	Ser	Ala	Asp	Val	Tyr	Thr	Arg
				1300					1305					1310		
50	Glu	Glu	Ser	Asp	Ser	Lys	Phe	Val	Arg	Ile	Asp	Gly	Leu	Asn	Ala	Thr
			1315					1320					1325			
	Thr	Glu	Lys	Leu	Asp	Thr	Arg	Leu	Ala	Ser	Ala	Glu	Lys	Ser	Ile	Ala
	1330						1335					1340				
55	Asp	His	Asp	Thr	Arg	Leu	Asn	Gly	Leu	Asp	Lys	Thr	Val	Ser	Asp	Leu
	1345					1350					1355					1360

EP 1 790 660 A2

Arg Lys Glu Thr Arg Gln Gly Leu Ala Glu Gln Ala Ala Leu Ser Gly
1365 1370 1375

5 Leu Phe Gln Pro Tyr Asn Val Gly Arg Phe Asn Val Thr Ala Ala Val
1380 1385 1390

Gly Gly Tyr Lys Ser Glu Ser Ala Val Ala Ile Gly Thr Gly Phe Arg
1395 1400 1405

10 Phe Thr Glu Asn Phe Ala Ala Lys Ala Gly Val Ala Val Gly Thr Ser
1410 1415 1420

Ser Gly Ser Ser Ala Ala Tyr His Val Gly Val Asn Tyr Glu Trp Leu
1425 1430 1435 1440

15 Glu His His His His His His
1445

<210> 106
<211> 4179
<212> DNA
<213> Artificial Sequence

20 <220>
<223> deltaG983-961c

<400> 106

25 atgacttctg cgcccgactt caatgcaggc ggtaccggta tcggcagcaa cagcagagca 60
acaacagcga aatcagcagc agtatcttac gccggtatca agaacgaaat gtgcaaaagac 120
agaagcatgc tctgtgccgg tcgggatgac gttgcggtta cagacagggga tgccaaaatc 180
aatgcccccc ccccgaaatct gcataaccgga gactttccaa acccaaataga cgcatacaag 240
aatttgatca acctcaaac tgcaattgaa gcaggctata caggacgcgg ggtagaggta 300
ggtatcgtcg acacaggcga atccgctcggc agcatatcct ttcccgaact gtatggcaga 360
aaagaacacg gctataacga aaattacaaa aactatacgg cgtatatgcg gaaggaaagcg 420
cctgaagacg gaggcggtaa agacattgaa gcttctttcg acgatgaggc cgttatagag 480
actgaagcaa agccgacgga tatccgccac gtataaagaaa tcggacacat cgatttggtc 540
tcccataatta ttggcgggcg ttccgtggac ggcagacctg caggcggtat tgcgcccgat 600
gcgacgctac acataatgaa tacgaatgat gaaaccaaga acgaaatgat ggttgcagcc 660
atccgcaatg catgggtcaa gctgggcgaa cgtggcgtgc gcatcgtcaa taacagtttt 720
ggaacaacat cgagggcagg cactgccgac cttttccaaa tagccaattc ggaggagcag 780
taccgccaaag cgttgctcga ctattccggc ggtgataaaa cagacgaggg tatccgcctg 840
atgcaacaga gcgattacgg caacctgtcc taccacatcc gtaataaaaa catgcttttc 900
atcttttcga caggcaatga cgcacaagct cagcccaaca catatgccct attgcattt 960
tatgaaaaag acgctcaaaa aggcattatc acagtcgcag gcgtagaccg cagtggagaa 1020
aagttcaaac gggaaatgta tggagaaccg ggtacagaac cgcttgagta tggctccaac 1080
cattgcggaa ttactgccat gtggtgcctg tcggcaccct atgaagcaag cgtccgtttc 1140
accggtacaa acccgattca aattgccgga acatcctttt ccgcacccat cgtaacccgc 1200
acggcggtc tgctgctgca gaaatacccg tggatgagca acgacaacct gcgtaccacg 1260
ttgctgacga cggctcagga catcgggtgca gtcggcgtgg acagcaagtt cggctgggga 1320
ctgctggaag cgggtaaggc catgaacgga cccgcgtcct ttccgttcgg cgactttacc 1380
gccgatacga aaggtacatc cgatattgcc tactccttcc gtaacgacat ttcaggcacg 1440
ggcgccctga tcaaaaaagg cggcagccaa ctgcaactgc acggcaacaa cacctatacg 1500
ggcaaaaacca ttatcgaagg cggttcgtcg gtgtgtacg gcaacaacaa atcggatatg 1560
cgcgtcga aaaagggtgc gctgatttat aacggggcgg catccggcgg cagcctgaac 1620
45 agcgacggca ttgtctatct ggcagatacc gaccaatccg gcgcaaacga aaccgtacac 1680
atcaaaaggca gtctgcagct ggacggcaaa ggtacgctgt acacacgttt gggcaaacgt 1740
ctgaaagtgg acggtacggc gattatcggc ggcaagctgt acatgtcggc acgcggaag 1800
ggggcaggct atctcaacag taccggacga cgtgttccct tcctgagtg cgcctccgga 1860
gggcaggatt attctttctt cacaacatc gaaaccgacg gcggcctgct ggcttccctc 1920
gacagcgtcg aaaaaacagc gggcagtgaa ggcgacacgc tgtcctatta tgtccgtcgc 1980
50 ggcaatgcgg caggactgc ttccggcagc gcacattccg cggccgcccgg tctgaaacac 2040
gccgtagaac agggcgagc caactctggaa aactctgagc tcgaactgga tgcctccgaa 2100
tcattccgaa cccccgagac ggttgaaact gcggcagccg accgcacaga tatgccgggc 2160
atccgcccc acggcgcaac ttccgcgcga gcggcagccg tacagcatgc gaatgccgcc 2220
gacggtgtac gcatcttcaa cagtctcgcc gctactcgtc atgccgacag taccgcgcc 2280
catgccgata tgcagggacg ccgcctgaaa gccgtatcgg acgggttggg ccacaacggc 2340
acgggtctgc gcgtcatcgc gcaaacccaa caggacgggt gaacgtggga acagggcggt 2400
55 gttgaaggca aaatgcgcgg cagtacccaa accgtcggca ttgccgcgaa aaccggcgaa 2460
aatacgacag cagccgccac actgggcatg ggaacgcagca catggagcga aaacagtgc 2520

```

aatgcaaaaa cgcacagcat tagtctgttt gcaggcatac ggcacgatgc gggcgatatt 2580
ggctatctca aaggcctgtt ctctacgga cgctacaaaa acagcatcag ccgcagcacc 2640
ggtgcggaac aacatgcgga aggcagcgtc aacggcacgc tgatgcagct gggcgactg 2700
ggcgggtgtca acgttccgtt tgccgcaacg ggagatttga cggtcgaagg cggctctgcgc 2760
taccgacctgc tcaaacagga tgcatctgcc gaaaaaggca gtgctttggg ctggagcggc 2820
aacagcctca ctgaaggcac gctggtcgga ctgcgggtc tgaagctgtc gcaacccttg 2880
agcgataaag ccgtcctgtt tgcaacggcg ggcgtggaac gcgacctgaa cggacgcgac 2940
tacacggtaa cgggcggctt taccggcgcg actgcagcaa ccggcaagac gggggcacgc 3000
aatatgccgc acacccgtct ggttgccggc ctgggcgcgg atgtcgaatt cggcaacggc 3060
tggaacggct tggcacgtta cagctacgcc gggtccaaac agtacggcaa ccacagcggg 3120
cgagtcggcg taggctaccg gttcctcgag ggtggcggag gcactggatc cgccacaaac 3180
gacgacgatg ttaaaaaagc tgccactgtg gccattgtct ctgcctacaa caatggccaa 3240
gaaatcaacg gtttcaaagc tggagagacc atctacgaca ttgatgaaga cggcacaatt 3300
acaaaaaag acgcaactgc agccgatgtt gaagccgacg actttaagg tctgggtctg 3360
aaaaaagtcg tgactaacct gacaaaaacc gtcaatgaaa acaaacaaaa cgctgatgcc 3420
aaagtaaaag ctgcagaatc tgaatatgaa aagttaacaa ccaagttagc agacactgat 3480
gccgctttag tagactactg tgccgctctg gatgcaacca ccaacgcctt gaataaattg 3540
ggagaaaaata taacgacatt tgctgaagag actaagacaa atatcgtaaa aattgatgaa 3600
aaattagaag ccgtggctga taccgtcgac aagcatgccg aagcattcaa cgatatcgcc 3660
gattcattgg atgaaccaa cactaaggca gacgaagccg tcaaaaccgc caatgaagcc 3720
aaacagacgg ccgaagaaac caaacaaaac gtcgatgccg aagtaaaagc tgcagaaact 3780
gcagcaggca aagccgaagc tgccgctggc acagctaata ctgcagccga caaggccgaa 3840
gctgtcgctg caaaagttac cgacatcaaa gctgatatcg ctacgaacaa agataatatt 3900
gctaaaaaag caaacagtg cgacgtgtac accagagaag agtctgacag caaatttgtc 3960
agaattgatg gtctgaacgc tactaccgaa aaattggaca cacgcttggc ttctgctgaa 4020
aaatccattg ccgatcacga tactcgcctg aacgggttgg ataaaaacag gtcagacctg 4080
cgcaaagaaa ccgccaagg ccttgacagaa caagccgcgc tctccggtct gttccaacct 4140
tacaacgtgg gtctcgagca ccaccaccac caccactga 4179

<210> 107
<211> 1392
<212> PRT
<213> Artificial sequence

<220>
<223> deltaG983-961c

<400> 107
Met Thr Ser Ala Pro Asp Phe Asn Ala Gly Gly Thr Gly Ile Gly Ser
1 5 10 15
Asn Ser Arg Ala Thr Thr Ala Lys Ser Ala Ala Val Ser Tyr Ala Gly
20 25 30
Ile Lys Asn Glu Met Cys Lys Asp Arg Ser Met Leu Cys Ala Gly Arg
35 40 45
Asp Asp Val Ala Val Thr Asp Arg Asp Ala Lys Ile Asn Ala Pro Pro
50 55 60
Pro Asn Leu His Thr Gly Asp Phe Pro Asn Pro Asn Asp Ala Tyr Lys
65 70 75 80
Asn Leu Ile Asn Leu Lys Pro Ala Ile Glu Ala Gly Tyr Thr Gly Arg
45 85 90 95
Gly Val Glu Val Gly Ile Val Asp Thr Gly Glu Ser Val Gly Ser Ile
100 105 110
Ser Phe Pro Glu Leu Tyr Gly Arg Lys Glu His Gly Tyr Asn Glu Asn
50 115 120 125
Tyr Lys Asn Tyr Thr Ala Tyr Met Arg Lys Glu Ala Pro Glu Asp Gly
130 135 140
Gly Gly Lys Asp Ile Glu Ala Ser Phe Asp Asp Glu Ala Val Ile Glu
55 145 150 155 160
Thr Glu Ala Lys Pro Thr Asp Ile Arg His Val Lys Glu Ile Gly His

```

EP 1 790 660 A2

				165				170				175				
5	Ile	Asp	Leu	Val	Ser	His	Ile	Ile	Gly	Gly	Arg	Ser	Val	Asp	Gly	Arg
				180					185					190		
	Pro	Ala	Gly	Gly	Ile	Ala	Pro	Asp	Ala	Thr	Leu	His	Ile	Met	Asn	Thr
			195					200					205			
10	Asn	Asp	Glu	Thr	Lys	Asn	Glu	Met	Met	Val	Ala	Ala	Ile	Arg	Asn	Ala
		210					215					220				
	Trp	Val	Lys	Leu	Gly	Glu	Arg	Gly	Val	Arg	Ile	Val	Asn	Asn	Ser	Phe
	225					230					235					240
	Gly	Thr	Thr	Ser	Arg	Ala	Gly	Thr	Ala	Asp	Leu	Phe	Gln	Ile	Ala	Asn
					245					250					255	
15	Ser	Glu	Glu	Gln	Tyr	Arg	Gln	Ala	Leu	Leu	Asp	Tyr	Ser	Gly	Gly	Asp
				260					265					270		
	Lys	Thr	Asp	Glu	Gly	Ile	Arg	Leu	Met	Gln	Gln	Ser	Asp	Tyr	Gly	Asn
			275					280					285			
20	Leu	Ser	Tyr	His	Ile	Arg	Asn	Lys	Asn	Met	Leu	Phe	Ile	Phe	Ser	Thr
		290					295					300				
	Gly	Asn	Asp	Ala	Gln	Ala	Gln	Pro	Asn	Thr	Tyr	Ala	Leu	Leu	Pro	Phe
	305					310					315					320
25	Tyr	Glu	Lys	Asp	Ala	Gln	Lys	Gly	Ile	Ile	Thr	Val	Ala	Gly	Val	Asp
					325					330					335	
	Arg	Ser	Gly	Glu	Lys	Phe	Lys	Arg	Glu	Met	Tyr	Gly	Glu	Pro	Gly	Thr
				340					345					350		
30	Glu	Pro	Leu	Glu	Tyr	Gly	Ser	Asn	His	Cys	Gly	Ile	Thr	Ala	Met	Trp
			355					360					365			
	Cys	Leu	Ser	Ala	Pro	Tyr	Glu	Ala	Ser	Val	Arg	Phe	Thr	Arg	Thr	Asn
		370					375					380				
35	Pro	Ile	Gln	Ile	Ala	Gly	Thr	Ser	Phe	Ser	Ala	Pro	Ile	Val	Thr	Gly
	385					390					395					400
	Thr	Ala	Ala	Leu	Leu	Leu	Gln	Lys	Tyr	Pro	Trp	Met	Ser	Asn	Asp	Asn
				405						410					415	
40	Leu	Arg	Thr	Thr	Leu	Leu	Thr	Thr	Ala	Gln	Asp	Ile	Gly	Ala	Val	Gly
				420					425					430		
	Val	Asp	Ser	Lys	Phe	Gly	Trp	Gly	Leu	Leu	Asp	Ala	Gly	Lys	Ala	Met
			435					440					445			
45	Asn	Gly	Pro	Ala	Ser	Phe	Pro	Phe	Gly	Asp	Phe	Thr	Ala	Asp	Thr	Lys
		450					455					460				
	Gly	Thr	Ser	Asp	Ile	Ala	Tyr	Ser	Phe	Arg	Asn	Asp	Ile	Ser	Gly	Thr
	465					470					475					480
	Gly	Gly	Leu	Ile	Lys	Lys	Gly	Gly	Ser	Gln	Leu	Gln	Leu	His	Gly	Asn
					485					490					495	
50	Asn	Thr	Tyr	Thr	Gly	Lys	Thr	Ile	Ile	Glu	Gly	Gly	Ser	Leu	Val	Leu
				500					505					510		
	Tyr	Gly	Asn	Asn	Lys	Ser	Asp	Met	Arg	Val	Glu	Thr	Lys	Gly	Ala	Leu
			515					520					525			
55	Ile	Tyr	Asn	Gly	Ala	Ala	Ser	Gly	Gly	Ser	Leu	Asn	Ser	Asp	Gly	Ile

EP 1 790 660 A2

	530					535					540				
5	Val 545	Tyr	Leu	Ala	Asp	Thr 550	Asp	Gln	Ser	Gly	Ala 555	Asn	Glu	Thr	Val 560
	Ile	Lys	Gly	Ser	Leu 565	Gln	Leu	Asp	Gly	Lys 570	Gly	Thr	Leu	Tyr	Thr 575
10	Leu	Gly	Lys	Leu 580	Leu	Lys	Val	Asp	Gly 585	Thr	Ala	Ile	Ile	Gly 590	Gly
	Leu	Tyr	Met 595	Ser	Ala	Arg	Gly	Lys 600	Gly	Ala	Gly	Tyr	Leu	Asn	Ser
15	Gly	Arg 610	Arg	Val	Pro	Phe	Leu 615	Ser	Ala	Ala	Lys	Ile 620	Gly	Gln	Asp
	Ser	Phe	Phe	Thr	Asn	Ile 630	Glu	Thr	Asp	Gly	Gly 635	Leu	Leu	Ala	Ser
20	Asp	Ser	Val	Glu	Lys 645	Thr	Ala	Gly	Ser	Glu 650	Gly	Asp	Thr	Leu	Ser
	Tyr	Val	Arg	Arg 660	Gly	Asn	Ala	Ala	Arg 665	Thr	Ala	Ser	Ala	Ala 670	Ala
25	Ser	Ala	Pro 675	Ala	Gly	Leu	Lys	His 680	Ala	Val	Glu	Gln	Gly 685	Gly	Ser
	Leu	Glu 690	Asn	Leu	Met	Val	Glu 695	Leu	Asp	Ala	Ser	Glu 700	Ser	Ser	Ala
30	Pro	Glu	Thr	Val	Glu	Thr 710	Ala	Ala	Ala	Asp	Arg 715	Thr	Asp	Met	Pro
	Ile	Arg	Pro	Tyr	Gly 725	Ala	Thr	Phe	Arg	Ala 730	Ala	Ala	Ala	Val	Gln
35	Ala	Asn	Ala	Ala 740	Asp	Gly	Val	Arg	Ile 745	Phe	Asn	Ser	Leu	Ala 750	Ala
	Val	Tyr	Ala 755	Asp	Ser	Thr	Ala	Ala 760	His	Ala	Asp	Met	Gln 765	Gly	Arg
40	Leu	Lys 770	Ala	Val	Ser	Asp	Gly 775	Leu	Asp	His	Asn	Gly 780	Thr	Gly	Leu
	Val	Ile	Ala	Gln	Thr	Gln 790	Gln	Asp	Gly	Gly	Thr 795	Trp	Glu	Gln	Gly
45	Val	Glu	Gly	Lys	Met 805	Arg	Gly	Ser	Thr	Gln 810	Thr	Val	Gly	Ile	Ala
	Lys	Thr	Gly	Glu 820	Asn	Thr	Thr	Ala	Ala 825	Ala	Thr	Leu	Gly	Met 830	Gly
50	Ser	Thr	Trp 835	Ser	Glu	Asn	Ser	Ala 840	Asn	Ala	Lys	Thr	Asp 845	Ser	Ile
	Leu	Phe 850	Ala	Gly	Ile	Arg	His 855	Asp	Ala	Gly	Asp	Ile 860	Gly	Tyr	Leu
55	Gly	Leu	Phe	Ser	Tyr	Gly 870	Arg	Tyr	Lys	Asn	Ser 875	Ile	Ser	Arg	Ser
	Gly	Ala	Asp	Glu	His 885	Ala	Glu	Gly	Ser	Val 890	Asn	Gly	Thr	Leu	Met
	Leu	Gly	Ala	Leu	Gly	Gly	Val	Asn	Val	Pro	Phe	Ala	Ala	Thr	Gly

EP 1 790 660 A2

	900	905	910
5	Leu Thr Val 915	Glu Gly Gly Leu Arg Tyr Asp 920	Leu Leu Lys Gln Asp Ala 925
	Phe Ala Glu Lys Gly Ser 930	Ala Leu Gly Trp Ser 935	Gly Asn Ser Leu Thr 940
10	Glu Gly Thr Leu Val Gly 945	Leu Ala Gly Leu 950	Lys Leu Ser Gln Pro Leu 955
	Ser Asp Lys Ala Val 965	Leu Phe Ala Thr 970	Gly Val Glu Arg Asp Leu 975
15	Asn Gly Arg Asp Tyr Thr Val 980	Thr Gly Gly Phe Thr 985	Gly Ala Thr Ala 990
	Ala Thr Gly Lys Thr Gly Ala 995	Arg Asn Met Pro His Thr 1000	Arg Leu Val 1005
20	Ala Gly Leu Gly Ala Asp Val 1010	Glu Phe Gly Asn Gly Trp Asn Gly Leu 1015	
	Ala Arg Tyr Ser Tyr Ala Gly Ser Lys Gln Tyr Gly Asn His Ser Gly 1025		1030 1035 1040
25	Arg Val Gly Val Gly Tyr Arg Phe Leu Glu Gly Gly Gly Gly Thr Gly 1045		1050 1055
	Ser Ala Thr Asn Asp Asp Asp Val Lys Lys Ala Ala Thr Val Ala Ile 1060		1065 1070
30	Ala Ala Ala Tyr Asn Asn Gly Gln Glu Ile Asn Gly Phe Lys Ala Gly 1075		1080 1085
	Glu Thr Ile Tyr Asp Ile Asp Glu Asp Gly Thr Ile Thr Lys Lys Asp 1090		1095 1100
35	Ala Thr Ala Ala Asp Val Glu Ala Asp Asp Phe Lys Gly Leu Gly Leu 1105		1110 1115 1120
	Lys Lys Val Val Thr Asn Leu Thr Lys Thr Val Asn Glu Asn Lys Gln 1125		1130 1135
40	Asn Val Asp Ala Lys Val Lys Ala Ala Glu Ser Glu Ile Glu Lys Leu 1140		1145 1150
	Thr Thr Lys Leu Ala Asp Thr Asp Ala Ala Leu Ala Asp Thr Asp Ala 1155		1160 1165
45	Ala Leu Asp Ala Thr Thr Asn Ala Leu Asn Lys Leu Gly Glu Asn Ile 1170		1175 1180
	Thr Thr Phe Ala Glu Glu Thr Lys Thr Asn Ile Val Lys Ile Asp Glu 1185		1190 1195 1200
50	Lys Leu Glu Ala Val Ala Asp Thr Val Asp Lys His Ala Glu Ala Phe 1205		1210 1215
	Asn Asp Ile Ala Asp Ser Leu Asp Glu Thr Asn Thr Lys Ala Asp Glu 1220		1225 1230
55	Ala Val Lys Thr Ala Asn Glu Ala Lys Gln Thr Ala Glu Glu Thr Lys 1235		1240 1245
	Gln Asn Val Asp Ala Lys Val Lys Ala Ala Glu Thr Ala Ala Gly Lys 1250		1255 1260
	Ala Glu Ala Ala Ala Gly Thr Ala Asn Thr Ala Ala Asp Lys Ala Glu		

EP 1 790 660 A2

	1265	1270	1275	1280	
5	Ala val Ala Ala Lys Val Thr Asp Ile Lys Ala Asp Ile Ala Thr Asn	1285	1290	1295	
	Lys Asp Asn Ile Ala Lys Lys Ala Asn Ser Ala Asp Val Tyr Thr Arg	1300	1305	1310	
10	Glu Glu Ser Asp Ser Lys Phe Val Arg Ile Asp Gly Leu Asn Ala Thr	1315	1320	1325	
	Thr Glu Lys Leu Asp Thr Arg Leu Ala Ser Ala Glu Lys Ser Ile Ala	1330	1335	1340	
15	Asp His Asp Thr Arg Leu Asn Gly Leu Asp Lys Thr Val Ser Asp Leu	1345	1350	1355	1360
	Arg Lys Glu Thr Arg Gln Gly Leu Ala Glu Gln Ala Ala Leu Ser Gly	1365	1370	1375	
20	Leu Phe Gln Pro Tyr Asn Val Gly Leu Glu His His His His His His	1380	1385	1390	
	<210> 108				
	<211> 1947				
	<212> DNA				
	<213> Artificial Sequence				
25	<220>				
	<223> deltaG741-961				
	<400> 108				
30	atggtcgcg cgcacatcgg tgcggggcctt gccgatgcac taaccgcacc gctcgaccat				60
	aaagacaaag gtttgcagtc tttgacgctg gatcagtcgc tcaggaaaaa cgagaaactg				120
	aagctggcgg cacaaggtgc ggaaaaaact tatggaaacg gtgacagcct caatacgggc				180
	aaattgaaga acgacaaggt cagccgtttc gactttatcc gccaaatcga agtggacggg				240
	cagctcatta ccttggagag tggagagttc caagtataca aacaaagcca ttccgcctta				300
	accgcctttc agaccgagca aatacaagat tcggagcatt ccgggaagat ggttgcgaaa				360
	cgccagttca gaatcggcga catagcgggc gaacatacat cttttgacaa gcttcccga				420
35	ggcggcaggg gcacatatcg cgggacggcg ttccggttcag acgatgccgg cggaaaaactg				480
	acctacacca tagattttcgc cgccaagcag ggaaacggca aaatcgaaca tttgaaatcg				540
	ccagaactca atgtcgacct ggccgcgcgc gatatcaagc cggatggaaa acgccatgcc				600
	gtcatcagcg gttccgtcct ttacaaccaa gccgagaaag gcagttactc cctcgggtatc				660
	tttggcggaa aagcccagga agttgccggc agcgcggaag tgaaaaccgt aaacggcata				720
	cgccatatcg gccttgcgc caagcaactc gaggggtggc gaggcactgg atccgccaca				780
	aacgacgacg atgttataaaa agctgccact gtggccattg ctgctgccta caacaatggc				840
40	caagaaatca acggtttcaa agctggagag accatctacg acattgatga agacggcaca				900
	attaccaaaa aagacgcaac tgcagccgat gttgaagccg acgactttaa aggtctgggt				960
	ctgaaaaaag tcgtgactaa cctgaccaaa accgtcaatg aaaacaaaca aaacgtcgat				1020
	gccaaagtaa aagctgcaga atctgaaata gaaaagttaa caaccaagtt agcagacact				1080
	gatgccgctt tagcagatac tgatgccgct ctggatgcaa ccaccaacgc cttgaataaa				1140
	ttgggagaaa atataacgac atttgctgaa gagactaaga caaatatcgt aaaaattgat				1200
45	gaaaaattag aagccgtggc tgataccgtc gacaagcatg ccgaagcatt caacgatatc				1260
	gccgattcat tggatgaaac caacactaag gcagacgaag ccgtcaaaac cgccaatgaa				1320
	gccaaacaga cggccgaaga aaccaaacaa aacgtcgatg ccaaagtaaa agctgcagaa				1380
	actgcagcag gcaaagccga agctgcccgt ggcacagcta atactgcagc cgacaaggcc				1440
	gaagctgtcg ctgcaaaagt taccgacatc aaagctgata tcgctacgaa caagataat				1500
	attgctaaaa aagcaaacag tgccgacgtg tacaccagag aagagtcctga cagcaaat				1560
	gtcagaattg atggtctgaa cgctactacc gaaaaattgg acacacgctt ggcttctgct				1620
50	gaaaaatcca ttgccgatca cgatactcgc ctgaacgggt tggataaaac agtgtcagac				1680
	ctgcgcaaaag aaacccgccca aggccttgca gcacaagccg cgctctccgg tctgttccaa				1740
	ccttacaacg tgggtcgggt caatgtaacg gctgcagtcg gcggctacaa atccgaatcg				1800
	gcagtcgcca tcggtaccgg cttccgcttt accgaaaact ttgccgcaa agcaggcggtg				1860
	gctagcgcca cttcgtccgg ttcttccgca gcctaccatg tcggcgtcaa ttacgagtgg				1920
	ctcagagcacc accaccacca ccactga				1947
55	<210> 109				
	<211> 648				

<212> PRT
 <213> Artificial Sequence

<220>
 <223> deltaG741-961

<400> 109
 Met Val Ala Ala Asp Ile Gly Ala Gly Leu Ala Asp Ala Leu Thr Ala
 1 5 10
 Pro Leu Asp His Lys Asp Lys Gly Leu Gln Ser Leu Thr Leu Asp Gln
 20
 Ser Val Arg Lys Asn Glu Lys Leu Lys Leu Ala Ala Gln Gly Ala Glu
 35 40 45
 Lys Thr Tyr Gly Asn Gly Asp Ser Leu Asn Thr Gly Lys Leu Lys Asn
 50 55 60
 Asp Lys Val Ser Arg Phe Asp Phe Ile Arg Gln Ile Glu Val Asp Gly
 65 70 75 80
 Gln Leu Ile Thr Leu Glu Ser Gly Glu Phe Gln Val Tyr Lys Gln Ser
 85 90 95
 His Ser Ala Leu Thr Ala Phe Gln Thr Glu Gln Ile Gln Asp Ser Glu
 100 105 110
 His Ser Gly Lys Met Val Ala Lys Arg Gln Phe Arg Ile Gly Asp Ile
 115 120 125
 Ala Gly Glu His Thr Ser Phe Asp Lys Leu Pro Glu Gly Gly Arg Ala
 130 135 140
 Thr Tyr Arg Gly Thr Ala Phe Gly Ser Asp Asp Ala Gly Gly Lys Leu
 145 150 155 160
 Thr Tyr Thr Ile Asp Phe Ala Ala Lys Gln Gly Asn Gly Lys Ile Glu
 165 170 175
 His Leu Lys Ser Pro Glu Leu Asn Val Asp Leu Ala Ala Ala Asp Ile
 180 185 190
 Lys Pro Asp Gly Lys Arg His Ala Val Ile Ser Gly Ser Val Leu Tyr
 195 200 205
 Asn Gln Ala Glu Lys Gly Ser Tyr Ser Leu Gly Ile Phe Gly Gly Lys
 210 215 220
 Ala Gln Glu Val Ala Gly Ser Ala Glu Val Lys Thr Val Asn Gly Ile
 225 230 235 240
 Arg His Ile Gly Leu Ala Ala Lys Gln Leu Glu Gly Gly Gly Gly Thr
 245 250 255
 Gly Ser Ala Thr Asn Asp Asp Asp Val Lys Lys Ala Ala Thr Val Ala
 260 265 270
 Ile Ala Ala Ala Tyr Asn Asn Gly Gln Glu Ile Asn Gly Phe Lys Ala
 275 280 285
 Gly Glu Thr Ile Tyr Asp Ile Asp Glu Asp Gly Thr Ile Thr Lys Lys
 290 295 300
 Asp Ala Thr Ala Ala Asp Val Glu Ala Asp Asp Phe Lys Gly Leu Gly
 305 310 315 320
 Leu Lys Lys Val Val Thr Asn Leu Thr Lys Thr Val Asn Glu Asn Lys
 325 330 335

EP 1 790 660 A2

	Gln	Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Ser	Glu	Ile	Glu	Lys
				340					345					350		
5	Leu	Thr	Thr	Lys	Leu	Ala	Asp	Thr	Asp	Ala	Ala	Leu	Ala	Asp	Thr	Asp
			355					360					365			
	Ala	Ala	Leu	Asp	Ala	Thr	Thr	Asn	Ala	Leu	Asn	Lys	Leu	Gly	Glu	Asn
		370					375					380				
10	Ile	Thr	Thr	Phe	Ala	Glu	Glu	Thr	Lys	Thr	Asn	Ile	Val	Lys	Ile	Asp
	385					390					395					400
	Glu	Lys	Leu	Glu	Ala	Val	Ala	Asp	Thr	Val	Asp	Lys	His	Ala	Glu	Ala
					405					410					415	
15	Phe	Asn	Asp	Ile	Ala	Asp	Ser	Leu	Asp	Glu	Thr	Asn	Thr	Lys	Ala	Asp
				420					425					430		
	Glu	Ala	Val	Lys	Thr	Ala	Asn	Glu	Ala	Lys	Gln	Thr	Ala	Glu	Glu	Thr
			435					440					445			
20	Lys	Gln	Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Thr	Ala	Ala	Gly
		450					455					460				
	Lys	Ala	Glu	Ala	Ala	Ala	Gly	Thr	Ala	Asn	Thr	Ala	Ala	Asp	Lys	Ala
	465					470					475					480
25	Glu	Ala	Val	Ala	Ala	Lys	Val	Thr	Asp	Ile	Lys	Ala	Asp	Ile	Ala	Thr
				485						490					495	
	Asn	Lys	Asp	Asn	Ile	Ala	Lys	Lys	Ala	Asn	Ser	Ala	Asp	Val	Tyr	Thr
				500					505					510		
30	Arg	Glu	Glu	Ser	Asp	Ser	Lys	Phe	Val	Arg	Ile	Asp	Gly	Leu	Asn	Ala
			515					520					525			
	Thr	Thr	Glu	Lys	Leu	Asp	Thr	Arg	Leu	Ala	Ser	Ala	Glu	Lys	Ser	Ile
			530				535					540				
35	Ala	Asp	His	Asp	Thr	Arg	Leu	Asn	Gly	Leu	Asp	Lys	Thr	Val	Ser	Asp
	545					550					555					560
	Leu	Arg	Lys	Glu	Thr	Arg	Gln	Gly	Leu	Ala	Glu	Gln	Ala	Ala	Leu	Ser
					565					570					575	
40	Gly	Leu	Phe	Gln	Pro	Tyr	Asn	Val	Gly	Arg	Phe	Asn	Val	Thr	Ala	Ala
				580					585					590		
	Val	Gly	Gly	Tyr	Lys	Ser	Glu	Ser	Ala	Val	Ala	Ile	Gly	Thr	Gly	Phe
			595					600					605			
45	Arg	Phe	Thr	Glu	Asn	Phe	Ala	Ala	Lys	Ala	Gly	Val	Ala	Val	Gly	Thr
		610					615					620				
	Ser	Ser	Gly	Ser	Ser	Ala	Ala	Tyr	His	Val	Gly	Val	Asn	Tyr	Glu	Trp
	625					630					635					640
50	Leu	Glu	His	His	His	His	His	His								
					645											
	<210>	110														
	<211>	1782														
	<212>	DNA														
	<213>	Artificial Sequence														
55	<220>															
	<223>	deltaG741-961c														

<400> 110
 atggtcgcgg cgcacatcgg tgcggggcctt gccgatgcac taaccgcacc gctcgaccat 60
 aaagacaaag gtttgcagtc tttgacgctg gatcagtcctg tcaggaaaaa cgagaaactg 120
 5 aagctggcgg cacaagggtgc ggaaaaaact tatggaaaacg gtgacagcct caatacgggc 180
 aaattgaaga acgacaagggt cagccgcttc gactttatcc gccaaatcga agtggacggg 240
 cagctcatta ccttgagag tggagagttc caagtataca aacaaagcca ttccgcctta 300
 accgcctttc agaccgagca aatacaagat tcggagcatt ccgggaagat ggttgcgaaa 360
 cgccagttca gaatcggcga catagcgggc gaacatacat cttttgacaa gcttcccga 420
 ggcggcaggg cgacatatcg cgggacggcg ttcggttcag acgatgccgg cggaactg 480
 10 acctacacca tagatttcgc cgccaagcag ggaaacggca aaatcgaaca tttgaaatcg 540
 ccagaactca atgtcgacct ggccgcccgc gatatcaagc cggatggaaa acgccatgcc 600
 gtcatacagc gttccgtcct ttacaaccaa gccgagaaa gacgttactc cctcgggtatc 660
 tttggcggaa aagcccagga agttgccggc agcgcggaag tgaaccgt aaacggcata 720
 cgccatatcg gccttgccgc caagcaactc gagggctggc gaggcactgg atccgccaca 780
 aacgacgacg atgttaaaaa agctgccact gtggccattg ctgctgccta caacaatggc 840
 caagaaatca acggtttcaa agctggagag accatctacg acattgatga agacggcaca 900
 15 attaccaaaa aagacgcaac tgcagccgat gttgaagccg acgactttaa aggtctgggt 960
 ctgaaaaaag tcgtgactaa cctgaccaa accgtcaatg aaaacaaaca aaacgtcgat 1020
 gccaaagtaa aagctgcaga atctgaaata gaaaagttaa caaccaagtt agcagacact 1080
 gatgccgctt tagcagatac tgatgccgct ctggatgcaa ccaccaacgc cttgaataaa 1140
 ttgggagaaa atataacgac atttgctgaa gagactaaga caaatatcgt aaaaattgat 1200
 gaaaaattag aagccgtggc tgataccgtc gacaagcatg ccgaagcatt caacgatatc 1260
 20 gccgattcat tggatgaaac caacactaag gcagacgaag ccgtcaaaac cgccaatgaa 1320
 gccaaacaga cggccgaaga aaccaaacia aacgtcgatg ccaaagtaaa agctgcagaa 1380
 actgcagcag gcaaagccga agctgccgct ggcaacagta atactgcagc cgacaaggcc 1440
 gaagctgtcg ctgcaaaagt taccgacatc aaagctgata tcgctacgaa caaagataat 1500
 attgtctaaa aagcaaacag tgccgacgtg tacaccagag aagagtctga cagcaattt 1560
 gtcagaattg atggtctgaa cgctactacc gaaaaattgg acacacgctt ggcttctgct 1620
 25 gaaaaatcca ttgccgatca cgatactcgc ctgaacgggt tggataaaac agtgtcagac 1680
 ctgcgcaaaag aaaccgcga aggccttgca gaacaagccg cgctctccgg tctgttccaa 1740
 ccttacaacg tgggtctcga gcaccaccac caccaccact ga 1782

<210> 111
 <211> 593
 <212> PRT
 30 <213> Artificial Sequence

<220>
 <223> deltaG741-961c

<400> 111
 35 Met Val Ala Ala Asp Ile Gly Ala Gly Leu Ala Asp Ala Leu Thr Ala
 1 5 10 15
 Pro Leu Asp His Lys Asp Lys Gly Leu Gln Ser Leu Thr Leu Asp Gln
 20 25 30
 40 Ser Val Arg Lys Asn Glu Lys Leu Lys Leu Ala Ala Gln Gly Ala Glu
 35 40 45
 Lys Thr Tyr Gly Asn Gly Asp Ser Leu Asn Thr Gly Lys Leu Lys Asn
 50 55 60
 45 Asp Lys Val Ser Arg Phe Asp Phe Ile Arg Gln Ile Glu Val Asp Gly
 65 70 75 80
 Gln Leu Ile Thr Leu Glu Ser Gly Glu Phe Gln Val Tyr Lys Gln Ser
 85 90 95
 50 His Ser Ala Leu Thr Ala Phe Gln Thr Glu Gln Ile Gln Asp Ser Glu
 100 105 110
 His Ser Gly Lys Met Val Ala Lys Arg Gln Phe Arg Ile Gly Asp Ile
 115 120 125
 55 Ala Gly Glu His Thr Ser Phe Asp Lys Leu Pro Glu Gly Gly Arg Ala
 130 135 140
 Thr Tyr Arg Gly Thr Ala Phe Gly Ser Asp Asp Ala Gly Gly Lys Leu

EP 1 790 660 A2

	145		150		155		160									
5	Thr	Tyr	Thr	Ile	Asp 165	Phe	Ala	Ala	Lys	Gln 170	Gly	Asn	Gly	Lys	Ile 175	Glu
	His	Leu	Lys	Ser 180	Pro	Glu	Leu	Asn	Val 185	Asp	Leu	Ala	Ala	Ala 190	Asp	Ile
10	Lys	Pro	Asp 195	Gly	Lys	Arg	His	Ala 200	Val	Ile	Ser	Gly	Ser 205	Val	Leu	Tyr
	Asn	Gln 210	Ala	Glu	Lys	Gly	Ser 215	Tyr	Ser	Leu	Gly	Ile 220	Phe	Gly	Gly	Lys
15	Ala	Gln	Glu	Val	Ala	Gly 230	Ser	Ala	Glu	Val	Lys 235	Thr	Val	Asn	Gly	Ile 240
	Arg	His	Ile	Gly	Leu 245	Ala	Ala	Lys	Gln	Leu 250	Glu	Gly	Gly	Gly	Gly	Thr 255
20	Gly	Ser	Ala	Thr 260	Asn	Asp	Asp	Asp	Val 265	Lys	Lys	Ala	Ala	Thr 270	Val	Ala
	Ile	Ala	Ala 275	Ala	Tyr	Asn	Asn	Gly 280	Gln	Glu	Ile	Asn	Gly 285	Phe	Lys	Ala
25	Gly	Glu	Thr 290	Ile	Tyr	Asp	Ile 295	Asp	Glu	Asp	Gly	Thr 300	Ile	Thr	Lys	Lys
	Asp	Ala	Thr	Ala	Ala	Asp 310	Val	Glu	Ala	Asp	Asp 315	Phe	Lys	Gly	Leu	Gly 320
30	Leu	Lys	Lys	Val	Val 325	Thr	Asn	Leu	Thr	Lys 330	Thr	Val	Asn	Glu	Asn 335	Lys
	Gln	Asn	Val	Asp 340	Ala	Lys	Val	Lys	Ala 345	Ala	Glu	Ser	Glu	Ile 350	Glu	Lys
35	Leu	Thr	Thr 355	Lys	Leu	Ala	Asp	Thr 360	Asp	Ala	Ala	Leu	Ala 365	Asp	Thr	Asp
	Ala	Ala	Leu	Asp	Ala	Thr	Thr 375	Asn	Ala	Leu	Asn	Lys 380	Leu	Gly	Glu	Asn
40	Ile	Thr	Thr	Phe	Ala	Glu 390	Glu	Thr	Lys	Thr	Asn 395	Ile	Val	Lys	Ile	Asp 400
	Glu	Lys	Leu	Glu	Ala 405	Val	Ala	Asp	Thr	Val 410	Asp	Lys	His	Ala	Glu 415	Ala
45	Phe	Asn	Asp	Ile 420	Ala	Asp	Ser	Leu	Asp 425	Glu	Thr	Asn	Thr	Lys 430	Ala	Asp
	Glu	Ala	Val 435	Lys	Thr	Ala	Asn	Glu 440	Ala	Lys	Gln	Thr	Ala 445	Glu	Glu	Thr
50	Lys	Gln	Asn	Val	Asp	Ala	Lys 455	Val	Lys	Ala	Ala	Glu 460	Thr	Ala	Ala	Gly
	Lys	Ala	Glu	Ala	Ala	Ala 470	Gly	Thr	Ala	Asn	Thr 475	Ala	Ala	Asp	Lys	Ala 480
55	Glu	Ala	Val	Ala	Ala 485	Lys	Val	Thr	Asp	Ile 490	Lys	Ala	Asp	Ile	Ala 495	Thr
	Asn	Lys	Asp	Asn 500	Ile	Ala	Lys	Lys	Ala 505	Asn	Ser	Ala	Asp	Val 510	Tyr	Thr
	Arg	Glu	Glu	Ser	Asp	Ser	Lys	Phe	Val	Arg	Ile	Asp	Gly	Leu	Asn	Ala

	515		520		525	
	Thr Thr Glu Lys Leu Asp Thr Arg Leu Ala Ser Ala Glu Lys Ser Ile					
	530		535		540	
5	Ala Asp His Asp Thr Arg Leu Asn Gly Leu Asp Lys Thr Val Ser Asp					
	545		550		555	560
	Leu Arg Lys Glu Thr Arg Gln Gly Leu Ala Glu Gln Ala Ala Leu Ser					
		565		570		575
10	Gly Leu Phe Gln Pro Tyr Asn Val Gly Leu Glu His His His His His					
		580		585		590
	His					
15	<210> 112					
	<211> 3939					
	<212> DNA					
	<213> Artificial Sequence					
20	<220>					
	<223> deltaG741-983					
	<400> 112					
	atggtcgcg cgcacatcgg tgcggggcgt gccgatgcac taaccgcacc gctcgaccat 60					
	aaagacaaaag gtttgacgtc tttgacgctg gatcagtcctc tcaggaaaaa cgagaaactg 120					
25	aagctggcgg cacaagggtc ggaaaaaact tatggaaacg gtgacagcct caatacgggc 180					
	aaattgaaga acgacaagggt cagccgtttc gactttatcc gccaaatcga agtggacggg 240					
	cagctcatta ccttgagag tggagagttc caagtataca aacaaagcca ttccgcctta 300					
	accgcctttc agaccgagca aatacaagat tcggagcatt ccgggaagat ggttgcgaaa 360					
	cgcagtttca gaatcggcga catagcgggc gaacatacat cttttgacaa gcttcccga 420					
	ggcggcaggg cgacatatcg cgggacggcg ttccggttcag acgatgccgg cggaaaaactg 480					
30	acctacacca tagatttcgc cgccaagcag ggaaaacggca aaatcgaaca ttgaaatcg 540					
	ccagaactca atgtcgacct ggccgcggcc gatatacaagc cggatggaaa acgccatgcc 600					
	gtcatcagcg gttccgtcct ttacaaccaaa gccgagaaaag gcagttactc cctcgggtatc 660					
	tttgccggaa aagcccagga agttgccggc agcgcggaag tgaaaaccgt aaacggcata 720					
	cgcctatcgc agcttgccgc caagcaactc gagggatccg gcggaggcgg cacttctgcg 780					
	cccgaactca atgcaggcgg taccgggtatc ggcagcaaca gcagagcaac aacagcgaaa 840					
	tcagcagcag tatcttacgc cgggtatcaag aacgaaatgt gcaaagacag aagcatgtct 900					
35	tgtgccggtc gggatgacgt tgcggttaca gacagggatg ccaaaatcaa tgccccccc 960					
	ccgaatctgc ataccggaga ctttccaaac ccaaatgacg catacaagaa ttgtacaac 1020					
	ctcaaactg caattgaagc aggtatataca ggacgcgggg tagaggtagg tatcgtcgac 1080					
	acaggcgaat ccgtcggcag catatccttt cccgaactgt atggcagaaa agaacacggc 1140					
	tataacgaaa attacaaaaa ctatacggcg tatatgcgga aggaagcgcc tgaagcagg 1200					
	ggcggtaaaag acattgaagc ttctttcgac gatgagggcg ttatagagac tgaagcaaa 1260					
40	ccgacggata tccgccacgt aaaagaaatc ggacacatcg attttggtctc ccatattatt 1320					
	ggcgggctgt ccgtggacgg cagacctgca ggcggtattg cgcccgatgc gacgctacac 1380					
	ataatgaata cgaatgatga aaccaagaac gaaatgatgg ttgcagccat ccgcaatgca 1440					
	tgggtcaagc tgggcgaacg tggcgtgcgc atcgtcaata acagttttgg aacaacatcg 1500					
	agggcaggca ctgccgacct ttccaaata gccaatccg aggagcagta ccgccaaagc 1560					
	ttgctcgact attccggcgg tgataaaaaa gacgagggta tccgcctgat gcaacagagc 1620					
45	gattacggca acctgtccta ccacatccgt aataaaaaa tgcttttcat cttttcgaca 1680					
	ggcaatgacg cacaagctca gcccaacaca tatgccctat tgccatttta tgaaaaagac 1740					
	gctcaaaaag gcattatcac agtcgcaggc gtagaccgca gtggagaaaa gttcaaacgg 1800					
	gaaatgtatg gagaaccggg tacagaaccg cttgagtatg gctccaacca ttgcggaatt 1860					
	actgccatgt ggtgcctgtc ggcaccctat gaagcaagcg tccgtttcac ccgtacaaac 1920					
	ccgattcaaa ttgccggaac atccttttcc gcacccatcg taaccggcac ggcggctctg 1980					
	ctgctgcaga aatacccgtg gatgagcaac gacaacctgc gtaccacgtt gctgacgacg 2040					
50	gctcaggaca tcggtgcagt cggcgtggac agcaagttcg gctggggact gctggatgcg 2100					
	ggtaaaggcca tgaacggacc cgcgtccttt ccggtggcg actttaccgc cgatacga 2160					
	ggtacatccg atattgccta ctcttccgt aacgacattt caggcacggg cggcctgatc 2220					
	aaaaaaggcg gcagccaact gcaactgcac ggcaacaaca cctatacggg caaaaccatt 2280					
	atcgaaggcg gttcgtcgtt gttgtacggc aacaacaaat cggatatgcg cgtcgaaacc 2340					
	aaagggtgcg tgatttataa cggggcggca tccggcggca gcctgaacag cgacggcatt 2400					
55	gtctatctgg cagataccga ccaatccggc gcaaacgaaa ccgtacacat caaaggcagt 2460					
	ctgcagctgg acggcaaaag tacgctgtac acacgtttgg gcaaactgct gaaagtggac 2520					
	ggtacggcga ttatcggcgg caagctgtac atgtcggcac gcggcaaggg ggcaggctat 2580					

	ctcaacagta	cgggacgacg	tggtcccttc	ctgagtgccg	ccaaaatcgg	gcaggattat	2640
	tctttcttca	caaacatcga	aaccgacggc	ggcctgctgg	cttccctcga	cagcgtcgaa	2700
	aaaacagcgg	gcagtgaagg	cgacacgctg	tcctattatg	tccgtcgcgg	caatgcggca	2760
5	gggactgctt	cggcagcggc	acattccgcg	cccgcgggtc	tgaaacacgc	cgtagaacag	2820
	ggcggcagca	atctggaaaa	cctgatgggtc	gaactggatg	cctccgaatc	atccgcaaca	2880
	cccagacgag	ttgaaactgc	ggcagccgac	cgcacagata	tgccgggcat	ccgcccttac	2940
	ggcgcaactt	tccgcgcagc	ggcagccgta	cagcatgcga	atgccgcca	cgggtgtacgc	3000
	atcttcaaca	gtctcgccgc	taccgtctat	gccgacagta	ccgccgcca	tgccgatatg	3060
	cagggacgcc	gcctgaaaag	cgtatcgga	gggttggacc	acaacggcac	gggtctgctgc	3120
10	gtcatcgctc	aaaccaaca	ggacggtgga	acgtgggaac	agggcggtgt	tgaaggcaaa	3180
	atgcgcggca	gtacccaaac	cgtcggcatt	gccgcgaaaa	ccggcgaaaa	tacgacagca	3240
	gccgcccac	tgggcatggg	acgcagcaca	tgagcgaaaa	acagtgcata	tgcaaaaacc	3300
	gacagcatta	gtctgtttgc	aggcatacgg	cacgatgcgg	gcgatatcgg	ctatctcaaa	3360
	ggcctgttct	cctacggacg	ctacaaaaac	agcatcagcc	gcagcaccgg	tgccggacgaa	3420
	catgcggaag	gcagcgtcaa	cggcacgctg	atgcagctgg	gcgcactggg	cgggtgtcaac	3480
	gttccggtttg	ccgcaacggg	agatttgacg	gtcgaaggcg	gtctgcgcta	cgactgtctc	3540
15	aaacggatg	cattcgccga	aaaaggcagt	gctttgggct	ggagcggcaa	cagcctcact	3600
	gaaggcacgc	tggtcggact	cgcggtctcg	aagctgtcgc	aacccttgag	cgataaagcc	3660
	gtcctgtttg	caacggcggg	cgtggaacgc	gacctgaacg	gacgcgacta	cacggtaacg	3720
	ggcggccttta	ccggcgcgac	tgcaagcaac	ggcaagacgg	gggcacgcaa	tatgccgcac	3780
	acccgtcttg	ttgccggcct	gggcgcggat	gtcgaattcg	gcaacggctg	gaacggcctg	3840
	gcacgtttaca	gctacgccgg	ttccaaacag	tacggcaacc	acagcggacg	agtcggcgta	3900
20	ggctaccggt	tcctcgagca	ccaccaccac	caccactga			3939

<210> 113
 <211> 1312
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> deltaG741-983

<400> 113
 Met Val Ala Ala Asp Ile Gly Ala Gly Leu Ala Asp Ala Leu Thr Ala
 1 5 10 15
 Pro Leu Asp His Lys Asp Lys Gly Leu Gln Ser Leu Thr Leu Asp Gln
 20 25 30
 Ser Val Arg Lys Asn Glu Lys Leu Lys Leu Ala Ala Gln Gly Ala Glu
 35 40 45
 Lys Thr Tyr Gly Asn Gly Asp Ser Leu Asn Thr Gly Lys Leu Lys Asn
 50 55 60
 Asp Lys Val Ser Arg Phe Asp Phe Ile Arg Gln Ile Glu Val Asp Gly
 65 70 75 80
 Gln Leu Ile Thr Leu Glu Ser Gly Glu Phe Gln Val Tyr Lys Gln Ser
 85 90 95
 His Ser Ala Leu Thr Ala Phe Gln Thr Glu Gln Ile Gln Asp Ser Glu
 100 105 110
 His Ser Gly Lys Met Val Ala Lys Arg Gln Phe Arg Ile Gly Asp Ile
 115 120 125
 Ala Gly Glu His Thr Ser Phe Asp Lys Leu Pro Glu Gly Gly Arg Ala
 130 135 140
 Thr Tyr Arg Gly Thr Ala Phe Gly Ser Asp Asp Ala Gly Gly Lys Leu
 145 150 155 160
 Thr Tyr Thr Ile Asp Phe Ala Ala Lys Gln Gly Asn Gly Lys Ile Glu
 165 170 175
 His Leu Lys Ser Pro Glu Leu Asn Val Asp Leu Ala Ala Ala Asp Ile
 180 185 190

EP 1 790 660 A2

	Lys	Pro	Asp 195	Gly	Lys	Arg	His	Ala 200	Val	Ile	Ser	Gly	Ser 205	Val	Leu	Tyr
5	Asn	Gln 210	Ala	Glu	Lys	Gly	Ser 215	Tyr	Ser	Leu	Gly	Ile 220	Phe	Gly	Gly	Lys
	Ala	Gln	Glu	Val	Ala	Gly 230	Ser	Ala	Glu	Val	Lys 235	Thr	Val	Asn	Gly	Ile 240
10	Arg	His	Ile	Gly	Leu 245	Ala	Ala	Lys	Gln	Leu 250	Glu	Gly	Ser	Gly	Gly	Gly
	Gly	Thr	Ser	Ala 260	Pro	Asp	Phe	Asn	Ala 265	Gly	Gly	Thr	Gly	Ile 270	Gly	Ser
15	Asn	Ser	Arg 275	Ala	Thr	Thr	Ala	Lys 280	Ser	Ala	Ala	Val	Ser 285	Tyr	Ala	Gly
	Ile	Lys 290	Asn	Glu	Met	Cys	Lys 295	Asp	Arg	Ser	Met	Leu 300	Cys	Ala	Gly	Arg
20	Asp	Asp	Val	Ala	Val	Thr 310	Asp	Arg	Asp	Ala	Lys 315	Ile	Asn	Ala	Pro	Pro 320
	Pro	Asn	Leu	His	Thr 325	Gly	Asp	Phe	Pro	Asn 330	Pro	Asn	Asp	Ala	Tyr 335	Lys
25	Asn	Leu	Ile	Asn 340	Leu	Lys	Pro	Ala	Ile 345	Glu	Ala	Gly	Tyr	Thr 350	Gly	Arg
	Gly	Val	Glu 355	Val	Gly	Ile	Val	Asp 360	Thr	Gly	Glu	Ser	Val 365	Gly	Ser	Ile
30	Ser	Phe 370	Pro	Glu	Leu	Tyr	Gly 375	Arg	Lys	Glu	His	Gly 380	Tyr	Asn	Glu	Asn
	Tyr	Lys	Asn	Tyr	Thr	Ala 390	Tyr	Met	Arg	Lys	Glu 395	Ala	Pro	Glu	Asp	Gly 400
35	Gly	Gly	Lys	Asp	Ile 405	Glu	Ala	Ser	Phe	Asp 410	Asp	Glu	Ala	Val	Ile 415	Glu
	Thr	Glu	Ala	Lys 420	Pro	Thr	Asp	Ile	Arg 425	His	Val	Lys	Glu	Ile 430	Gly	His
40	Ile	Asp	Leu 435	Val	Ser	His	Ile	Ile 440	Gly	Gly	Arg	Ser	Val 445	Asp	Gly	Arg
	Pro	Ala 450	Gly	Gly	Ile	Ala	Pro 455	Asp	Ala	Thr	Leu	His 460	Ile	Met	Asn	Thr
45	Asn	Asp	Glu	Thr	Lys	Asn 470	Glu	Met	Met	Val	Ala 475	Ala	Ile	Arg	Asn	Ala 480
	Trp	Val	Lys	Leu	Gly 485	Glu	Arg	Gly	Val	Arg 490	Ile	Val	Asn	Asn	Ser	Phe 495
50	Gly	Thr	Thr	Ser 500	Arg	Ala	Gly	Thr	Ala 505	Asp	Leu	Phe	Gln	Ile 510	Ala	Asn
	Ser	Glu	Glu 515	Gln	Tyr	Arg	Gln	Ala 520	Leu	Leu	Asp	Tyr	Ser 525	Gly	Gly	Asp
55	Lys	Thr 530	Asp	Glu	Gly	Ile	Arg 535	Leu	Met	Gln	Gln	Ser 540	Asp	Tyr	Gly	Asn
	Leu	Ser	Tyr	His	Ile	Arg 550	Asn	Lys	Asn	Met	Leu 555	Phe	Ile	Phe	Ser	Thr 560

EP 1 790 660 A2

	Gly	Asn	Asp	Ala	Gln	Ala	Gln	Pro	Asn	Thr	Tyr	Ala	Leu	Leu	Pro	Phe
					565					570					575	
5	Tyr	Glu	Lys	Asp	Ala	Gln	Lys	Gly	Ile	Ile	Thr	Val	Ala	Gly	Val	Asp
				580					585					590		
	Arg	Ser	Gly	Glu	Lys	Phe	Lys	Arg	Glu	Met	Tyr	Gly	Glu	Pro	Gly	Thr
			595					600					605			
10	Glu	Pro	Leu	Glu	Tyr	Gly	Ser	Asn	His	Cys	Gly	Ile	Thr	Ala	Met	Trp
		610					615					620				
	Cys	Leu	Ser	Ala	Pro	Tyr	Glu	Ala	Ser	Val	Arg	Phe	Thr	Arg	Thr	Asn
	625					630					635					640
15	Pro	Ile	Gln	Ile	Ala	Gly	Thr	Ser	Phe	Ser	Ala	Pro	Ile	Val	Thr	Gly
					645					650					655	
	Thr	Ala	Ala	Leu	Leu	Gln	Lys	Tyr	Pro	Trp	Met	Ser	Asn	Asp	Asn	
				660				665					670			
20	Leu	Arg	Thr	Thr	Leu	Leu	Thr	Thr	Ala	Gln	Asp	Ile	Gly	Ala	Val	Gly
			675					680					685			
	Val	Asp	Ser	Lys	Phe	Gly	Trp	Gly	Leu	Leu	Asp	Ala	Gly	Lys	Ala	Met
		690					695					700				
25	Asn	Gly	Pro	Ala	Ser	Phe	Pro	Phe	Gly	Asp	Phe	Thr	Ala	Asp	Thr	Lys
	705					710					715					720
	Gly	Thr	Ser	Asp	Ile	Ala	Tyr	Ser	Phe	Arg	Asn	Asp	Ile	Ser	Gly	Thr
					725					730					735	
30	Gly	Gly	Leu	Ile	Lys	Lys	Gly	Gly	Ser	Gln	Leu	Gln	Leu	His	Gly	Asn
				740					745					750		
	Asn	Thr	Tyr	Thr	Gly	Lys	Thr	Ile	Ile	Glu	Gly	Gly	Ser	Leu	Val	Leu
			755					760					765			
35	Tyr	Gly	Asn	Asn	Lys	Ser	Asp	Met	Arg	Val	Glu	Thr	Lys	Gly	Ala	Leu
		770					775					780				
	Ile	Tyr	Asn	Gly	Ala	Ala	Ser	Gly	Gly	Ser	Leu	Asn	Ser	Asp	Gly	Ile
	785					790					795					800
40	Val	Tyr	Leu	Ala	Asp	Thr	Asp	Gln	Ser	Gly	Ala	Asn	Glu	Thr	Val	His
					805					810					815	
	Ile	Lys	Gly	Ser	Leu	Gln	Leu	Asp	Gly	Lys	Gly	Thr	Leu	Tyr	Thr	Arg
				820					825					830		
45	Leu	Gly	Lys	Leu	Leu	Lys	Val	Asp	Gly	Thr	Ala	Ile	Ile	Gly	Gly	Lys
			835					840					845			
	Leu	Tyr	Met	Ser	Ala	Arg	Gly	Lys	Gly	Ala	Gly	Tyr	Leu	Asn	Ser	Thr
		850					855					860				
50	Gly	Arg	Arg	Val	Pro	Phe	Leu	Ser	Ala	Ala	Lys	Ile	Gly	Gln	Asp	Tyr
	865					870					875					880
	Ser	Phe	Phe	Thr	Asn	Ile	Glu	Thr	Asp	Gly	Gly	Leu	Leu	Ala	Ser	Leu
					885					890					895	
55	Asp	Ser	Val	Glu	Lys	Thr	Ala	Gly	Ser	Glu	Gly	Asp	Thr	Leu	Ser	Tyr
				900					905					910		
	Tyr	Val	Arg	Arg	Gly	Asn	Ala	Ala	Arg	Thr	Ala	Ser	Ala	Ala	Ala	His
			915					920					925			

EP 1 790 660 A2

	Ser	Ala	Pro	Ala	Gly	Leu	Lys	His	Ala	Val	Glu	Gln	Gly	Gly	Ser	Asn
		930					935					940				
5	Leu	Glu	Asn	Leu	Met	Val	Glu	Leu	Asp	Ala	Ser	Glu	Ser	Ser	Ala	Thr
	945					950					955					960
	Pro	Glu	Thr	Val	Glu	Thr	Ala	Ala	Ala	Asp	Arg	Thr	Asp	Met	Pro	Gly
					965					970					975	
10	Ile	Arg	Pro	Tyr	Gly	Ala	Thr	Phe	Arg	Ala	Ala	Ala	Ala	Val	Gln	His
				980					985					990		
	Ala	Asn	Ala	Ala	Asp	Gly	Val	Arg	Ile	Phe	Asn	Ser	Leu	Ala	Ala	Thr
			995					1000					1005			
15	Val	Tyr	Ala	Asp	Ser	Thr	Ala	Ala	His	Ala	Asp	Met	Gln	Gly	Arg	Arg
		1010					1015					1020				
	Leu	Lys	Ala	Val	Ser	Asp	Gly	Leu	Asp	His	Asn	Gly	Thr	Gly	Leu	Arg
	1025					1030					1035					1040
20	Val	Ile	Ala	Gln	Thr	Gln	Gln	Asp	Gly	Gly	Thr	Trp	Glu	Gln	Gly	Gly
					1045					1050					1055	
	Val	Glu	Gly	Lys	Met	Arg	Gly	Ser	Thr	Gln	Thr	Val	Gly	Ile	Ala	Ala
				1060					1065					1070		
25	Lys	Thr	Gly	Glu	Asn	Thr	Thr	Ala	Ala	Ala	Thr	Leu	Gly	Met	Gly	Arg
			1075					1080					1085			
	Ser	Thr	Trp	Ser	Glu	Asn	Ser	Ala	Asn	Ala	Lys	Thr	Asp	Ser	Ile	Ser
		1090					1095					1100				
30	Leu	Phe	Ala	Gly	Ile	Arg	His	Asp	Ala	Gly	Asp	Ile	Gly	Tyr	Leu	Lys
	1105					1110					1115					1120
	Gly	Leu	Phe	Ser	Tyr	Gly	Arg	Tyr	Lys	Asn	Ser	Ile	Ser	Arg	Ser	Thr
					1125					1130					1135	
35	Gly	Ala	Asp	Glu	His	Ala	Glu	Gly	Ser	Val	Asn	Gly	Thr	Leu	Met	Gln
				1140					1145					1150		
	Leu	Gly	Ala	Leu	Gly	Gly	Val	Asn	Val	Pro	Phe	Ala	Ala	Thr	Gly	Asp
		1155						1160					1165			
40	Leu	Thr	Val	Glu	Gly	Gly	Leu	Arg	Tyr	Asp	Leu	Leu	Lys	Gln	Asp	Ala
		1170					1175					1180				
	Phe	Ala	Glu	Lys	Gly	Ser	Ala	Leu	Gly	Trp	Ser	Gly	Asn	Ser	Leu	Thr
	1185					1190					1195					1200
45	Glu	Gly	Thr	Leu	Val	Gly	Leu	Ala	Gly	Leu	Lys	Leu	Ser	Gln	Pro	Leu
					1205					1210					1215	
	Ser	Asp	Lys	Ala	Val	Leu	Phe	Ala	Thr	Ala	Gly	Val	Glu	Arg	Asp	Leu
				1220					1225					1230		
50	Asn	Gly	Arg	Asp	Tyr	Thr	Val	Thr	Gly	Gly	Phe	Thr	Gly	Ala	Thr	Ala
			1235					1240					1245			
	Ala	Thr	Gly	Lys	Thr	Gly	Ala	Arg	Asn	Met	Pro	His	Thr	Arg	Leu	Val
		1250					1255					1260				
	Ala	Gly	Leu	Gly	Ala	Asp	Val	Glu	Phe	Gly	Asn	Gly	Trp	Asn	Gly	Leu
	1265					1270					1275					1280
55	Ala	Arg	Tyr	Ser	Tyr	Ala	Gly	Ser	Lys	Gln	Tyr	Gly	Asn	His	Ser	Gly
					1285					1290					1295	

EP 1 790 660 A2

Arg Val Gly Val Gly Tyr Arg Phe Leu Glu His His His His His His
1300 1305 1310

5 <210> 114
<211> 2028
<212> DNA
<213> Artificial Sequence

10 <220>
<223> deltaG741-ORF46.1

<400> 114
atggtcgccg ccgacatcgg tgcggggcct gccgatgcac taaccgcacc gctcgaccat 60
aaagacaaag gtttgcagtc tttgacgctg gatcagtcgg tcaggaaaaa cgagaaactg 120
aagctggcgg cacaagggtc ggaaaaaact tatggaaaac gtgacagcct caatacgggc 180
15 aaattgaaga acgacaagggt cagccgtttc gactttatcc gccaaatcga agtggacggg 240
cagctcatta ccttggagag tggagagttc caagtataca aacaaagcca ttccgcctta 300
accgcctttc agaccgagca aatacaagat tcggagcatt ccgggaagat gggtgcgaaa 360
cgccagttca gaatcggcga catagcgggc gaacatacat cttttgacaa gcttcccga 420
ggcggcaggc cgacatatcg cgggacggcg ttccggttcag acgatgccgg cggaaaactg 480
acctacacca tagatttcgc cgccaagcag ggaaacggca aaatcgaaca ttgaaatcg 540
20 ccagaactca atgtcgacct ggccgcccgc gatatcaagc cggatggaaa acgccatgcc 600
gttcctcagc gttcccgtct ttacaacca gcccagaaaag gcagttactc cctcgggtatc 660
tttgccggaa aagccaggga agttgcccgc agcgcggaaag tgaaaaccgt aaacggcata 720
cgccatatcg gccttgccgc caagcaactc gacgggtggcg gaggcactgg atcctcagat 780
ttggcaaacg attcttttat ccggcaggtt ctgcaccgtc agcatttcga acccgacggg 840
aaataccacc tattcggcag caggggggaa cttgccgagc gcagcggcca tatcggattg 900
25 ggaaaaatac aaagccatca gttgggcaac ctgatgattc aacaggcggc cattaagga 960
aatatcggct acattgtccg cttttccgat cacgggcacg aagtccattc ccccttcgac 1020
aaccatgcct cacattccga ttctgatgaa gccggtagtc ccgttgacgg atttagcctt 1080
taccgcaccc attgggacgg atacgaacac catcccgcg acggctatga cgggccacag 1140
ggcggcggct atcccgtctc caaaggcgcg agggatatat acagctacga cataaaaggc 1200
gttgcccaaa atatccgcct caacctgacc gacaaccgca gcaccggaca acggcttgcc 1260
30 gaccgtttcc acaatgccgg tagtatgctg acgcaaggag taggcgacgg attcaaacgc 1320
gctacccgat acagccccga gctggacaga tcgggcaatg ccgccgaagc cttcaacggc 1380
actgcagata tcgttaaaaa catcatcggc gcggcaggag aaattgtcgg cgcaggcgat 1440
gccgtgcagg gcataagcga aggtcacaac attgctgtca tgcacggctt gggctctgctt 1500
tccaccgaaa acaagatggc gcgcatacaac gatttggcag atatggcgca actcaaagac 1560
tatgcccagc cagccatccg cgattgggca gtccaaaacc ccaatgccgc acaaggcata 1620
gaagccgtca gcaatatctt tatggcagcc atccccatca aagggattgg agctgttcgg 1680
35 ggaaaatacg gcttggggcg catcacggca catcctatca agcggtcgca gatgggcgcg 1740
atcgcattgc cgaaagggaa atccgcccgtc agcgacaatt ttgccgatgc ggcatacgcc 1800
aaatacccggt ccccttacca ttcccgaat atccgttcaa acttgagca gcgttacggc 1860
aaagaaaaca tcacctctc aaccgtgccg ccgtcaaacg gcaaaaatgt caaactggca 1920
gaccaacgcc acccgaagac aggcgtaccg ttgacggta aagggtttcc gaattttgag 1980
aagcacgtga aatatgatac gctcgagcac caccaccacc accactga 2028

40 <210> 115
<211> 675
<212> PRT
<213> Artificial Sequence

45 <220>
<223> deltaG741-ORF46.1

<400> 115
Met Val Ala Ala Asp Ile Gly Ala Gly Leu Ala Asp Ala Leu Thr Ala
1 5 10 15

50 Pro Leu Asp His Lys Asp Lys Gly Leu Gln Ser Leu Thr Leu Asp Gln
20 25 30

Ser Val Arg Lys Asn Glu Lys Leu Lys Leu Ala Ala Gln Gly Ala Glu
35 40 45

55 Lys Thr Tyr Gly Asn Gly Asp Ser Leu Asn Thr Gly Lys Leu Lys Asn
50 55 60

EP 1 790 660 A2

	Asp	Lys	Val	Ser	Arg	Phe	Asp	Phe	Ile	Arg	Gln	Ile	Glu	Val	Asp	Gly
	65					70					75					80
5	Gln	Leu	Ile	Thr	Leu	Glu	Ser	Gly	Glu	Phe	Gln	Val	Tyr	Lys	Gln	Ser
					85					90					95	
	His	Ser	Ala	Leu	Thr	Ala	Phe	Gln	Thr	Glu	Gln	Ile	Gln	Asp	Ser	Glu
				100					105					110		
10	His	Ser	Gly	Lys	Met	Val	Ala	Lys	Arg	Gln	Phe	Arg	Ile	Gly	Asp	Ile
			115					120					125			
	Ala	Gly	Glu	His	Thr	Ser	Phe	Asp	Lys	Leu	Pro	Glu	Gly	Gly	Arg	Ala
		130					135					140				
15	Thr	Tyr	Arg	Gly	Thr	Ala	Phe	Gly	Ser	Asp	Asp	Ala	Gly	Gly	Lys	Leu
	145					150				155						160
	Thr	Tyr	Thr	Ile	Asp	Phe	Ala	Ala	Lys	Gln	Gly	Asn	Gly	Lys	Ile	Glu
					165					170					175	
20	His	Leu	Lys	Ser	Pro	Glu	Leu	Asn	Val	Asp	Leu	Ala	Ala	Ala	Asp	Ile
				180					185					190		
	Lys	Pro	Asp	Gly	Lys	Arg	His	Ala	Val	Ile	Ser	Gly	Ser	Val	Leu	Tyr
			195					200					205			
25	Asn	Gln	Ala	Glu	Lys	Gly	Ser	Tyr	Ser	Leu	Gly	Ile	Phe	Gly	Gly	Lys
		210					215					220				
	Ala	Gln	Glu	Val	Ala	Gly	Ser	Ala	Glu	Val	Lys	Thr	Val	Asn	Gly	Ile
		225				230					235					240
30	Arg	His	Ile	Gly	Leu	Ala	Ala	Lys	Gln	Leu	Asp	Gly	Gly	Gly	Gly	Thr
					245					250					255	
	Gly	Ser	Ser	Asp	Leu	Ala	Asn	Asp	Ser	Phe	Ile	Arg	Gln	Val	Leu	Asp
				260					265					270		
35	Arg	Gln	His	Phe	Glu	Pro	Asp	Gly	Lys	Tyr	His	Leu	Phe	Gly	Ser	Arg
			275					280					285			
	Gly	Glu	Leu	Ala	Glu	Arg	Ser	Gly	His	Ile	Gly	Leu	Gly	Lys	Ile	Gln
		290					295					300				
40	Ser	His	Gln	Leu	Gly	Asn	Leu	Met	Ile	Gln	Gln	Ala	Ala	Ile	Lys	Gly
		305				310					315					320
	Asn	Ile	Gly	Tyr	Ile	Val	Arg	Phe	Ser	Asp	His	Gly	His	Glu	Val	His
					325					330					335	
45	Ser	Pro	Phe	Asp	Asn	His	Ala	Ser	His	Ser	Asp	Ser	Asp	Glu	Ala	Gly
				340					345					350		
	Ser	Pro	Val	Asp	Gly	Phe	Ser	Leu	Tyr	Arg	Ile	His	Trp	Asp	Gly	Tyr
			355					360					365			
50	Glu	His	His	Pro	Ala	Asp	Gly	Tyr	Asp	Gly	Pro	Gln	Gly	Gly	Gly	Tyr
		370					375					380				
	Pro	Ala	Pro	Lys	Gly	Ala	Arg	Asp	Ile	Tyr	Ser	Tyr	Asp	Ile	Lys	Gly
		385				390					395					400
55	Val	Ala	Gln	Asn	Ile	Arg	Leu	Asn	Leu	Thr	Asp	Asn	Arg	Ser	Thr	Gly
				405						410					415	
	Gln	Arg	Leu	Ala	Asp	Arg	Phe	His	Asn	Ala	Gly	Ser	Met	Leu	Thr	Gln
				420					425					430		

Gly Val Gly Asp Gly Phe Lys Arg Ala Thr Arg Tyr Ser Pro Glu Leu
 435 440 445
 5 Asp Arg Ser Gly Asn Ala Ala Glu Ala Phe Asn Gly Thr Ala Asp Ile
 450 455 460
 Val Lys Asn Ile Ile Gly Ala Ala Gly Glu Ile Val Gly Ala Gly Asp
 465 470 475 480
 10 Ala Val Gln Gly Ile Ser Glu Gly Ser Asn Ile Ala Val Met His Gly
 485 490 495
 Leu Gly Leu Leu Ser Thr Glu Asn Lys Met Ala Arg Ile Asn Asp Leu
 500 505 510
 15 Ala Asp Met Ala Gln Leu Lys Asp Tyr Ala Ala Ala Ala Ile Arg Asp
 515 520 525
 Trp Ala Val Gln Asn Pro Asn Ala Ala Gln Gly Ile Glu Ala Val Ser
 530 535 540
 20 Asn Ile Phe Met Ala Ala Ile Pro Ile Lys Gly Ile Gly Ala Val Arg
 545 550 555 560
 Gly Lys Tyr Gly Leu Gly Gly Ile Thr Ala His Pro Ile Lys Arg Ser
 565 570 575
 25 Gln Met Gly Ala Ile Ala Leu Pro Lys Gly Lys Ser Ala Val Ser Asp
 580 585 590
 Asn Phe Ala Asp Ala Ala Tyr Ala Lys Tyr Pro Ser Pro Tyr His Ser
 595 600 605
 30 Arg Asn Ile Arg Ser Asn Leu Glu Gln Arg Tyr Gly Lys Glu Asn Ile
 610 615 620
 Thr Ser Ser Thr Val Pro Pro Ser Asn Gly Lys Asn Val Lys Leu Ala
 625 630 635 640
 35 Asp Gln Arg His Pro Lys Thr Gly Val Pro Phe Asp Gly Lys Gly Phe
 645 650 655
 Pro Asn Phe Glu Lys His Val Lys Tyr Asp Thr Leu Glu His His His
 660 665 670
 40 His His His
 675
 <210> 116
 <211> 249
 <212> PRT
 <213> Artificial Sequence
 45 <220>
 <223> Novel protein
 <400> 116
 Met Lys Lys Tyr Leu Phe Arg Ala Ala Leu Tyr Gly Ile Ala Ala Ala
 1 5 10 15
 50 Ile Leu Ala Ala Ala Ile Pro Ala Gly Asn Asp Ala Thr Thr Lys Pro
 20 25 30
 Asp Leu Tyr Tyr Leu Lys Asn Glu Gln Ala Ile Asp Ser Leu Lys Leu
 35 40 45
 55 Leu Pro Pro Pro Pro Glu Val Gly Ser Ile Gln Phe Leu Asn Asp Gln
 50 55 60

EP 1 790 660 A2

Ala Met Tyr Glu Lys Gly Arg Met Leu Arg Asn Thr Glu Arg Gly Lys
65 70 75 80

5 Gln Ala Gln Ala Asp Ala Asp Leu Ala Ala Gly Gly Val Ala Thr Ala
85 90 95

Phe Ser Gly Ala Phe Gly Tyr Pro Ile Thr Glu Lys Asp Ser Pro Glu
100 105 110

10 Leu Tyr Lys Leu Leu Thr Asn Met Ile Glu Asp Ala Gly Asp Leu Ala
115 120 125

Thr Arg Ser Ala Lys Glu His Tyr Met Arg Ile Arg Pro Phe Ala Phe
130 135 140

15 Tyr Gly Thr Glu Thr Cys Asn Thr Lys Asp Gln Lys Lys Leu Ser Thr
145 150 155 160

Asn Gly Ser Tyr Pro Ser Gly His Thr Ser Ile Gly Trp Ala Thr Ala
165 170 175

20 Leu Val Leu Ala Glu Val Asn Pro Ala Asn Gln Asp Ala Ile Leu Glu
180 185 190

Arg Gly Tyr Gln Leu Gly Gln Ser Arg Val Ile Cys Gly Tyr His Trp
195 200 205

25 Gln Ser Asp Val Asp Ala Ala Arg Ile Val Gly Ser Ala Ala Val Ala
210 215 220

Thr Leu His Ser Asp Pro Ala Phe Gln Ala Gln Leu Ala Lys Ala Lys
225 230 235 240

Gln Glu Phe Ala Gln Lys Ser Gln Lys
245

30 <210> 117
<211> 66
<212> DNA
<213> Artificial Sequence

35 <220>
<223> L1 linker

<220>
<221> N
<222> 13
<223> A, T/U, G or C

40 <400> 117
tatgaartay ytnnttymgcg ccgccctgta cggcatcgcc gccgccatcc tcgccgccgc 60
gatccc 66

45 <210> 118
<211> 69
<212> DNA
<213> Artificial Sequence

<220>
<223> S1 linker

50 <220>
<221> N
<222> 25, 28
<223> A, T/U, G or C

55 <400> 118
tatgaaaaa tacctattcc grgcngcnyt rtayggsatc gccgccgcca tcctcgccgc 60
cgcgatccc 69

<210> 119
 <211> 27
 <212> DNA
 <213> Artificial Sequence
 5
 <220>
 <223> 9L1-a
 <400> 119
 atgaagaagt accttttcag cgccgcc 27
 10
 <210> 120
 <211> 27
 <212> DNA
 <213> Artificial Sequence
 15
 <220>
 <223> 9L1-e
 <400> 120
 atgaaaaaat actttttccg cgccgcc 27
 20
 <210> 121
 <211> 27
 <212> DNA
 <213> Artificial Sequence
 25
 <220>
 <223> 9L1-d
 <400> 121
 atgaaaaaat actttttccg cgccgcc 27
 30
 <210> 122
 <211> 60
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> 9L1-f
 35
 <400> 122
 atgaaaaaat atctcttttag cgccgccctg tacggcatcg ccgccgccat cctcgccgcc 60
 <210> 123
 <211> 60
 <212> DNA
 <213> Artificial Sequence
 40
 <220>
 <223> 919sp
 <400> 123
 atgaaaaaat acctattccg cgccgccctg tacggcatcg ccgccgccat cctcgccgcc 60
 45
 <210> 124
 <211> 9
 <212> PRT
 <213> Artificial Sequence
 50
 <220>
 <223> 9L1a
 <400> 124
 Met Lys Lys Tyr Leu Phe Ser Ala Ala
 1 5
 55
 <210> 125

<211> 9
 <212> PRT
 <213> Artificial Sequence
 5
 <220>
 <223> 9L1e
 <400> 125
 Met Lys Lys Tyr Phe Phe Arg Ala Ala
 1 5
 10
 <210> 126
 <211> 9
 <212> PRT
 <213> Artificial Sequence
 15
 <220>
 <223> 9L1d
 <400> 126
 Met Lys Lys Tyr Phe Phe Arg Ala Ala
 1 5
 20
 <210> 127
 <211> 20
 <212> PRT
 <213> Artificial Sequence
 25
 <220>
 <223> 9L1f
 <400> 127
 Met Lys Lys Tyr Leu Phe Ser Ala Ala Leu Tyr Gly Ile Ala Ala Ala
 1 5 10 15
 30
 Ile Leu Ala Ala
 20
 <210> 128
 <211> 20
 <212> PRT
 <213> Artificial Sequence
 35
 <220>
 <223> 9L1sp
 <400> 128
 Met Lys Lys Tyr Leu Phe Arg Ala Ala Leu Tyr Gly Ile Ala Ala Ala
 1 5 10 15
 40
 Ile Leu Ala Ala
 20
 45
 <210> 129
 <211> 42
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> 9S1-e
 50
 <400> 129
 atgaaaaaat acctattcat cgccgccgcc atcctcgccg cc 42
 55
 <210> 130
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 9S1-c

 <400> 130
 5 atgaaaaaat acctattccg agctgcccaa tacggcatcg ccgccgcat cctcgccgcc 60

 <210> 131
 <211> 60
 <212> DNA
 <213> Artificial Sequence
 10

 <220>
 <223> 9S1-b

 <400> 131
 15 atgaaaaaat acctattccg ggccgcccaa tacggcatcg ccgccgcat cctcgccgcc 60

 <210> 132
 <211> 60
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> 9S1-i

 <400> 132
 20 atgaaaaaat acctattccg ggcggctttg tacgggatcg ccgccgcat cctcgccgcc 60

 <210> 133
 <211> 14
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> 9S1e
 30
 <400> 133
 Met Lys Lys Tyr Leu Phe Ile Ala Ala Ala Ile Leu Ala Ala
 1 5 10

 <210> 134
 <211> 20
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> 9S1c
 40
 <400> 134
 Met Lys Lys Tyr Leu Phe Arg Ala Ala Gln Tyr Gly Ile Ala Ala Ala
 1 5 10 15

 Ile Leu Ala Ala
 20
 45
 <210> 135
 <211> 20
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> 9S1b
 50
 <400> 135
 Met Lys Lys Tyr Leu Phe Arg Ala Ala Gln Tyr Gly Ile Ala Ala Ala
 1 5 10 15

 Ile Leu Ala Ala
 20
 55

<210> 136
 <211> 20
 <212> PRT
 <213> Artificial Sequence
 5
 <220>
 <223> 9S1i
 <400> 136
 10 Met Lys Lys Tyr Leu Phe Arg Ala Ala Leu Tyr Gly Ile Ala Ala Ala
 1 5 10 15
 Ile Leu Ala Ala
 20
 <210> 137
 <211> 467
 <212> PRT
 <213> Artificial Sequence
 15
 <220>
 <223> 730
 20
 <400> 137
 Val Lys Pro Leu Arg Arg Leu Thr Asn Leu Leu Ala Ala Cys Ala Val
 1 5 10 15
 Ala Ala Ala Ala Leu Ile Gln Pro Ala Leu Ala Ala Asp Leu Ala Gln
 20 25 30
 Asp Pro Phe Ile Thr Asp Asn Ala Gln Arg Gln His Tyr Glu Pro Gly
 35 40 45
 Gly Lys Tyr His Leu Phe Gly Asp Pro Arg Gly Ser Val Ser Asp Arg
 50 55 60
 Thr Gly Lys Ile Asn Val Ile Gln Asp Tyr Thr His Gln Met Gly Asn
 65 70 75 80
 Leu Leu Ile Gln Gln Ala Asn Ile Asn Gly Thr Ile Gly Tyr His Thr
 85 90 95
 Arg Phe Ser Gly His Gly His Glu Glu His Ala Pro Phe Asp Asn His
 100 105 110
 Ala Ala Asp Ser Ala Ser Glu Glu Lys Gly Asn Val Asp Glu Gly Phe
 115 120 125
 Thr Val Tyr Arg Leu Asn Trp Glu Gly His Glu His His Pro Ala Asp
 130 135 140
 Ala Tyr Asp Gly Pro Lys Gly Gly Asn Tyr Pro Lys Pro Thr Gly Ala
 145 150 155 160
 Arg Asp Glu Tyr Thr Tyr His Val Asn Gly Thr Ala Arg Ser Ile Lys
 165 170 175
 Leu Asn Pro Thr Asp Thr Arg Ser Ile Arg Gln Arg Ile Ser Asp Asn
 180 185 190
 Tyr Ser Asn Leu Gly Ser Asn Phe Ser Asp Arg Ala Asp Glu Ala Asn
 195 200 205
 Arg Lys Met Phe Glu His Asn Ala Lys Leu Asp Arg Trp Gly Asn Ser
 210 215 220
 55 Met Glu Phe Ile Asn Gly Val Ala Ala Gly Ala Leu Asn Pro Phe Ile
 225 230 235 240

EP 1 790 660 A2

Ser Ala Gly Glu Ala₂₄₅ Leu Gly Ile Gly Asp₂₅₀ Ile Leu Tyr Gly Thr Arg
 Tyr Ala Ile Asp₂₆₀ Lys Ala Ala Met Arg₂₆₅ Asn Ile Ala Pro Leu₂₇₀ Pro Ala
 Glu Gly Lys₂₇₅ Phe Ala Val Ile Gly₂₈₀ Gly Leu Gly Ser Val₂₈₅ Ala Gly Phe
 Glu Lys₂₉₀ Asn Thr Arg Glu Ala₂₉₅ Val Asp Arg Trp Ile₃₀₀ Gln Glu Asn Pro
 Asn Ala Ala Glu Thr Val₃₁₀ Glu Ala Val Phe Asn₃₁₅ Val Ala Ala Ala Ala₃₂₀
 Lys Val Ala Lys₃₂₅ Leu Ala Lys Ala Ala Lys₃₃₀ Pro Gly Lys Ala Ala₃₃₅ Val
 Ser Gly Asp Phe₃₄₀ Ala Asp Ser Tyr Lys₃₄₅ Lys Lys Leu Ala Leu Ser Asp
 Ser Ala Arg₃₅₅ Gln Leu Tyr Gln Asn₃₆₀ Ala Lys Tyr Arg Glu₃₆₅ Ala Leu Asp
 Ile His₃₇₀ Tyr Glu Asp Leu Ile₃₇₅ Arg Arg Lys Thr Asp₃₈₀ Gly Ser Ser Lys
 Phe Ile Asn Gly Arg Glu₃₉₀ Ile Asp Ala Val Thr₃₉₅ Asn Asp Ala Leu Ile₄₀₀
 Gln Ala Lys Arg Thr₄₀₅ Ile Ser Ala Ile Asp₄₁₀ Lys Pro Lys Asn Phe₄₁₅ Leu
 Asn Gln Lys Asn₄₂₀ Arg Lys Gln Ile Lys₄₂₅ Ala Thr Ile Glu Ala Ala Asn
 Gln Gln Gly₄₃₅ Lys Arg Ala Glu Phe₄₄₀ Trp Phe Lys Tyr Gly₄₄₅ Val His Ser
 Gln Val₄₅₀ Lys Ser Tyr Ile Glu₄₅₅ Ser Lys Gly Gly Ile₄₆₀ Val Lys Thr Gly
 Leu Gly Asp
 465
 <210> 138
 <211> 377
 <212> PRT
 <213> Artificial sequence
 <220>
 <223> 730-C1
 <400> 138
 Met Ala Asp Leu Ala₅ Gln Asp Pro Phe Ile₁₀ Thr Asp Asn Ala Gln Arg
 1 15
 Gln His Tyr Glu₂₀ Pro Gly Gly Lys Tyr₂₅ His Leu Phe Gly Asp₃₀ Pro Arg
 50
 Gly Ser Val₃₅ Ser Asp Arg Thr Gly₄₀ Lys Ile Asn Val Ile₄₅ Gln Asp Tyr
 Thr His₅₀ Gln Met Gly Asn Leu₅₅ Leu Ile Gln Gln Ala₆₀ Asn Ile Asn Gly
 55
 Thr Ile Gly Tyr His Thr₇₀ Arg Phe Ser Gly His₇₅ Gly His Glu Glu His
 65 80

EP 1 790 660 A2

Ala Pro Phe Asp Asn His Ala Ala Asp Ser Ala Ser Glu Glu Lys Gly
85 90 95

5 Asn Val Asp Glu Gly Phe Thr Val Tyr Arg Leu Asn Trp Glu Gly His
100 105 110

Glu His His Pro Ala Asp Ala Tyr Asp Gly Pro Lys Gly Gly Asn Tyr
115 120 125

10 Pro Lys Pro Thr Gly Ala Arg Asp Glu Tyr Thr Tyr His Val Asn Gly
130 135 140

Thr Ala Arg Ser Ile Lys Leu Asn Pro Thr Asp Thr Arg Ser Ile Arg
145 150 155 160

15 Gln Arg Ile Ser Asp Asn Tyr Ser Asn Leu Gly Ser Asn Phe Ser Asp
165 170 175

Arg Ala Asp Glu Ala Asn Arg Lys Met Phe Glu His Asn Ala Lys Leu
180 185 190

20 Asp Arg Trp Gly Asn Ser Met Glu Phe Ile Asn Gly Val Ala Ala Gly
195 200 205

Ala Leu Asn Pro Phe Ile Ser Ala Gly Glu Ala Leu Gly Ile Gly Asp
210 215 220

25 Ile Leu Tyr Gly Thr Arg Tyr Ala Ile Asp Lys Ala Ala Met Arg Asn
225 230 235 240

Ile Ala Pro Leu Pro Ala Glu Gly Lys Phe Ala Val Ile Gly Gly Leu
245 250 255

30 Gly Ser Val Ala Gly Phe Glu Lys Asn Thr Arg Glu Ala Val Asp Arg
260 265 270

Trp Ile Gln Glu Asn Pro Asn Ala Ala Glu Thr Val Glu Ala Val Phe
275 280 285

35 Asn Val Ala Ala Ala Ala Lys Val Ala Lys Leu Ala Lys Ala Ala Lys
290 295 300

Pro Gly Lys Ala Ala Val Ser Gly Asp Phe Ala Asp Ser Tyr Lys Lys
305 310 315 320

30 Lys Leu Ala Leu Ser Asp Ser Ala Arg Gln Leu Tyr Gln Asn Ala Lys
325 330 335

40 Tyr Arg Glu Ala Leu Asp Ile His Tyr Glu Asp Leu Ile Arg Arg Lys
340 345 350

45 Thr Asp Gly Ser Ser Lys Phe Ile Asn Gly Arg Glu Ile Asp Ala Val
355 360 365

45 Thr Asn Asp Ala Leu Ile Gln Ala Arg
370 375

50 <210> 139
<211> 353
<212> PRT
<213> Artificial Sequence

<220>
<223> 730-C2

55 <400> 139
Met Ala Asp Leu Ala Gln Asp Pro Phe Ile Thr Asp Asn Ala Gln Arg
1 5 10 15

EP 1 790 660 A2

	Gln	His	Tyr	Glu	Pro	Gly	Gly	Lys	Tyr	His	Leu	Phe	Gly	Asp	Pro	Arg
				20					25					30		
5	Gly	Ser	Val	Ser	Asp	Arg	Thr	Gly	Lys	Ile	Asn	Val	Ile	Gln	Asp	Tyr
			35					40					45			
	Thr	His	Gln	Met	Gly	Asn	Leu	Leu	Ile	Gln	Gln	Ala	Asn	Ile	Asn	Gly
		50					55					60				
10	Thr	Ile	Gly	Tyr	His	Thr	Arg	Phe	Ser	Gly	His	Gly	His	Glu	Glu	His
	65					70					75					80
	Ala	Pro	Phe	Asp	Asn	His	Ala	Ala	Asp	Ser	Ala	Ser	Glu	Glu	Lys	Gly
					85					90					95	
15	Asn	Val	Asp	Glu	Gly	Phe	Thr	Val	Tyr	Arg	Leu	Asn	Trp	Glu	Gly	His
				100					105					110		
	Glu	His	His	Pro	Ala	Asp	Ala	Tyr	Asp	Gly	Pro	Lys	Gly	Gly	Asn	Tyr
			115					120					125			
20	Pro	Lys	Pro	Thr	Gly	Ala	Arg	Asp	Glu	Tyr	Thr	Tyr	His	Val	Asn	Gly
		130					135					140				
	Thr	Ala	Arg	Ser	Ile	Lys	Leu	Asn	Pro	Thr	Asp	Thr	Arg	Ser	Ile	Arg
	145					150					155					160
25	Gln	Arg	Ile	Ser	Asp	Asn	Tyr	Ser	Asn	Leu	Gly	Ser	Asn	Phe	Ser	Asp
					165					170					175	
	Arg	Ala	Asp	Glu	Ala	Asn	Arg	Lys	Met	Phe	Glu	His	Asn	Ala	Lys	Leu
				180					185					190		
30	Asp	Arg	Trp	Gly	Asn	Ser	Met	Glu	Phe	Ile	Asn	Gly	Val	Ala	Ala	Gly
			195					200					205			
	Ala	Leu	Asn	Pro	Phe	Ile	Ser	Ala	Gly	Glu	Ala	Leu	Gly	Ile	Gly	Asp
		210					215					220				
35	Ile	Leu	Tyr	Gly	Thr	Arg	Tyr	Ala	Ile	Asp	Lys	Ala	Ala	Met	Arg	Asn
	225					230					235					240
	Ile	Ala	Pro	Leu	Pro	Ala	Glu	Gly	Lys	Phe	Ala	Val	Ile	Gly	Gly	Leu
					245					250				255		
40	Gly	Ser	Val	Ala	Gly	Phe	Glu	Lys	Asn	Thr	Arg	Glu	Ala	Val	Asp	Arg
				260					265					270		
	Trp	Ile	Gln	Glu	Asn	Pro	Asn	Ala	Ala	Glu	Thr	Val	Glu	Ala	Val	Phe
			275					280					285			
45	Asn	Val	Ala	Ala	Ala	Ala	Lys	Val	Ala	Lys	Leu	Ala	Lys	Ala	Ala	Lys
		290					295					300				
	Pro	Gly	Lys	Ala	Ala	Val	Ser	Gly	Asp	Phe	Ala	Asp	Ser	Tyr	Lys	Lys
		305				310					315				320	
	Lys	Leu	Ala	Leu	Ser	Asp	Ser	Ala	Arg	Gln	Leu	Tyr	Gln	Asn	Ala	Lys
					325					330					335	
50	Tyr	Arg	Glu	Ala	Leu	Gly	Lys	Val	Arg	Ile	Ser	Gly	Glu	Ile	Leu	Leu
				340					345					350		
	Gly															
55	<210>			140												
	<211>			2019												

<212> DNA
 <213> Artificial Sequence

<220>
 <223> ORF46.1-741

<400> 140
 atgtcagatt tggcaaacga ttcttttatt cggcagggtt tcgaccgtca gcatttcgaa 60
 cccgacggga aataccacct attcggcagc aggggggaac ttgccgagcg cagcggccat 120
 atcggatttg gaaaaataca aagccatcag ttgggcaacc tgatgattca acaggcggcc 180
 attaaaggaa atatcggcta cattgtccgc ttttccgatc acgggcacga agtccattcc 240
 cccttcgaca accatgcctc acattccgat tctgatgaag ccggtagtcg cgttgacgga 300
 tttagccttt accgcatcca ttgggacgga tacgaacacc atcccgccga cggctatgac 360
 gggccacagg gcggcggtta tcccgcctcc aaaggcgcgga gggatatata cagctacgac 420
 ataaaaggcg ttgcccaaaa tatccgcctc aacctgaccg acaaccgcag caccggacaa 480
 cggcttgccg ccacgtttcca caatgcccgt agtatgctga cgcaaggagt aggcgacgga 540
 ttcaaacgcg ccacccgata cagccccgag ctggacagat cgggcaatgc cgccgaagcc 600
 ttcaacggca ctgcagatat cgttaaaaac atcatcgcg cggcaggaga aattgtcggc 660
 gcaggcgatg ccgtgcaggg cataagcgaa ggctcaaaac ttgctgtcat gcacggcttg 720
 ggtcttgctt tcgcattgcc caagatggcg cgcacaaacg atttggcaga tatggccta 780
 ctcaaagact atgccgcagc agccatccgc gattgggcag tccaaaaccc caatgccgca 840
 caaggcatag aagccgtcag caatatcttt atggcagcca tccccatcaa agggattgga 900
 gctgttcggg gaaaatacgg cttgggcggc atcacggcac atcctatcaa gcggtcgcag 960
 atgggcgcga tccgattgcc gaaagggaac tccgcgtca gcgacaattt tgccgatgcg 1020
 gcatacgcca aatacccgtc cccttaccat tcccgaaata tccgttcaaa cttggagcag 1080
 cgttacggca aagaaaacat cactcctca accgtgccgc cgtcaaacgg caaaaatgtc 1140
 aaactggcag accaacgcca cccgaagaca ggctaccgt ttgacggtaa agggtttccg 1200
 aattttgaga agcacgtgaa atatgatacg ggatccggag ggggtggtgt cgccgccgac 1260
 atcgggtcgg ggcttgccga tgcactaacc gcaccgctcg accataaaga caaaggtttg 1320
 cagtccttga cgctggatca gtccgctcag aaaaacgaga aactgaagct ggccgcacaa 1380
 ggtgcggaaa aaacttatgg aaacggtgac agcctcaata cgggcaaatt gaagaacgac 1440
 aaggtcagcc gtttcgactt tatccgcca atcgaagtgg acgggcagct cattaccttg 1500
 gagagtggag agttccaagt atacaaacaa agccattccg ccttaaccgc ctttcagacc 1560
 gagcaaatac aagattcgga gcattccggg aagatggttg cgaaacgcca gttcagaatc 1620
 ggcgacatag cgggcgaaca tacatctttt gacaagcttc ccgaaggcgg caggcgaca 1680
 tatcgcggga cggcgctcgg ttcagacgat gccggcgga aactgacct caccatagat 1740
 ttcgcccga agcagggaaa cggcaaaatc gaacatttga aatcgccaga actcaatgtc 1800
 gacctggccg ccgccgatat caagccggat ggaaaacgcc atgcccgtat cagcggttcc 1860
 gtcctttaca accaagccga gaaaggcagt tactccctcg gtatcttttg cggaaaagcc 1920
 caggaagtgg ccggcagcgc ggaagtgaac accgtaaaac gcatacgcca tatcggcctt 1980
 gccgccaagc aactcgagca ccaccaccac caccactga 2019

<210> 141
 <211> 672
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> ORF46.1-741

<400> 141
 Met Ser Asp Leu Ala Asn Asp Ser Phe Ile Arg Gln Val Leu Asp Arg
 1 5 10 15
 Gln His Phe Glu Pro Asp Gly Lys Tyr His Leu Phe Gly Ser Arg Gly
 20 25 30
 Glu Leu Ala Glu Arg Ser Gly His Ile Gly Leu Gly Lys Ile Gln Ser
 35 40 45
 His Gln Leu Gly Asn Leu Met Ile Gln Gln Ala Ala Ile Lys Gly Asn
 50 55 60
 Ile Gly Tyr Ile Val Arg Phe Ser Asp His Gly His Glu Val His Ser
 65 70 75 80
 Pro Phe Asp Asn His Ala Ser His Ser Asp Ser Asp Glu Ala Gly Ser
 85 90 95

EP 1 790 660 A2

	Pro	Val	Asp	Gly	Phe	Ser	Leu	Tyr	Arg	Ile	His	Trp	Asp	Gly	Tyr	Glu
				100					105					110		
5	His	His	Pro	Ala	Asp	Gly	Tyr	Asp	Gly	Pro	Gln	Gly	Gly	Gly	Tyr	Pro
			115					120					125			
	Ala	Pro	Lys	Gly	Ala	Arg	Asp	Ile	Tyr	Ser	Tyr	Asp	Ile	Lys	Gly	Val
		130					135					140				
10	Ala	Gln	Asn	Ile	Arg	Leu	Asn	Leu	Thr	Asp	Asn	Arg	Ser	Thr	Gly	Gln
	145					150					155					160
	Arg	Leu	Ala	Asp	Arg	Phe	His	Asn	Ala	Gly	Ser	Met	Leu	Thr	Gln	Gly
					165					170					175	
15	Val	Gly	Asp	Gly	Phe	Lys	Arg	Ala	Thr	Arg	Tyr	Ser	Pro	Glu	Leu	Asp
				180					185					190		
	Arg	Ser	Gly	Asn	Ala	Ala	Glu	Ala	Phe	Asn	Gly	Thr	Ala	Asp	Ile	Val
			195					200					205			
20	Lys	Asn	Ile	Ile	Gly	Ala	Ala	Gly	Glu	Ile	Val	Gly	Ala	Gly	Asp	Ala
		210					215					220				
	Val	Gln	Gly	Ile	Ser	Glu	Gly	Ser	Asn	Ile	Ala	Val	Met	His	Gly	Leu
	225					230					235					240
25	Gly	Leu	Leu	Ser	Thr	Glu	Asn	Lys	Met	Ala	Arg	Ile	Asn	Asp	Leu	Ala
					245					250					255	
	Asp	Met	Ala	Gln	Leu	Lys	Asp	Tyr	Ala	Ala	Ala	Ala	Ile	Arg	Asp	Trp
				260					265					270		
30	Ala	Val	Gln	Asn	Pro	Asn	Ala	Ala	Gln	Gly	Ile	Glu	Ala	Val	Ser	Asn
			275					280					285			
	Ile	Phe	Met	Ala	Ala	Ile	Pro	Ile	Lys	Gly	Ile	Gly	Ala	Val	Arg	Gly
		290					295					300				
35	Lys	Tyr	Gly	Leu	Gly	Gly	Ile	Thr	Ala	His	Pro	Ile	Lys	Arg	Ser	Gln
	305					310					315					320
	Met	Gly	Ala	Ile	Ala	Leu	Pro	Lys	Gly	Lys	Ser	Ala	Val	Ser	Asp	Asn
					325					330					335	
40	Phe	Ala	Asp	Ala	Ala	Tyr	Ala	Lys	Tyr	Pro	Ser	Pro	Tyr	His	Ser	Arg
				340					345					350		
	Asn	Ile	Arg	Ser	Asn	Leu	Glu	Gln	Arg	Tyr	Gly	Lys	Glu	Asn	Ile	Thr
			355					360					365			
45	Ser	Ser	Thr	Val	Pro	Pro	Ser	Asn	Gly	Lys	Asn	Val	Lys	Leu	Ala	Asp
		370					375					380				
	Gln	Arg	His	Pro	Lys	Thr	Gly	Val	Pro	Phe	Asp	Gly	Lys	Gly	Phe	Pro
	385					390					395					400
50	Asn	Phe	Glu	Lys	His	Val	Lys	Tyr	Asp	Thr	Gly	Ser	Gly	Gly	Gly	Gly
					405					410					415	
	Val	Ala	Ala	Asp	Ile	Gly	Ala	Gly	Leu	Ala	Asp	Ala	Leu	Thr	Ala	Pro
				420					425					430		
55	Leu	Asp	His	Lys	Asp	Lys	Gly	Leu	Gln	Ser	Leu	Thr	Leu	Asp	Gln	Ser
			435					440					445			
	Val	Arg	Lys	Asn	Glu	Lys	Leu	Lys	Leu	Ala	Ala	Gln	Gly	Ala	Glu	Lys
		450					455					460				

EP 1 790 660 A2

Thr Tyr Gly Asn Gly Asp Ser Leu Asn Thr Gly Lys Leu Lys Asn Asp
 465 470 475 480
 5 Lys Val Ser Arg Phe Asp Phe Ile Arg Gln Ile Glu Val Asp Gly Gln
 485 490 495
 Leu Ile Thr Leu Glu Ser Gly Glu Phe Gln Val Tyr Lys Gln Ser His
 500 505 510
 10 Ser Ala Leu Thr Ala Phe Gln Thr Glu Gln Ile Gln Asp Ser Glu His
 515 520 525
 Ser Gly Lys Met Val Ala Lys Arg Gln Phe Arg Ile Gly Asp Ile Ala
 530 535 540
 15 Gly Glu His Thr Ser Phe Asp Lys Leu Pro Glu Gly Gly Arg Ala Thr
 545 550 555 560
 Tyr Arg Gly Thr Ala Phe Gly Ser Asp Asp Ala Gly Gly Lys Leu Thr
 565 570 575
 20 Tyr Thr Ile Asp Phe Ala Ala Lys Gln Gly Asn Gly Lys Ile Glu His
 580 585 590
 Leu Lys Ser Pro Glu Leu Asn Val Asp Leu Ala Ala Ala Asp Ile Lys
 595 600 605
 25 Pro Asp Gly Lys Arg His Ala Val Ile Ser Gly Ser Val Leu Tyr Asn
 610 615 620
 Gln Ala Glu Lys Gly Ser Tyr Ser Leu Gly Ile Phe Gly Gly Lys Ala
 625 630 635 640
 30 Gln Glu Val Ala Gly Ser Ala Glu Val Lys Thr Val Asn Gly Ile Arg
 645 650 655
 His Ile Gly Leu Ala Ala Lys Gln Leu Glu His His His His His His
 660 665 670
 35 <210> 142
 <211> 2421
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> ORF46.1-961
 40 <400> 142
 atgtcagatt tggcaaacga ttctttttatc cggcagggttc tcgaccgtca gcattttcgaa 60
 cccgacggga aataccacct attcggcagc agggggggaac ttgccgagcg cagcggccat 120
 atcggattgg gaaaaataca aagccatcag ttgggcaacc tgatgattca acaggcggcc 180
 attaaaggaa atatcggcta cattgtccgc ttttccgata acgggcacga agtccattcc 240
 45 ccttcgaca accatgcctc acattccgat tctgatgaag ccggtagtcc cgttgacgga 300
 tttagccttt accgcatcca ttgggacgga tacgaacacc atcccgccga cggctatgac 360
 gggccacagg gcggcggtta tcccgcctcc aaaggcgcgga gggatatata cagctacgac 420
 ataaaaggcg ttgcccaaaa tatccgcctc aacctgaccg acaaccgcag caccggacaa 480
 cggcttgccg accgtttcca caatgccggt agtatgctga cgcaaggagt aggcgacgga 540
 ttcaaacgcg ccaccgata cagccccgag ctggacagat cgggcaatgc cgccgaagcc 600
 ttcaacggca ctgcagatat cgtaaaaaac atcatcggcg cggcaggaga aattgtcggc 660
 50 gcaggcgatg ccgtgcaggg cataagcgaa ggctcaaaca ttgctgtcat gcacggcttg 720
 ggtctgtctt ccaccgaaaa caagatggcg cgcataacag atttggcaga tatggcgcaa 780
 ctcaaagact atgccgcagc agccatccgc gattgggcag tccaaaaccc caatgccgca 840
 caaggcatag aagccgtcag caatatcttt atggcagcca tccccatcaa agggattgga 900
 gctgttcggg gaaaatacgg cttgggcggc atcacggcac atcctatcaa gcggtcgag 960
 atgggcgcga tcgcattgcc gaaagggaat tccgccgtca gcgacaattt tgccgatgag 1020
 55 gcatacgcca aataccgctc cccttaccat tcccgaataa tccgttcaaa cttggagcag 1080
 cgttacggca aagaaaacat cacctcctca accgtgccgc cgtcaaacgg caaaaatgtc 1140
 aaactggcag accaacgcga cccgaagaca ggcgtaccgt ttgacggtaa agggtttccg 1200

aattttgaga agcacgtgaa atatgatacg ggatccggag gaggaggagc cacaaacgac 1260
 gacgatgtta aaaaagctgc cactgtggcc attgctgctg cctacaacaa tggccaagaa 1320
 atcaacgggt tcaaagctgg agagaccatc tacgacattg atgaagacgg cacaattacc 1380
 5 aaaaaagacg caactgcagc cgaatgttgaa gccgacgact ttaaaggctt gggctctgaaa 1440
 aaagtcgtga ctaacctgac caaaaccgtc aatgaaaaca aacaaaacgt cgatgccaaa 1500
 gtaaaagctg cagaatctga aatagaaaag ttaacaacca agttagcaga cactgatgcc 1560
 gcttttagcag atactgatgc cgctctggat gcaaccacca acgccttgaa taaattggga 1620
 gaaaatataa cgacatttgc tgaagagact aagacaaata tcgtaaaaat tgatgaaaaa 1680
 ttagaagccg tggctgatac cgctcgacaag catgccgaag cattcaacga tatcgccgat 1740
 10 tcattggatg aaaccaacac taaggcagac gaagccgtca aaaccgccaa tgaagccaaa 1800
 cagacggccg aagaaaccaa acaaaacgtc gatgccaaag taaaagctgc agaaactgca 1860
 gcaggcaaaag ccgaagctgc cgctggcaca gctaatactg cagccgacaa ggccgaagct 1920
 gtcgctgcaa aagttaccga catcaaagct gatatcgcta cgaacaaaga taatattgct 1980
 aaaaaagcaa acagtgcgca cgtgtacacc agagaagagt ctgacagcaa atttgtcaga 2040
 attgatggtc tgaacgctac taccgaaaaa ttggacacac gcttggcttc tgctgaaaaa 2100
 15 tccatttccg atcacgatac tcgcctgaac ggcttggata aaacagtgtc agacctgcgc 2160
 aaagaaaccc gccaaaggcct tgcagaacaa gccgcgctct ccggtctggt ccaaccttac 2220
 aacgtgggtc ggttcaatgt aacggctgca gtcggcggct acaaatccga atcggcagtc 2280
 gccatcggtc ccggcttccg ctttaccgaa aactttgccg ccaaagcagg cgtggcagtc 2340
 ggcatttcgt ccggttcttc ctgcagcctac catgtcggcg tcaattacga gtggctcgag 2400
 caccaccacc accaccactg a 2421

<210> 143
 <211> 806
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> ORF46.1-961

25 <400> 143
 Met Ser Asp Leu Ala Asn Asp Ser Phe Ile Arg Gln Val Leu Asp Arg
 1 5 10 15
 Gln His Phe Glu Pro Asp Gly Lys Tyr His Leu Phe Gly Ser Arg Gly
 20 25 30
 Glu Leu Ala Glu Arg Ser Gly His Ile Gly Leu Gly Lys Ile Gln Ser
 35 40 45
 His Gln Leu Gly Asn Leu Met Ile Gln Gln Ala Ala Ile Lys Gly Asn
 50 55 60
 Ile Gly Tyr Ile Val Arg Phe Ser Asp His Gly His Glu Val His Ser
 65 70 75 80
 Pro Phe Asp Asn His Ala Ser His Ser Asp Ser Asp Glu Ala Gly Ser
 85 90 95
 40 Pro Val Asp Gly Phe Ser Leu Tyr Arg Ile His Trp Asp Gly Tyr Glu
 100 105 110
 His His Pro Ala Asp Gly Tyr Asp Gly Pro Gln Gly Gly Gly Tyr Pro
 115 120 125
 45 Ala Pro Lys Gly Ala Arg Asp Ile Tyr Ser Tyr Asp Ile Lys Gly Val
 130 135 140
 Ala Gln Asn Ile Arg Leu Asn Leu Thr Asp Asn Arg Ser Thr Gly Gln
 145 150 155 160
 50 Arg Leu Ala Asp Arg Phe His Asn Ala Gly Ser Met Leu Thr Gln Gly
 165 170 175
 Val Gly Asp Gly Phe Lys Arg Ala Thr Arg Tyr Ser Pro Glu Leu Asp
 180 185 190
 55 Arg Ser Gly Asn Ala Ala Glu Ala Phe Asn Gly Thr Ala Asp Ile Val
 195 200 205

EP 1 790 660 A2

	Lys	Asn	Ile	Ile	Gly	Ala	Ala	Gly	Glu	Ile	Val	Gly	Ala	Gly	Asp	Ala
	210						215					220				
5	Val	Gln	Gly	Ile	Ser	Glu	Gly	Ser	Asn	Ile	Ala	Val	Met	His	Gly	Leu
	225					230					235					240
	Gly	Leu	Leu	Ser	Thr	Glu	Asn	Lys	Met	Ala	Arg	Ile	Asn	Asp	Leu	Ala
					245					250					255	
10	Asp	Met	Ala	Gln	Leu	Lys	Asp	Tyr	Ala	Ala	Ala	Ala	Ile	Arg	Asp	Trp
				260					265					270		
	Ala	Val	Gln	Asn	Pro	Asn	Ala	Ala	Gln	Gly	Ile	Glu	Ala	Val	Ser	Asn
			275				280					285				
15	Ile	Phe	Met	Ala	Ala	Ile	Pro	Ile	Lys	Gly	Ile	Gly	Ala	Val	Arg	Gly
	290						295					300				
	Lys	Tyr	Gly	Leu	Gly	Gly	Ile	Thr	Ala	His	Pro	Ile	Lys	Arg	Ser	Gln
	305					310					315					320
20	Met	Gly	Ala	Ile	Ala	Leu	Pro	Lys	Gly	Lys	Ser	Ala	Val	Ser	Asp	Asn
					325					330					335	
	Phe	Ala	Asp	Ala	Ala	Tyr	Ala	Lys	Tyr	Pro	Ser	Pro	Tyr	His	Ser	Arg
				340					345					350		
25	Asn	Ile	Arg	Ser	Asn	Leu	Glu	Gln	Arg	Tyr	Gly	Lys	Glu	Asn	Ile	Thr
			355					360					365			
	Ser	Ser	Thr	Val	Pro	Pro	Ser	Asn	Gly	Lys	Asn	Val	Lys	Leu	Ala	Asp
		370					375					380				
30	Gln	Arg	His	Pro	Lys	Thr	Gly	Val	Pro	Phe	Asp	Gly	Lys	Gly	Phe	Pro
	385					390					395					400
	Asn	Phe	Glu	Lys	His	Val	Lys	Tyr	Asp	Thr	Gly	Ser	Gly	Gly	Gly	Gly
					405					410					415	
35	Ala	Thr	Asn	Asp	Asp	Val	Lys	Lys	Ala	Ala	Thr	Val	Ala	Ile	Ala	
				420				425					430			
	Ala	Ala	Tyr	Asn	Asn	Gly	Gln	Glu	Ile	Asn	Gly	Phe	Lys	Ala	Gly	Glu
			435					440					445			
40	Thr	Ile	Tyr	Asp	Ile	Asp	Glu	Asp	Gly	Thr	Ile	Thr	Lys	Lys	Asp	Ala
		450					455					460				
	Thr	Ala	Ala	Asp	Val	Glu	Ala	Asp	Asp	Phe	Lys	Gly	Leu	Gly	Leu	Lys
	465					470					475					480
45	Lys	Val	Val	Thr	Asn	Leu	Thr	Lys	Thr	Val	Asn	Glu	Asn	Lys	Gln	Asn
					485					490					495	
	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Ser	Glu	Ile	Glu	Lys	Leu	Thr
				500					505				510			
50	Thr	Lys	Leu	Ala	Asp	Thr	Asp	Ala	Ala	Leu	Ala	Asp	Thr	Asp	Ala	Ala
			515				520					525				
	Leu	Asp	Ala	Thr	Thr	Asn	Ala	Leu	Asn	Lys	Leu	Gly	Glu	Asn	Ile	Thr
		530					535					540				
55	Thr	Phe	Ala	Glu	Glu	Thr	Lys	Thr	Asn	Ile	Val	Lys	Ile	Asp	Glu	Lys
	545					550					555					560
	Leu	Glu	Ala	Val	Ala	Asp	Thr	Val	Asp	Lys	His	Ala	Glu	Ala	Phe	Asn
					565					570					575	

EP 1 790 660 A2

	Asp	Ile	Ala	Asp	Ser	Leu	Asp	Glu	Thr	Asn	Thr	Lys	Ala	Asp	Glu	Ala
				580					585					590		
5	Val	Lys	Thr	Ala	Asn	Glu	Ala	Lys	Gln	Thr	Ala	Glu	Glu	Thr	Lys	Gln
			595					600					605			
	Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Thr	Ala	Ala	Gly	Lys	Ala
		610					615						620			
10	Glu	Ala	Ala	Ala	Gly	Thr	Ala	Asn	Thr	Ala	Ala	Asp	Lys	Ala	Glu	Ala
	625					630					635					640
	Val	Ala	Ala	Lys	Val	Thr	Asp	Ile	Lys	Ala	Asp	Ile	Ala	Thr	Asn	Lys
					645					650					655	
15	Asp	Asn	Ile	Ala	Lys	Lys	Ala	Asn	Ser	Ala	Asp	Val	Tyr	Thr	Arg	Glu
				660					665					670		
	Glu	Ser	Asp	Ser	Lys	Phe	Val	Arg	Ile	Asp	Gly	Leu	Asn	Ala	Thr	Thr
			675					680					685			
20	Glu	Lys	Leu	Asp	Thr	Arg	Leu	Ala	Ser	Ala	Glu	Lys	Ser	Ile	Ala	Asp
		690					695					700				
	His	Asp	Thr	Arg	Leu	Asn	Gly	Leu	Asp	Lys	Thr	Val	Ser	Asp	Leu	Arg
	705					710					715					720
25	Lys	Glu	Thr	Arg	Gln	Gly	Leu	Ala	Glu	Gln	Ala	Ala	Leu	Ser	Gly	Leu
					725					730					735	
	Phe	Gln	Pro	Tyr	Asn	Val	Gly	Arg	Phe	Asn	Val	Thr	Ala	Ala	Val	Gly
				740					745					750		
30	Gly	Tyr	Lys	Ser	Glu	Ser	Ala	Val	Ala	Ile	Gly	Thr	Gly	Phe	Arg	Phe
			755					760					765			
	Thr	Glu	Asn	Phe	Ala	Ala	Lys	Ala	Gly	Val	Ala	Val	Gly	Thr	Ser	Ser
		770					775					780				
35	Gly	Ser	Ser	Ala	Ala	Tyr	His	Val	Gly	Val	Asn	Tyr	Glu	Trp	Leu	Glu
	785					790					795					800
	His	His	His	His	His	His										
					805											
40	<210>	144														
	<211>	2256														
	<212>	DNA														
	<213>	Artificial Sequence														
	<220>															
	<223>	ORF46.1-961c														
45	<400>	144														
	atgtcagatt	tggcaaacga	ttcttttatac	cggcagggttc	tcgaccgtca	gcatttcgaa	60									
	cccgcaggga	aataccacct	attcggcagc	aggggggaac	ttgccgagcg	cagcggccat	120									
	atcggattgg	gaaaaataca	aagccatcag	ttgggcaacc	tgatgattca	acaggcggcc	180									
	attaaaggaa	atatcggcta	cattgtccgc	ttttccgatc	acgggcacga	agtccattcc	240									
	cccttcgaca	accatgcctc	acattccgat	tctgatgaag	ccggtagtcc	cgttgacgga	300									
50	tttagccttt	accgcatcca	ttgggacgga	tacgaacacc	atcccgcgga	cggctatgac	360									
	ggggcacagg	gcggcggcta	tcccgcctcc	aaaggcgcga	gggatataata	cagctacgac	420									
	ataaaaggcg	ttgccccaaa	tatccgcctc	aacctgaccg	acaaccgcag	caccggacaa	480									
	cggcttgccg	accgtttcca	caatgccggg	agtatgctga	cgcaaggagt	aggcgacgga	540									
	ttcaaacgcg	ccaccgcata	cagccccgag	ctggacagat	cgggcaatgc	cgccgaagcc	600									
	ttcaacgcga	ctgcagatat	cgtaaaaaac	atcatcggcg	cggcaggaga	aattgtcggc	660									
55	gcaggcgatg	ccgtgcaggg	cataagcgaa	ggctcaaaca	ttgctgtcat	gcacggcttg	720									
	ggtctgcttt	ccaccgaaaa	caagatggcg	cgcataacag	atttggcaga	tatggcgcaa	780									
	ctcaaaagact	atgccgcagc	agccatccgc	gattgggcag	tccaaaaccc	caatgccgcga	840									

EP 1 790 660 A2

	caaggcatag	aagccgtcag	caatatcttt	atggcagcca	tcccatcaa	agggattgga	900
	gctgttcggg	gaaaatacgg	cttggggcggc	atcacggcac	atcctatcaa	gcggtcgcag	960
	atgggcgcg	tcgcattgcc	gaaagggaaa	tccgccgtca	gcgacaattt	tgccgatgcg	1020
	gcatacgcca	aatacccgtc	cccttaccat	tccgaaata	tccgttcaaa	cttggagcag	1080
5	cgttacggca	aagaaaacat	cacctctctca	accgtgccgc	cgtaaacagg	caaaaatgtc	1140
	aaactggcag	accaacgcc	cccgaagaca	ggcgtaccgt	ttgacggtaa	aggggtttccg	1200
	aattttgaga	agcacgtgaa	atatgatacg	ggatccggag	gaggaggagc	cacaaacgac	1260
	gacgatgtta	aaaaagctgc	cactgtggcc	attgctgctg	cctacaacaa	tggccaagaa	1320
	atcaacgggt	tcaaagctgg	agagaccatc	tacgacattg	atgaagacgg	cacaattacc	1380
	aaaaaagacg	caactgcagc	cgatgttgaa	gccgacgact	ttaaagggtct	gggtctgaaa	1440
10	aaagtcgtga	ctaactgcag	caaaaccgtc	aatgaaaaca	aacaaaacgt	cgatgccaaa	1500
	gtaaaagctg	cagaatctga	aatagaaaag	ttaacaacca	agttagcaga	cactgatgcc	1560
	gctttagcag	atactgatgc	cgctctggat	gcaaccacca	acgccttgaa	ttaattggga	1620
	gaaaatataa	cgacatttgc	tgaagagact	aagacaaata	tcgtaaaaat	tgatgaaaaa	1680
	ttagaagccg	tggtctgatac	cgctcgacaag	catgccgaag	cattcaacga	tatcgccgat	1740
	tcattgggatg	aaaccaacac	taaggcgagc	gaagccgtca	aaaccgccaa	tgaagccaaa	1800
15	cagacggccg	aagaaaccaa	acaaaacgtc	gatgccaaag	taaaagctgc	agaaactgca	1860
	gcaggcaaaag	ccgaagctgc	cgctggcaca	gctaatactg	cagccgacaa	ggccgaagct	1920
	gtcgtgcaa	aagttaccga	catcaaagct	gatatcgcta	cgaacaaaga	taatattgct	1980
	aaaaaagcaa	acagtgccga	cggttacacc	agagaagagt	ctgacagcaa	atttgtcaga	2040
	attgatggtc	tgaacgttac	taccgaaaaa	ttggacacac	gcttggcttc	tgctgaaaaa	2100
	tccattgccc	atcacgatac	tcgcctgaac	ggtttgata	aaacagtgtc	agacctgcgc	2160
20	aaagaaaccc	gccaaaggcct	tgcagaacaa	gccgcgctct	ccggtctgtt	ccaaccttac	2220
	aacgtggggtc	tcgagcacca	ccaccaccac	cactga			2256
	<210>	145					
	<211>	751					
	<212>	PRT					
25	<213>	Artificial Sequence					
	<220>						
	<223>	ORF46.1-961c					
	<400>	145					
30	Met Ser Asp Leu Ala Asn Asp Ser Phe Ile Arg Gln Val Leu Asp Arg						
	1 5 10 15						
	Gln His Phe Glu Pro Asp Gly Lys Tyr His Leu Phe Gly Ser Arg Gly						
	20 25 30						
35	Glu Leu Ala Glu Arg Ser Gly His Ile Gly Leu Gly Lys Ile Gln Ser						
	35 40 45						
	His Gln Leu Gly Asn Leu Met Ile Gln Gln Ala Ala Ile Lys Gly Asn						
	50 55 60						
40	Ile Gly Tyr Ile Val Arg Phe Ser Asp His Gly His Glu Val His Ser						
	65 70 75 80						
	Pro Phe Asp Asn His Ala Ser His Ser Asp Ser Asp Glu Ala Gly Ser						
	85 90 95						
45	Pro Val Asp Gly Phe Ser Leu Tyr Arg Ile His Trp Asp Gly Tyr Glu						
	100 105 110						
	His His Pro Ala Asp Gly Tyr Asp Gly Pro Gln Gly Gly Tyr Pro						
	115 120 125						
50	Ala Pro Lys Gly Ala Arg Asp Ile Tyr Ser Tyr Asp Ile Lys Gly Val						
	130 135 140						
	Ala Gln Asn Ile Arg Leu Asn Leu Thr Asp Asn Arg Ser Thr Gly Gln						
	145 150 155 160						
	Arg Leu Ala Asp Arg Phe His Asn Ala Gly Ser Met Leu Thr Gln Gly						
	165 170 175						
55	Val Gly Asp Gly Phe Lys Arg Ala Thr Arg Tyr Ser Pro Glu Leu Asp						
	180 185 190						

EP 1 790 660 A2

	Arg	Ser	Gly 195	Asn	Ala	Ala	Glu	Ala 200	Phe	Asn	Gly	Thr	Ala 205	Asp	Ile	Val
5	Lys	Asn 210	Ile	Ile	Gly	Ala	Ala 215	Gly	Glu	Ile	Val	Gly 220	Ala	Gly	Asp	Ala
	Val 225	Gln	Gly	Ile	Ser	Glu 230	Gly	Ser	Asn	Ile	Ala 235	Val	Met	His	Gly	Leu 240
10	Gly	Leu	Leu	Ser	Thr 245	Glu	Asn	Lys	Met	Ala 250	Arg	Ile	Asn	Asp	Leu 255	Ala
	Asp	Met	Ala	Gln 260	Leu	Lys	Asp	Tyr	Ala 265	Ala	Ala	Ala	Ile	Arg 270	Asp	Trp
15	Ala	Val	Gln 275	Asn	Pro	Asn	Ala	Ala 280	Gln	Gly	Ile	Glu	Ala 285	Val	Ser	Asn
	Ile	Phe 290	Met	Ala	Ala	Ile	Pro 295	Ile	Lys	Gly	Ile	Gly 300	Ala	Val	Arg	Gly
20	Lys 305	Tyr	Gly	Leu	Gly	Gly 310	Ile	Thr	Ala	His	Pro 315	Ile	Lys	Arg	Ser	Gln 320
	Met	Gly	Ala	Ile	Ala 325	Leu	Pro	Lys	Gly	Lys 330	Ser	Ala	Val	Ser	Asp 335	Asn
25	Phe	Ala	Asp	Ala 340	Ala	Tyr	Ala	Lys	Tyr 345	Pro	Ser	Pro	Tyr	His 350	Ser	Arg
	Asn	Ile	Arg 355	Ser	Asn	Leu	Glu	Gln 360	Arg	Tyr	Gly	Lys	Glu 365	Asn	Ile	Thr
30	Ser	Ser 370	Thr	Val	Pro	Pro	Ser 375	Asn	Gly	Lys	Asn	Val 380	Lys	Leu	Ala	Asp
	Gln 385	Arg	His	Pro	Lys	Thr 390	Gly	Val	Pro	Phe	Asp 395	Gly	Lys	Gly	Phe	Pro 400
35	Asn	Phe	Glu	Lys	His 405	Val	Lys	Tyr	Asp	Thr 410	Gly	Ser	Gly	Gly	Gly 415	Gly
	Ala	Thr	Asn	Asp 420	Asp	Val	Lys	Lys 425	Ala	Ala	Thr	Val	Ala 430	Ile	Ala	
40	Ala	Ala	Tyr 435	Asn	Asn	Gly	Gln	Glu 440	Ile	Asn	Gly	Phe	Lys 445	Ala	Gly	Glu
	Thr	Ile 450	Tyr	Asp	Ile	Asp	Glu 455	Asp	Gly	Thr	Ile	Thr 460	Lys	Lys	Asp	Ala
45	Thr 465	Ala	Ala	Asp	Val	Glu 470	Ala	Asp	Asp	Phe	Lys 475	Gly	Leu	Gly	Leu	Lys 480
	Lys	Val	Val	Thr 485	Asn	Leu	Thr	Lys	Thr 490	Val	Asn	Glu	Asn	Lys	Gln 495	Asn
50	Val	Asp	Ala	Lys 500	Val	Lys	Ala	Ala	Glu 505	Ser	Glu	Ile	Glu	Lys 510	Leu	Thr
	Thr	Lys	Leu 515	Ala	Asp	Thr	Asp	Ala 520	Ala	Leu	Ala	Asp	Thr 525	Asp	Ala	Ala
55	Leu	Asp 530	Ala	Thr	Thr	Asn	Ala 535	Leu	Asn	Lys	Leu	Gly 540	Glu	Asn	Ile	Thr
	Thr 545	Phe	Ala	Glu	Glu	Thr 550	Lys	Thr	Asn	Ile	Val 555	Lys	Ile	Asp	Glu	Lys 560

Leu Glu Ala Val Ala Asp Thr Val Asp Lys His Ala Glu Ala Phe Asn
 565 570 575
 5 Asp Ile Ala Asp Ser Leu Asp Glu Thr Asn Thr Lys Ala Asp Glu Ala
 580 585 590
 Val Lys Thr Ala Asn Glu Ala Lys Gln Thr Ala Glu Glu Thr Lys Gln
 595 600 605
 10 Asn Val Asp Ala Lys Val Lys Ala Ala Glu Thr Ala Ala Gly Lys Ala
 610 615 620
 Glu Ala Ala Ala Gly Thr Ala Asn Thr Ala Ala Asp Lys Ala Glu Ala
 625 630 635 640
 15 Val Ala Ala Lys Val Thr Asp Ile Lys Ala Asp Ile Ala Thr Asn Lys
 645 650 655
 Asp Asn Ile Ala Lys Lys Ala Asn Ser Ala Asp Val Tyr Thr Arg Glu
 660 665 670
 20 Glu Ser Asp Ser Lys Phe Val Arg Ile Asp Gly Leu Asn Ala Thr Thr
 675 680 685
 Glu Lys Leu Asp Thr Arg Leu Ala Ser Ala Glu Lys Ser Ile Ala Asp
 690 695 700
 25 His Asp Thr Arg Leu Asn Gly Leu Asp Lys Thr Val Ser Asp Leu Arg
 705 710 715 720
 Lys Glu Thr Arg Gln Gly Leu Ala Glu Gln Ala Ala Leu Ser Gly Leu
 725 730 735
 30 Phe Gln Pro Tyr Asn Val Gly Leu Glu His His His His His His
 740 745 750
 <210> 146
 <211> 2421
 <212> DNA
 <213> Artificial Sequence
 35 <220>
 <223> 961-ORF46.1
 <400> 146
 atggccacaa acgacgacga tgtaaaaaaa gctgccactg tggccattgc tgctgcctac 60
 aacaatggcc aagaaatcaa cggtttcaaa gctggagaga ccatctacga cattgatgaa 120
 40 gacggcacaa ttaccaaaaa agacgcaact gcagccgatg ttgaagccga cgactttaaa 180
 ggtctgggtc tgaaaaaagt cgtgactaac ctgacaaaaa ccgtcaatga aaacaaacaa 240
 aacgtcgatg ccaaagtaaa agctgcagaa tctgaaatag aaaagttaac aaccaagtta 300
 gcagacactg atgccgcttt agcagatact gatgccgctc tggatgcaac caccaacgcc 360
 ttgaataaat tgggagaaaa tataacgaca tttgctgaag agactaagac aaatatcgta 420
 aaaattgatg aaaaattaga agccgtggct gataccgtcg acaagcatgc cgaagcattc 480
 45 aacgatatcg ccgattcatt ggatgaaacc aacactaagg cagacgaagc cgtcaaaacc 540
 gccaatgaag ccaaacagac ggccgaagaa accaaacaaa acgtcgatgc caaagtaaaa 600
 gctgcagaaa ctgcagcagg caaagccgaa gctgccgctg gcacagctaa tactgcagcc 660
 gacaaggccg aagctgtcgc tgcaaaagtt accgacatca aagctgatat cgctacgaac 720
 aaagataata ttgctaaaaa agcaaacagt gccgacgtgt acaccagaga agagtctgac 780
 agcaaatatt tcagaattga tggcttgaac gctactaccg aaaaattgga cacacgcttg 840
 50 gcttctgctg aaaaatccat tgcgacatca gatactcgcc tgaacggttt ggataaaaaa 900
 gtgtcagacc tgcgcaaaaga aacccgccaa ggccttgccg aacaagccgc gctctccggt 960
 ctgttccaac cttaacaacg tggctcgggtc aatgtaacgg ctgcagtcgg cggctacaaa 1020
 tccgaatcgg cagtcgccat cggtaaccgg ttcgcgttta ccgaaaactt tgcgcgcaaa 1080
 gcaggcgtgg cagtcggcac ttcgtccggt tcttcgcgag cctaccatgt cggcgtcaat 1140
 tacgagtggg gatccggagg aggaggatca gatttgccaa acgattcttt tatccggcag 1200
 55 gttctcgacc gtcagcattt cgaacccgac gggaaatacc acctattcgg cagcagggggg 1260
 gaacttgccg agcgcagcgg ccatatcgga ttgggaaaaa tacaaagcca tcagttgggc 1320
 aacctgatga ttcaacaggc ggcattaaaa ggaaatatcg gctacattgt ccgcttttcc 1380

	gatcacgggc	acgaagtcca	ttcccccttc	gacaaccatg	cctcacattc	cgattctgat	1440
	gaagccggta	gtcccgttga	cggatttagc	ctttaccgca	tccattggga	cggtacgaa	1500
	caccatcccc	ccgacggcta	tgacgggcca	cagggcggcg	gctatccgc	tcccaaaggc	1560
	gcgagggata	tatacagcta	cgacataaaa	ggcgttgccc	aaaatatccg	cctcaacctg	1620
5	accgacaacc	gcagcaccgg	acaacggctt	gccgaccggt	tccacaatgc	cggtagtatg	1680
	ctgacgcaag	gagtaggcga	cggattcaaa	cgcgccaccc	gatacagccc	cgagctggac	1740
	agatcgggca	atgccgcccga	agccttcaac	ggcactgcag	atatcgtaa	aaacatcatc	1800
	ggcgcggcag	gagaaattgt	cggcgaggc	gatgccgtgc	agggcataag	cgaaggctca	1860
	aacattgctg	tcatgcacgg	cttgggtctg	ctttccaccg	aaaacaagat	ggcgcgcatc	1920
	aacgatttgg	cagatatggc	gcaactcaaa	gactatgccg	cagcagccat	ccgcgattgg	1980
10	gcagtcctaa	acccaatgc	cgcacaaggc	atagaagccg	tcagcaatat	ctttatggca	2040
	ggcatcccca	tcaaagggat	tggagctgtt	cggggaaaat	acggcctggg	cggcatcacg	2100
	gcacatccta	tcaagcggtc	gcagatgggc	gcgatcgcat	tgccgaaagg	gaaatccgcc	2160
	gtcagcgaca	atcttgccga	tgcggcatac	gccaaatacc	cgtccctcta	ccattcccga	2220
	aatatccgtt	caaacttggg	gcagcgttac	ggcaaagaaa	acatcacctc	ctcaaccgtg	2280
	ccgcgcgtcaa	acggcaaaaa	tgtcaaactg	gcagaccaac	gccacccgaa	gacaggcgta	2340
15	ccgtttgacg	gtaaagggtt	tccgaatttt	gagaagcacg	tgaaatatga	tacgctcgag	2400
	caccaccacc	accaccactg	a				2421

<210> 147

<211> 806

<212> PRT

<213> Artificial Sequence

<220>

<223> 961-ORF46.1

<400> 147

Met	Ala	Thr	Asn	Asp	Asp	Val	Lys	Lys	Ala	Ala	Thr	Val	Ala	Ile
1			5				10						15	

Ala	Ala	Ala	Tyr	Asn	Asn	Gly	Gln	Glu	Ile	Asn	Gly	Phe	Lys	Ala	Gly
			20					25					30		

Glu	Thr	Ile	Tyr	Asp	Ile	Asp	Glu	Asp	Gly	Thr	Ile	Thr	Lys	Lys	Asp
		35					40					45			

Ala	Thr	Ala	Ala	Asp	Val	Glu	Ala	Asp	Asp	Phe	Lys	Gly	Leu	Gly	Leu
	50					55					60				

Lys	Lys	Val	Val	Thr	Asn	Leu	Thr	Lys	Thr	Val	Asn	Glu	Asn	Lys	Gln
65					70					75				80	

Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Ser	Glu	Ile	Glu	Lys	Leu
			85						90					95	

Thr	Thr	Lys	Leu	Ala	Asp	Thr	Asp	Ala	Ala	Leu	Ala	Asp	Thr	Asp	Ala
			100					105					110		

Ala	Leu	Asp	Ala	Thr	Thr	Asn	Ala	Leu	Asn	Lys	Leu	Gly	Glu	Asn	Ile
		115					120					125			

Thr	Thr	Phe	Ala	Glu	Glu	Thr	Lys	Thr	Asn	Ile	Val	Lys	Ile	Asp	Glu
		130				135					140				

Lys	Leu	Glu	Ala	Val	Ala	Asp	Thr	Val	Asp	Lys	His	Ala	Glu	Ala	Phe
145					150					155					160

Asn	Asp	Ile	Ala	Asp	Ser	Leu	Asp	Glu	Thr	Asn	Thr	Lys	Ala	Asp	Glu
			165						170					175	

Ala	Val	Lys	Thr	Ala	Asn	Glu	Ala	Lys	Gln	Thr	Ala	Glu	Glu	Thr	Lys
			180					185					190		

Gln	Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Thr	Ala	Ala	Gly	Lys
		195					200					205			

Ala	Glu	Ala	Ala	Ala	Gly	Thr	Ala	Asn	Thr	Ala	Ala	Asp	Lys	Ala	Glu
	210					215					220				

EP 1 790 660 A2

	Ala	Val	Ala	Ala	Lys	Val	Thr	Asp	Ile	Lys	Ala	Asp	Ile	Ala	Thr	Asn
	225					230					235					240
5	Lys	Asp	Asn	Ile	Ala	Lys	Lys	Ala	Asn	Ser	Ala	Asp	Val	Tyr	Thr	Arg
					245					250					255	
	Glu	Glu	Ser	Asp	Ser	Lys	Phe	Val	Arg	Ile	Asp	Gly	Leu	Asn	Ala	Thr
				260					265					270		
10	Thr	Glu	Lys	Leu	Asp	Thr	Arg	Leu	Ala	Ser	Ala	Glu	Lys	Ser	Ile	Ala
			275					280					285			
	Asp	His	Asp	Thr	Arg	Leu	Asn	Gly	Leu	Asp	Lys	Thr	Val	Ser	Asp	Leu
		290					295					300				
15	Arg	Lys	Glu	Thr	Arg	Gln	Gly	Leu	Ala	Glu	Gln	Ala	Ala	Leu	Ser	Gly
	305					310					315					320
	Leu	Phe	Gln	Pro	Tyr	Asn	Val	Gly	Arg	Phe	Asn	Val	Thr	Ala	Ala	Val
					325					330					335	
20	Gly	Gly	Tyr	Lys	Ser	Glu	Ser	Ala	Val	Ala	Ile	Gly	Thr	Gly	Phe	Arg
				340					345					350		
	Phe	Thr	Glu	Asn	Phe	Ala	Ala	Lys	Ala	Gly	Val	Ala	Val	Gly	Thr	Ser
			355					360					365			
25	Ser	Gly	Ser	Ser	Ala	Ala	Tyr	His	Val	Gly	Val	Asn	Tyr	Glu	Trp	Gly
		370					375					380				
	Ser	Gly	Gly	Gly	Gly	Ser	Asp	Leu	Ala	Asn	Asp	Ser	Phe	Ile	Arg	Gln
	385					390					395					400
30	Val	Leu	Asp	Arg	Gln	His	Phe	Glu	Pro	Asp	Gly	Lys	Tyr	His	Leu	Phe
					405					410					415	
	Gly	Ser	Arg	Gly	Glu	Leu	Ala	Glu	Arg	Ser	Gly	His	Ile	Gly	Leu	Gly
				420					425					430		
35	Lys	Ile	Gln	Ser	His	Gln	Leu	Gly	Asn	Leu	Met	Ile	Gln	Gln	Ala	Ala
			435					440					445			
	Ile	Lys	Gly	Asn	Ile	Gly	Tyr	Ile	Val	Arg	Phe	Ser	Asp	His	Gly	His
		450				455						460				
40	Glu	Val	His	Ser	Pro	Phe	Asp	Asn	His	Ala	Ser	His	Ser	Asp	Ser	Asp
	465					470					475					480
	Glu	Ala	Gly	Ser	Pro	Val	Asp	Gly	Phe	Ser	Leu	Tyr	Arg	Ile	His	Trp
					485					490					495	
45	Asp	Gly	Tyr	Glu	His	His	Pro	Ala	Asp	Gly	Tyr	Asp	Gly	Pro	Gln	Gly
				500					505					510		
	Gly	Gly	Tyr	Pro	Ala	Pro	Lys	Gly	Ala	Arg	Asp	Ile	Tyr	Ser	Tyr	Asp
			515					520					525			
50	Ile	Lys	Gly	Val	Ala	Gln	Asn	Ile	Arg	Leu	Asn	Leu	Thr	Asp	Asn	Arg
		530					535					540				
	Ser	Thr	Gly	Gln	Arg	Leu	Ala	Asp	Arg	Phe	His	Asn	Ala	Gly	Ser	Met
	545					550					555					560
	Leu	Thr	Gln	Gly	Val	Gly	Asp	Gly	Phe	Lys	Arg	Ala	Thr	Arg	Tyr	Ser
					565					570					575	
55	Pro	Glu	Leu	Asp	Arg	Ser	Gly	Asn	Ala	Ala	Glu	Ala	Phe	Asn	Gly	Thr
				580					585					590		

	Ala Asp Ile Val Lys Asn Ile Ile Gly Ala Ala Gly Glu Ile Val Gly	
	595 600 605	
5	Ala Gly Asp Ala Val Gln Gly Ile Ser Glu Gly Ser Asn Ile Ala Val	
	610 615 620	
	Met His Gly Leu Gly Leu Leu Ser Thr Glu Asn Lys Met Ala Arg Ile	
	625 630 635 640	
10	Asn Asp Leu Ala Asp Met Ala Gln Leu Lys Asp Tyr Ala Ala Ala Ala	
	645 650 655	
	Ile Arg Asp Trp Ala Val Gln Asn Pro Asn Ala Ala Gln Gly Ile Glu	
	660 665 670	
15	Ala Val Ser Asn Ile Phe Met Ala Ala Ile Pro Ile Lys Gly Ile Gly	
	675 680 685	
	Ala Val Arg Gly Lys Tyr Gly Leu Gly Gly Ile Thr Ala His Pro Ile	
	690 695 700	
20	Lys Arg Ser Gln Met Gly Ala Ile Ala Leu Pro Lys Gly Lys Ser Ala	
	705 710 715 720	
	Val Ser Asp Asn Phe Ala Asp Ala Ala Tyr Ala Lys Tyr Pro Ser Pro	
	725 730 735	
25	Tyr His Ser Arg Asn Ile Arg Ser Asn Leu Glu Gln Arg Tyr Gly Lys	
	740 745 750	
	Glu Asn Ile Thr Ser Ser Thr Val Pro Pro Ser Asn Gly Lys Asn Val	
	755 760 765	
30	Lys Leu Ala Asp Gln Arg His Pro Lys Thr Gly Val Pro Phe Asp Gly	
	770 775 780	
	Lys Gly Phe Pro Asn Phe Glu Lys His Val Lys Tyr Asp Thr Leu Glu	
	785 790 795 800	
35	His His His His His His	
	805	
	<210> 148	
	<211> 1938	
	<212> DNA	
	<213> Artificial Sequence	
40	<220>	
	<223> 961-741	
	<400> 148	
45	atggccacaa acgacgacga tgttaaaaaa gctgccactg tggccattgc tgctgcctac	60
	aacaatggcc aagaaatcaa cggtttcaaa gctggagaga ccatctacga cattgatgaa	120
	gacggcacaa ttacaaaaaa agacgcaact gcagccgatg ttgaagccga cgactttaaa	180
	ggtctgggtc tgaaaaaagt cgtgactaac ctgacaaaaa ccgtcaatga aaacaaacaa	240
	aacgtcgatg ccaaagttaa agctgcagaa tctgaaatag aaaagttaac aaccaagtta	300
	gcagacactg atgccgcttt agcagatact gatgccgctc tggatgcaac caccaacgcc	360
	ttgaataaat tgggagaaaa tataacgaca ttgtctgaag agactaagac aaatatcgta	420
	aaaattgatg aaaaattaga agccgtggct gataccgctg acaagcatgc cgaagcattc	480
50	aacgatatcg ccgattcatt ggatgaaacc aacactaagg cagacgaagc cgtcaaaacc	540
	gccaatgaag ccaaacagac ggccgaagaa accaaacaaa acgtcgatgc caaagtaaaa	600
	gctgcagaaa ctgcagcagg caaagccgaa gctgccgctg gcacagctaa tactgcagcc	660
	gacaaggccg aagctgtcgc tgcaaaaagt accgacatca aagctgatat cgctacgaac	720
	aaagataata ttgtcaaaaa agcaaacagt gccgacgtgt acaccagaga agagtctgac	780
	agcaaatttg tcagaattga tggctctgaac gctactaccg aaaaattgga cacacgcttg	840
55	gcttctgctg aaaaatccat tgccgatcac gatactcgcc tgaaacgggtt ggataaaaaca	900
	gtgtcagacc tgcgcaaaga aaccgccaag ggccttgacg aacaagccgc gctctccggt	960
	ctgttccaac cttaacaacgt gggtcggttc aatgtaacgg ctgcagtcgg cggctacaaa	1020

EP 1 790 660 A2

tccgaatcgg	cagtcgccat	cggtaaccggc	tttcgtttta	ccgaaaactt	tgccgccaaa	1080
gcaggcgtgg	cagtcggcac	ttcgtccggt	tcttccgcag	cctaccatgt	cggcgtcaat	1140
tacgagtggg	gatccggagg	gggtggtgtc	gccgcgcgaca	tcggtgcggg	gcttgccgat	1200
gctaataaccg	caccgctcga	ccataaagac	aaaggtttgc	agcttttgac	gctggtacag	1260
ttcgtcagga	aaaaacgagaa	actgaagctg	gcggcacaag	gtcgcgaaaa	aacttatgga	1320
aacggtgaca	gcctcaatag	gggcaaattg	aagaacgaca	aggtcagccg	tttcgacttt	1380
atccgcctaaa	tcgaagtgga	cgggacgctc	attacccttg	agagtggaga	gttccaagta	1440
tacaacaacaa	gccattctgc	cttaaccgcc	tttcagaccg	agcaaataca	agattcggag	1500
cattccggga	agatggttgc	gaaacgccag	ttcagaatcg	gcgcatagc	ggcgcaaacat	1560
acatcttttg	acaagcttcc	cgaaggcggc	agggcgacat	atcgcgggac	ggcgttcggt	1620
tcagacgatg	ccggcggaaa	actgacctac	acctagatgt	tcgcgcgcaa	gcagggaaac	1680
ggcaaaaatcg	aacatttgaa	atcgccagaa	ctcaatgtcg	acctggccgc	gcgcgatatc	1740
aagccggatg	gaaaacgcc	tgccgtcatc	agcggttccg	tcctttacaa	ccaagccgag	1800
aaaggcagtt	actctctcgg	tatctttggc	ggaaaagccc	aggaagttgc	cggcagcgcg	1860
gaagtgaata	ccgtaaacgg	catacgccat	atcggccttg	ccgccaagca	actcgagcac	1920
caccaccacc	accactga					1938

<210>	149
<211>	645
<212>	PRT
<213>	Artificial Sequence

<220>
<223> 961-741

```
<400>      149
Met Ala Thr Asn Asp Asp Asp Val Lys Lys Ala Ala Thr Val Ala Ile
1              5              10              15
```

Ala Ala Ala Tyr Asn Asn Gly Gln Glu Ile Asn Gly Phe Lys Ala Gly
20 25 30

Glu Thr Ile Tyr Asp Ile Asp Glu Asp Gly Thr Ile Thr Lys Lys Asp
35 40 45

Ala Thr Ala Ala Asp Val Glu Ala Asp Asp Phe Lys Gly Leu Gly Leu
50 55 60

Lys Lys Val Val Thr Asn Leu Thr Lys Thr Val Asn Glu Asn Lys Gln
65 70 75 80

Asn Val Asp Ala Lys Val Lys Ala Ala Glu Ser Glu Ile Glu Lys Leu
85 90 95

Thr Thr Lys Leu Ala Asp Thr Asp Ala Ala Leu Ala Asp Thr Asp Ala
100 105 110

Ala Leu Asp Ala Thr Thr Asn Ala Leu Asn Lys Leu Gly Glu Asn Ile
115 120 125

Thr Thr Phe Ala Glu Glu Thr Lys Thr Asn Ile Val Lys Ile Asp Glu
130 135 140

Lys Leu Glu Ala Val Ala Asp Thr Val Asp Lys His Ala Glu Ala Phe
145 150 155 160

Asn Asp Ile Ala Asp Ser Leu Asp Glu Thr Asn Thr Lys Ala Asp Glu
165 170 175

Ala Val Lys Thr Ala Asn Glu Ala Lys Gln Thr Ala Glu Glu Thr Lys
180 185 190

Gln Asn Val Asp Ala Lys Val Lys Ala Ala Glu Thr Ala Ala Gly Lys
195 200 205

Ala Glu Ala Ala Ala Gly Thr Ala Asn Thr Ala Ala Asp Lys Ala Glu
210 215 220

Ala Val Ala Ala Lys Val Thr Asp Ile Lys Ala Asp Ile Ala Thr Asn

EP 1 790 660 A2

	225				230					235				240		
	Lys	Asp	Asn	Ile	Ala	Lys	Lys	Ala	Asn	Ser	Ala	Asp	Val	Tyr	Thr	Arg
5					245					250				255		
	Glu	Glu	Ser	Asp	Ser	Lys	Phe	Val	Arg	Ile	Asp	Gly	Leu	Asn	Ala	Thr
				260					265					270		
	Thr	Glu	Lys	Leu	Asp	Thr	Arg	Leu	Ala	Ser	Ala	Glu	Lys	Ser	Ile	Ala
10			275					280					285			
	Asp	His	Asp	Thr	Arg	Leu	Asn	Gly	Leu	Asp	Lys	Thr	Val	Ser	Asp	Leu
		290					295					300				
	Arg	Lys	Glu	Thr	Arg	Gln	Gly	Leu	Ala	Glu	Gln	Ala	Ala	Leu	Ser	Gly
15						310					315					320
	Leu	Phe	Gln	Pro	Tyr	Asn	Val	Gly	Arg	Phe	Asn	Val	Thr	Ala	Ala	Val
					325					330					335	
	Gly	Gly	Tyr	Lys	Ser	Glu	Ser	Ala	Val	Ala	Ile	Gly	Thr	Gly	Phe	Arg
				340					345					350		
20	Phe	Thr	Glu	Asn	Phe	Ala	Ala	Lys	Ala	Gly	Val	Ala	Val	Gly	Thr	Ser
			355					360					365			
	Ser	Gly	Ser	Ser	Ala	Ala	Tyr	His	Val	Gly	Val	Asn	Tyr	Glu	Trp	Gly
		370					375					380				
25	Ser	Gly	Gly	Gly	Gly	Val	Ala	Ala	Asp	Ile	Gly	Ala	Gly	Leu	Ala	Asp
		385				390					395					400
	Ala	Leu	Thr	Ala	Pro	Leu	Asp	His	Lys	Asp	Lys	Gly	Leu	Gln	Ser	Leu
					405					410					415	
30	Thr	Leu	Asp	Gln	Ser	Val	Arg	Lys	Asn	Glu	Lys	Leu	Lys	Leu	Ala	Ala
				420					425					430		
	Gln	Gly	Ala	Glu	Lys	Thr	Tyr	Gly	Asn	Gly	Asp	Ser	Leu	Asn	Thr	Gly
			435					440					445			
35	Lys	Leu	Lys	Asn	Asp	Lys	Val	Ser	Arg	Phe	Asp	Phe	Ile	Arg	Gln	Ile
		450					455					460				
	Glu	Val	Asp	Gly	Gln	Leu	Ile	Thr	Leu	Glu	Ser	Gly	Glu	Phe	Gln	Val
		465				470					475					480
40	Tyr	Lys	Gln	Ser	His	Ser	Ala	Leu	Thr	Ala	Phe	Gln	Thr	Glu	Gln	Ile
					485					490					495	
	Gln	Asp	Ser	Glu	His	Ser	Gly	Lys	Met	Val	Ala	Lys	Arg	Gln	Phe	Arg
				500					505					510		
45	Ile	Gly	Asp	Ile	Ala	Gly	Glu	His	Thr	Ser	Phe	Asp	Lys	Leu	Pro	Glu
			515					520					525			
	Gly	Gly	Arg	Ala	Thr	Tyr	Arg	Gly	Thr	Ala	Phe	Gly	Ser	Asp	Asp	Ala
		530					535					540				
50	Gly	Gly	Lys	Leu	Thr	Tyr	Thr	Ile	Asp	Phe	Ala	Ala	Lys	Gln	Gly	Asn
		545				550				555						560
	Gly	Lys	Ile	Glu	His	Leu	Lys	Ser	Pro	Glu	Leu	Asn	Val	Asp	Leu	Ala
					565					570					575	
55	Ala	Ala	Asp	Ile	Lys	Pro	Asp	Gly	Lys	Arg	His	Ala	Val	Ile	Ser	Gly
				580					585					590		
	Ser	Val	Leu	Tyr	Asn	Gln	Ala	Glu	Lys	Gly	Ser	Tyr	Ser	Leu	Gly	Ile

EP 1 790 660 A2

	595	600	605	
	Phe Gly Gly Lys Ala Gln Glu Val Ala Gly Ser Ala Glu Val Lys Thr			
	610	615	620	
5	Val Asn Gly Ile Arg His Ile Gly Leu Ala Ala Lys Gln Leu Glu His			
	625	630	635	640
	His His His His His			
	645			
10	<210> 150			
	<211> 4335			
	<212> DNA			
	<213> Artificial Sequence			
15	<220>			
	<223> 961-983			
	<400> 150			
	atggccacaa acgacgacga tgttaaaaaa gctgccactg tggccattgc tgctgcctac			60
	aacaatggcc aagaaatcaa cggttttcaaa gctggagaga ccatctacga cattgatgaa			120
20	gcgggcacaa ttacacaaaa agacgcaact gcagccgatg ttgaagccga cgactttaaa			180
	ggctctgggtc tgaaaaaagt cgtgactaac ctgacacaaa ccgtcaatga aaacaaacaa			240
	aacgtcgatg ccaaagtaaa agctgcagaa tctgaaatag aaaagttaac aaccaagtta			300
	gcagacactg atgccgcttt agcagatact gatgccgctc tggatgcaac caccaacgcc			360
	ttgaataaat tgggagaaaa tataacgaca tttgtgaag agactaagac aaatatcgta			420
	aaaattgatg aaaaatttaga agccgtggct gataccgtcg acaagcatgc cgaagcattc			480
25	aacgatatcg ccgattcatt ggatgaaacc aacactaagg cagacgaagc cgtcaaaacc			540
	gccaatgaag ccaaacagac ggccgaagaa accaaacaaa acgtcgatgc caaagtaaaa			600
	gctgcagaaa ctgcagcagg caaagccgaa gctgccgctg gcacagctaa tactgcagcc			660
	gacaaggccg aagctgtcgc tgcaaaagtt accgacatca aagctgatat cgctacgaac			720
	aaagataata ttgctaaaaa agcaaacagt gccgacgtgt acaccagaga agagtctgac			780
	agcaaatattg tcagaattga ttgtctgaac gctactaccg aaaaatttga cacacgcttg			840
	gcttctgctg aaaaatccat tgccgatcac gatactcgcc tcttcgcag tgaacggttt			900
30	gtgtcagacc tgcgcaaaaga aaccgcgcaa ggccttgca aacaagccgc gctctccggt			960
	ctgtttcaaac cttacaacgt gggctcgggtt aatgtaacgg ctgcagtcgg cggctacaaa			1020
	tccgaatcgg cagtcgccat cggtagccggc ttccgcttta ccgaaaactt tgccgccaaa			1080
	gcagcgctgg cagtcggcac ttctgctcgg tctgcgccg acttcaatgc aggcggtacc			1140
	tacgagtggg gatccggcgg aggcggcact tctgcgccg acttcaatgc aggcggtacc			1200
	ggatcgggca gcaacagcag agcaacaaca gcgaaatcag cagcagatc ttacgccggt			1260
35	atcaagaacg aaatgtgcaa agacagaagc atgctctgtg ccggtcggga tgacgttgcg			1320
	gttacagaca gggatgccaa aatcaatgcc ccccccgcga atctgcatac cggagacttt			1380
	ccaaacccaa atgacgcata caagaatttg atcaacctca aacctgcaat tgaagcaggc			1440
	tatacaggac gcggggtaga ggtaggtatc gtcgacacag gcgaatccgt cggcagcata			1500
	tcctttcccg aactgtatgg cagaaaagaa cacggctata acgaaaatta caaaaactat			1560
	acggcgatata tgccggaagga agcgccctgaa gacggaggcg gtaaaagacat tgaagcttct			1620
40	ttcgacgatg aggcctgtat agagactgaa gcaaagccga cggatatccg ccacgtaaaa			1680
	gaaatcggac acatcgattt ggtctcccat attattggcg ggcgttccgt ggacggcaga			1740
	cctgcaggcg gtattgcgcc cgatgcgacg ctacacataa tgaatacga tgaatgaaacc			1800
	aagaacgaaa tgatggttgc agccatccgc aatgcatggg tcaagctggg cgaacgtggc			1860
	gtgcgcatcg tcaataacag ttttggaaca acatcgaggg caggcactgc cgaccttttc			1920
	caaatagccg attcggagga gcagtaccgc caagcgttgc tcgactattc cggcgggtgat			1980
45	aaaacagacg agggtatccg cctgatgcaa cagagcgatt acggcaacct gtccctaccac			2040
	atccgtaata aaaacatgct tttcatcttt tcgacaggca atgacgcaca agctcagccc			2100
	aacacatatg ccctattgcc attttatgaa aaagacgctc aaaaaggcat tatcacagtc			2160
	gcagcgctag accgcagtgg agaaaagttc aaacgggaaa tgtatggaga accgggtaca			2220
	gaaccgcttg agtatggctc caaccattgc ggaattactg ccatgtgggt cctgtcggca			2280
	ccctatgaag caagcgtccg tttcacccgt acaaaccgga ttcaaattgc cggaacatcc			2340
	ttttccgcac ccattcgtaac cggcacggcg gctctgctgc tgcagaaata cccgtggatg			2400
50	agcaacgaca acctgcgtac caggttgctg acgacggctc aggcacatcg tgcagctcgg			2460
	gtggacagca agttcggctg gggactgctg gatgagggtg aggccatgaa cggaccccg			2520
	tcctttccgt tcggcgactt tacggccgat acgaaaggta catccgatat tgccctactc			2580
	ttccgtaacg acatttcagg cacggggcgg ctgatcaaaa aaggcggcag ccaactgcaa			2640
	ctgcacggca acaaacctta tacgggcaaa accattatcg aaggcgggtc gctgggtgtg			2700
	tacggcaaca acaaatcgga tatgcgcgtc gaaaccaaag gtgcgctgat ttataacggg			2760
	gcggcatccg gcggcagcct gaacagcgac ggcattgtct atctggcaga taccgaccaa			2820
55	tccggcgcaa acgaaaccgt acacatcaaa ggcagctctg agctggacgg caaagggtacg			2880
	ctgtacacac gtttgggcaa actgctgaaa gtggacggta cggcgattat cggcggcaag			2940

EP 1 790 660 A2

	ctgtacatgt	cggcacgcgg	caagggggca	ggctatctca	acagtaccgg	acgacgtggt	3000
	cccttcctga	gtgccgccaa	aatcgggcag	gattattctt	tcttcacaaa	catcgaaacc	3060
	gacggcgcc	tgctggcttc	cctcgacagc	gtcgaaaaaa	cagcgggcag	tgaaggcgac	3120
	acgtgtcct	attatgtccg	tcgcggcaat	gcggcacgga	ctgcttcggc	agcggcacat	3180
5	tcgcgcgccg	cgggtctgaa	acacgccgta	gaacaggggc	gcagcaatct	ggaaaacctg	3240
	atggtcgaac	tggatgcctc	cgaatcatcc	gcaacacccg	agacggttga	aactgcggca	3300
	gccgaccgca	cagatatgcc	gggcatccgc	ccctacggcg	caactttccg	cgcagcggca	3360
	gccgtacagc	atgcgaatgc	cgccgacggt	gtacgcatct	tcaacagtct	cgccgctacc	3420
	gtctatgccg	acagtaccgc	cgcccatgcc	gatatgcagg	gacgccgcct	gaaagccgta	3480
	tcggacgggt	tggaccacaa	cggcacgggt	ctgcgcgtca	tcgcgcaaac	ccaacaggac	3540
10	ggtggaacgt	gggaacaggg	cgggtgttgaa	ggcaaaatgc	gcggcagtac	ccaaaccgtc	3600
	ggcattgccg	cgaaaaccgg	cgaaaatacg	acagcagccg	ccacactggg	catgggacgc	3660
	agcacatgga	gcgaaaacag	tgcaaatgca	aaaaccgaca	gcattagtct	gtttgcaggc	3720
	atacggcacg	atgcgggcga	tatcggctat	ctcaaaaggcc	tgttctccta	cggacgctac	3780
	aaaaacagca	tcagccgcag	caccgggtgcg	gacgaacatg	cggaaggcag	cgtcaacggc	3840
	acgctgatgc	agttggcgcg	actgggcggt	gtcaacggtt	cgtttgccgc	aacggggagat	3900
15	ttgacggtcg	aaggcggtct	gcgctacgac	ctgctcaaac	aggatgcatt	cgccgaaaaa	3960
	ggcagtgcct	tgggctggag	cggcaacagc	ctcactgaag	gcacgctggt	cggactcgcg	4020
	ggtctgaagc	tgctgcaacc	cttgagcgat	aaagccgtcc	tgtttgcaac	ggcgggcgtg	4080
	gaacgcgacc	tgaacggacg	cgactacacg	gtaacggggc	gctttaccgg	cgcgactgca	4140
	gcaaccggca	agacgggggc	acgcaatatg	ccgcacaccc	gtctggttgc	cggcctgggc	4200
	gcggatgtcg	aattcgccaa	cggctggaac	ggcttggcac	gttacagcta	cgccgggttc	4260
20	aaacagtacg	gcaaccacag	cggacgagtc	ggcgtaggct	accggttcct	cgagcaccac	4320
	caccaccacc	actga					4335

<210> 151
 <211> 1444
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> 961-983

<400> 151
 Met Ala Thr Asn Asp Asp Val Lys Lys Ala Ala Thr Val Ala Ile
 1 5 10 15
 Ala Ala Ala Tyr Asn Asn Gly Gln Glu Ile Asn Gly Phe Lys Ala Gly
 20 25 30
 Glu Thr Ile Tyr Asp Ile Asp Glu Asp Gly Thr Ile Thr Lys Lys Asp
 35 40 45
 Ala Thr Ala Ala Asp Val Glu Ala Asp Asp Phe Lys Gly Leu Gly Leu
 50 55 60
 Lys Lys Val Val Thr Asn Leu Thr Lys Thr Val Asn Glu Asn Lys Gln
 65 70 75 80
 Asn Val Asp Ala Lys Val Lys Ala Ala Glu Ser Glu Ile Glu Lys Leu
 85 90 95
 Thr Thr Lys Leu Ala Asp Thr Asp Ala Ala Leu Ala Asp Thr Asp Ala
 100 105 110
 Ala Leu Asp Ala Thr Thr Asn Ala Leu Asn Lys Leu Gly Glu Asn Ile
 115 120 125
 Thr Thr Phe Ala Glu Glu Thr Lys Thr Asn Ile Val Lys Ile Asp Glu
 130 135 140
 Lys Leu Glu Ala Val Ala Asp Thr Val Asp Lys His Ala Glu Ala Phe
 145 150 155 160
 Asn Asp Ile Ala Asp Ser Leu Asp Glu Thr Asn Thr Lys Ala Asp Glu
 165 170 175
 Ala Val Lys Thr Ala Asn Glu Ala Lys Gln Thr Ala Glu Glu Thr Lys
 180 185 190

EP 1 790 660 A2

	Gln	Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Thr	Ala	Ala	Gly	Lys
			195					200					205			
5	Ala	Glu	Ala	Ala	Ala	Gly	Thr	Ala	Asn	Thr	Ala	Ala	Asp	Lys	Ala	Glu
		210					215					220				
	Ala	Val	Ala	Ala	Lys	Val	Thr	Asp	Ile	Lys	Ala	Asp	Ile	Ala	Thr	Asn
	225					230					235					240
10	Lys	Asp	Asn	Ile	Ala	Lys	Lys	Ala	Asn	Ser	Ala	Asp	Val	Tyr	Thr	Arg
				245						250					255	
	Glu	Glu	Ser	Asp	Ser	Lys	Phe	Val	Arg	Ile	Asp	Gly	Leu	Asn	Ala	Thr
				260					265					270		
15	Thr	Glu	Lys	Leu	Asp	Thr	Arg	Leu	Ala	Ser	Ala	Glu	Lys	Ser	Ile	Ala
			275					280					285			
	Asp	His	Asp	Thr	Arg	Leu	Asn	Gly	Leu	Asp	Lys	Thr	Val	Ser	Asp	Leu
		290					295					300				
20	Arg	Lys	Glu	Thr	Arg	Gln	Gly	Leu	Ala	Glu	Gln	Ala	Ala	Leu	Ser	Gly
	305					310					315					320
	Leu	Phe	Gln	Pro	Tyr	Asn	Val	Gly	Arg	Phe	Asn	Val	Thr	Ala	Ala	Val
					325					330					335	
25	Gly	Gly	Tyr	Lys	Ser	Glu	Ser	Ala	Val	Ala	Ile	Gly	Thr	Gly	Phe	Arg
				340					345					350		
	Phe	Thr	Glu	Asn	Phe	Ala	Ala	Lys	Ala	Gly	Val	Ala	Val	Gly	Thr	Ser
			355					360					365			
30	Ser	Gly	Ser	Ser	Ala	Ala	Tyr	His	Val	Gly	Val	Asn	Tyr	Glu	Trp	Gly
		370					375					380				
	Ser	Gly	Gly	Gly	Gly	Thr	Ser	Ala	Pro	Asp	Phe	Asn	Ala	Gly	Gly	Thr
	385					390					395					400
35	Gly	Ile	Gly	Ser	Asn	Ser	Arg	Ala	Thr	Thr	Ala	Lys	Ser	Ala	Ala	Val
					405					410					415	
	Ser	Tyr	Ala	Gly	Ile	Lys	Asn	Glu	Met	Cys	Lys	Asp	Arg	Ser	Met	Leu
				420					425					430		
40	Cys	Ala	Gly	Arg	Asp	Asp	Val	Ala	Val	Thr	Asp	Arg	Asp	Ala	Lys	Ile
			435					440					445			
	Asn	Ala	Pro	Pro	Pro	Asn	Leu	His	Thr	Gly	Asp	Phe	Pro	Asn	Pro	Asn
		450					455					460				
45	Asp	Ala	Tyr	Lys	Asn	Leu	Ile	Asn	Leu	Lys	Pro	Ala	Ile	Glu	Ala	Gly
	465					470					475					480
	Tyr	Thr	Gly	Arg	Gly	Val	Glu	Val	Gly	Ile	Val	Asp	Thr	Gly	Glu	Ser
				485						490					495	
	Val	Gly	Ser	Ile	Ser	Phe	Pro	Glu	Leu	Tyr	Gly	Arg	Lys	Glu	His	Gly
				500					505					510		
50	Tyr	Asn	Glu	Asn	Tyr	Lys	Asn	Tyr	Thr	Ala	Tyr	Met	Arg	Lys	Glu	Ala
			515					520					525			
	Pro	Glu	Asp	Gly	Gly	Gly	Lys	Asp	Ile	Glu	Ala	Ser	Phe	Asp	Asp	Glu
		530					535					540				
55	Ala	Val	Ile	Glu	Thr	Glu	Ala	Lys	Pro	Thr	Asp	Ile	Arg	His	Val	Lys
					550						555					560

EP 1 790 660 A2

	Glu	Ile	Gly	His	Ile	Asp	Leu	Val	Ser	His	Ile	Ile	Gly	Gly	Arg	Ser
					565					570					575	
5	Val	Asp	Gly	Arg	Pro	Ala	Gly	Gly	Ile	Ala	Pro	Asp	Ala	Thr	Leu	His
				580					585					590		
	Ile	Met	Asn	Thr	Asn	Asp	Glu	Thr	Lys	Asn	Glu	Met	Met	Val	Ala	Ala
			595					600					605			
10	Ile	Arg	Asn	Ala	Trp	Val	Lys	Leu	Gly	Glu	Arg	Gly	Val	Arg	Ile	Val
		610					615					620				
	Asn	Asn	Ser	Phe	Gly	Thr	Thr	Ser	Arg	Ala	Gly	Thr	Ala	Asp	Leu	Phe
		625				630					635					640
15	Gln	Ile	Ala	Asn	Ser	Glu	Glu	Gln	Tyr	Arg	Gln	Ala	Leu	Leu	Asp	Tyr
					645					650					655	
	Ser	Gly	Gly	Asp	Lys	Thr	Asp	Glu	Gly	Ile	Arg	Leu	Met	Gln	Gln	Ser
				660					665					670		
20	Asp	Tyr	Gly	Asn	Leu	Ser	Tyr	His	Ile	Arg	Asn	Lys	Asn	Met	Leu	Phe
			675					680					685			
	Ile	Phe	Ser	Thr	Gly	Asn	Asp	Ala	Gln	Ala	Gln	Pro	Asn	Thr	Tyr	Ala
		690					695					700				
25	Leu	Leu	Pro	Phe	Tyr	Glu	Lys	Asp	Ala	Gln	Lys	Gly	Ile	Ile	Thr	Val
		705				710					715					720
	Ala	Gly	Val	Asp	Arg	Ser	Gly	Glu	Lys	Phe	Lys	Arg	Glu	Met	Tyr	Gly
					725					730					735	
30	Glu	Pro	Gly	Thr	Glu	Pro	Leu	Glu	Tyr	Gly	Ser	Asn	His	Cys	Gly	Ile
					740				745					750		
	Thr	Ala	Met	Trp	Cys	Leu	Ser	Ala	Pro	Tyr	Glu	Ala	Ser	Val	Arg	Phe
			755					760					765			
35	Thr	Arg	Thr	Asn	Pro	Ile	Gln	Ile	Ala	Gly	Thr	Ser	Phe	Ser	Ala	Pro
		770					775					780				
	Ile	Val	Thr	Gly	Thr	Ala	Ala	Leu	Leu	Leu	Gln	Lys	Tyr	Pro	Trp	Met
		785				790					795					800
40	Ser	Asn	Asp	Asn	Leu	Arg	Thr	Thr	Leu	Leu	Thr	Thr	Ala	Gln	Asp	Ile
					805					810					815	
	Gly	Ala	Val	Gly	Val	Asp	Ser	Lys	Phe	Gly	Trp	Gly	Leu	Leu	Asp	Ala
					820				825					830		
45	Gly	Lys	Ala	Met	Asn	Gly	Pro	Ala	Ser	Phe	Pro	Phe	Gly	Asp	Phe	Thr
			835					840					845			
	Ala	Asp	Thr	Lys	Gly	Thr	Ser	Asp	Ile	Ala	Tyr	Ser	Phe	Arg	Asn	Asp
		850					855					860				
50	Ile	Ser	Gly	Thr	Gly	Gly	Leu	Ile	Lys	Lys	Gly	Gly	Ser	Gln	Leu	Gln
		865				870					875					880
	Leu	His	Gly	Asn	Asn	Thr	Tyr	Thr	Gly	Lys	Thr	Ile	Ile	Glu	Gly	Gly
					885					890					895	
	Ser	Leu	Val	Leu	Tyr	Gly	Asn	Asn	Lys	Ser	Asp	Met	Arg	Val	Glu	Thr
				900					905					910		
55	Lys	Gly	Ala	Leu	Ile	Tyr	Asn	Gly	Ala	Ala	Ser	Gly	Gly	Ser	Leu	Asn
			915					920					925			

EP 1 790 660 A2

Ser Asp Gly Ile Val Tyr Leu Ala Asp Thr Asp Gln Ser Gly Ala Asn
 930 935 940
 5 Glu Thr Val His Ile Lys Gly Ser Leu Gln Leu Asp Gly Lys Gly Thr
 945 950 955 960
 Leu Tyr Thr Arg Leu Gly Lys Leu Leu Lys Val Asp Gly Thr Ala Ile
 965 970 975
 10 Ile Gly Gly Lys Leu Tyr Met Ser Ala Arg Gly Lys Gly Ala Gly Tyr
 980 985 990
 Leu Asn Ser Thr Gly Arg Arg Val Pro Phe Leu Ser Ala Ala Lys Ile
 995 1000 1005
 15 Gly Gln Asp Tyr Ser Phe Phe Thr Asn Ile Glu Thr Asp Gly Gly Leu
 1010 1015 1020
 Leu Ala Ser Leu Asp Ser Val Glu Lys Thr Ala Gly Ser Glu Gly Asp
 1025 1030 1035 1040
 20 Thr Leu Ser Tyr Tyr Val Arg Arg Gly Asn Ala Ala Arg Thr Ala Ser
 1045 1050 1055
 Ala Ala Ala His Ser Ala Pro Ala Gly Leu Lys His Ala Val Glu Gln
 1060 1065 1070
 25 Gly Gly Ser Asn Leu Glu Asn Leu Met Val Glu Leu Asp Ala Ser Glu
 1075 1080 1085
 Ser Ser Ala Thr Pro Glu Thr Val Glu Thr Ala Ala Ala Asp Arg Thr
 1090 1095 1100
 30 Asp Met Pro Gly Ile Arg Pro Tyr Gly Ala Thr Phe Arg Ala Ala Ala
 1105 1110 1115 1120
 Ala Val Gln His Ala Asn Ala Ala Asp Gly Val Arg Ile Phe Asn Ser
 1125 1130 1135
 35 Leu Ala Ala Thr Val Tyr Ala Asp Ser Thr Ala Ala His Ala Asp Met
 1140 1145 1150
 Gln Gly Arg Arg Leu Lys Ala Val Ser Asp Gly Leu Asp His Asn Gly
 1155 1160 1165
 40 Thr Gly Leu Arg Val Ile Ala Gln Thr Gln Gln Asp Gly Gly Thr Trp
 1170 1175 1180
 Glu Gln Gly Gly Val Glu Gly Lys Met Arg Gly Ser Thr Gln Thr Val
 1185 1190 1195 1200
 45 Gly Ile Ala Ala Lys Thr Gly Glu Asn Thr Thr Ala Ala Ala Thr Leu
 1205 1210 1215
 Gly Met Gly Arg Ser Thr Trp Ser Glu Asn Ser Ala Asn Ala Lys Thr
 1220 1225 1230
 50 Asp Ser Ile Ser Leu Phe Ala Gly Ile Arg His Asp Ala Gly Asp Ile
 1235 1240 1245
 Gly Tyr Leu Lys Gly Leu Phe Ser Tyr Gly Arg Tyr Lys Asn Ser Ile
 1250 1255 1260
 55 Ser Arg Ser Thr Gly Ala Asp Glu His Ala Glu Gly Ser Val Asn Gly
 1265 1270 1275 1280
 Thr Leu Met Gln Leu Gly Ala Leu Gly Gly Val Asn Val Pro Phe Ala
 1285 1290 1295

Ala Thr Gly Asp Leu Thr Val Glu Gly Gly Leu Arg Tyr Asp Leu Leu
1300 1305 1310

5 Lys Gln Asp Ala Phe Ala Glu Lys Gly Ser Ala Leu Gly Trp Ser Gly
1315 1320 1325

Asn Ser Leu Thr Glu Gly Thr Leu Val Gly Leu Ala Gly Leu Lys Leu
1330 1335 1340

10 Ser Gln Pro Leu Ser Asp Lys Ala Val Leu Phe Ala Thr Ala Gly Val
1345 1350 1355 1360

Glu Arg Asp Leu Asn Gly Arg Asp Tyr Thr Val Thr Gly Gly Phe Thr
1365 1370 1375

15 Gly Ala Thr Ala Ala Thr Gly Lys Thr Gly Ala Arg Asn Met Pro His
1380 1385 1390

Thr Arg Leu Val Ala Gly Leu Gly Ala Asp Val Glu Phe Gly Asn Gly
1395 1400 1405

20 Trp Asn Gly Leu Ala Arg Tyr Ser Tyr Ala Gly Ser Lys Gln Tyr Gly
1410 1415 1420

Asn His Ser Gly Arg Val Gly Val Gly Tyr Arg Phe Leu Glu His His
1425 1430 1435 1440

His His His His

25

<210> 152
<211> 2256
<212> DNA
<213> Artificial Sequence

30

<220>
<223> 961c-ORF46.1

<400> 152

atggccacaa	acgacgacga	tggttaaaaaa	gctgccactg	tggccattgc	tgctgcctac	60
aacaatggcc	aagaaatcaa	cggtttcaaaa	gctggagaga	ccatctacga	cattgatgaa	120
gacggcaca	ttaccaaaaa	agacgcaact	gcagccgatg	ttgaagccga	cgactttaaa	180
ggctctgggtc	tgaaaaaagt	cgtagactaac	ctgacaaaaa	ccgtcaatga	aaacaaacaa	240
aacgtcgatg	ccaaagttaa	agctgcagaa	tctgaaatag	aaaagttaac	aaccaagtta	300
gcagacactg	atgccgcttt	agcagatact	gatgccgctc	tggtatgcaac	caccaacgcc	360
ttgaataaat	tgggagaaaa	tataacgaca	tttgctgaag	agactaagac	aaatatcgta	420
aaaattgatg	aaaaattaga	agccgtggct	gataccgtcg	acaagcatgc	cgaagcattc	480
aacgatattc	ccgattcatt	ggatgaaacc	aacactaagg	cagacgaagc	cgtaaaacc	540
gccaatgaag	ccaaacagac	ggccgaagaa	accaaacaaa	acgtcgatgc	caaagtaaaa	600
gctgcagaaa	ctgcagcagg	caaagccgaa	gctgccgctg	gcacagctaa	tactgcagcc	660
gacaaggccg	aagctgtcgc	tgcaaaaagt	accgacatca	aagctgatat	cgctacgaac	720
aaagataata	ttgctaaaaa	agcaaacagt	gccgacgtgt	acaccagaga	agagtctgac	780
agcaaatatt	tcagaattga	tggtctgaac	gctactaccg	aaaaattgga	cacacgcttg	840
gcttctgctg	aaaaatccat	tgccgatcac	gatactcgcc	tgaacggttt	ggataaaaca	900
gtgtcgacac	tgcgcaaaaga	aaacccgcaa	ggccttgacg	aacaagccgc	gctctccggt	960
ctgttccaac	cttacaacgt	gggtggatcc	ggaggaggag	gatcagattt	ggcaaacgat	1020
tcttttatcc	ggcaggttct	cgaccgtcag	catttcgaac	ccgacgggaa	ataccaccta	1080
ttcggcagca	ggggggaact	tgccgagcgc	agcggccata	tcggattggg	aaaaatacaa	1140
agccatcagt	tgggcaacct	gatgattcaa	caggcgccca	ttaaaggaaa	tatcggctac	1200
attgtccgct	tttccgatca	cgggcacgaa	gtccattccc	ccttcgacaa	ccatgcctca	1260
cattccgatt	ctgatgaagc	cggtagtccc	gttgacggat	ttagccttta	ccgcatccat	1320
tgggacggat	acgaacacca	tcccgcgcag	ggctatgacg	ggccacaggg	cggcggctat	1380
cccgcctcca	aaggcgcgag	ggatatatac	agctacgaca	taaaaggcgt	tgcccaaaat	1440
atccgcctca	acctgaccga	caaccgcagc	accggacaac	ggcttgccga	ccgtttccac	1500
aatgccggta	gtatgctgac	gcaaggagta	ggcgacggat	tcaaacgcgc	cacccgatac	1560
agccccgagc	tggacagatc	gggcaatgcc	gccgaagcct	tcaacggcac	tgacagatac	1620
gttaaaaaca	tcatcggcgc	ggcaggagaa	attgtcggcg	caggcgatgc	cgtagcgggc	1680
ataagcgaag	gctcaaacat	tgctgtcatg	cacggcttgg	gtctgctttc	caccgaaaac	1740

55

aagatggcgc gcatcaacga tttaggcagat atggcgcaac tcaaagacta tgccgcagca 1800
 gccatccgcg attgggcagt ccaaaacccc aatggcgcac aaggcataga agccgtcagc 1860
 aatatcttta tggcagccat ccccatcaaa gggattggag ctgttcgggg aaaatacggc 1920
 5 ttgggcggca tcacggcaca tcctatcaag cggtcgcaga tgggcgcgat cgcattgccg 1980
 aaagggaaat ccgcccgtcag cgacaatttt gccgatgcgg catacgccaa ataccgtcc 2040
 ccttaccatt cccgaaatat ccgttcaaac ttggagcagc gttacggcaa agaaaacatc 2100
 acctcctcaa ccgtgccgcc gtcaaacggc aaaaatgtca aactggcaga ccaacgccac 2160
 ccgaagacag gcgtaccgtt tgacggtaaa gggtttcga attttgagaa gcacgtgaaa 2220
 tatgatacgc tcgagcacca ccaccaccac cactga 2256

<210> 153
 <211> 751
 <212> PRT
 <213> Artificial Sequence

<220>
 15 <223> 961c-ORF46.1

<400> 153
 Met Ala Thr Asn Asp Asp Val Lys Lys Ala Ala Thr Val Ala Ile
 1 5 10 15
 Ala Ala Ala Tyr Asn Asn Gly Gln Glu Ile Asn Gly Phe Lys Ala Gly
 20 20 25 30
 Glu Thr Ile Tyr Asp Ile Asp Glu Asp Gly Thr Ile Thr Lys Lys Asp
 35 40 45
 Ala Thr Ala Ala Asp Val Glu Ala Asp Asp Phe Lys Gly Leu Gly Leu
 50 55 60
 Lys Lys Val Val Thr Asn Leu Thr Lys Thr Val Asn Glu Asn Lys Gln
 65 70 75 80
 Asn Val Asp Ala Lys Val Lys Ala Ala Glu Ser Glu Ile Glu Lys Leu
 85 90 95
 Thr Thr Lys Leu Ala Asp Thr Asp Ala Ala Leu Ala Asp Thr Asp Ala
 100 105 110
 Ala Leu Asp Ala Thr Thr Asn Ala Leu Asn Lys Leu Gly Glu Asn Ile
 115 120 125
 Thr Thr Phe Ala Glu Glu Thr Lys Thr Asn Ile Val Lys Ile Asp Glu
 130 135 140
 Lys Leu Glu Ala Val Ala Asp Thr Val Asp Lys His Ala Glu Ala Phe
 145 150 155 160
 Asn Asp Ile Ala Asp Ser Leu Asp Glu Thr Asn Thr Lys Ala Asp Glu
 165 170 175
 Ala Val Lys Thr Ala Asn Glu Ala Lys Gln Thr Ala Glu Glu Thr Lys
 180 185 190
 Gln Asn Val Asp Ala Lys Val Lys Ala Ala Glu Thr Ala Ala Gly Lys
 195 200 205
 Ala Glu Ala Ala Ala Gly Thr Ala Asn Thr Ala Ala Asp Lys Ala Glu
 210 215 220
 Ala Val Ala Ala Lys Val Thr Asp Ile Lys Ala Asp Ile Ala Thr Asn
 225 230 235 240
 Lys Asp Asn Ile Ala Lys Lys Ala Asn Ser Ala Asp Val Tyr Thr Arg
 245 250 255
 Glu Glu Ser Asp Ser Lys Phe Val Arg Ile Asp Gly Leu Asn Ala Thr
 260 265 270

EP 1 790 660 A2

	Thr	Glu	Lys	Leu	Asp	Thr	Arg	Leu	Ala	Ser	Ala	Glu	Lys	Ser	Ile	Ala
			275					280					285			
5	Asp	His	Asp	Thr	Arg	Leu	Asn	Gly	Leu	Asp	Lys	Thr	Val	Ser	Asp	Leu
		290					295					300				
	Arg	Lys	Glu	Thr	Arg	Gln	Gly	Leu	Ala	Glu	Gln	Ala	Ala	Leu	Ser	Gly
	305					310					315					320
10	Leu	Phe	Gln	Pro	Tyr	Asn	Val	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Asp
					325					330					335	
	Leu	Ala	Asn	Asp	Ser	Phe	Ile	Arg	Gln	Val	Leu	Asp	Arg	Gln	His	Phe
				340					345					350		
15	Glu	Pro	Asp	Gly	Lys	Tyr	His	Leu	Phe	Gly	Ser	Arg	Gly	Glu	Leu	Ala
			355					360					365			
	Glu	Arg	Ser	Gly	His	Ile	Gly	Leu	Gly	Lys	Ile	Gln	Ser	His	Gln	Leu
	370						375					380				
20	Gly	Asn	Leu	Met	Ile	Gln	Gln	Ala	Ala	Ile	Lys	Gly	Asn	Ile	Gly	Tyr
	385					390					395					400
	Ile	Val	Arg	Phe	Ser	Asp	His	Gly	His	Glu	Val	His	Ser	Pro	Phe	Asp
					405					410					415	
25	Asn	His	Ala	Ser	His	Ser	Asp	Ser	Asp	Glu	Ala	Gly	Ser	Pro	Val	Asp
				420					425					430		
	Gly	Phe	Ser	Leu	Tyr	Arg	Ile	His	Trp	Asp	Gly	Tyr	Glu	His	His	Pro
			435					440					445			
30	Ala	Asp	Gly	Tyr	Asp	Gly	Pro	Gln	Gly	Gly	Gly	Tyr	Pro	Ala	Pro	Lys
		450					455					460				
	Gly	Ala	Arg	Asp	Ile	Tyr	Ser	Tyr	Asp	Ile	Lys	Gly	Val	Ala	Gln	Asn
	465					470					475					480
35	Ile	Arg	Leu	Asn	Leu	Thr	Asp	Asn	Arg	Ser	Thr	Gly	Gln	Arg	Leu	Ala
				485						490					495	
	Asp	Arg	Phe	His	Asn	Ala	Gly	Ser	Met	Leu	Thr	Gln	Gly	Val	Gly	Asp
				500					505					510		
40	Gly	Phe	Lys	Arg	Ala	Thr	Arg	Tyr	Ser	Pro	Glu	Leu	Asp	Arg	Ser	Gly
			515					520					525			
	Asn	Ala	Ala	Glu	Ala	Phe	Asn	Gly	Thr	Ala	Asp	Ile	Val	Lys	Asn	Ile
		530					535					540				
45	Ile	Gly	Ala	Ala	Gly	Glu	Ile	Val	Gly	Ala	Gly	Asp	Ala	Val	Gln	Gly
	545					550					555					560
	Ile	Ser	Glu	Gly	Ser	Asn	Ile	Ala	Val	Met	His	Gly	Leu	Gly	Leu	Leu
					565					570					575	
50	Ser	Thr	Glu	Asn	Lys	Met	Ala	Arg	Ile	Asn	Asp	Leu	Ala	Asp	Met	Ala
				580					585					590		
	Gln	Leu	Lys	Asp	Tyr	Ala	Ala	Ala	Ala	Ile	Arg	Asp	Trp	Ala	Val	Gln
			595					600					605			
55	Asn	Pro	Asn	Ala	Ala	Gln	Gly	Ile	Glu	Ala	Val	Ser	Asn	Ile	Phe	Met
	610						615					620				
	Ala	Ala	Ile	Pro	Ile	Lys	Gly	Ile	Gly	Ala	Val	Arg	Gly	Lys	Tyr	Gly
	625					630					635					640

EP 1 790 660 A2

Leu Gly Gly Ile Thr Ala His Pro Ile Lys Arg Ser Gln Met Gly Ala
 645 650 655
 5 Ile Ala Leu Pro Lys Gly Lys Ser Ala Val Ser Asp Asn Phe Ala Asp
 660 665 670
 Ala Ala Tyr Ala Lys Tyr Pro Ser Pro Tyr His Ser Arg Asn Ile Arg
 675 680 685
 10 Ser Asn Leu Glu Gln Arg Tyr Gly Lys Glu Asn Ile Thr Ser Ser Thr
 690 695 700
 Val Pro Pro Ser Asn Gly Lys Asn Val Lys Leu Ala Asp Gln Arg His
 705 710 715 720
 15 Pro Lys Thr Gly Val Pro Phe Asp Gly Lys Gly Phe Pro Asn Phe Glu
 725 730 735
 Lys His Val Lys Tyr Asp Thr Leu Glu His His His His His His
 740 745 750
 20 <210> 154
 <211> 1773
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> 961c-741
 25 <400> 154
 atggccacaa acgacgacga tgttaaaaaa gctgccactg tggccattgc tgctgcctac 60
 aacaatggcc aagaaatcaa cggtttcaaa gctggagaga ccattctacga cattgatgaa 120
 gacgggcacaa ttaccacaaa agacgcaact gcagccgatg ttgaagccga cgactttaaa 180
 ggtctgggtc tgaaaaaagt cgtgactaac ctgacacaaa ccgtcaatga aaacaaacaa 240
 aacgctcgatg ccaaagtata agctgcagaa tctgaaatatg aaaagttaac aaccaagtta 300
 gcagacactg atgccgcttt agcagatact gatgccgctc tggatgcaac caccaacgcc 360
 ttgaataaat tgggagaaaa tataacgaca ttgtctgaag agactaagac aaatatcgta 420
 aaaattgatg aaaaattaga agccgtggct gataccgtcg acaagcatgc cgaagcattc 480
 aacgatatac ccgattcatt ggatgaaacc aacactaagg cagacgaagc cgtcaaaacc 540
 gccaatgaag ccaaacagac ggccgaagaa accaaacaaa acgtcgatgc caaagtaaaa 600
 gctgcagaaa tgcagcagg caaagccgaa gctgccgctg gcacagctaa tactgcagcc 660
 35 gacaaggccg aagctgtcgc tgcaaaagtt accgacatca aagctgatat cgctacgaac 720
 aaagataata ttgctaaaaa agcaaacagt gccgacgtgt acaccagaga agagtctgac 780
 agcaaatctg tcagaattga tggcttgaac gctactaccg aaaaattgga cacacgcttg 840
 gcttctgtcg aaaaatccat tgccgatcac gatactgcc tgaacggttt ggataaaaaca 900
 gtgtcgacac tgcgcaaaga aaccgcgcaa ggcttgcag aacaagccgc gctctccggt 960
 ctgttccaac cttacaacgt ggggtggatcc ggaggggggtg gtgtcgccgc cgacatcggt 1020
 40 gcggggcttg ccatgcaact aaccgcaccg ctcgaccata aagacaaagg ttgcaagtct 1080
 ttgacgctgg atcagtcctg caggaaaaac gagaaactga agctggcggc acaaggtgag 1140
 gaaaaaactt atggaacgg tgacagcctc aatacgggca aattgaagaa cgacaagggtc 1200
 agccggtttc actttatccg ccaaatacga gtggacgggc agctcattac cttggagagt 1260
 ggagagttcc aagtatacaa acaaagccat tccgccttaa ccgcctttca gaccgagcaa 1320
 atacaagatt cggagcattc cgggaagatg gttgcgaaac gccagttcag aatcggcgac 1380
 45 atagcgggag aacatacatc ttttgacaag cttcccgaag gcggcagggc gacatatcgc 1440
 gggacggcgt tcggttcaga cgatgccggc ggaaaactga cctacaccat agatttcgcc 1500
 gccaagcagg gaaacggcaa aatcgaacat ttgaaatcgc cagaactcaa tgtcgacctg 1560
 gccgcccggc atatcaagcc ggatggaaaa cgccatgccg tcatcagcgg ttccgtcctt 1620
 tacaaccaag ccgagaaagg cagttactcc ctccgtatct ttggcggaaa agcccaggaa 1680
 gttgccggca gcgcggaagt gaaaaccgta aacggcatac gccatatcgg ccttgccgcc 1740
 50 aagcaactcg agcaccacca ccaccaccac tga 1773
 <210> 155
 <211> 590
 <212> PRT
 <213> Artificial Sequence
 55 <220>
 <223> 961c-741

EP 1 790 660 A2

<400> 155
 Met Ala Thr Asn Asp Asp Asp Val Lys Lys Ala Ala Thr Val Ala Ile
 1 5 10 15
 5 Ala Ala Ala Tyr Asn Asn Gly Gln Glu Ile Asn Gly Phe Lys Ala Gly
 20 25 30
 Glu Thr Ile Tyr Asp Ile Asp Glu Asp Gly Thr Ile Thr Lys Lys Asp
 35 40 45
 10 Ala Thr Ala Ala Asp Val Glu Ala Asp Asp Phe Lys Gly Leu Gly Leu
 50 55 60
 Lys Lys Val Val Thr Asn Leu Thr Lys Thr Val Asn Glu Asn Lys Gln
 65 70 75 80
 15 Asn Val Asp Ala Lys Val Lys Ala Ala Glu Ser Glu Ile Glu Lys Leu
 85 90 95
 Thr Thr Lys Leu Ala Asp Thr Asp Ala Ala Leu Ala Asp Thr Asp Ala
 100 105 110
 20 Ala Leu Asp Ala Thr Thr Asn Ala Leu Asn Lys Leu Gly Glu Asn Ile
 115 120 125
 Thr Thr Phe Ala Glu Glu Thr Lys Thr Asn Ile Val Lys Ile Asp Glu
 130 135 140
 25 Lys Leu Glu Ala Val Ala Asp Thr Val Asp Lys His Ala Glu Ala Phe
 145 150 155 160
 Asn Asp Ile Ala Asp Ser Leu Asp Glu Thr Asn Thr Lys Ala Asp Glu
 165 170 175
 30 Ala Val Lys Thr Ala Asn Glu Ala Lys Gln Thr Ala Glu Glu Thr Lys
 180 185 190
 Gln Asn Val Asp Ala Lys Val Lys Ala Ala Glu Thr Ala Ala Gly Lys
 195 200 205
 35 Ala Glu Ala Ala Ala Gly Thr Ala Asn Thr Ala Ala Asp Lys Ala Glu
 210 215 220
 Ala Val Ala Ala Lys Val Thr Asp Ile Lys Ala Asp Ile Ala Thr Asn
 225 230 235 240
 40 Lys Asp Asn Ile Ala Lys Lys Ala Asn Ser Ala Asp Val Tyr Thr Arg
 245 250 255
 Glu Glu Ser Asp Ser Lys Phe Val Arg Ile Asp Gly Leu Asn Ala Thr
 260 265 270
 45 Thr Glu Lys Leu Asp Thr Arg Leu Ala Ser Ala Glu Lys Ser Ile Ala
 275 280 285
 Asp His Asp Thr Arg Leu Asn Gly Leu Asp Lys Thr Val Ser Asp Leu
 290 295 300
 50 Arg Lys Glu Thr Arg Gln Gly Leu Ala Glu Gln Ala Ala Leu Ser Gly
 305 310 315 320
 Leu Phe Gln Pro Tyr Asn Val Gly Gly Ser Gly Gly Gly Gly Val Ala
 325 330 335
 Ala Asp Ile Gly Ala Gly Leu Ala Asp Ala Leu Thr Ala Pro Leu Asp
 340 345 350
 55 His Lys Asp Lys Gly Leu Gln Ser Leu Thr Leu Asp Gln Ser Val Arg

EP 1 790 660 A2

	355		360		365	
5	Lys Asn Glu Lys Leu Lys Leu Ala Ala Gln Gly Ala Glu Lys Thr Tyr	370	375	380		
	Gly Asn Gly Asp Ser Leu Asn Thr Gly Lys Leu Lys Asn Asp Lys Val	385	390	395	400	
10	Ser Arg Phe Asp Phe Ile Arg Gln Ile Glu Val Asp Gly Gln Leu Ile	405	410	415		
	Thr Leu Glu Ser Gly Glu Phe Gln Val Tyr Lys Gln Ser His Ser Ala	420	425	430		
15	Leu Thr Ala Phe Gln Thr Glu Gln Ile Gln Asp Ser Glu His Ser Gly	435	440	445		
	Lys Met Val Ala Lys Arg Gln Phe Arg Ile Gly Asp Ile Ala Gly Glu	450	455	460		
20	His Thr Ser Phe Asp Lys Leu Pro Glu Gly Gly Arg Ala Thr Tyr Arg	465	470	475	480	
	Gly Thr Ala Phe Gly Ser Asp Asp Ala Gly Gly Lys Leu Thr Tyr Thr	485	490	495		
25	Ile Asp Phe Ala Ala Lys Gln Gly Asn Gly Lys Ile Glu His Leu Lys	500	505	510		
	Ser Pro Glu Leu Asn Val Asp Leu Ala Ala Ala Asp Ile Lys Pro Asp	515	520	525		
30	Gly Lys Arg His Ala Val Ile Ser Gly Ser Val Leu Tyr Asn Gln Ala	530	535	540		
	Glu Lys Gly Ser Tyr Ser Leu Gly Ile Phe Gly Gly Lys Ala Gln Glu	545	550	555	560	
35	Val Ala Gly Ser Ala Glu Val Lys Thr Val Asn Gly Ile Arg His Ile	565	570	575		
	Gly Leu Ala Ala Lys Gln Leu Glu His His His His His His	580	585	590		
40	<210> 156					
	<211> 4170					
	<212> DNA					
	<213> Artificial Sequence					
45	<220>					
	<223> 961c-983					
50	<400> 156					
	atggccacaa acgacgacga tggttaaaaaa gctgccactg tggccattgc tgctgcctac				60	
45	aacaatggcc aagaaatcaa cggttttcaaa gctggagaga ccatctacga cattgatgaa				120	
	gacggcaciaa ttaccaaaaaa agacgcaact gcagccgatg ttgaagccga cgacttttaa				180	
	ggtctgggtc tgaaaaaagt cgtgactaac ctgacaaaaa ccgtcaatga aaacaaacaa				240	
	aacgtcgatg ccaaagttaa agctgcagaa tctgaaatag aaaagttaac aaccaagtta				300	
	gcagacactg atgccgcttt agcagatact gatgccgctc tggatgcaac caccaacgcc				360	
	ttgaataaat tgggagaaaa tataacgaca tttgctgaag agactaagac aaatatcgta				420	
50	aaaattgatg aaaaattaga agccgtggct gataccgtcg acaagcatgc cgaagcattc				480	
	aacgatatcg ccgattcatt ggatgaaacc aacactaagg cagacgaagc cgtcaaaacc				540	
	gccaatgaag ccaaacagac ggccgaagaa accaaacaaa acgtcgatgc caaagtaaaa				600	
	gctgcagaaa ctgcagcagg caaagccgaa gctgccgctg gcacagctaa tactgcagcc				660	
	gacaaggccg aagctgtcgc tgcaaaaagt accgacatca aagctgatat cgctacgaac				720	
	aaagataata ttgctaaaaa agcaaacagt gccgacgtgt acaccagaga agagtctgac				780	
55	agcaaatttg tcagaattga tggctctgaac gctactaccg aaaaattgga cacacgcttg				840	
	gcttctgctg aaaaatccat tgccgatcac gatactcgcc tgaacgggtt ggataaaaca				900	
	gtgtcagacc tgcgcaaaaga aaccgcgcaa ggccttgacg aacaagccgc gctctccggt				960	

ctgttccaac	cttacaaagt	gggtggatcc	ggcgaggcgg	gcacttctgc	gcccgaattc	1020
aatgcaggcg	gtaccgggat	cggcagcaac	agcagagcaa	caacagcgaa	atcagcagca	1080
gtatctttacg	ccgggtatcaa	gaacgaaatg	tgcaaaagca	gaagcatgtc	ctgtgcccgt	1140
cgggatgcag	ttgCGgtttac	agacagggat	gccaaaatca	atgccccccc	cccgaattctg	1200
cgatcgagc	actttcca	cccaaatgac	gcatacaaga	atttgatcaa	cctcaaacct	1260
gcaattgaag	caggctatata	aggacgcggg	gtagaggtag	gtatcgtcga	cacaggcgaa	1320
tcCGctcgga	gcatactcctt	tcccgaaactg	tattggcagaa	aagaacacgg	ctataacgaa	1380
aattaca	actatacggc	gtatatgcgg	aaggaagcgc	ctgaagacgg	aggcggtaaa	1440
gacattgaag	cttcttttcga	cgatgaggcc	gttatagaga	ctgaagcaaa	gccgacggat	1500
atccgccacg	taaaagaaat	cggacacatc	gattttggtct	cccataattt	tggcgggcgt	1560
tcCGgtggag	gcagacactgc	aggcggtatt	gcgcgccgatg	cgacgctaca	cataatgaat	1620
acgaatgacg	aaaccaagaa	cgaaatgatg	gttgacgcca	tcCGcaatgc	atgggtcaag	1680
ctgggcgaac	gtggcgtgcg	catcgtcaat	aacagttttg	gaacaacatc	gagggcaggc	1740
actgccgacc	ttttccaaat	agccaattcg	gaggagcagt	accgccaagc	gttgctcgac	1800
tattccggcg	gtgataaaac	agacaggggt	atccgcctga	tgcaacagag	cgattaccgc	1860
aaactgtcct	accacatccg	taataaaaaa	atgcttttca	tcctttcgac	aggcaatgac	1920
gcacaagctc	agcccaacac	atatgcccta	ttgccatttt	atgaaaaaga	cgctcaaaaa	1980
ggcattatca	cagtgcgagc	cgtagaccgc	agtggagaaa	agttcaaacg	ggaaatgtat	2040
ggagaaacgg	gtacagaacc	gcttgagtat	ggctccaacc	attgcggaat	tactgccatg	2100
tggtgcctgt	cggcaccta	tgaagcaagc	gtccgtttca	cccgtaacaa	cccgattcaa	2160
attgccggaa	catccttttc	cgcacccatc	gtaaccggca	cggcggtctt	gctgctgcag	2220
aaatacccgt	ggatgagcaa	cgacaaccctg	cgtaccacgt	tgctgacgac	ggctcaggac	2280
atcgggtgag	tcggcgtgga	cagcaagttc	ggctggggac	tgctggatgc	gggtaaggcc	2340
atgaacggac	ccgcgtcctt	tcCGttcggc	gactttaccg	ccgatacgaa	aggtaacttc	2400
gatattgcct	actccttcCG	taacgacatt	tcaggcacgg	gcggcctgat	caaaaaaggc	2460
ggcagccaac	tgcaactgca	cggcaacaac	acctatacgg	gcaaaacctat	tatcgaaaggc	2520
ggttcgtctg	tgttgatcgg	caacaacaaa	tcggtatatg	gcgtcgaaac	caaaagtgcg	2580
ctgatttata	acggggcgcg	atccggcgcg	agcctgaaca	gcgacggcat	tgtctatctg	2640
gcagataccg	accaatccgg	cgcaaacgaa	accgtacaca	tcaaaggcag	tctgcagctg	2700
gcaggcgaag	gtacgctgta	cacacgtttg	ggcaaatctg	tgaagtggaa	cggtagccgg	2760
attatcggcg	gcaagctgta	catgtcgcca	cgcggcaagg	gggcaggcta	ttctaacagt	2820
accggacgac	gtgttcctct	cctgagtgc	gccaaaatcg	ggcaggatta	ttctttcttc	2880
acaaacatcg	aaaccgacgg	cggcctgctg	gcttccctcg	acagcgctga	aaaaacagcg	2940
ggcagtgagc	gcgacacgct	gtcctattat	gtccgtcgcg	gcaatgcggc	agggactgtc	3000
tcggcagcgg	cacattccgc	gcccgcgggt	ctgaaacacg	ccgtagaaca	cggcgcgacg	3060
aatctggaaa	acctgatggt	cgaactggat	gcctccgaat	catccgcaac	acccgagacg	3120
gttgaaactg	cggcagccga	ccgcacagat	atgccgggca	tcCGccccta	cggcgcaact	3180
ttccgcgcag	cggcagccgt	acagcatgcg	aatgcgcggc	acgggtgacg	catcttcaac	3240
agttctgcgg	ctaccgtcta	tgccgacagt	accgcggccc	atccgcatat	cgagggcgcg	3300
cgctgaaaag	ccgtatcgga	cgggttggac	cacaacggca	cgggtctgcg	cgctcatcgcg	3360
caaaccacaac	aggacgggtg	aacgtgggaa	cagggcgggt	ttgaaggcaa	aatgcgcggc	3420
agtaccacaa	ccgtcggcat	tgccgcgaaa	accggcgaaa	atagcacagc	agccgccaca	3480
ctgggcatgg	gacgcagcac	atggagcgaa	aacagtgcaa	atcgcaaaaac	gcacagcatt	3540
agttctgtttg	caggcatatcg	gcacgatgcg	ggcgatatcg	gctatctcaa	aggcctgttc	3600
tcctacggac	gctacaaaaa	cagcatcagc	cgcagcacgg	gtgcgggacga	acatgcggaa	3660
ggcagcgta	acggcacgct	gatgcagctg	ggcgactgg	gcggtgtcaa	cgttccgttt	3720
gccgcaacgg	gagatttgac	ggctgaaggc	ggcttgcgct	acgacttgtt	caaacaggat	3780
gcattcgccg	aaaaaggcag	tgctttgggc	tggagcggca	acagcctcac	tgaaggcacg	3840
ctggctggac	tcgctgggtct	gaagctgtcg	caacccttga	gcgataaagc	cgctcgtgtt	3900
gcaacggcgg	cgctggaacg	cgacctgaac	ggacgcgact	acacggtaac	ggcgcgcttt	3960
accggcgcga	ctgcagcaac	cggcaagacg	ggggcacgca	atatgcccga	caccgcgtctg	4020
gttgccggcc	tgggcgcgga	tgtcgaattc	ggcaacggct	ggaacggctt	ggcacgttac	4080
agtcacggcg	gttccaaaac	gtacggcaac	cacagcggac	gagtcggcgt	aggctaccgg	4140
ttcctcgaac	accacaccca	ccaccactga				4170

EP 1 790 660 A2

	Glu	Thr	Ile	Tyr	Asp	Ile	Asp	Glu	Asp	Gly	Thr	Ile	Thr	Lys	Lys	Asp
			35					40					45			
5	Ala	Thr	Ala	Ala	Asp	Val	Glu	Ala	Asp	Asp	Phe	Lys	Gly	Leu	Gly	Leu
		50					55					60				
	Lys	Lys	Val	Val	Thr	Asn	Leu	Thr	Lys	Thr	Val	Asn	Glu	Asn	Lys	Gln
	65					70					75					80
10	Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Ser	Glu	Ile	Glu	Lys	Leu
					85					90					95	
	Thr	Thr	Lys	Leu	Ala	Asp	Thr	Asp	Ala	Ala	Leu	Ala	Asp	Thr	Asp	Ala
				100					105					110		
15	Ala	Leu	Asp	Ala	Thr	Thr	Asn	Ala	Leu	Asn	Lys	Leu	Gly	Glu	Asn	Ile
			115					120					125			
	Thr	Thr	Phe	Ala	Glu	Glu	Thr	Lys	Thr	Asn	Ile	Val	Lys	Ile	Asp	Glu
		130					135					140				
20	Lys	Leu	Glu	Ala	Val	Ala	Asp	Thr	Val	Asp	Lys	His	Ala	Glu	Ala	Phe
	145					150					155					160
	Asn	Asp	Ile	Ala	Asp	Ser	Leu	Asp	Glu	Thr	Asn	Thr	Lys	Ala	Asp	Glu
					165					170					175	
25	Ala	Val	Lys	Thr	Ala	Asn	Glu	Ala	Lys	Gln	Thr	Ala	Glu	Glu	Thr	Lys
				180					185					190		
	Gln	Asn	Val	Asp	Ala	Lys	Val	Lys	Ala	Ala	Glu	Thr	Ala	Ala	Gly	Lys
			195					200					205			
30	Ala	Glu	Ala	Ala	Ala	Gly	Thr	Ala	Asn	Thr	Ala	Ala	Asp	Lys	Ala	Glu
		210					215					220				
	Ala	Val	Ala	Ala	Lys	Val	Thr	Asp	Ile	Lys	Ala	Asp	Ile	Ala	Thr	Asn
	225					230					235					240
35	Lys	Asp	Asn	Ile	Ala	Lys	Lys	Ala	Asn	Ser	Ala	Asp	Val	Tyr	Thr	Arg
					245					250					255	
	Glu	Glu	Ser	Asp	Ser	Lys	Phe	Val	Arg	Ile	Asp	Gly	Leu	Asn	Ala	Thr
				260					265					270		
40	Thr	Glu	Lys	Leu	Asp	Thr	Arg	Leu	Ala	Ser	Ala	Glu	Lys	Ser	Ile	Ala
			275					280					285			
	Asp	His	Asp	Thr	Arg	Leu	Asn	Gly	Leu	Asp	Lys	Thr	Val	Ser	Asp	Leu
		290					295					300				
45	Arg	Lys	Glu	Thr	Arg	Gln	Gly	Leu	Ala	Glu	Gln	Ala	Ala	Leu	Ser	Gly
	305					310					315					320
	Leu	Phe	Gln	Pro	Tyr	Asn	Val	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Thr	Ser
					325					330					335	
50	Ala	Pro	Asp	Phe	Asn	Ala	Gly	Gly	Thr	Gly	Ile	Gly	Ser	Asn	Ser	Arg
				340					345					350		
	Ala	Thr	Thr	Ala	Lys	Ser	Ala	Ala	Val	Ser	Tyr	Ala	Gly	Ile	Lys	Asn
			355					360					365			
55	Glu	Met	Cys	Lys	Asp	Arg	Ser	Met	Leu	Cys	Ala	Gly	Arg	Asp	Asp	Val
		370					375					380				
	Ala	Val	Thr	Asp	Arg	Asp	Ala	Lys	Ile	Asn	Ala	Pro	Pro	Pro	Asn	Leu
	385					390					395					400

EP 1 790 660 A2

	His	Thr	Gly	Asp	Phe	Pro	Asn	Pro	Asn	Asp	Ala	Tyr	Lys	Asn	Leu	Ile
					405					410					415	
5	Asn	Leu	Lys	Pro	Ala	Ile	Glu	Ala	Gly	Tyr	Thr	Gly	Arg	Gly	Val	Glu
				420					425					430		
	Val	Gly	Ile	Val	Asp	Thr	Gly	Glu	Ser	Val	Gly	Ser	Ile	Ser	Phe	Pro
			435					440					445			
10	Glu	Leu	Tyr	Gly	Arg	Lys	Glu	His	Gly	Tyr	Asn	Glu	Asn	Tyr	Lys	Asn
		450					455					460				
	Tyr	Thr	Ala	Tyr	Met	Arg	Lys	Glu	Ala	Pro	Glu	Asp	Gly	Gly	Gly	Lys
	465					470					475					480
15	Asp	Ile	Glu	Ala	Ser	Phe	Asp	Asp	Glu	Ala	Val	Ile	Glu	Thr	Glu	Ala
					485					490					495	
	Lys	Pro	Thr	Asp	Ile	Arg	His	Val	Lys	Glu	Ile	Gly	His	Ile	Asp	Leu
				500					505					510		
20	Val	Ser	His	Ile	Ile	Gly	Gly	Arg	Ser	Val	Asp	Gly	Arg	Pro	Ala	Gly
			515					520					525			
	Gly	Ile	Ala	Pro	Asp	Ala	Thr	Leu	His	Ile	Met	Asn	Thr	Asn	Asp	Glu
			530				535					540				
25	Thr	Lys	Asn	Glu	Met	Met	Val	Ala	Ala	Ile	Arg	Asn	Ala	Trp	Val	Lys
	545					550					555					560
	Leu	Gly	Glu	Arg	Gly	Val	Arg	Ile	Val	Asn	Asn	Ser	Phe	Gly	Thr	Thr
					565					570					575	
30	Ser	Arg	Ala	Gly	Thr	Ala	Asp	Leu	Phe	Gln	Ile	Ala	Asn	Ser	Glu	Glu
				580					585					590		
	Gln	Tyr	Arg	Gln	Ala	Leu	Leu	Asp	Tyr	Ser	Gly	Gly	Asp	Lys	Thr	Asp
			595					600					605			
35	Glu	Gly	Ile	Arg	Leu	Met	Gln	Gln	Ser	Asp	Tyr	Gly	Asn	Leu	Ser	Tyr
		610					615					620				
	His	Ile	Arg	Asn	Lys	Asn	Met	Leu	Phe	Ile	Phe	Ser	Thr	Gly	Asn	Asp
	625					630					635					640
40	Ala	Gln	Ala	Gln	Pro	Asn	Thr	Tyr	Ala	Leu	Leu	Pro	Phe	Tyr	Glu	Lys
					645					650					655	
	Asp	Ala	Gln	Lys	Gly	Ile	Ile	Thr	Val	Ala	Gly	Val	Asp	Arg	Ser	Gly
				660					665					670		
45	Glu	Lys	Phe	Lys	Arg	Glu	Met	Tyr	Gly	Glu	Pro	Gly	Thr	Glu	Pro	Leu
			675					680					685			
	Glu	Tyr	Gly	Ser	Asn	His	Cys	Gly	Ile	Thr	Ala	Met	Trp	Cys	Leu	Ser
		690					695					700				
50	Ala	Pro	Tyr	Glu	Ala	Ser	Val	Arg	Phe	Thr	Arg	Thr	Asn	Pro	Ile	Gln
	705					710					715					720
	Ile	Ala	Gly	Thr	Ser	Phe	Ser	Ala	Pro	Ile	Val	Thr	Gly	Thr	Ala	Ala
					725					730					735	
55	Leu	Leu	Leu	Gln	Lys	Tyr	Pro	Trp	Met	Ser	Asn	Asp	Asn	Leu	Arg	Thr
				740					745					750		
	Thr	Leu	Leu	Thr	Thr	Ala	Gln	Asp	Ile	Gly	Ala	Val	Gly	Val	Asp	Ser
			755					760					765			

EP 1 790 660 A2

	Lys	Phe	Gly	Trp	Gly	Leu	Leu	Asp	Ala	Gly	Lys	Ala	Met	Asn	Gly	Pro
	770						775					780				
5	Ala	Ser	Phe	Pro	Phe	Gly	Asp	Phe	Thr	Ala	Asp	Thr	Lys	Gly	Thr	Ser
	785					790					795					800
	Asp	Ile	Ala	Tyr	Ser	Phe	Arg	Asn	Asp	Ile	Ser	Gly	Thr	Gly	Gly	Leu
					805					810					815	
10	Ile	Lys	Lys	Gly	Gly	Ser	Gln	Leu	Gln	Leu	His	Gly	Asn	Asn	Thr	Tyr
				820					825					830		
	Thr	Gly	Lys	Thr	Ile	Ile	Glu	Gly	Gly	Ser	Leu	Val	Leu	Tyr	Gly	Asn
			835					840					845			
15	Asn	Lys	Ser	Asp	Met	Arg	Val	Glu	Thr	Lys	Gly	Ala	Leu	Ile	Tyr	Asn
	850						855					860				
	Gly	Ala	Ala	Ser	Gly	Gly	Ser	Leu	Asn	Ser	Asp	Gly	Ile	Val	Tyr	Leu
	865					870					875					880
20	Ala	Asp	Thr	Asp	Gln	Ser	Gly	Ala	Asn	Glu	Thr	Val	His	Ile	Lys	Gly
					885					890					895	
	Ser	Leu	Gln	Leu	Asp	Gly	Lys	Gly	Thr	Leu	Tyr	Thr	Arg	Leu	Gly	Lys
				900					905					910		
25	Leu	Leu	Lys	Val	Asp	Gly	Thr	Ala	Ile	Ile	Gly	Gly	Lys	Leu	Tyr	Met
			915					920					925			
	Ser	Ala	Arg	Gly	Lys	Gly	Ala	Gly	Tyr	Leu	Asn	Ser	Thr	Gly	Arg	Arg
		930					935					940				
30	Val	Pro	Phe	Leu	Ser	Ala	Ala	Lys	Ile	Gly	Gln	Asp	Tyr	Ser	Phe	Phe
	945					950					955					960
	Thr	Asn	Ile	Glu	Thr	Asp	Gly	Gly	Leu	Leu	Ala	Ser	Leu	Asp	Ser	Val
					965					970					975	
35	Glu	Lys	Thr	Ala	Gly	Ser	Glu	Gly	Asp	Thr	Leu	Ser	Tyr	Tyr	Val	Arg
				980					985					990		
	Arg	Gly	Asn	Ala	Ala	Arg	Thr	Ala	Ser	Ala	Ala	Ala	His	Ser	Ala	Pro
			995					1000					1005			
40	Ala	Gly	Leu	Lys	His	Ala	Val	Glu	Gln	Gly	Gly	Ser	Asn	Leu	Glu	Asn
		1010					1015					1020				
	Leu	Met	Val	Glu	Leu	Asp	Ala	Ser	Glu	Ser	Ser	Ala	Thr	Pro	Glu	Thr
	1025					1030					1035					1040
45	Val	Glu	Thr	Ala	Ala	Ala	Asp	Arg	Thr	Asp	Met	Pro	Gly	Ile	Arg	Pro
					1045					1050					1055	
	Tyr	Gly	Ala	Thr	Phe	Arg	Ala	Ala	Ala	Ala	Val	Gln	His	Ala	Asn	Ala
				1060					1065					1070		
50	Ala	Asp	Gly	Val	Arg	Ile	Phe	Asn	Ser	Leu	Ala	Ala	Thr	Val	Tyr	Ala
			1075					1080					1085			
	Asp	Ser	Thr	Ala	Ala	His	Ala	Asp	Met	Gln	Gly	Arg	Arg	Leu	Lys	Ala
		1090					1095					1100				
55	Val	Ser	Asp	Gly	Leu	Asp	His	Asn	Gly	Thr	Gly	Leu	Arg	Val	Ile	Ala
	1105					1110					1115					1120
	Gln	Thr	Gln	Gln	Asp	Gly	Gly	Thr	Trp	Glu	Gln	Gly	Gly	Val	Glu	Gly
					1125					1130					1135	

EP 1 790 660 A2

Lys Met Arg Gly Ser Thr Gln Thr Val Gly Ile Ala Ala Lys Thr Gly
1140 1145 1150

5 Glu Asn Thr Thr Ala Ala Ala Thr Leu Gly Met Gly Arg Ser Thr Trp
1155 1160 1165

Ser Glu Asn Ser Ala Asn Ala Lys Thr Asp Ser Ile Ser Leu Phe Ala
1170 1175 1180

10 Gly Ile Arg His Asp Ala Gly Asp Ile Gly Tyr Leu Lys Gly Leu Phe
1185 1190 1195 1200

Ser Tyr Gly Arg Tyr Lys Asn Ser Ile Ser Arg Ser Thr Gly Ala Asp
1205 1210 1215

15 Glu His Ala Glu Gly Ser Val Asn Gly Thr Leu Met Gln Leu Gly Ala
1220 1225 1230

Leu Gly Gly Val Asn Val Pro Phe Ala Ala Thr Gly Asp Leu Thr Val
1235 1240 1245

20 Glu Gly Gly Leu Arg Tyr Asp Leu Leu Lys Gln Asp Ala Phe Ala Glu
1250 1255 1260

Lys Gly Ser Ala Leu Gly Trp Ser Gly Asn Ser Leu Thr Glu Gly Thr
1265 1270 1275 1280

25 Leu Val Gly Leu Ala Gly Leu Lys Leu Ser Gln Pro Leu Ser Asp Lys
1285 1290 1295

Ala Val Leu Phe Ala Thr Ala Gly Val Glu Arg Asp Leu Asn Gly Arg
1300 1305 1310

30 Asp Tyr Thr Val Thr Gly Gly Phe Thr Gly Ala Thr Ala Ala Thr Gly
1315 1320 1325

Lys Thr Gly Ala Arg Asn Met Pro His Thr Arg Leu Val Ala Gly Leu
1330 1335 1340

35 Gly Ala Asp Val Glu Phe Gly Asn Gly Trp Asn Gly Leu Ala Arg Tyr
1345 1350 1355 1360

Ser Tyr Ala Gly Ser Lys Gln Tyr Gly Asn His Ser Gly Arg Val Gly
1365 1370 1375

40 Val Gly Tyr Arg Phe Leu Glu His His His His His His
1380 1385

<210> 158
<211> 2304
<212> DNA
<213> Artificial Sequence

45 <220>
<223> 961cL-ORF46.1

<400> 158
atgaaacact ttccatccaa agtactgacc acagccatcc ttgccacttt ctgtagcggc 60
gcactggcag ccacaaacga cgacgatgtt aaaaaagctg ccactgtggc cattgctgct 120
50 gcctacaaca atggccaaga aatcaacggt ttcaaagctg gagagaccat ctacgacatt 180
gatgaagacg gcacaattac caaaaaagac gcaactgcag ccgatgttga agccgacgac 240
tttaaagggtc tgggtctgaa aaaagtcgtg actaacctga ccaaaaccgt caatgaaaac 300
aaacaaaacg tcgatgccaa agtaaaagct gcagaatctg aaatagaaaa gttaacaacc 360
aagttagcag acactgatgc cgctttagca gatactgatg ccgctctgga tgcaaccacc 420
aacgccttga ataaattggg agaaaatata acgacatttg ctgaagagac taagacaaat 480
atcgtaaaaa ttgatgaaaa attagaagcc gtggctgata ccgtcgacaa gcatgccgaa 540
55 gcattcaacg atatcgccga ttcatggat gaaaccaaca ctaaggcaga cgaagccgct 600
aaaaccgcca atgaagccaa acagacggcc gaagaaacca aacaaaacgt cgatgccaaa 660

```

gtaaaagctg cagaaactgc agcaggcaaa gccgaagctg ccgctggcac agctaatact 720
gcagccgaca aggccgaagc tgtcgctgca aaagttaccg acatcaaagc tgatatcgct 780
acgaacaaag ataattttgc taaaaaagca aacagtgccg acgtgtacac cagagaagag 840
tctgacagca aattttgtcag aatttgatggt ctgaacgcta ctaccgaaaa attggacaca 900
cgcttggctt ctgctgaaaa atccattgcc gatcacgata ctgcctgaa cggtttggat 960
aaaacagtgt cagacctgcg caaagaaacc cgccaaggcc ttgcagaaca agccgcgctc 1020
tccggtctgt tccaacctta caacgtgggt ggatccggag gaggaggatc agatttggca 1080
aacgattcct ttatccggca ggttctcgac cgtcagcatt tcgaacccga cgggaaatac 1140
cacctattcg gcagcagggg ggaacttgcc gagcgacgcg gccatatcgg attgggaaaa 1200
atacaaagcc atcagttggg caacctgatg attcaacagg cggccattaa aggaaatatc 1260
ggctacattg tccgcttttc cgatcacggg cacgaagtcc attccccctt cgacaaccat 1320
gcctcacatt ccgattctga tgaagccggt agtcccgttg acggatttag cctttaccgc 1380
atccattggg acggatacga acaccatccc gccgacggct atgacgggac acaggcgggc 1440
ggctatcccg ctcccaaagg cgcgagggat atatacagct acgacataaa aggcgttgcc 1500
caaaatatcc gcctcaacct gaccgacaac cgcagcaccg gacaacggct tgccgaccgt 1560
ttccacaatg ccggtagtag gctgacgcaa ggagtaggcg acggattcaa acgcgccacc 1620
cgatacagcc ccgagctgga cagatcgggc aatgcccggc aagccttcaa cggcactgca 1680
gatatcgtaa aaaacatcat cggcgcgcca ggagaaattg tcggcgagg cgatgccgtg 1740
cagggcataa gcgaaggctc aaacattgct gtcattgcag gcttgggtct gctttccacc 1800
gaaaacaaga tggcgcgcat caacgatttg gcagatatgg cgcaactcaa agactatgcc 1860
gcagcagcca tccgcgattg ggcagtcgca aaccccaatg ccgcacaagg catagaagcc 1920
gtcagcaata tctttatggc agccatcccc atcaaaggga ttggagctgt tcggggaaaa 1980
tacggcttgg gcggcatcac ggcacatcct atcaagcggg cgcagatggg cgcgatcgca 2040
ttgcccgaag ggaatccgc aatctcgac atgttttggc atgcggcata cgccaaatac 2100
ccgtccccctt accattcccc ggaatccgt tcaaacttgg agcagcgtaa cggcaaagaa 2160
aacatcacct cctcaaccgt gccgcccgtc aacggcaaaa atgtcaaaact ggcagaccaa 2220
cgccacccga agacaggcgt accgtttgac ggtaaagggt ttccgaattt tgagaagcac 2280
gtgaaatatg atacgtaact cgag 2304

```

```

<210> 159
<211> 765
<212> PRT
<213> Artificial Sequence

```

```

<220>
<223> 961cL-ORF46.1

```

```

<400> 159
Met Lys His Phe Pro Ser Lys Val Leu Thr Thr Ala Ile Leu Ala Thr
1 5 10 15
Phe Cys Ser Gly Ala Leu Ala Ala Thr Asn Asp Asp Asp Val Lys Lys
20 25 30
Ala Ala Thr Val Ala Ile Ala Ala Ala Tyr Asn Asn Gly Gln Glu Ile
35 40 45
Asn Gly Phe Lys Ala Gly Glu Thr Ile Tyr Asp Ile Asp Glu Asp Gly
50 55 60
Thr Ile Thr Lys Lys Asp Ala Thr Ala Ala Asp Val Glu Ala Asp Asp
65 70 75 80
Phe Lys Gly Leu Gly Leu Lys Lys Val Val Thr Asn Leu Thr Lys Thr
85 90 95
Val Asn Glu Asn Lys Gln Asn Val Asp Ala Lys Val Lys Ala Ala Glu
100 105 110
Ser Glu Ile Glu Lys Leu Thr Thr Lys Leu Ala Asp Thr Asp Ala Ala
115 120 125
Leu Ala Asp Thr Asp Ala Ala Leu Asp Ala Thr Thr Asn Ala Leu Asn
130 135 140
Lys Leu Gly Glu Asn Ile Thr Thr Phe Ala Glu Glu Thr Lys Thr Asn
145 150 155 160
Ile Val Lys Ile Asp Glu Lys Leu Glu Ala Val Ala Asp Thr Val Asp

```

EP 1 790 660 A2

	165	170	175	
5	Lys His Ala Glu Ala Phe Asn Asp Ile Ala Asp Ser Leu Asp Glu Thr	180	185	190
	Asn Thr Lys Ala Asp Glu Ala Val Lys Thr Ala Asn Glu Ala Lys Gln	195	200	205
10	Thr Ala Glu Glu Thr Lys Gln Asn Val Asp Ala Lys Val Lys Ala Ala	210	215	220
	Glu Thr Ala Ala Gly Lys Ala Glu Ala Ala Ala Gly Thr Ala Asn Thr	225	230	235
15	Ala Ala Asp Lys Ala Glu Ala Val Ala Ala Lys Val Thr Asp Ile Lys	245	250	255
	Ala Asp Ile Ala Thr Asn Lys Asp Asn Ile Ala Lys Lys Ala Asn Ser	260	265	270
20	Ala Asp Val Tyr Thr Arg Glu Glu Ser Asp Ser Lys Phe Val Arg Ile	275	280	285
	Asp Gly Leu Asn Ala Thr Thr Glu Lys Leu Asp Thr Arg Leu Ala Ser	290	295	300
25	Ala Glu Lys Ser Ile Ala Asp His Asp Thr Arg Leu Asn Gly Leu Asp	305	310	315
	Lys Thr Val Ser Asp Leu Arg Lys Glu Thr Arg Gln Gly Leu Ala Glu	325	330	335
30	Gln Ala Ala Leu Ser Gly Leu Phe Gln Pro Tyr Asn Val Gly Gly Ser	340	345	350
	Gly Gly Gly Gly Ser Asp Leu Ala Asn Asp Ser Phe Ile Arg Gln Val	355	360	365
35	Leu Asp Arg Gln His Phe Glu Pro Asp Gly Lys Tyr His Leu Phe Gly	370	375	380
	Ser Arg Gly Glu Leu Ala Glu Arg Ser Gly His Ile Gly Leu Gly Lys	385	390	395
40	Ile Gln Ser His Gln Leu Gly Asn Leu Met Ile Gln Gln Ala Ala Ile	405	410	415
	Lys Gly Asn Ile Gly Tyr Ile Val Arg Phe Ser Asp His Gly His Glu	420	425	430
45	Val His Ser Pro Phe Asp Asn His Ala Ser His Ser Asp Ser Asp Glu	435	440	445
	Ala Gly Ser Pro Val Asp Gly Phe Ser Leu Tyr Arg Ile His Trp Asp	450	455	460
50	Gly Tyr Glu His His Pro Ala Asp Gly Tyr Asp Gly Pro Gln Gly Gly	465	470	475
	Gly Tyr Pro Ala Pro Lys Gly Ala Arg Asp Ile Tyr Ser Tyr Asp Ile	485	490	495
55	Lys Gly Val Ala Gln Asn Ile Arg Leu Asn Leu Thr Asp Asn Arg Ser	500	505	510
	Thr Gly Gln Arg Leu Ala Asp Arg Phe His Asn Ala Gly Ser Met Leu	515	520	525
	Thr Gln Gly Val Gly Asp Gly Phe Lys Arg Ala Thr Arg Tyr Ser Pro			

EP 1 790 660 A2

	530		535		540											
5	Glu 545	Leu	Asp	Arg	Ser	Gly 550	Asn	Ala	Ala	Glu	Ala 555	Phe	Asn	Gly	Thr	Ala 560
	Asp	Ile	Val	Lys	Asn 565	Ile	Ile	Gly	Ala	Ala 570	Gly	Glu	Ile	Val	Gly 575	Ala
10	Gly	Asp	Ala	Val 580	Gln	Gly	Ile	Ser	Glu 585	Gly	Ser	Asn	Ile	Ala	Val	Met
	His	Gly	Leu 595	Gly	Leu	Leu	Ser	Thr 600	Glu	Asn	Lys	Met	Ala 605	Arg	Ile	Asn
15	Asp	Leu 610	Ala	Asp	Met	Ala	Gln 615	Leu	Lys	Asp	Tyr	Ala 620	Ala	Ala	Ala	Ile
	Arg 625	Asp	Trp	Ala	Val	Gln 630	Asn	Pro	Asn	Ala	Ala 635	Gln	Gly	Ile	Glu	Ala 640
	Val	Ser	Asn	Ile	Phe 645	Met	Ala	Ala	Ile	Pro 650	Ile	Lys	Gly	Ile	Gly 655	Ala
20	Val	Arg	Gly	Lys 660	Tyr	Gly	Leu	Gly	Gly 665	Ile	Thr	Ala	His	Pro	Ile	Lys
	Arg	Ser	Gln 675	Met	Gly	Ala	Ile	Ala 680	Leu	Pro	Lys	Gly	Lys 685	Ser	Ala	Val
25	Ser	Asp 690	Asn	Phe	Ala	Asp	Ala 695	Ala	Tyr	Ala	Lys	Tyr 700	Pro	Ser	Pro	Tyr
	His 705	Ser	Arg	Asn	Ile	Arg 710	Ser	Asn	Leu	Glu	Gln 715	Arg	Tyr	Gly	Lys	Glu 720
30	Asn	Ile	Thr	Ser	Ser 725	Thr	Val	Pro	Pro	Ser 730	Asn	Gly	Lys	Asn	Val 735	Lys
	Leu	Ala	Asp	Gln 740	Arg	His	Pro	Lys	Thr 745	Gly	Val	Pro	Phe	Asp 750	Gly	Lys
35	Gly	Phe	Pro 755	Asn	Phe	Glu	Lys	His 760	Val	Lys	Tyr	Asp	Thr 765			
	<210>	160														
	<211>	1839														
	<212>	DNA														
	<213>	Artificial Sequence														
40	<220>															
	<223>	961cL-741														
	<400>	160														
45	atgaaacact	ttccatccaa	agtactgacc	acagccatcc	ttgccacttt	ctgtagcggc	60									
	gcactggcag	ccacaaacga	cgacgatgtt	aaaaaagctg	ccactgtggc	cattgtctgct	120									
	gcctacaaca	atggccaaga	aatcaacggt	ttcaaagctg	gagagaccat	ctacgacatt	180									
	gatgaagacg	gcacaattac	caaaaaagac	gcaactgcag	ccgatgttga	agccgacgac	240									
	tttaaaggctc	tgggtctgaa	aaaagtcgtg	actaacctga	ccaaaaccgt	caatgaaaac	300									
	aaacaaaacg	tcgatgccaa	agtaaaagct	gcagaatctg	aaatagaaaa	gttaacaacc	360									
	aagttagcag	acactgatgc	cgcttttagca	gatactgatg	ccgctctgga	tgcaaccacc	420									
50	aacgccttga	ataaaattggg	agaaaatata	acgcacatttg	ctgaagagac	taagacaaat	480									
	atcgtaaaaa	ttgatgaaaa	attagaagcc	gtggctgata	ccgtcgacaa	gcattgccgaa	540									
	gcattcaacg	atatcgccga	ttcattggat	gaaaccaaca	ctaaggcaga	cgaagccgtc	600									
	aaaaccgccg	atgaagccaa	acagacggcc	gaagaaacca	aacaaaacgt	cgatgccaaa	660									
	gtaaaagctg	cagaaactgc	agcaggcaaa	gccgaagctg	ccgctggcac	agctaatact	720									
	gcagccgaca	aggccgaagc	tgtcgtcgca	aaagttaccg	acatcaaagc	tgatatcgct	780									
55	acgaacaaag	ataatattgc	taaaaaagca	aacagtgccg	acgtgtacac	cagagaagag	840									
	tctgacagca	aatttgtcag	aattgatggt	ctgaacgcta	ctaccgaaaa	attggacaca	900									
	cgcttgqctt	ctgctgaaaa	atccattgcc	gatcacgata	ctcgctgaa	cqgtttgqat	960									

	aaaacagtgt	cagacctgcg	caaagaaacc	cgccaaggcc	ttgcagaaca	agccgcgctc	1020
	tccggtctgt	tccaacctta	caacgtgggt	ggatccggag	ggggtggtgt	cgccgccgac	1080
	atcgggtcgg	ggcttgccga	tgcactaacc	gcaccgctcg	accataaaga	caaaggtttg	1140
5	cagtcctttga	cgctggatca	gtccgtcagg	aaaaacgaga	aactgaagct	ggcggcacia	1200
	gggtcggaaa	aaacttatgg	aaacggtgac	agcctcaata	cgggcaaatt	gaagaacgac	1260
	aaggtcagcc	gtttcgactt	tatccgcca	atcgaagtgg	acgggcagct	cattaccttg	1320
	gagagtggag	agtccaagt	atacaaaaca	agccattccg	ccttaaccgc	cttcagacc	1380
	gagcaaatac	aagattcgga	gcattccggg	aagatggttg	cgaaacgcca	gttcagaatc	1440
	ggcgacatag	cgggcgaaca	tacatctttt	gacaagcttc	ccgaaggcgg	cagggcgaca	1500
10	tatcgcgga	cggcggttcg	ttcagacgat	gccggcgga	aactgacct	caccatagat	1560
	ttcgccgcca	agcagggaaa	cggcaaaatc	gaacatttga	aatcgccaga	actcaatgct	1620
	gacctggccg	ccgccgat	caagccggat	ggaaaacgcc	atgccgtcat	cagcggttcc	1680
	gtcctttaca	accaagccga	gaaaggcagt	tactccctcg	gtatctttgg	cggaaaagcc	1740
	caggaagttg	ccggcgagcg	ggaagtga	accgtaaacc	gcatacgcca	tatcggcctt	1800
	gccgccaagc	aactcgagca	ccaccaccac	caccactga			1839
15	<210>	161					
	<211>	612					
	<212>	PRT					
	<213>	Artificial Sequence					
	<220>						
20	<223>	961cL-741					
	<400>	161					
	Met Lys His Phe Pro Ser Lys Val Leu Thr Thr Ala Ile Leu Ala Thr						
	1 5 10 15						
25	Phe Cys Ser Gly Ala Leu Ala Ala Thr Asn Asp Asp Asp Val Lys Lys						
	20 25 30						
	Ala Ala Thr Val Ala Ile Ala Ala Tyr Asn Asn Gly Gln Glu Ile						
	35 40 45						
30	Asn Gly Phe Lys Ala Gly Glu Thr Ile Tyr Asp Ile Asp Glu Asp Gly						
	50 55 60						
	Thr Ile Thr Lys Lys Asp Ala Thr Ala Ala Asp Val Glu Ala Asp Asp						
	65 70 75 80						
35	Phe Lys Gly Leu Gly Leu Lys Lys Val Val Thr Asn Leu Thr Lys Thr						
	85 90 95						
	Val Asn Glu Asn Lys Gln Asn Val Asp Ala Lys Val Lys Ala Ala Glu						
	100 105 110						
40	Ser Glu Ile Glu Lys Leu Thr Thr Lys Leu Ala Asp Thr Asp Ala Ala						
	115 120 125						
	Leu Ala Asp Thr Asp Ala Ala Leu Asp Ala Thr Thr Asn Ala Leu Asn						
	130 135 140						
45	Lys Leu Gly Glu Asn Ile Thr Thr Phe Ala Glu Glu Thr Lys Thr Asn						
	145 150 155 160						
	Ile Val Lys Ile Asp Glu Lys Leu Glu Ala Val Ala Asp Thr Val Asp						
	165 170 175						
	Lys His Ala Glu Ala Phe Asn Asp Ile Ala Asp Ser Leu Asp Glu Thr						
	180 185 190						
50	Asn Thr Lys Ala Asp Glu Ala Val Lys Thr Ala Asn Glu Ala Lys Gln						
	195 200 205						
	Thr Ala Glu Glu Thr Lys Gln Asn Val Asp Ala Lys Val Lys Ala Ala						
	210 215 220						
55	Glu Thr Ala Ala Gly Lys Ala Glu Ala Ala Ala Gly Thr Ala Asn Thr						
	225 230 235 240						

EP 1 790 660 A2

	Ala	Ala	Asp	Lys	Ala 245	Glu	Ala	Val	Ala	Ala 250	Lys	Val	Thr	Asp	Ile 255	Lys
5	Ala	Asp	Ile	Ala 260	Thr	Asn	Lys	Asp	Asn 265	Ile	Ala	Lys	Lys	Ala 270	Asn	Ser
	Ala	Asp	Val 275	Tyr	Thr	Arg	Glu	Glu 280	Ser	Asp	Ser	Lys	Phe 285	Val	Arg	Ile
10	Asp	Gly 290	Leu	Asn	Ala	Thr	Thr 295	Glu	Lys	Leu	Asp	Thr 300	Arg	Leu	Ala	Ser
	Ala 305	Glu	Lys	Ser	Ile	Ala 310	Asp	His	Asp	Thr	Arg 315	Leu	Asn	Gly	Leu	Asp 320
15	Lys	Thr	Val	Ser	Asp 325	Leu	Arg	Lys	Glu	Thr 330	Arg	Gln	Gly	Leu	Ala 335	Glu
	Gln	Ala	Ala	Leu 340	Ser	Gly	Leu	Phe	Gln 345	Pro	Tyr	Asn	Val	Gly 350	Gly	Ser
20	Gly	Gly	Gly 355	Gly	Val	Ala	Ala	Asp 360	Ile	Gly	Ala	Gly	Leu 365	Ala	Asp	Ala
	Leu	Thr 370	Ala	Pro	Leu	Asp	His 375	Lys	Asp	Lys	Gly	Leu 380	Gln	Ser	Leu	Thr
25	Leu 385	Asp	Gln	Ser	Val	Arg 390	Lys	Asn	Glu	Lys	Leu 395	Lys	Leu	Ala	Ala	Gln 400
	Gly	Ala	Glu	Lys	Thr 405	Tyr	Gly	Asn	Gly	Asp 410	Ser	Leu	Asn	Thr	Gly 415	Lys
30	Leu	Lys	Asn	Asp 420	Lys	Val	Ser	Arg	Phe 425	Asp	Phe	Ile	Arg	Gln 430	Ile	Glu
	Val	Asp	Gly 435	Gln	Leu	Ile	Thr	Leu 440	Glu	Ser	Gly	Glu	Phe 445	Gln	Val	Tyr
35	Lys	Gln 450	Ser	His	Ser	Ala	Leu 455	Thr	Ala	Phe	Gln 460	Thr	Glu	Gln	Ile	Gln
	Asp 465	Ser	Glu	His	Ser	Gly 470	Lys	Met	Val	Ala	Lys 475	Arg	Gln	Phe	Arg	Ile 480
40	Gly	Asp	Ile	Ala	Gly 485	Glu	His	Thr	Ser	Phe 490	Asp	Lys	Leu	Pro	Glu 495	Gly
	Gly	Arg	Ala	Thr 500	Tyr	Arg	Gly	Thr	Ala 505	Phe	Gly	Ser	Asp	Asp 510	Ala	Gly
45	Gly	Lys	Leu 515	Thr	Tyr	Thr	Ile	Asp 520	Phe	Ala	Ala	Lys	Gln 525	Gly	Asn	Gly
	Lys	Ile 530	Glu	His	Leu	Lys	Ser 535	Pro	Glu	Leu	Asn	Val 540	Asp	Leu	Ala	Ala
50	Ala 545	Asp	Ile	Lys	Pro	Asp 550	Gly	Lys	Arg	His	Ala 555	Val	Ile	Ser	Gly	Ser 560
	Val	Leu	Tyr	Asn	Gln 565	Ala	Glu	Lys	Gly	Ser 570	Tyr	Ser	Leu	Gly	Ile 575	Phe
55	Gly	Gly	Lys	Ala 580	Gln	Glu	Val	Ala	Gly 585	Ser	Ala	Glu	Val	Lys 590	Thr	Val
	Asn	Gly	Ile 595	Arg	His	Ile	Gly	Leu 600	Ala	Ala	Lys	Gln	Leu 605	Glu	His	His

His His His His
610

<210> 162
<211> 4218
<212> DNA
<213> Artificial Sequence

<220>
<223> 961cL-983

<400> 162
atgaaacact ttccatccaa agtactgacc acagccatcc ttgccacttt ctgtagcggc 60
gcactggcag ccacaaacga cgacgatgtt aaaaaagctg ccactgtggc cattgctgct 120
gcctacaaca atggccaaga aatcaacggt ttcaaagctg gagagaccat ctacgacatt 180
gatgaagacg gcacaattac caaaaaagac gcaactgcag ccgatgttga agccgacgac 240
tttaaaaggtc tgggtctgaa aaaagtcgtg actaacctga ccaaaaccgt caatgaaaac 300
aaacaaaacg tcgatgccaa agtaaaagct gcagaatctg aaatagaaaa gttaacaacc 360
aagttagcag acactgatgc cgcttttagca gatactgatg ccgctctgga tgcaaccacc 420
aacgccttga ataaattggg agaaaaatata acgacatttg ctgaagagac taagacaaat 480
atcgtaaaaa ttgatgaaaa attagaagcc gtggctgata ccgctcgaca gcatgccgaa 540
gcattcaacg atatcgccga ttcatgtgat gaaaccaaca ctaaggcaga cgaagccgtc 600
aaaaccgcca atgaagccaa acagacggcc gaagaaacca aacaaaacgt cgatgccaaa 660
gtaaaagctg cagaaaactgc agcaggcaaa gccgaagctg ccgctggcac agctaatact 720
gcagccgca aggccgaagc tgtcgttgca aaggttaccg acatcaaagc tgatattcgt 780
acgaacaaag ataattattgc taaaaaagca aacagtgcg acgtgtacac cagagaagag 840
tctgacagca aattttgtcag aatttgatggt ctgaacgcta ctaccgaaaa attggacaca 900
cgcttggtt ctgctgaaaa atccattgac gatcacgata ctgcctgaa cggtttggat 960
aaaaacagtgt cagacctgcg caaacgtgggt ggatccggcg gaggcggcac ttctgcgcc 1020
tccggtctgt tccaacctta caggtatcggt agcaacagca gagcaacaac agcgaaatca 1140
gacttcaatg caggcgggtac cgttatcggt tatcaagaac gaaatgtgca aagacagaag catgctctgt 1200
gcagcagtat cttacgccgg ggttacagac agggatgcc aatatcaatgc ccccccccg 1260
gcccgtcggg atgacgttgc tccaaaccca aatgacgcat acaagaattt gatcaacctc 1320
aatctgcata ccggagactt ctatacagga cgcggggtag aggtaggtat cgtcgacaca 1380
aaacctgcaa ttgaagcagg atcctttccc gaactgtatg gcagaaaaga acacggctat 1440
aacgaaaatt acaaaaacta tacggcgtat atgcggaagg aagcgcctga agacggaggc 1500
ggtaaaagaca ttgaagcttc ttctgacgat gaggccgtta tagagactga agcaaagccg 1560
acggatatcc gccacgtaaa agaaatcgga cacatcgatt tggctctcca tattattggc 1620
ggcggttccg ttggacggcag acctgcaggc ggtattgcgc ccgatgcgac gctacata 1680
atgaatacga atgatgaaac caagaacgaa atgatgggtg cagccatccg caatgcattg 1740
gtcaagctgg gcgaacgtgg cgtgcgcata gtcaataaca gttttggaac aacatcgagg 1800
gcaggcactg ccgacctttt ccaaatagcc aattcggagg agcagtaccg ccaagcgttg 1860
ctcgactatt ccggcggtga taaaacagac gatccgtaat aaaaacatgc ttttcatctt ttcgacaggc 1920
tacggcaacc tgtcctacca catccgtaat gcccatttgc cattttatga aaaagacgct 2040
aatgacgcac aagctcagcc caaacaggca ttatcacagt cgcaggcgta gaccgcagtg gagaaaagtt caaacgggaa 2100
atgtatggag aaccgggtac agaaccgctt gagtattggt ccaaccattg cggaattact 2160
gccatgtggt gcctgtcggc accctatgaa gcaatgcgtc gtttcacccg tacaaacccg 2220
attcaaattg ccggaacatc cttttccgca cccatcgtaa ccgacggtc ccggtctgctg 2280
ctgcagaaat acccggtgat gagcaacgac aacctgcgta ccacgttgct gacgacggct 2340
caggacatcg gtgcagtcgg cgtggacagc aagttcggct ggggactgct ggatgcgggt 2400
aaggccatga acggacccgc gtcttttccg ttccggcact ttaccgccga tacgaaagg 2460
acatccgata ttgcctactc cttccgtaac gacatttcag gcacgggagg cctgatcaaa 2520
aaaggcggca gccaaactgca actgcacggc aacaacacct atacgggcaa aaccattatc 2580
gaaggcgggt cgctgggtgt gtacggcaac aacaaatcgg atatgcgcgt cgaaaccaa 2640
ggtgcgctga ttataacgg ggccgcatcc ggcggcagcc tgaacagcga cggcattgtc 2700
tatctggcag ataccgacca atccggcgca aacgaaaccg tacacatcaa aggcagtctg 2760
cagctggacg gcaaaggtag gctgtacaca cgtttgggca aactgctgaa agtggacgg 2820
acggcgatta tcggcggaac tctgacatg tcggcagcg agcagggggc aggcattctc 2880
aacagtaccg gacgacgtgt tcccttcttg agtgccgcca aaatcgggca ggattattct 2940
ttcttcacaa acatcgaaac cgacggcggc ctgctggctt cctcgcagag cgtcgaaaaa 3000
acagcgggca gtgaaggcga cacgctgtcc tattatgtcc gtcgcggcaa tgcggcacgg 3060
actgcttcgg cagcggcaca ttccgcggcc ccgggtctga aacacgccc agaacaggc 3120
ggcagcaatc tggaaaacct gatggtcgaa ctggatgcct ccgaatcatc cgcaacaccc 3180
gagacgggtt aaactgcggc agccgaccgc acagatatgc cgggcacccg cccctacggc 3240
gcaactttcc gcgcagcggc agccgtacag catgcgaatg ccgccagcg tgtacgcatc 3300
ttcaacagtc tcgccgtac cgtctatgcc gacagtaccg ccgccatgc cgatatgac 3360

	ggacgccgcc	tgaagccgt	atcggacggg	ttggaccaca	acggcacggg	tctgcgcgtc	3420
	atcgcgcaaa	cccaacagga	cgggtggaacg	tgggaacagg	gcggtgttga	aggcaaaatg	3480
	cgcggcagta	cccaaaccgt	cggcattgcc	gcgaaaaccg	gcgaaaatac	gacagcagcc	3540
5	gccacactgg	gcatgggacg	cagcacatgg	agcgaaaaca	gtgcaaatgc	aaaaaccgac	3600
	agcattagtc	tgtttgcagg	catacggcac	gatgcgggcg	atatcggcta	tctcaaaggc	3660
	ctgttctcct	acggacgcta	caaaaacagc	atcagccgca	gcaccggtgc	ggacgaacat	3720
	gcggaaggca	gcgtcaacgg	cacgctgatg	cagctgggcg	cactgggagg	tgtcaacgtt	3780
	ccgtttgccg	caacgggaga	tttgacggtc	gaaggcggtc	tgcgctacga	cctgctcaaa	3840
	caggatgcat	tcgccgaaaa	aggcagtgtc	ttgggctgga	gcggcaacag	cctcactgaa	3900
	ggcacgctgg	tcggactcgc	gggtctgaag	ctgtcgcaac	ccttgagcga	taaagccgtc	3960
10	ctgtttgcaa	cggcgggctg	ggaacgcgac	ctgaacggac	gcgactacac	ggtaacgggc	4020
	ggctttaccg	gcgcgactgc	agcaaccggc	aagacggggg	cacgcaatat	gccgcacacc	4080
	cgtctgggtg	cgggcctggg	cgcggatgtc	gaattcggca	acggctggaa	cggcttggca	4140
	cgttacagct	acgccggttc	caaacagtac	ggcaaccaca	gcggacgagt	cggcgtaggc	4200
	taccggttct	gactcgag					4218
15	<210>	163					
	<211>	1403					
	<212>	PRT					
	<213>	Artificial Sequence					
	<220>						
20	<223>	961cL-983					
	<400>	163					
	Met Lys His Phe Pro Ser Lys Val Leu Thr Thr Ala Ile Leu Ala Thr						
	1 5 10 15						
25	Phe Cys Ser Gly Ala Leu Ala Ala Thr Asn Asp Asp Asp Val Lys Lys						
	20 25 30						
	Ala Ala Thr Val Ala Ile Ala Ala Ala Tyr Asn Asn Gly Gln Glu Ile						
	35 40 45						
30	Asn Gly Phe Lys Ala Gly Glu Thr Ile Tyr Asp Ile Asp Glu Asp Gly						
	50 55 60						
	Thr Ile Thr Lys Lys Asp Ala Thr Ala Ala Asp Val Glu Ala Asp Asp						
	65 70 75 80						
35	Phe Lys Gly Leu Gly Leu Lys Lys Val Val Thr Asn Leu Thr Lys Thr						
	85 90 95						
	Val Asn Glu Asn Lys Gln Asn Val Asp Ala Lys Val Lys Ala Ala Glu						
	100 105 110						
40	Ser Glu Ile Glu Lys Leu Thr Thr Lys Leu Ala Asp Thr Asp Ala Ala						
	115 120 125						
	Leu Ala Asp Thr Asp Ala Ala Leu Asp Ala Thr Thr Asn Ala Leu Asn						
	130 135 140						
45	Lys Leu Gly Glu Asn Ile Thr Thr Phe Ala Glu Glu Thr Lys Thr Asn						
	145 150 155 160						
	Ile Val Lys Ile Asp Glu Lys Leu Glu Ala Val Ala Asp Thr Val Asp						
	165 170 175						
	Lys His Ala Glu Ala Phe Asn Asp Ile Ala Asp Ser Leu Asp Glu Thr						
	180 185 190						
50	Asn Thr Lys Ala Asp Glu Ala Val Lys Thr Ala Asn Glu Ala Lys Gln						
	195 200 205						
	Thr Ala Glu Glu Thr Lys Gln Asn Val Asp Ala Lys Val Lys Ala Ala						
	210 215 220						
55	Glu Thr Ala Ala Gly Lys Ala Glu Ala Ala Ala Gly Thr Ala Asn Thr						
	225 230 235 240						

EP 1 790 660 A2

	Ala	Ala	Asp	Lys	Ala	Glu	Ala	Val	Ala	Ala	Lys	Val	Thr	Asp	Ile	Lys
					245					250					255	
5	Ala	Asp	Ile	Ala	Thr	Asn	Lys	Asp	Asn	Ile	Ala	Lys	Lys	Ala	Asn	Ser
				260					265					270		
	Ala	Asp	Val	Tyr	Thr	Arg	Glu	Glu	Ser	Asp	Ser	Lys	Phe	Val	Arg	Ile
			275					280					285			
10	Asp	Gly	Leu	Asn	Ala	Thr	Thr	Glu	Lys	Leu	Asp	Thr	Arg	Leu	Ala	Ser
		290					295					300				
	Ala	Glu	Lys	Ser	Ile	Ala	Asp	His	Asp	Thr	Arg	Leu	Asn	Gly	Leu	Asp
	305					310					315					320
15	Lys	Thr	Val	Ser	Asp	Leu	Arg	Lys	Glu	Thr	Arg	Gln	Gly	Leu	Ala	Glu
					325					330					335	
	Gln	Ala	Ala	Leu	Ser	Gly	Leu	Phe	Gln	Pro	Tyr	Asn	Val	Gly	Gly	Ser
				340					345					350		
20	Gly	Gly	Gly	Gly	Thr	Ser	Ala	Pro	Asp	Phe	Asn	Ala	Gly	Gly	Thr	Gly
			355					360					365			
	Ile	Gly	Ser	Asn	Ser	Arg	Ala	Thr	Thr	Ala	Lys	Ser	Ala	Ala	Val	Ser
		370					375					380				
25	Tyr	Ala	Gly	Ile	Lys	Asn	Glu	Met	Cys	Lys	Asp	Arg	Ser	Met	Leu	Cys
	385					390					395					400
	Ala	Gly	Arg	Asp	Asp	Val	Ala	Val	Thr	Asp	Arg	Asp	Ala	Lys	Ile	Asn
				405						410					415	
30	Ala	Pro	Pro	Pro	Asn	Leu	His	Thr	Gly	Asp	Phe	Pro	Asn	Pro	Asn	Asp
				420					425					430		
	Ala	Tyr	Lys	Asn	Leu	Ile	Asn	Leu	Lys	Pro	Ala	Ile	Glu	Ala	Gly	Tyr
			435					440					445			
35	Thr	Gly	Arg	Gly	Val	Glu	Val	Gly	Ile	Val	Asp	Thr	Gly	Glu	Ser	Val
		450				455						460				
	Gly	Ser	Ile	Ser	Phe	Pro	Glu	Leu	Tyr	Gly	Arg	Lys	Glu	His	Gly	Tyr
	465					470					475					480
40	Asn	Glu	Asn	Tyr	Lys	Asn	Tyr	Thr	Ala	Tyr	Met	Arg	Lys	Glu	Ala	Pro
					485					490					495	
	Glu	Asp	Gly	Gly	Gly	Lys	Asp	Ile	Glu	Ala	Ser	Phe	Asp	Asp	Glu	Ala
				500					505					510		
45	Val	Ile	Glu	Thr	Glu	Ala	Lys	Pro	Thr	Asp	Ile	Arg	His	Val	Lys	Glu
			515					520					525			
	Ile	Gly	His	Ile	Asp	Leu	Val	Ser	His	Ile	Ile	Gly	Gly	Arg	Ser	Val
		530					535					540				
50	Asp	Gly	Arg	Pro	Ala	Gly	Gly	Ile	Ala	Pro	Asp	Ala	Thr	Leu	His	Ile
	545					550					555					560
	Met	Asn	Thr	Asn	Asp	Glu	Thr	Lys	Asn	Glu	Met	Met	Val	Ala	Ala	Ile
					565					570					575	
55	Arg	Asn	Ala	Trp	Val	Lys	Leu	Gly	Glu	Arg	Gly	Val	Arg	Ile	Val	Asn
				580					585					590		
	Asn	Ser	Phe	Gly	Thr	Thr	Ser	Arg	Ala	Gly	Thr	Ala	Asp	Leu	Phe	Gln
			595					600					605			

EP 1 790 660 A2

	Ile	Ala	Asn	Ser	Glu	Glu	Gln	Tyr	Arg	Gln	Ala	Leu	Leu	Asp	Tyr	Ser
		610					615					620				
5	Gly	Gly	Asp	Lys	Thr	Asp	Glu	Gly	Ile	Arg	Leu	Met	Gln	Gln	Ser	Asp
	625					630					635					640
	Tyr	Gly	Asn	Leu	Ser	Tyr	His	Ile	Arg	Asn	Lys	Asn	Met	Leu	Phe	Ile
					645					650					655	
10	Phe	Ser	Thr	Gly	Asn	Asp	Ala	Gln	Ala	Gln	Pro	Asn	Thr	Tyr	Ala	Leu
				660					665					670		
	Leu	Pro	Phe	Tyr	Glu	Lys	Asp	Ala	Gln	Lys	Gly	Ile	Ile	Thr	Val	Ala
			675					680					685			
15	Gly	Val	Asp	Arg	Ser	Gly	Glu	Lys	Phe	Lys	Arg	Glu	Met	Tyr	Gly	Glu
	690						695					700				
	Pro	Gly	Thr	Glu	Pro	Leu	Glu	Tyr	Gly	Ser	Asn	His	Cys	Gly	Ile	Thr
	705					710					715					720
20	Ala	Met	Trp	Cys	Leu	Ser	Ala	Pro	Tyr	Glu	Ala	Ser	Val	Arg	Phe	Thr
					725					730					735	
	Arg	Thr	Asn	Pro	Ile	Gln	Ile	Ala	Gly	Thr	Ser	Phe	Ser	Ala	Pro	Ile
				740					745					750		
25	Val	Thr	Gly	Thr	Ala	Ala	Leu	Leu	Gln	Lys	Tyr	Pro	Trp	Met	Ser	
			755				760					765				
	Asn	Asp	Asn	Leu	Arg	Thr	Thr	Leu	Leu	Thr	Thr	Ala	Gln	Asp	Ile	Gly
		770					775					780				
30	Ala	Val	Gly	Val	Asp	Ser	Lys	Phe	Gly	Trp	Gly	Leu	Leu	Asp	Ala	Gly
	785					790					795					800
	Lys	Ala	Met	Asn	Gly	Pro	Ala	Ser	Phe	Pro	Phe	Gly	Asp	Phe	Thr	Ala
					805					810					815	
35	Asp	Thr	Lys	Gly	Thr	Ser	Asp	Ile	Ala	Tyr	Ser	Phe	Arg	Asn	Asp	Ile
				820					825					830		
	Ser	Gly	Thr	Gly	Gly	Leu	Ile	Lys	Lys	Gly	Gly	Ser	Gln	Leu	Gln	Leu
			835					840					845			
40	His	Gly	Asn	Asn	Thr	Tyr	Thr	Gly	Lys	Thr	Ile	Ile	Glu	Gly	Gly	Ser
		850					855					860				
	Leu	Val	Leu	Tyr	Gly	Asn	Asn	Lys	Ser	Asp	Met	Arg	Val	Glu	Thr	Lys
	865					870					875					880
45	Gly	Ala	Leu	Ile	Tyr	Asn	Gly	Ala	Ala	Ser	Gly	Gly	Ser	Leu	Asn	Ser
					885					890					895	
	Asp	Gly	Ile	Val	Tyr	Leu	Ala	Asp	Thr	Asp	Gln	Ser	Gly	Ala	Asn	Glu
				900					905					910		
50	Thr	Val	His	Ile	Lys	Gly	Ser	Leu	Gln	Leu	Asp	Gly	Lys	Gly	Thr	Leu
			915					920					925			
	Tyr	Thr	Arg	Leu	Gly	Lys	Leu	Leu	Lys	Val	Asp	Gly	Thr	Ala	Ile	Ile
		930					935					940				
55	Gly	Gly	Lys	Leu	Tyr	Met	Ser	Ala	Arg	Gly	Lys	Gly	Ala	Gly	Tyr	Leu
	945					950					955					960
	Asn	Ser	Thr	Gly	Arg	Arg	Val	Pro	Phe	Leu	Ser	Ala	Ala	Lys	Ile	Gly
					965					970					975	

Gln Asp Tyr Ser Phe Phe Thr Asn Ile Glu Thr Asp Gly Gly Leu Leu
 980 985 990
 5 Ala Ser Leu Asp Ser Val Glu Lys Thr Ala Gly Ser Glu Gly Asp Thr
 995 1000 1005
 Leu Ser Tyr Tyr Val Arg Arg Gly Asn Ala Ala Arg Thr Ala Ser Ala
 1010 1015 1020
 10 Ala Ala His Ser Ala Pro Ala Gly Leu Lys His Ala Val Glu Gln Gly
 1025 1030 1035 1040
 Gly Ser Asn Leu Glu Asn Leu Met Val Glu Leu Asp Ala Ser Glu Ser
 1045 1050 1055
 15 Ser Ala Thr Pro Glu Thr Val Glu Thr Ala Ala Ala Asp Arg Thr Asp
 1060 1065 1070
 Met Pro Gly Ile Arg Pro Tyr Gly Ala Thr Phe Arg Ala Ala Ala Ala
 1075 1080 1085
 20 Val Gln His Ala Asn Ala Ala Asp Gly Val Arg Ile Phe Asn Ser Leu
 1090 1095 1100
 Ala Ala Thr Val Tyr Ala Asp Ser Thr Ala Ala His Ala Asp Met Gln
 1105 1110 1115 1120
 25 Gly Arg Arg Leu Lys Ala Val Ser Asp Gly Leu Asp His Asn Gly Thr
 1125 1130 1135
 Gly Leu Arg Val Ile Ala Gln Thr Gln Gln Asp Gly Gly Thr Trp Glu
 1140 1145 1150
 30 Gln Gly Gly Val Glu Gly Lys Met Arg Gly Ser Thr Gln Thr Val Gly
 1155 1160 1165
 Ile Ala Ala Lys Thr Gly Glu Asn Thr Thr Ala Ala Ala Thr Leu Gly
 1170 1175 1180
 35 Met Gly Arg Ser Thr Trp Ser Glu Asn Ser Ala Asn Ala Lys Thr Asp
 1185 1190 1195 1200
 Ser Ile Ser Leu Phe Ala Gly Ile Arg His Asp Ala Gly Asp Ile Gly
 1205 1210 1215
 40 Tyr Leu Lys Gly Leu Phe Ser Tyr Gly Arg Tyr Lys Asn Ser Ile Ser
 1220 1225 1230
 Arg Ser Thr Gly Ala Asp Glu His Ala Glu Gly Ser Val Asn Gly Thr
 1235 1240 1245
 45 Leu Met Gln Leu Gly Ala Leu Gly Gly Val Asn Val Pro Phe Ala Ala
 1250 1255 1260
 Thr Gly Asp Leu Thr Val Glu Gly Gly Leu Arg Tyr Asp Leu Leu Lys
 1265 1270 1275 1280
 50 Gln Asp Ala Phe Ala Glu Lys Gly Ser Ala Leu Gly Trp Ser Gly Asn
 1285 1290 1295
 Ser Leu Thr Glu Gly Thr Leu Val Gly Leu Ala Gly Leu Lys Leu Ser
 1300 1305 1310
 Gln Pro Leu Ser Asp Lys Ala Val Leu Phe Ala Thr Ala Gly Val Glu
 1315 1320 1325
 55 Arg Asp Leu Asn Gly Arg Asp Tyr Thr Val Thr Gly Gly Phe Thr Gly
 1330 1335 1340

EP 1 790 660 A2

	Ala Thr Ala Ala Thr Gly Lys Thr Gly Ala Arg Asn Met Pro His Thr	
	1345 1350 1355 1360	
5	Arg Leu Val Ala Gly Leu Gly Ala Asp Val Glu Phe Gly Asn Gly Trp	
	1365 1370 1375	
	Asn Gly Leu Ala Arg Tyr Ser Tyr Ala Gly Ser Lys Gln Tyr Gly Asn	
	1380 1385 1390	
10	His Ser Gly Arg Val Gly Val Gly Tyr Arg Phe	
	1395 1400	
	<210> 164	
	<211> 33	
	<212> DNA	
15	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 164	
20	cgcggtatcgc ctagcaaaac aaccgacaaa cgg	33
	<210> 165	
	<211> 27	
	<212> DNA	
	<213> Artificial Sequence	
25	<220>	
	<223> oligonucleotide	
	<400> 165	
	cccgtctcgag ttaccagcgg tagccta	27
30	<210> 166	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
35	<220>	
	<223> oligonucleotide	
	<400> 166	
	ctagctagcg gacacactta tttcggcatc	30
40	<210> 167	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
45	<400> 167	
	cccgtctcgag ttaccagcgg tagcctaatt tg	32
50	<210> 168	
	<211> 10	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
55	<400> 168	
	cccgtctcgag	10
	<210> 169	

	<211> 33	
	<212> DNA	
	<213> Artificial Sequence	
5	<220>	
	<223> oligonucleotide	
	<400> 169	
	cgcggatccc atatgaaaac cttcttcaaa acc	33
10	<210> 170	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
15	<223> oligonucleotide	
	<400> 170	
	cccgcctcgag ttatttggt gcgccttc	28
	<210> 171	
20	<211> 35	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
25	<400> 171	
	gcggcattaa tatgttgaga aaattgttga aatgg	35
	<210> 172	
30	<211> 34	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
35	<400> 172	
	gcggcctcga gttatttttt caaaatatat ttgc	34
	<210> 173	
	<211> 33	
	<212> DNA	
	<213> Artificial Sequence	
40	<220>	
	<223> oligonucleotide	
	<400> 173	
	gcggccatat gttacctaac cgtttcaaaa tgt	33
45	<210> 174	
	<211> 31	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
50	<223> oligonucleotide	
	<400> 174	
	gcggcctcga gttatttccg aggttttcgg g	31
	<210> 175	
55	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	175	
		cgcggtatccc atatgacacg cttcaaatat tc	32
	<210>	176	
	<211>	31	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	176	
15		cccgtctgag ttatttaaac cgataggtaa a	31
	<210>	177	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	177	
		cgcggtatccc atatgggcag ggaagaaccg c	31
25	<210>	178	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
30	<223>	oligonucleotide	
	<400>	178	
		gcccagctt atcgatggaa tagccgcg	28
	<210>	179	
35	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
40	<223>	oligonucleotide	
	<400>	179	
		cgcggtatccg ctagcaacgg tttggatgcc cg	32
	<210>	180	
	<211>	30	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	180	
50		cccgtctgag tttgtctaag ttctgatat	30
	<210>	181	
	<211>	26	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400> 181 cccgcctcgag attcccacct gccatc	26
5	<210> 182 <211> 37 <212> DNA <213> Artificial Sequence	
10	<220> <223> oligonucleotide	
	<400> 182 cgcggatccg ctagcatgaa ttgcctatt caaaaat	37
15	<210> 183 <211> 29 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
20	<400> 183 cccgcctcgag ttaattccca cctgccatc	29
25	<210> 184 <211> 37 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
30	<400> 184 cgcggatccg ctagcatgaa ttgcctatt caaaaat	37
35	<210> 185 <211> 27 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
40	<400> 185 cccgcctcgag ttggacgatg cccgcga	27
45	<210> 186 <211> 37 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
50	<400> 186 cgcggatccg ctagcatgaa ttgcctatt caaaaat	37
	<210> 187 <211> 28 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
55	<400> 187 cccgcctcgag ttattggacg atgccgcg	28

	<210>	188		
	<211>	32		
	<212>	DNA		
5	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
	<400>	188		
10		cgcggatccc atatgtatcg caaactgatt gc		32
	<210>	189		
	<211>	28		
	<212>	DNA		
	<213>	Artificial Sequence		
15	<220>			
	<223>	oligonucleotide		
	<400>	189		
		cccgctcgag ctaatcgatg gaatagcc		28
20	<210>	190		
	<211>	32		
	<212>	DNA		
	<213>	Artificial Sequence		
25	<220>			
	<223>	oligonucleotide		
	<400>	190		
		cgcggatccc atatgaaaca gacagtcaaa tg		32
30	<210>	191		
	<211>	28		
	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
35	<400>	191		
		cccgctcgag tcaataaccc gccttcag		28
40	<210>	192		
	<211>	45		
	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
45	<400>	192		
		cgcggatccc atatgttacg ttgactgct ttagccgtat gcacc		45
50	<210>	193		
	<211>	40		
	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
55	<400>	193		
		cccgctcgag ttattttgcc gcgttaaaag cgtcggcaac		40
	<210>	194		
	<211>	32		

	<212> DNA	
	<213> Artificial Sequence	
5	<220> oligonucleotide	
	<400> 194	
	cgcggatccc atatgaacaa aatataccgc at	32
10	<210> 195	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
15	<400> 195	
	cccgcctcgag ttaccactga taaccgac	28
20	<210> 196	
	<211> 34	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
25	<400> 196	
	cgcggatccc atatgaccga tgacgacgat ttat	34
30	<210> 197	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
35	<400> 197	
	gcccgaagctt ccactgataa ccgacaga	28
40	<210> 198	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
45	<400> 198	
	cgcggatccc atatgaacaa aatataccgc at	32
50	<210> 199	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
55	<400> 199	
	gcccgaagctt ttaccactga taaccgac	28
	<210> 200	
	<211> 34	
	<212> DNA	
	<213> Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	200	
		gggaattcca tatgggcatt tccgcacaaa tadc	34
	<210>	201	
	<211>	40	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	201	
15		cccgcctcag ttattttactc ctataacgag gtctcttaac	40
	<210>	202	
	<211>	36	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	202	
		gggaattcca tatgtcagat ttggcaaacg attctt	36
25	<210>	203	
	<211>	40	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
30	<223>	oligonucleotide	
	<400>	203	
		cccgcctcag ttattttactc ctataacgag gtctcttaac	40
	<210>	204	
35	<211>	34	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	204	
		gggaattcca tatgggcatt tccgcacaaa tadc	34
	<210>	205	
	<211>	32	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	205	
50		cccgcctcag ttacgtatca tatttcacgt gc	32
	<210>	206	
	<211>	35	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400> 206 gggaattcca tatgcacgtg aaatatgata cgaag	35
5	<210> 207 <211> 37 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
10	<400> 207 cccgtcgcgag ttactccta taacgagggtc tcttaac	37
	<210> 208 <211> 36 <212> DNA <213> Artificial Sequence	
15	<220> <223> oligonucleotide	
20	<400> 208 gggaattcca tatgtcagat ttggcaaacg attctt	36
	<210> 209 <211> 29 <212> DNA <213> Artificial Sequence	
25	<220> <223> oligonucleotide	
30	<400> 209 cccgtcgcgag cgtatcatat ttcacgtgc	29
	<210> 210 <211> 36 <212> DNA <213> Artificial Sequence	
35	<220> <223> oligonucleotide	
	<400> 210 gggaattcca tatgtcagat ttggcaaacg attctt	36
40	<210> 211 <211> 37 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
45	<400> 211 cccgtcgcgag ttactccta taacgagggtc tcttaac	37
	<210> 212 <211> 35 <212> DNA <213> Artificial Sequence	
50	<220> <223> oligonucleotide	
55	<400> 212 cgcggatccc atatgcaaaa tgcgttcaaa atccc	35

5
 <210> 213
 <211> 32
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 213
 cgcggatccc atatgaacaa aatataccgc at 32
 10
 <210> 214
 <211> 29
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 214
 cccgctcgag ttgctttcg atagaacgg 29
 15
 <210> 215
 <211> 34
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 215
 gcggccatat ggtcataaaa tatacaaatt tgaa 34
 20
 <210> 216
 <211> 34
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 216
 gcggcctcga gttagcctga gacctttgca aatt 34
 25
 <210> 217
 <211> 30
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 217
 gcggccatat gaaacagaaa aaaaccgctg 30
 30
 <210> 218
 <211> 32
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 218
 gcggcctcga gttacggttt gacaccgttt tc 32
 35
 <210> 219
 <211> 30
 <212> DNA

	<213>	Artificial Sequence	
	<220>		
5	<223>	oligonucleotide	
	<400>	219	
		cgcggatccc atatgaaaac cctgctcctc	30
	<210>	220	
10	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
15	<400>	220	
		cccgtcgcgag ttatcctcct ttgcggc	27
	<210>	221	
	<211>	30	
	<212>	DNA	
20	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
25	<400>	221	
		gcggccatat ggcaaaaatg atgaaatggg	30
	<210>	222	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	222	
		gcggcctcga gttatcggcg cggcgggcc	29
35	<210>	223	
	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
40	<223>	oligonucleotide	
	<400>	223	
		gcggccatat gaaaaaatcc tccctcatca	30
	<210>	224	
45	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
50	<400>	224	
		gcggcctcga gttatttgcc gccgtttttg gc	32
	<210>	225	
	<211>	31	
	<212>	DNA	
55	<213>	Artificial Sequence	
	<220>		

	<223> oligonucleotide	
	<400> 225	
5	gcggccatat ggcccctgcc gacgcggtaa g	31
	<210> 226	
	<211> 33	
	<212> DNA	
	<213> Artificial Sequence	
10	<220>	
	<223> oligonucleotide	
	<400> 226	
	gcggcctcga gtttgccgcc gtttttggct ttc	33
15	<210> 227	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
20	<220>	
	<223> oligonucleotide	
	<400> 227	
	gcggccatat gaaacacata ctccccctga	30
25	<210> 228	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
30	<220>	
	<223> oligonucleotide	
	<400> 228	
	gcggcctcga gttattcgcc tacggttttt tg	32
35	<210> 229	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
40	<220>	
	<223> oligonucleotide	
	<400> 229	
	gcggccatat gatttacatc gtactgtttc	30
45	<210> 230	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
50	<220>	
	<223> oligonucleotide	
	<400> 230	
	gcggcctcga gttaggagaa caggcgcaat gc	32
55	<210> 231	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 231	

	gcggccatat gtacaacatg ttcaggaac ac	32
5	<210> 232 <211> 31 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
10	<400> 232 gcggcctcga gggagaacag gcgcaatgcg g	31
15	<210> 233 <211> 29 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
20	<400> 233 cgcggatccg ctagctgcgg cacggcggg	29
25	<210> 234 <211> 28 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
30	<400> 234 cccgctcgag ataacggtat gccgccag	28
35	<210> 235 <211> 31 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
40	<400> 235 cgcggatccc atatggaatc aacactttca c	31
	<210> 236 <211> 27 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
45	<400> 236 cccgctcgag ttacacgcgg ttgctgt	27
50	<210> 237 <211> 31 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
55	<400> 237 cgcggatccc atatgaacaa cagacatttt g	31
	<210> 238	

	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
5	<220>		
	<223>	oligonucleotide	
	<400>	238	
		cccgctcgag ttacctgtcc ggtaaaag	28
10	<210>	239	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
15	<223>	oligonucleotide	
	<400>	239	
		cgcggatccg ctagcaccgt catcaaacag gaa	33
	<210>	240	
20	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
25	<400>	240	
		cccgctcgag tcaagattcg acgggga	27
	<210>	241	
	<211>	31	
30	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	241	
35		cgcggatccc atatgtccgc aaacgaatac g	31
	<210>	242	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	242	
		cccgctcgag tcagtgttct gccagttt	28
45	<210>	243	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
50	<223>	oligonucleotide	
	<400>	243	
		cgcggatccc atatgccgtc tgaaacacg	29
	<210>	244	
55	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	244	
		cccgctcgag ttagcggagc agtttttc	28
	<210>	245	
	<211>	28	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	245	
15		cgcggatccc atatgaccgc catcagcc	28
	<210>	246	
	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	246	
		cccgctcgag ttaaagccgg gtaacgc	27
25	<210>	247	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	247	
		gcggccatat ggaaacacag cttacatcg g	31
35	<210>	248	
	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	248	
		gcggcctcga gtcaataata atatcccgcg	30
	<210>	249	
	<211>	30	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	249	
50		gcggccatat gattaaaatc cgcaatatcc	30
	<210>	250	
	<211>	36	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400> 250 gcggcctcga gttaaacttt ggtagattgg atttgg	36
5	<210> 251 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> Oligonucleotide	
10	<400> 251 gcggccatat gactgacaac gcactgctcc	30
	<210> 252 <211> 31 <212> DNA <213> Artificial Sequence	
15	<220> <223> oligonucleotide	
20	<400> 252 gcggcctcga gtcagaccgc gttgtcgaaa c	31
	<210> 253 <211> 32 <212> DNA <213> Artificial Sequence	
25	<220> <223> Oligonucleotide	
30	<400> 253 cgcggatccc atatggcggtt aaaaacatca aa	32
	<210> 254 <211> 27 <212> DNA <213> Artificial Sequence	
35	<220> <223> Oligonucleotide	
	<400> 254 cccgcctcga tcagcccttc atacagc	27
40	<210> 255 <211> 32 <212> DNA <213> Artificial Sequence	
	<220> <223> Oligonucleotide	
45	<400> 255 gcggcattaa tggcacaac tacactcaaa cc	32
	<210> 256 <211> 33 <212> DNA <213> Artificial Sequence	
50	<220> <223> Oligonucleotide	
55	<400> 256 gcggcctcga gttaaaactt cacgttcacg ccg	33

	<210>	257	
	<211>	34	
	<212>	DNA	
	<213>	Artificial Sequence	
5	<220>		
	<223>	oligonucleotide	
	<400>	257	
10		gcggcattaa tgcattgaaac tgagcaatcg gtgg	34
	<210>	258	
	<211>	38	
	<212>	DNA	
	<213>	Artificial Sequence	
15	<220>		
	<223>	oligonucleotide	
	<400>	258	
		gcggcctcga gaaacttcac gtccacgccg ccggtaaa	38
20	<210>	259	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
25	<223>	oligonucleotide	
	<400>	259	
		cgcggtatccc atatgggcaa atccgaaaat acg	33
	<210>	260	
	<211>	26	
30	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
35	<400>	260	
		cccgtctcag ataattggcgg cggcgg	26
	<210>	261	
	<211>	29	
40	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	261	
45		cgcggtatccc atatgtttcc ccccgacaa	29
	<210>	262	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>		
	<223>	oligonucleotide	
	<400>	262	
		cccgtctcag tcattctgta aaaaaagtat g	31
55	<210>	263	
	<211>	32	

	<212>	DNA		
	<213>	Artificial Sequence		
5	<220>			
	<223>	oligonucleotide		
	<400>	263		
		cgcggatccc atatgcttca aagcgacagc ag		32
10	<210>	264		
	<211>	29		
	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
15	<400>	264		
		cccgcctcgag ttcggatttt tgcgtactc		29
	<210>	265		
	<211>	31		
20	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
25	<400>	265		
		cgcggatccc atatggcaat ggcagaaaac g		31
	<210>	266		
	<211>	27		
	<212>	DNA		
30	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
	<400>	266		
35		cccgcctcgag ctatacaatc cgtgccg		27
	<210>	267		
	<211>	32		
	<212>	DNA		
	<213>	Artificial Sequence		
40	<220>			
	<223>	oligonucleotide		
	<400>	267		
		cgcggatccc atatggattc ttttttcaaa cc		32
45	<210>	268		
	<211>	27		
	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
50	<400>	268		
		cccgcctcgag tcagttcaga aagcggg		27
	<210>	269		
	<211>	32		
55	<212>	DNA		
	<213>	Artificial Sequence		

	<220>		
	<223>	oligonucleotide	
5	<400>	269	
		cgcggatccc atatgaaacc ttgatttta gg	32
	<210>	270	
	<211>	28	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	270	
15		cccgctcgag ttatttgggc tgctcttc	28
	<210>	271	
	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	271	
		cgcggatccc atatggtaat cgtctggtg	30
25	<210>	272	
	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
30	<223>	oligonucleotide	
	<400>	272	
		cccgctcgag ctacgacttg gttaccg	27
	<210>	273	
35	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	273	
		gcggccatat gagacgtaaa atgctaaagc tac	33
	<210>	274	
	<211>	31	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	274	
50		gcggcctcga gtcaaagtgt tctgtttgcg c	31
	<210>	275	
	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400> 275 gccgccatat gttgacttta acccgaaaaa	30
5	<210> 276 <211> 34 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
10	<400> 276 gccgcctcga ggccggcgggt caataccgcc cgaa	34
	<210> 277 <211> 32 <212> DNA <213> Artificial Sequence	
15	<220> <223> oligonucleotide	
	<400> 277 cgcggatccc atatggcgca atgcgatttg ac	32
	<210> 278 <211> 27 <212> DNA <213> Artificial Sequence	
25	<220> <223> oligonucleotide	
	<400> 278 cccgctcgag.ttcggcggt aatgccg	27
30	<210> 279 <211> 28 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
35	<400> 279 gcggccatat ggcggggccg atttttgt	28
	<210> 280 <211> 33 <212> DNA <213> Artificial Sequence	
40	<220> <223> oligonucleotide	
	<400> 280 gcggcctcga gttatttgct ttcagtatta ttg	33
	<210> 281 <211> 30 <212> DNA <213> Artificial Sequence	
45	<220> <223> oligonucleotide	
	<400> 281 gcggccatat gaactttgct ttatccgtca	30
50		
	<220> <223> oligonucleotide	
55	<400> 281 gcggccatat gaactttgct ttatccgtca	30

5	<210>	282	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
10	<220>		
	<223>	oligonucleotide	
	<400>	282	
		gcggcctcga gttaacggca gtatttgttt ac	32
15	<210>	283	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	283	
		cgcgatccc atatgggttt gcgcttcggg c	31
25	<210>	284	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	284	
		gccaagcctt ttttccttg ccgtttccg	29
35	<210>	285	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	285	
		cgcgatccc atatggccga cctttccgaa aa	32
45	<210>	286	
	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>		
	<223>	oligonucleotide	
	<400>	286	
		ccgctcgag gaagcgcgtt cccaagc	27
55	<210>	287	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	287	
		cgcgatccc atatgcacga caccgtac	29
	<210>	288	
	<211>	28	
	<212>	DNA	

	<213>	Artificial Sequence	
	<220>		
5	<223>	Oligonucleotide	
	<400>	288	
		cccgctcgag ttagaagcgc gttcccaa	28
	<210>	289	
	<211>	34	
10	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	Oligonucleotide	
15	<400>	289	
		ctagctagct ttaaacgcag cgtaatcgca atgg	34
	<210>	290	
	<211>	31	
	<212>	DNA	
20	<213>	Artificial Sequence	
	<220>		
	<223>	Oligonucleotide	
	<400>	290	
25		cccgctcgag tcaatcctgc tcttttttgc c	31
	<210>	291	
	<211>	25	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	Oligonucleotide	
	<400>	291	
		ctagctagcg ggggcggcgg tggcg	25
35	<210>	292	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
40	<223>	Oligonucleotide	
	<400>	292	
		cccgctcgag tcaatcctgc tcttttttgc c	31
	<210>	293	
	<211>	40	
45	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	Oligonucleotide	
50	<400>	293	
		ctagctagcg ctcatcctcg ccgcctgcgg gggcggcggt	40
	<210>	294	
	<211>	31	
	<212>	DNA	
55	<213>	Artificial Sequence	
	<220>		

<223> oligonucleotide
 <400> 294
 5 cccgctcgag tcaatcctgc tcttttttgc c 31
 <210> 295
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 10 <220>
 <223> oligonucleotide
 <400> 295
 cggggatccg ggggcggcgg tggcg 25
 15 <210> 296
 <211> 31
 <212> DNA
 <213> Artificial Sequence
 20 <220>
 <223> oligonucleotide
 <400> 296
 cccgctcgag tcaatcctgc tcttttttgc c 31
 25 <210> 297
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 30 <220>
 <223> oligonucleotide
 <400> 297
 ctagctagcg ggggcggcgg tggcg 25
 35 <210> 298
 <211> 28
 <212> DNA
 <213> Artificial Sequence
 40 <220>
 <223> oligonucleotide
 <400> 298
 cccgctcgag atcctgctct tttttgcc 28
 45 <210> 299
 <211> 28
 <212> DNA
 <213> Artificial Sequence
 50 <220>
 <223> oligonucleotide
 <400> 299
 ctagctagct gcgggggcgg cggtggcg 28
 55 <210> 300
 <211> 28
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 300

	cccgctcgag atcctgctct tttttgcc	28
	<210> 301	
	<211> 32	
5	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
10	<400> 301	
	cgcggatccg ctagccccga tggttaaactcg gc	32
	<210> 302	
	<211> 32	
	<212> DNA	
15	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
20	<400> 302	
	cgcggatccg ctagccaaga tatggcggca gt	32
	<210> 303	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
25	<220>	
	<223> oligonucleotide	
	<400> 303	
	cgcggatccg ctagcgccga atccgcaaact ca	32
30	<210> 304	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
35	<223> oligonucleotide	
	<400> 304	
	cgcgctagcg gaaggggttga tttggctaact gg	32
	<210> 305	
	<211> 32	
40	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
45	<400> 305	
	cgcgctagcg gaaggggttga tttggctaact gg	32
	<210> 306	
	<211> 29	
	<212> DNA	
50	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 306	
55	cgccatatgt ttaaacgcag cgtaactcgc	29
	<210> 307	

	<211> 34	
	<212> DNA	
	<213> Artificial Sequence	
5	<220>	
	<223> oligonucleotide	
	<400> 307	
	cccgctcgag aaaattgcta ccgccattcg cagg	34
10	<210> 308	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
15	<223> oligonucleotide	
	<400> 308	
	cgccatatgg gaagggttga tttggctaataat gg	32
	<210> 309	
20	<211> 38	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
25	<400> 309	
	cccgctcgag cttgtcttta taaatgatga catatttg	38
	<210> 310	
	<211> 40	
	<212> DNA	
30	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 310	
35	cccgctcgag ttataaaag ataatatatt gattgattcc	40
	<210> 311	
	<211> 31	
	<212> DNA	
	<213> Artificial Sequence	
40	<220>	
	<223> oligonucleotide	
	<400> 311	
	cgcgctagca tgccgctgat tcccgtaataat c	31
45	<210> 312	
	<211> 25	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
50	<223> oligonucleotide	
	<400> 312	
	ctagctagcg ggggcggcgg tggcg	25
	<210> 313	
55	<211> 31	
	<212> DNA	
	<213> Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	313	
		cccgctcgag tcaatcctgc tcttttttgc c	31
	<210>	314	
	<211>	32	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	314	
15		cgcggtaccg ctagccccga tgttaaatacg gc	32
	<210>	315	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	315	
		cccgctcgag atcctgctct tttttgcc	28
25	<210>	316	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	316	
		cgcggtaccg ctagccccga tgttaaatacg gc	32
35	<210>	317	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	317	
		cccgctcgag tcaatcctgc tcttttttgc c	31
45	<210>	318	
	<211>	87	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
50	<400>	318	
		cgcggtaccg ctagctttga acgcagtgtg attgcaatgg cttgtatttt tgccctttca	60
		gcctgttcgc ccgatgttaa atcggcg	87
	<210>	319	
	<211>	31	
	<212>	DNA	
55	<213>	Artificial Sequence	
	<220>		

	<223> oligonucleotide	
5	<400> 319 cccgcctcgag tcaatcctgc tcttttttgc c	31
	<210> 320 <211> 90 <212> DNA <213> Artificial Sequence	
10	<220> <223> oligonucleotide	
	<400> 320 cgcggatccg ctagcaaaac cttcttcaaa accctttccg ccgccgcact cgcgctcatc ctcgcgcct gctcgcgcga tgtaaatacg	60 90
15	<210> 321 <211> 31 <212> DNA <213> Artificial Sequence	
20	<220> <223> oligonucleotide	
	<400> 321 cccgcctcgag tcaatcctgc tcttttttgc c	31
25	<210> 322 <211> 33 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
30	<400> 322 cgcggatccc atatgaaaac caagttaatc aaa	33
35	<210> 323 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
40	<400> 323 cccgcctcgag ttattgattt ttgcggatga	30
45	<210> 324 <211> 34 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
50	<400> 324 cgcggatccc atatgttaaa tcgggtattt tatc	34
	<210> 325 <211> 28 <212> DNA <213> Artificial Sequence	
55	<220> <223> oligonucleotide	

	<400> 325 cccgctcgag ttaatccgcc attccctg	28
5	<210> 326 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
10	<400> 326 gcggccatat gaaattacaa caattggctg	30
	<210> 327 <211> 31 <212> DNA <213> Artificial Sequence	
15	<220> <223> oligonucleotide	
20	<400> 327 gcggcctcga gttaccttac gtttttcaaa g	31
	<210> 328 <211> 29 <212> DNA <213> Artificial Sequence	
25	<220> <223> oligonucleotide	
30	<400> 328 cgcggatccc atatgcaagc acggctgct	29
	<210> 329 <211> 29 <212> DNA <213> Artificial Sequence	
35	<220> <223> oligonucleotide	
40	<400> 329 cccgctcgag tcaaggttgt ccttgtcta	29
	<210> 330 <211> 30 <212> DNA <213> Artificial Sequence	
45	<220> <223> oligonucleotide	
50	<400> 330 cgcggatccc atatgatgaa accgcacaac	30
	<210> 331 <211> 28 <212> DNA <213> Artificial Sequence	
55	<220> <223> oligonucleotide	
	<400> 331 cccgctcgag tcagttgctc aacacgctc	28

5
 <210> 332
 <211> 32
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 332
 cgcggatccc atatggtaga cgcgcttaag ca 32

10
 <210> 333
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 333
 cccgctcgag agctgcatgg cggcg 25

15
 <210> 334
 <211> 30
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 334
 cgcggatccc atatggcacg gtcgttatac 30

20
 <210> 335
 <211> 26
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 335
 cccgctcgag ctaccgcgca ttctcg 26

25
 <210> 336
 <211> 31
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 336
 gcggccatat ggaatttttc attatcttgt t 31

30
 <210> 337
 <211> 31
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 337
 gcggcctcga gttatttggc ggttttgctg c 31

35
 <210> 338
 <211> 32
 <212> DNA

	<213>	Artificial Sequence	
	<220>		
5	<223>	oligonucleotide	
	<400>	338	
		gcggccatat gaagtatgtc cggttatttt tc	32
	<210>	339	
10	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
15	<400>	339	
		gcggcctcga gttatcggct tgtgcaacgg	30
	<210>	340	
	<211>	32	
	<212>	DNA	
20	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	340	
25		cgcgcatccg ctagctccgg cagcaaaacc ga	32
	<210>	341	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	341	
		gccaagctt acgcagttcg gaatggag	28
35	<210>	342	
	<211>	35	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
40	<223>	oligonucleotide	
	<400>	342	
		gccgcatat gttgaatatt aaactgaaaa ccttg	35
	<210>	343	
45	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
50	<400>	343	
		gccgcctcga gttatttctg atgccttttc cc	32
	<210>	344	
	<211>	29	
	<212>	DNA	
55	<213>	Artificial Sequence	
	<220>		

	<223> oligonucleotide	
	<400> 344	
5	gccgccatat ggacaataag accaaactg	29
	<210> 345	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
10	<220> oligonucleotide	
	<400> 345	
	gccgcctcga gttaacggtg cggacgtttc	30
15	<210> 346	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
20	<220> oligonucleotide	
	<400> 346	
	cgcggatccc atatgaacaa actgtttctt ac	32
25	<210> 347	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
30	<220> oligonucleotide	
	<400> 347	
	cccgctcgag tcattccgcc ttcagaaa	28
35	<210> 348	
	<211> 45	
	<212> DNA	
	<213> Artificial Sequence	
40	<220> oligonucleotide	
	<400> 348	
	cgcggatccc atatgcaagg tatcgttgcc gacaaatccg cacct	45
45	<210> 349	
	<211> 42	
	<212> DNA	
	<213> Artificial Sequence	
50	<220> oligonucleotide	
	<400> 349	
	cccgctcgag agctaattgt gcttggtttg cagataggag tt	42
55	<210> 350	
	<211> 52	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
	<400> 350	

	cgcggatccc atatgaaccg caccctgtac aaagttgtat ttaacaaaca tc	52
	<210> 351	
	<211> 45	
5	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
10	<400> 351	
	cccgctcgag ttaagctaata tgtgcttggt ttgcagatag gagtt	45
	<210> 352	
	<211> 46	
	<212> DNA	
15	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 352	
20	cgcggatccc atatgacggg agaaaatcat gcggtttcac ttcattg	46
	<210> 353	
	<211> 42	
	<212> DNA	
	<213> Artificial Sequence	
25	<220>	
	<223> oligonucleotide	
	<400> 353	
	cccgctcgag agctaattgt gcttggtttg cagataggag tt	42
30	<210> 354	
	<211> 51	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
35	<223> oligonucleotide	
	<400> 354	
	cgcggatccc atatgggtttc agacggccta tacaaccaac atggtgaaat t	51
	<210> 355	
40	<211> 41	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
45	<400> 355	
	cccgctcgag gcggttaactg ccgcttgac tgaatccgta a	41
	<210> 356	
	<211> 46	
	<212> DNA	
50	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 356	
55	cgcggatccc atatgacggg agaaaatcat gcggtttcac ttcattg	46
	<210> 357	

	<211> 41	
	<212> DNA	
	<213> Artificial Sequence	
5	<220>	
	<223> oligonucleotide	
	<400> 357	
	cccgctcgag gcggttaactg ccgcttgac tgaatccgta a	41
10	<210> 358	
	<211> 49	
	<212> DNA	
	<213> Artificial Sequence	
15	<220>	
	<223> oligonucleotide	
	<400> 358	
	cgcggatccc atatgcaaag caaagtcaaa gcagaccatg cctccgtaa	49
20	<210> 359	
	<211> 56	
	<212> DNA	
	<213> Artificial Sequence	
25	<220>	
	<223> oligonucleotide	
	<400> 359	
	cccgctcgag tcttttcctt tcaattataa ctttagtagg ttcaattttg gtcccc	56
30	<210> 360	
	<211> 51	
	<212> DNA	
	<213> Artificial Sequence	
35	<220>	
	<223> oligonucleotide	
	<400> 360	
	cgcggatccc atatggtttc agacggccta tacaaccaac atggtgaaat t	51
40	<210> 361	
	<211> 56	
	<212> DNA	
	<213> Artificial Sequence	
45	<220>	
	<223> oligonucleotide	
	<400> 361	
	cccgctcgag tcttttcctt tcaattataa ctttagtagg ttcaattttg gtcccc	56
50	<210> 362	
	<211> 27	
	<212> DNA	
	<213> Artificial Sequence	
55	<220>	
	<223> oligonucleotide	
	<400> 362	
	gcggccatat gaccgtttg acccgcg	27
	<210> 363	
	<211> 31	
	<212> DNA	
	<213> Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	363	
		gcggcctcga gtcagcgggc gttcatttct t	31
	<210>	364	
	<211>	33	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	364	
15		cgcggatccc atatgaacac cattttcaaa atc	33
	<210>	365	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	365	
		cccgcctcgag ttaatttact tttttgatgt cg	32
25	<210>	366	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	366	
		gcggccatat ggattcgccc aaggtcgg	28
35	<210>	367	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	367	
		gcggcctcga gctacacttc ccccgaagtg g	31
	<210>	368	
	<211>	31	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	368	
50		cgcggatccc atatgatagt tgaccaaagc c	31
	<210>	369	
	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400> 369 cccgctcgag ttatttttcc gatttttcgg	30
5	<210> 370 <211> 28 <212> DNA <213> Artificial Sequence	
10	<220> <223> oligonucleotide	
	<400> 370 gcggccatat gcttgaactg aacggact	28
15	<210> 371 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
20	<400> 371 gcggcctcga gtcagcggaa gcggacgatt	30
25	<210> 372 <211> 34 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
30	<400> 372 cgcggatccc atatgtccaa actcaaaacc atcg	34
35	<210> 373 <211> 29 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
40	<400> 373 cccgctcgag gcttccaatc agtttgacc	29
45	<210> 374 <211> 32 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
50	<400> 374 gcggccatat gagcgcaatc gttgatattt tc	32
	<210> 375 <211> 34 <212> DNA <213> Artificial Sequence	
55	<220> <223> oligonucleotide	
	<400> 375 gcggcctcga gttatttgcc cagttggtag aatg	34

5	<210>	376	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
10	<220>		
	<223>	oligonucleotide	
	<400>	376	
		gcggccatat ggtgatacat ccgcactact tc	32
15	<210>	377	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	377	
		gcggcctcga gtcaaaatcg agttttacac ca	32
25	<210>	378	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	378	
		gcggccatat gaccatctat ttcaaaaacg g	31
35	<210>	379	
	<211>	34	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	379	
		gcggcctcga gtcagccgat gtttagcgtc catt	34
45	<210>	380	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>		
	<223>	oligonucleotide	
	<400>	380	
		cgcggatccc atatgagcag cggaggggggt g	31
55	<210>	381	
	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	381	
		cccgctcgag ttgcttggcg gcaaggc	27
	<210>	382	
	<211>	31	

	<212> DNA	
	<213> Artificial Sequence	
5	<220> oligonucleotide	
	<223> oligonucleotide	
	<400> 382	
	cgcggatccc atatggtcgc cgccgacatc g	31
10	<210> 383	
	<211> 27	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
15	<223> oligonucleotide	
	<400> 383	
	cccgctcgag ttgcttggcg gcaaggc	27
	<210> 384	
	<211> 31	
20	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
25	<223> oligonucleotide	
	<400> 384	
	cgcggatccc atatgggcgg ttcggaaggc g	31
	<210> 385	
	<211> 33	
	<212> DNA	
30	<213> Artificial Sequence	
	<220> oligonucleotide	
	<223> oligonucleotide	
	<400> 385	
35	cccgctcgag ttgaacctg atgtcttttc cga	33
	<210> 386	
	<211> 35	
	<212> DNA	
	<213> Artificial Sequence	
40	<220> oligonucleotide	
	<223> oligonucleotide	
	<400> 386	
	cgcggatccg ctagcaaact gtcgttggtg ttaac	35
45	<210> 387	
	<211> 26	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
50	<223> oligonucleotide	
	<400> 387	
	cccgctcgag ttgacccgct ccacgg	26
	<210> 388	
	<211> 31	
55	<212> DNA	
	<213> Artificial Sequence	

<220>
 <223> oligonucleotide
 5 <400> 388
 gccgccatat ggcggacttg gcgcaagacc c 31
 <210> 389
 <211> 39
 <212> DNA
 10 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 389
 gccgcctcga gatctcctaa acctgtttta acaatgccg 39
 15 <210> 390
 <211> 31
 <212> DNA
 <213> Artificial Sequence
 20 <220>
 <223> oligonucleotide
 <400> 390
 gccgccatat ggcggacttg gcgcaagacc c 31
 25 <210> 391
 <211> 31
 <212> DNA
 <213> Artificial Sequence
 30 <220>
 <223> oligonucleotide
 <400> 391
 gcggcctcga gctccatgct gttgccccag c 31
 35 <210> 392
 <211> 31
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 40 <400> 392
 gccgccatat ggcggacttg gcgcaagacc c 31
 <210> 393
 <211> 31
 <212> DNA
 45 <213> Artificial Sequence
 <220>
 <223> oligonucleotide
 <400> 393
 gcggcctcga gaaaatcccc gctaaccgca g 31
 50 <210> 394
 <211> 31
 <212> DNA
 <213> Artificial Sequence
 55 <220>
 <223> oligonucleotide

	<400> 394 cgcggatccc atatgagcag cggaggggggt g	31
5	<210> 395 <211> 27 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
10	<400> 395 cccgctcgag ttgcttggcg gcaaggc	27
	<210> 396 <211> 31 <212> DNA <213> Artificial Sequence	
15	<220> <223> oligonucleotide	
	<400> 396 cgcggatccc atatggtcgc cgccgacatc g	31
	<210> 397 <211> 27 <212> DNA <213> Artificial Sequence	
25	<220> <223> oligonucleotide	
	<400> 397 cccgctcgag ttgcttggcg gcaaggc	27
30	<210> 398 <211> 33 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
35	<400> 398 cgcggatccc atatggacgg tgttgtgcct gtt	33
	<210> 399 <211> 29 <212> DNA <213> Artificial Sequence	
40	<220> <223> oligonucleotide	
	<400> 399 cccgctcgag cttacggatc aaattgacg	29
	<210> 400 <211> 33 <212> DNA <213> Artificial Sequence	
50	<220> <223> oligonucleotide	
	<400> 400 cgcggatccc atatgggcag ccaatctgaa gaa	33
55		

	<210>	401	
	<211>	28	
	<212>	DNA	
5	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	401	
10		cccgctcgag ctcagctttt gccgtcaa	28
	<210>	402	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
15	<220>		
	<223>	oligonucleotide	
	<400>	402	
		cgcggtccg ctagctactc atccattgtc cgc	33
20	<210>	403	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
25	<223>	oligonucleotide	
	<400>	403	
		cccgctcgag ccagttgtag cctatatttg	29
	<210>	404	
	<211>	32	
30	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
35	<400>	404	
		cgcggtccg ctagcatgcg cttcacacac ac	32
	<210>	405	
	<211>	30	
	<212>	DNA	
40	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	405	
45		cccgctcgag ttaccagttg tagcctattt	30
	<210>	406	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>		
	<223>	oligonucleotide	
	<400>	406	
		gccgcatat ggcacaaacg gaaggtttgg aa	32
55	<210>	407	
	<211>	36	
	<212>	DNA	

	<213>	Artificial Sequence	
	<220>		
5	<223>	oligonucleotide	
	<400>	407	
		gccgcctcga gaaaactgta acgcagggttt gccgtc	36
	<210>	408	
10	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
15	<400>	408	
		gcggccatat ggaagaaaca ccgcgcgaac cg	32
	<210>	409	
	<211>	32	
	<212>	DNA	
20	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	409	
25		gcggcctcga ggaacgtttt attaaactcg ac	32
	<210>	410	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	410	
		gcggccatat gagaaaaccg accgataccc ta	32
35	<210>	411	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
40	<223>	oligonucleotide	
	<400>	411	
		gcggcctcga gtcaacgcca ctgccagcgg ttg	33
	<210>	412	
45	<211>	48	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
50	<400>	412	
		cgcggatccc atatgaagaa gaacatattg gaattttggg tcggactg	48
	<210>	413	
	<211>	38	
	<212>	DNA	
55	<213>	Artificial Sequence	
	<220>		

	<223>	oligonucleotide	
5	<400>	413 cccgctcgag ttattcggcg gctttttccg cattgccg	38
	<210>	414	
	<211>	103	
	<212>	DNA	
	<213>	Artificial Sequence	
10	<220>	oligonucleotide	
	<400>	414 gggaattcca tatgaaaaag acagctatcg cgattgcagt ggcactggct ggtttcgcta ccgtagcgca ggccgctagc gctttccgcg tggccggcgg tgc	60 103
15	<210>	415	
	<211>	38	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>	oligonucleotide	
	<400>	415 cccgctcgag ttattcggcg gctttttccg cattgccg	38
25	<210>	416	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>	oligonucleotide	
	<400>	416 catgccatgg ctttccgcgt ggccggcggt gc	32
35	<210>	417	
	<211>	38	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>	oligonucleotide	
	<400>	417 cccgctcgag ttattcggcg gctttttccg cattgccg	38
45	<210>	418	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>	oligonucleotide	
	<400>	418 cgcggatccc atatgtttgc cgaaacccgc c	31
55	<210>	419	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>	oligonucleotide	

	<400> 419 cccgctcgag aggttgtgtt ccaggttg	28
5	<210> 420 <211> 31 <212> DNA <213> Artificial Sequence	
10	<220> <223> oligonucleotide	
	<400> 420 cgcggatccc atatgaaaaa aaccgcctat g	31
15	<210> 421 <211> 28 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
20	<400> 421 cccgctcgag ttaaggttgt gttccagg	28
25	<210> 422 <211> 33 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
30	<400> 422 cgcggatccc atatgaaaaa atacctattc cgc	33
35	<210> 423 <211> 27 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
40	<400> 423 cccgctcgag ttacgggcgg tatttcgg	27
45	<210> 424 <211> 34 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
50	<400> 424 cgcggatccc atatgcaaag caagagcatc caaa	34
	<210> 425 <211> 27 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
55	<400> 425 cccgctcgag ttacgggcgg tatttcgg	27

<210> 426
 <211> 86
 <212> DNA
 <213> Artificial Sequence
 5
 <220>
 <223> oligonucleotide
 <400> 426
 10 gggaattcca tatgaaaacc ttcttcaaaa ccctttccgc cgccgcgcta gcgctcatcc 60
 tcgccgcctg ccaaagcaag agcatc 86
 <210> 427
 <211> 38
 <212> DNA
 <213> Artificial Sequence
 15
 <220>
 <223> oligonucleotide
 <400> 427
 20 cccgctcgag ttacgggagg tattcgggct tcataccg 38
 <210> 428
 <211> 33
 <212> DNA
 <213> Artificial Sequence
 25
 <220>
 <223> oligonucleotide
 <400> 428
 30 cgcggatccg tcgactgtgg gggcggcggt ggc 33
 <210> 429
 <211> 31
 <212> DNA
 <213> Artificial Sequence
 35
 <220>
 <223> oligonucleotide
 <400> 429
 40 cccgctcgag tcaatcctgc tcttttttgc c 31
 <210> 430
 <211> 30
 <212> DNA
 <213> Artificial Sequence
 45
 <220>
 <223> oligonucleotide
 <400> 430
 50 gcggccatat gaagaaaaca ttgacactgc 30
 <210> 431
 <211> 32
 <212> DNA
 <213> Artificial Sequence
 55
 <220>
 <223> oligonucleotide
 <400> 431
 60 gcggcctcga gttaatggtg cgaatgaccg at 32
 <210> 432
 <211> 46

	<212> DNA	
	<213> Artificial Sequence	
5	<220> oligonucleotide	
	<223> oligonucleotide	
	<400> 432	
	ggggacaagt ttgtacaaaa aagcaggctt gcggcaagga tgccgg	46
10	<210> 433	
	<211> 47	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
15	<223> oligonucleotide	
	<400> 433	
	ggggaccact ttgtacaaga aagctgggtc taaagcaaca atgccgg	47
	<210> 434	
	<211> 30	
20	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
	<223> oligonucleotide	
25	<400> 434	
	cgcggatccc atatgaaaca caccgtatcc	30
	<210> 435	
	<211> 26	
	<212> DNA	
30	<213> Artificial Sequence	
	<220> oligonucleotide	
	<223> oligonucleotide	
	<400> 435	
35	cccgtcgcag ttatctcgtg cgcgcc	26
	<210> 436	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
40	<220> oligonucleotide	
	<223> oligonucleotide	
	<400> 436	
	cgcggatccc atatgagccc cgcgccgatt	30
	<210> 437	
45	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
50	<223> oligonucleotide	
	<400> 437	
	cccgtcgcag tttttgtgcg gtcaggcg	28
	<210> 438	
	<211> 62	
55	<212> DNA	
	<213> Artificial Sequence	

<220>
 <223> oligonucleotide

 <400> 438
 5 ggggacaagt ttgtacaaaa aagcaggctt gttcgtttgg gggattttaa ccaaaccaaa 60
 tc 62

 <210> 439
 <211> 30
 <212> DNA
 10 <213> Artificial Sequence

 <220>
 <223> oligonucleotide

 <400> 439
 15 cgcggatccc atatggcgga tgcgcccgcg 30

 <210> 440
 <211> 26
 <212> DNA
 <213> Artificial Sequence
 20
 <220>
 <223> oligonucleotide

 <400> 440
 cccgctcgag aaaccgcaa tccgcc 26
 25
 <210> 441
 <211> 61
 <212> DNA
 <213> Artificial Sequence
 30
 <220>
 <223> oligonucleotide

 <400> 441
 ggggaccact ttgtacaaga aagctgggtt cttttgttt ttccttcttc tcgaggccat 60
 t 61
 35
 <210> 442
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> oligonucleotide
 40
 <400> 442
 cgcggatccc atatgaaacc caaaccgcac 30

 <210> 443
 <211> 27
 <212> DNA
 45 <213> Artificial Sequence

 <220>
 <223> oligonucleotide
 50
 <400> 443
 cccgctcgag tcagcgttgg acgtagt 27

 <210> 444
 <211> 33
 <212> DNA
 55 <213> Artificial Sequence

 <220>

	<223> oligonucleotide	
	<400> 444	
5	gggaattcca tatgaaaaa atcatcttcg ccg	33
	<210> 445	
	<211> 31	
	<212> DNA	
	<213> Artificial Sequence	
10	<220> oligonucleotide	
	<400> 445	
	cccgcgcgag ttattgtttg gctgcctcga t	31
15	<210> 446	
	<211> 33	
	<212> DNA	
	<213> Artificial Sequence	
20	<220> oligonucleotide	
	<400> 446	
	gggaattcca tatggccacc taaaagtgg acg	33
25	<210> 447	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
30	<220> oligonucleotide	
	<400> 447	
	cggggatcct tgtttggtg cctcgatttg	30
35	<210> 448	
	<211> 34	
	<212> DNA	
	<213> Artificial Sequence	
40	<220> oligonucleotide	
	<400> 448	
	cgcggatccc atatgcaaga acaatcgcag aaag	34
45	<210> 449	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
50	<220> oligonucleotide	
	<400> 449	
	cccgcgcgag ttttttcggc aaattggctt	30
55	<210> 450	
	<211> 45	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
	<400> 450	

	ggggacaagt ttgtacaaaa aagcaggctg ccgatgccgt tgcgg	45
	<210> 451	
	<211> 47	
5	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
10	<400> 451	
	ggggaccact ttgtacaaga aagctggggtt cagggtcgtt tgttgcg	47
	<210> 452	
	<211> 30	
	<212> DNA	
15	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
20	<400> 452	
	cgcggatccc atatgaaaca ctttccatcc	30
	<210> 453	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
25	<220>	
	<223> oligonucleotide	
	<400> 453	
	cccgctcgag ttaccactcg taattgac	28
30	<210> 454	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
35	<223> oligonucleotide	
	<400> 454	
	cgcggatccc atatggccac aagcgacgac	30
	<210> 455	
	<211> 28	
40	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
45	<400> 455	
	cccgctcgag ttaccactcg taattgac	28
	<210> 456	
	<211> 28	
	<212> DNA	
50	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 456	
55	cgcggatccc atatggccac aaacgacg	28
	<210> 457	

	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
5	<220>	
	<223> oligonucleotide	
	<400> 457	
	cccgctcgag acccacgttg taaggttg	28
10	<210> 458	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
15	<220>	
	<223> oligonucleotide	
	<400> 458	
	cgcggatccc atatggccac aagcgacgac ga	32
20	<210> 459	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
25	<220>	
	<223> oligonucleotide	
	<400> 459	
	cccgctcgag acccacgttg taaggttg	28
30	<210> 460	
	<211> 33	
	<212> DNA	
	<213> Artificial Sequence	
35	<220>	
	<223> oligonucleotide	
	<400> 460	
	cgcggatccc atatgatgaa acactttcca tcc	33
40	<210> 461	
	<211> 29	
	<212> DNA	
	<213> Artificial Sequence	
45	<220>	
	<223> oligonucleotide	
	<400> 461	
	cccgctcgag ttaaccacg ttgtaaggt	29
50	<210> 462	
	<211> 33	
	<212> DNA	
	<213> Artificial Sequence	
55	<220>	
	<223> oligonucleotide	
	<400> 462	
	cgcggatccc atatgatgaa acactttcca tcc	33
	<210> 463	
	<211> 29	
	<212> DNA	
	<213> Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	463	
		cccgctcgag ttaaccacg ttgtaaggt	29
	<210>	464	
	<211>	28	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	464	
15		cgcggatccc atatggccac aaacgacg	28
	<210>	465	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	465	
		cccgctcgag gtctgacact gttttatcc	29
25	<210>	466	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	466	
		cgcggatccc atatgatgaa acactttcca tcc	33
35	<210>	467	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	467	
		cccgctcgag ttatgctttg gcggcaaag	29
	<210>	468	
	<211>	30	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	468	
50		cgcggatccc atatggccac aaacgacgac	30
	<210>	469	
	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400> 469 cgcggtatccc cactcgtaat tgacgcc	27
5	<210> 470 <211> 30 <212> DNA <213> Artificial Sequence	
10	<220> <223> oligonucleotide	
	<400> 470 cgcggtatccc atatggccac aagcgacgac	30
15	<210> 471 <211> 27 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
20	<400> 471 cgcggtatccc cactcgtaat tgacgcc	27
25	<210> 472 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
30	<400> 472 cgcggtatccc atatggccac aaacgacgac	30
35	<210> 473 <211> 27 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
40	<400> 473 cgcggtatcca cccacgttgt aaggttg	27
45	<210> 474 <211> 33 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
50	<400> 474 cgcggtatccc atatgatgaa acactttcca tcc	33
	<210> 475 <211> 27 <212> DNA <213> Artificial Sequence	
55	<220> <223> oligonucleotide	
	<400> 475 cgcggtatcca cccacgttgt aaggttg	27

	<210>	476	
	<211>	25	
	<212>	DNA	
	<213>	Artificial Sequence	
5	<220>		
	<223>	oligonucleotide	
	<400>	476	
		cgcggatccg gagggggtgg tgtcg	25
10	<210>	477	
	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
15	<220>		
	<223>	oligonucleotide	
	<400>	477	
		cccgctcgag ttgcttggcg gcaaggc	27
20	<210>	478	
	<211>	25	
	<212>	DNA	
	<213>	Artificial Sequence	
25	<220>		
	<223>	oligonucleotide	
	<400>	478	
		cgcggatccg gcggaggcgg cactt	25
30	<210>	479	
	<211>	26	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
35	<400>	479	
		cccgctcgag gaaccggtag cctacg	26
	<210>	480	
	<211>	41	
	<212>	DNA	
40	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	480	
45		cgcggatccg gtggtggtgg ttcagatttg gcaaacgatt c	41
	<210>	481	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>		
	<223>	oligonucleotide	
	<400>	481	
		cccgctcgag cgtatcatat ttcacgtgc	29
55	<210>	482	
	<211>	25	

	<212> DNA	
	<213> Artificial Sequence	
5	<220> oligonucleotide	
	<223> oligonucleotide	
	<400> 482	
	cgcggatccg gagggggtgg tgtcg	25
10	<210> 483	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
15	<223> oligonucleotide	
	<400> 483	
	cccgctcgag ttattgcttg gcggcaag	28
20	<210> 484	
	<211> 25	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
25	<223> oligonucleotide	
	<400> 484	
	cgcggatccg gcggaggcgg cactt	25
30	<210> 485	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
35	<223> oligonucleotide	
	<400> 485	
	cccgctcgag tcagaaccgg tagcctac	28
40	<210> 486	
	<211> 41	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
45	<223> oligonucleotide	
	<400> 486	
	cgcggatccg gtggtggtgg ttcagatttg gcaaacgatt c	41
50	<210> 487	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
	<220> oligonucleotide	
55	<223> oligonucleotide	
	<400> 487	
	cccgctcgag ttacgtatca tatttcacgt gc	32
	<210> 488	
	<211> 31	
	<212> DNA	
	<213> Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	488	
		cgcggatccc atatggccac aagcgacgac g	31
	<210>	489	
	<211>	28	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	489	
15		cccgctcgag ccactcgtaa ttgacgcc	28
	<210>	490	
	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	490	
		cgcggatccc atatggccac aaacgacgac	30
25	<210>	491	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
30	<223>	oligonucleotide	
	<400>	491	
		cccgctcgag tgctttggcg gcaaagtt	28
	<210>	492	
	<211>	30	
35	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	492	
		cgcggatccc atatggccac aaacgacgac	30
	<210>	493	
	<211>	37	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	493	
50		cccgctcgag tttagcaata ttatctttgt tcgtagc	37
	<210>	494	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400>	494		
			cgcggatccc atatgaaagc aaaccgtgcc ga	32
5	<210>	495		
	<211>	28		
	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
10	<400>	495		
			cccgctcgag ccactcgtaa ttgacgcc	28
	<210>	496		
	<211>	61		
15	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
20	<400>	496		
			ggggacaagt ttgtacaaaa aagcaggctg cagccacaaa cgacgacgat gttaaaaaag	60
			c	61
	<210>	497		
	<211>	61		
25	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
30	<400>	497		
			ggggaccact ttgtacaaga aagctgggtt taccactcgt aattgacgcc gacatggtag	60
			g	61
	<210>	498		
	<211>	31		
35	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
40	<400>	498		
			gcggccatat ggcagcaaaa gacgtacagt t	31
	<210>	499		
	<211>	33		
	<212>	DNA		
	<213>	Artificial Sequence		
45	<220>			
	<223>	oligonucleotide		
	<400>	499		
			gcggcctcga gttacatcat gccgcccata cca	33
50	<210>	500		
	<211>	31		
	<212>	DNA		
	<213>	Artificial Sequence		
	<220>			
	<223>	oligonucleotide		
55	<400>	500		

	cgcggatccg ctagcttagg cggcggcgga g	31
5	<210> 501 <211> 26 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
10	<400> 501 cccgctcgag gaaccggtag cctacg	26
15	<210> 502 <211> 29 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
20	<400> 502 cccctagcta gcacttctgc gcccgactt	29
25	<210> 503 <211> 26 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
30	<400> 503 cccgctcgag gaaccggtag cctacg	26
35	<210> 504 <211> 31 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
40	<400> 504 cgcggatccg ctagcttagg cggcggcgga g	31
45	<210> 505 <211> 26 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
50	<400> 505 cccgctcgag gaaccggtag cctacg	26
55	<210> 506 <211> 32 <212> DNA <213> Artificial Sequence <220> <223> oligonucleotide	
	<400> 506 cgcggatccg ctagcacttc tgcgcccgac tt	32
	<210> 507	

	<211>	26	
	<212>	DNA	
	<213>	Artificial Sequence	
5	<220>		
	<223>	oligonucleotide	
	<400>	507	
		cccgctcgag gaaccggtag cctacg	26
10	<210>	508	
	<211>	50	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
15	<223>	oligonucleotide	
	<400>	508	
		cgcggtatccg ctaccgaac gacccaacc ttccctacaa aaactttcaa	50
	<210>	509	
20	<211>	35	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
25	<400>	509	
		cccgctcgag tcagaaccga cgtgccaagc cgttc	35
	<210>	510	
	<211>	32	
	<212>	DNA	
30	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	510	
35		gccgccatat gccccactg gaagaacgga cg	32
	<210>	511	
	<211>	35	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	511	
		gccgcctcga gtaataaacc ttctatgggc agcag	35
45	<210>	512	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
50	<223>	oligonucleotide	
	<400>	512	
		cgcggtatccc atatgtccgt ccacgcatcc g	31
	<210>	513	
55	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	513	
		cccgctcgag tttgaatttg taggtgtatt g	31
	<210>	514	
	<211>	29	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	514	
15		cgcgatccc atatgacccc ttccgcact	29
	<210>	515	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	515	
		cccgctcgag ttatttgaat ttgtaggtgt at	32
25	<210>	516	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	516	
		cgcgatccc atatgaaaac caattcagaa gaa	33
35	<210>	517	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	517	
		cccgctcgag tccacagaga ttgtttcc	28
	<210>	518	
	<211>	17	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	518	
50		gatgcccga gggcggg	17
	<210>	519	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400> 519 gccaagctt tcagaagaag acttcacgc	29
5	<210> 520 <211> 36 <212> DNA <213> Artificial Sequence	
10	<220> <223> oligonucleotide	
	<400> 520 cgcgatccc atatgcaaac ccataaatac gctatt	36
15	<210> 521 <211> 29 <212> DNA <213> Artificial Sequence	
20	<220> <223> oligonucleotide	
	<400> 521 gccaagctt gaagaagact tcacgccag	29
25	<210> 522 <211> 35 <212> DNA <213> Artificial Sequence	
30	<220> <223> oligonucleotide	
	<400> 522 cgcgatccc atatggtctt ttcgacaat accga	35
35	<210> 523 <211> 10 <212> DNA <213> Artificial Sequence	
40	<220> <223> oligonucleotide	
	<400> 523 gccaagctt	10
45	<210> 524 <211> 36 <212> DNA <213> Artificial Sequence	
50	<220> <223> oligonucleotide	
	<400> 524 cgcgatccc atatgaataa aactttaaaa aggcgg	36
55	<210> 525 <211> 29 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
	<400> 525 gccaagctt tcagaagaag acttcacgc	29

5	<210>	526	
	<211>	35	
	<212>	DNA	
	<213>	Artificial Sequence	
10	<220>		
	<223>	oligonucleotide	
	<400>	526	
		cgcgaaatccc atatgttcga tcttgattct gtcga	35
15	<210>	527	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	527	
		cccgtctgag tcgcacaggc tgttggcg	28
25	<210>	528	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	528	
		cgcgaaatccc atatgttggg cggaggcggc ag	32
35	<210>	529	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	529	
		cccgtctgag tcgcacaggc tgttggcg	28
45	<210>	530	
	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>		
	<223>	oligonucleotide	
	<400>	530	
		cgcgaaatccc atatgttggg cggaggcggc ag	32
55	<210>	531	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	531	
		cccgtctgag tcgcacaggc tgttggcg	28
	<210>	532	
	<211>	33	

	<212>	DNA	
	<213>	Artificial Sequence	
5	<220>		
	<223>	oligonucleotide	
	<400>	532	
		cgcggatccc atatggcaaa tttggaggtg cgc	33
10	<210>	533	
	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
15	<400>	533	
		cccgctcgag ttcggagcgg ttgaagc	27
	<210>	534	
	<211>	34	
20	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
25	<400>	534	
		cgcggatccc atatgcaacg tcgtattata accc	34
	<210>	535	
	<211>	29	
	<212>	DNA	
30	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	535	
35		cccgctcgag ttattcggag cggttgaag	29
	<210>	536	
	<211>	42	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	536	
		cgcggatccc atatgggcat caaagtcgcc atcaacggct ac	42
45	<210>	537	
	<211>	35	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
50	<400>	537	
		cccgctcgag tttgagcggg cgcacttcaa gtccg	35
	<210>	538	
	<211>	33	
55	<212>	DNA	
	<213>	Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	538	
		cgcggtatccc atatgggctgg cagcgaaaaa aac	33
	<210>	539	
	<211>	28	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	539	
		cccgtctgag gttggtgccg actttgat	28
15	<210>	540	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	540	
		cgcggtatccc atatgggctgg cggaagcgat a	31
25	<210>	541	
	<211>	27	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	541	
		cccgtctgag ttgcccgt ttgagcc	27
	<210>	542	
35	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	542	
		cgcggtatccc atatgggcaa atccgaaaat acg	33
	<210>	543	
	<211>	27	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	543	
50		cccgtctgag catcccgtac tgtttcg	27
	<210>	544	
	<211>	62	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

<400> 544
 ggggacaagt ttgtacaaaa aagcaggctc cgacattacc gtgtacaacg gccaacaaag 60
 aa 62

5 <210> 545
 <211> 61
 <212> DNA
 <213> Artificial Sequence

10 <220>
 <223> oligonucleotide

<400> 545
 ggggaccact ttgtacaaga aagctgggctc ttatttcata ccggcttgct caagcagccg 60
 g 61

15 <210> 546
 <211> 61
 <212> DNA
 <213> Artificial Sequence

20 <220>
 <223> oligonucleotide

<400> 546
 ggggacaagt ttgtacaaaa aagcaggctg atacgggtgtt ttcctgtaaa acggacaaca 60
 a 61

25 <210> 547
 <211> 60
 <212> DNA
 <213> Artificial Sequence

30 <220>
 <223> oligonucleotide

<400> 547
 ggggaccact ttgtacaaga aagctgggctc taggaaaaat cgatcatcgtt gaaattcgcc 60

35 <210> 548
 <211> 47
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> oligonucleotide

40 <400> 548
 ggggacaagt ttgtacaaaa aagcaggcta tgcaccccat cgaaacc 47

45 <210> 549
 <211> 47
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> oligonucleotide

50 <400> 549
 ggggaccact ttgtacaaga aagctgggctc tagtcttgca gtgcctc 47

55 <210> 550
 <211> 41
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> oligonucleotide

	<400> 550 cgcggatccc atatgggaaa tttcttatat agaggcatta g	41
5	<210> 551 <211> 40 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
10	<400> 551 cccgctcgag gttaatttct atcaactctt tagcaataat	40
	<210> 552 <211> 31 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
20	<400> 552 cgcggatccc atatggcctg ccaagacgac a	31
	<210> 553 <211> 26 <212> DNA <213> Artificial Sequence	
25	<220> <223> oligonucleotide	
30	<400> 553 cccgctcgag ccgcctcctg ccgaaa	26
	<210> 554 <211> 34 <212> DNA <213> Artificial Sequence	
35	<220> <223> oligonucleotide	
	<400> 554 cgcggatccc atatggcaga gatctgtttg ataa	34
40	<210> 555 <211> 27 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
45	<400> 555 cccgctcgag cggttttccg cccaatg	27
	<210> 556 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
55	<400> 556 cgcggatccc atatgcagcc ggatacggtc	30

5	<210>	557	
	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
10	<220>		
	<223>	oligonucleotide	
	<400>	557	
		cccgctcgag aatcacttcc aacacaaaat	30
15	<210>	558	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	558	
		cgcggtatccc atatgtgggt gctgatgaag ggc	33
25	<210>	559	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	559	
		cccgctcgag gactgcttca tcttctgc	28
35	<210>	560	
	<211>	34	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	560	
		cgcggtatccc atatggaact gatgactgtt ttgc	34
45	<210>	561	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>		
	<223>	oligonucleotide	
	<400>	561	
		cccgctcgag tcagactgct tcattcttct	29
55	<210>	562	
	<211>	45	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	562	
		cgcggtatccc atatgagcat taaagtagcg attaacggtt tcggc	45
	<210>	563	
	<211>	40	
	<212>	DNA	

	<213>	Artificial Sequence	
	<220>		
5	<223>	oligonucleotide	
	<400>	563	
		cccgcctcgag gattttgcct gcgaagtatt ccaaagtgcg	40
	<210>	564	
10	<211>	32	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
15	<400>	564	
		cgcggatccg ctagccccga tggttaaactcg gc	32
	<210>	565	
	<211>	29	
	<212>	DNA	
20	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	565	
25		cggggatcca tcctgctctt ttttgccgg	29
	<210>	566	
	<211>	42	
	<212>	DNA	
	<213>	Artificial Sequence	
30	<220>		
	<223>	oligonucleotide	
	<400>	566	
		cgcggatccg gtggtggtgg tcaaagcaag agcatccaaa cc	42
35	<210>	567	
	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
40	<223>	oligonucleotide	
	<400>	567	
		cccaagcttt tcgggcggta ttcgggcttc	30
	<210>	568	
45	<211>	39	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
50	<400>	568	
		cgcggatccg gtggtggtgg tgccacctac aaagtggac	39
	<210>	569	
	<211>	28	
	<212>	DNA	
55	<213>	Artificial Sequence	
	<220>		

	<223> oligonucleotide	
5	<400> 569 gccaagctt ttgtttggct gcctcgat	28
	<210> 570 <211> 34 <212> DNA <213> Artificial Sequence	
10	<220> <223> oligonucleotide	
	<400> 570 cgcgatccg gtggtggtgg tacaagcgac gacg	34
15	<210> 571 <211> 28 <212> DNA <213> Artificial Sequence	
20	<220> <223> oligonucleotide	
	<400> 571 gccaagctt ccactcgtaa ttgacgcc	28
25	<210> 572 <211> 41 <212> DNA <213> Artificial Sequence	
30	<220> <223> oligonucleotide	
	<400> 572 cgcgatccg gtggtggtgg ttcagatttg gcaaacgatt c	41
35	<210> 573 <211> 28 <212> DNA <213> Artificial Sequence	
40	<220> <223> oligonucleotide	
	<400> 573 ccaagcttc gtatcatatt tcacgtgc	28
45	<210> 574 <211> 44 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
	<400> 574 ccaagcttg gtggtggtgg tggttcagat ttggcaaacg attc	44
50	<210> 575 <211> 29 <212> DNA <213> Artificial Sequence	
55	<220> <223> oligonucleotide	
	<400> 575	

	cccgctcgag cgtatcatat ttcacgtgc	29
	<210> 576	
	<211> 45	
5	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
10	<400> 576	
	cccaagcttg gtggtggtgg tggtaaagc aagagcatcc aaacc	45
	<210> 577	
	<211> 28	
	<212> DNA	
15	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 577	
20	cccgctcgag cgggcggtat tcgggctt	28
	<210> 578	
	<211> 32	
	<212> DNA	
	<213> Artificial Sequence	
25	<220>	
	<223> oligonucleotide	
	<400> 578	
	cgcggatccg ctagccccga tgtaaatacg gc	32
30	<210> 579	
	<211> 29	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
35	<223> oligonucleotide	
	<400> 579	
	cggggatcca tcctgctctt ttttgccgg	29
	<210> 580	
40	<211> 36	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
45	<400> 580	
	cgcggatccg ctagcggaca cacttatcttc ggcatac	36
	<210> 581	
	<211> 30	
	<212> DNA	
50	<213> Artificial Sequence	
	<220>	
	<223> oligonucleotide	
	<400> 581	
55	cgcggatccc cagcggtagc ctaatttgat	30
	<210> 582	

	<211>	41	
	<212>	DNA	
	<213>	Artificial Sequence	
5	<220>		
	<223>	oligonucleotide	
	<400>	582	
		cgcggatccg gtggtggtgg ttcagatttg gcaaacgatt c	41
10	<210>	583	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
15	<223>	oligonucleotide	
	<400>	583	
		cccaagcttc gtatcatatt tcacgtgc	28
	<210>	584	
20	<211>	36	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
25	<400>	584	
		gcggcgctcga cggtggcgga ggcactggat cctcag	36
	<210>	585	
	<211>	35	
	<212>	DNA	
30	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	585	
35		ggaggcactg gatcctcaga tttggcaaac gattc	35
	<210>	586	
	<211>	29	
	<212>	DNA	
	<213>	Artificial Sequence	
40	<220>		
	<223>	oligonucleotide	
	<400>	586	
		cccgctcgag cgtatcatat ttcacgtgc	29
45	<210>	587	
	<211>	33	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
50	<223>	oligonucleotide	
	<400>	587	
		ggaattccat atgtcagatt tggcaaacga ttc	33
	<210>	588	
55	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	588	
		cgcggatccc gtatcatatt tcacgtgc	28
	<210>	589	
	<211>	25	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	589	
15		cggggatccg ggggcggcgg tggcg	25
	<210>	590	
	<211>	30	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	590	
		cccaagctta tcctgctctt ttttgccggc	30
25	<210>	591	
	<211>	42	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
30	<223>	oligonucleotide	
	<400>	591	
		cgcggatccg gtggtggtgg tcaaagcaag agcatccaaa cc	42
	<210>	592	
35	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	592	
		cccaagcttc gggcgggtatt cgggcttc	28
	<210>	593	
	<211>	26	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	593	
50		ccccaagctt gggggcggcg gtggcg	26
	<210>	594	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
55	<220>		
	<223>	oligonucleotide	

	<400> 594 cccgcctcgag atcctgctct tttttgccgg c	31
5	<210> 595 <211> 45 <212> DNA <213> Artificial Sequence	
10	<220> <223> oligonucleotide	
	<400> 595 cccaagcttg gtggtggtgg tggtaaagc aagagcatcc aaacc	45
15	<210> 596 <211> 28 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
20	<400> 596 cccgcctcgag cgggcggtat tcgggctt	28
25	<210> 597 <211> 35 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
30	<400> 597 ggaggcactg gatccgcagc cacaacgac gacga	35
35	<210> 598 <211> 36 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
40	<400> 598 gcggcctcga ggggtggcga ggcactggat ccgcag	36
45	<210> 599 <211> 28 <212> DNA <213> Artificial Sequence	
	<220> <223> oligonucleotide	
50	<400> 599 cccgcctcgag acccagcttg taagggtg	28
	<210> 600 <211> 35 <212> DNA <213> Artificial Sequence	
55	<220> <223> oligonucleotide	
	<400> 600 ggaggcactg gatccgcagc cacaacgac gacga	35

	<210>	601	
	<211>	36	
	<212>	DNA	
5	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	601	
10		gcggcctcga ggggtggcgga ggcactggat ccgcag	36
	<210>	602	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
15	<220>		
	<223>	oligonucleotide	
	<400>	602	
		cccgtctgag ccactcgtaa ttgacgcc	28
20	<210>	603	
	<211>	38	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
25	<223>	oligonucleotide	
	<400>	603	
		gcggcctcga gggatccggc ggaggcggca cttctgcg	38
	<210>	604	
30	<211>	26	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
35	<400>	604	
		cccgtctgag gaaccggtag cctacg	26
	<210>	605	
40	<211>	35	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	605	
45		ggaggcactg gatcctcaga tttggcaaac gattc	35
	<210>	606	
	<211>	37	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>		
	<223>	oligonucleotide	
	<400>	606	
		gcggcgctcga cgggtggcgga ggcactggat cctcaga	37
55	<210>	607	
	<211>	29	

	<212> DNA	
	<213> Artificial Sequence	
	<220>	
5	<223> Oligonucleotide	
	<400> 607	
	cccgctcgag cgtatcatat ttcacgtgc	29
	<210> 608	
10	<211> 35	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> Oligonucleotide	
15	<400> 608	
	gcggcctcga gggatccgga gggggtggtg tcgcc	35
	<210> 609	
	<211> 25	
20	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> Oligonucleotide	
25	<400> 609	
	cccgctcgag ttgcttggcg gcaag	25
	<210> 610	
	<211> 35	
	<212> DNA	
30	<213> Artificial Sequence	
	<220>	
	<223> Oligonucleotide	
	<400> 610	
35	ggaggcactg gatccgcagc cacaaacgac gacga	35
	<210> 611	
	<211> 36	
	<212> DNA	
	<213> Artificial Sequence	
40	<220>	
	<223> Oligonucleotide	
	<400> 611	
	gcggcctcga gggtggcgga ggcactggat ccgcag	36
45	<210> 612	
	<211> 28	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> Oligonucleotide	
50	<400> 612	
	cccgctcgag acccagcttg taagggtg	28
	<210> 613	
55	<211> 35	
	<212> DNA	
	<213> Artificial Sequence	

	<220>		
	<223>	oligonucleotide	
5	<400>	613	
		ggaggcactg gatccgcagc cacaaacgac gacga	35
	<210>	614	
	<211>	36	
	<212>	DNA	
10	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	614	
15		gcggcctcga ggggtggcgga ggcactggat ccgcag	36
	<210>	615	
	<211>	28	
	<212>	DNA	
	<213>	Artificial Sequence	
20	<220>		
	<223>	oligonucleotide	
	<400>	615	
		cccgcctcgag ccactcgtaa ttgacgcc	28
25	<210>	616	
	<211>	35	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
30	<223>	oligonucleotide	
	<400>	616	
		ggaggcactg gatcctcaga tttggcaaac gattc	35
	<210>	617	
35	<211>	37	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
40	<400>	617	
		gcggcgtcga cggtggcgga ggcactggat cctcaga	37
	<210>	618	
	<211>	29	
	<212>	DNA	
45	<213>	Artificial Sequence	
	<220>		
	<223>	oligonucleotide	
	<400>	618	
50		cccgcctcgag cgtatcatat ttcacgtgc	29
	<210>	619	
	<211>	488	
	<212>	PRT	
	<213>	Artificial Sequence	
55	<220>		
	<223>	MC58	

EP 1 790 660 A2

<400> 619
Met Phe Lys Arg Ser Val Ile Ala Met Ala Cys Ile Phe Ala Leu Ser
1 5 10 15
5 Ala Cys Gly Gly Gly Gly Gly Gly Ser Pro Asp Val Lys Ser Ala Asp
20 25 30
Thr Leu Ser Lys Pro Ala Ala Pro Val Val Ser Glu Lys Glu Thr Glu
35 40 45
10 Ala Lys Glu Asp Ala Pro Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro
50 55 60
Ser Ala Gln Gly Ser Gln Asp Met Ala Ala Val Ser Glu Glu Asn Thr
65 70 75 80
15 Gly Asn Gly Gly Ala Val Thr Ala Asp Asn Pro Lys Asn Glu Asp Glu
85 90 95
Val Ala Gln Asn Asp Met Pro Gln Asn Ala Ala Gly Thr Asp Ser Ser
100 105 110
20 Thr Pro Asn His Thr Pro Asp Pro Asn Met Leu Ala Gly Asn Met Glu
115 120 125
Asn Gln Ala Thr Asp Ala Gly Glu Ser Ser Gln Pro Ala Asn Gln Pro
130 135 140
25 Asp Met Ala Asn Ala Ala Asp Gly Met Gln Gly Asp Asp Pro Ser Ala
145 150 155 160
Gly Gly Gln Asn Ala Gly Asn Thr Ala Ala Gln Gly Ala Asn Gln Ala
165 170 175
30 Gly Asn Asn Gln Ala Ala Gly Ser Ser Asp Pro Ile Pro Ala Ser Asn
180 185 190
Pro Ala Pro Ala Asn Gly Gly Ser Asn Phe Gly Arg Val Asp Leu Ala
195 200 205
35 Asn Gly Val Leu Ile Asp Gly Pro Ser Gln Asn Ile Thr Leu Thr His
210 215 220
Cys Lys Gly Asp Ser Cys Ser Gly Asn Asn Phe Leu Asp Glu Glu Val
225 230 235 240
Gln Leu Lys Ser Glu Phe Glu Lys Leu Ser Asp Ala Asp Lys Ile Ser
245 250 255
40 Asn Tyr Lys Lys Asp Gly Lys Asn Asp Lys Phe Val Gly Leu Val Ala
260 265 270
Asp Ser Val Gln Met Lys Gly Ile Asn Gln Tyr Ile Ile Phe Tyr Lys
275 280 285
45 Pro Lys Pro Thr Ser Phe Ala Arg Phe Arg Arg Ser Ala Arg Ser Arg
290 295 300
Arg Ser Leu Pro Ala Glu Met Pro Leu Ile Pro Val Asn Gln Ala Asp
305 310 315 320
50 Thr Leu Ile Val Asp Gly Glu Ala Val Ser Leu Thr Gly His Ser Gly
325 330 335
Asn Ile Phe Ala Pro Glu Gly Asn Tyr Arg Tyr Leu Thr Tyr Gly Ala
340 345 350
55 Glu Lys Leu Pro Gly Gly Ser Tyr Ala Leu Arg Val Gln Gly Glu Pro
355 360 365

Ala Lys Gly Glu Met Leu Ala Gly Ala Ala Val Tyr Asn Gly Glu Val
 370 375 380
 5 Leu His Phe His Thr Glu Asn Gly Arg Pro Tyr Pro Thr Arg Gly Arg
 385 390 395 400
 Phe Ala Ala Lys Val Asp Phe Gly Ser Lys Ser Val Asp Gly Ile Ile
 405 410 415
 10 Asp Ser Gly Asp Asp Leu His Met Gly Thr Gln Lys Phe Lys Ala Ala
 420 425 430
 Ile Asp Gly Asn Gly Phe Lys Gly Thr Trp Thr Glu Asn Gly Ser Gly
 435 440 445
 15 Asp Val Ser Gly Lys Phe Tyr Gly Pro Ala Gly Glu Glu Val Ala Gly
 450 455 460
 Lys Tyr Ser Tyr Arg Pro Thr Asp Ala Glu Lys Gly Gly Phe Gly Val
 465 470 475 480
 20 Phe Ala Gly Lys Lys Glu Gln Asp
 485
 <210> 620
 <211> 427
 <212> PRT
 <213> Artificial Sequence
 25
 <220>
 <223> 2996
 <400> 620
 30 Met Phe Glu Arg Ser Val Ile Ala Met Ala Cys Ile Phe Ala Leu Ser
 1 5 10 15
 Ala Cys Gly Gly Gly Gly Gly Gly Ser Pro Asp Val Lys Ser Ala Asp
 20 25 30
 35 Thr Leu Ser Lys Pro Ala Ala Pro Val Val Ala Glu Lys Glu Thr Glu
 35 40 45
 Val Lys Glu Asp Ala Pro Gln Ala Gly Ser Gln Gly Gln Gly Ala Pro
 50 55 60
 40 Ser Thr Gln Gly Ser Gln Asp Met Ala Ala Val Ser Ala Glu Asn Thr
 65 70 75 80
 Gly Asn Gly Gly Ala Ala Thr Thr Asp Lys Pro Lys Asn Glu Asp Glu
 85 90 95
 45 Gly Pro Gln Asn Asp Met Pro Gln Asn Ser Ala Glu Ser Ala Asn Gln
 100 105 110
 Thr Gly Asn Asn Gln Pro Ala Asp Ser Ser Asp Ser Ala Pro Ala Ser
 115 120 125
 50 Asn Pro Ala Pro Ala Asn Gly Gly Ser Asn Phe Gly Arg Val Asp Leu
 130 135 140
 Ala Asn Gly Val Leu Ile Asp Gly Pro Ser Gln Asn Ile Thr Leu Thr
 145 150 155 160
 His Cys Lys Gly Asp Ser Cys Asn Gly Asp Asn Leu Leu Asp Glu Glu
 165 170 175
 55 Ala Pro Ser Lys Ser Glu Phe Glu Asn Leu Asn Glu Ser Glu Arg Ile
 180 185 190

Glu Lys Tyr Lys Lys Asp Gly Lys Ser Asp Lys Phe Thr Asn Leu Val
 195 200
 5 Ala Thr Ala Val Gln Ala Asn Gly Thr Asn Lys Tyr Val Ile Ile Tyr
 210 215 220
 Lys Asp Lys Ser Ala Ser Ser Ser Ser Ala Arg Phe Arg Arg Ser Ala
 225 230 235 240
 10 Arg Ser Arg Arg Ser Leu Pro Ala Glu Met Pro Leu Ile Pro Val Asn
 245 250 255
 Gln Ala Asp Thr Leu Ile Val Asp Gly Glu Ala Val Ser Leu Thr Gly
 260 265 270
 15 His Ser Gly Asn Ile Phe Ala Pro Glu Gly Asn Tyr Arg Tyr Leu Thr
 275 280 285
 Tyr Gly Ala Glu Lys Leu Pro Gly Gly Ser Tyr Ala Leu Arg Val Gln
 290 295 300
 20 Gly Glu Pro Ala Lys Gly Glu Met Leu Ala Gly Thr Ala Val Tyr Asn
 305 310 315 320
 Gly Glu Val Leu His Phe His Thr Glu Asn Gly Arg Pro Tyr Pro Thr
 325 330 335
 25 Arg Gly Arg Phe Ala Ala Lys Val Asp Phe Gly Ser Lys Ser Val Asp
 340 345 350
 Gly Ile Ile Asp Ser Gly Asp Asp Leu His Met Gly Thr Gln Lys Phe
 355 360 365
 30 Lys Ala Ala Ile Asp Gly Asn Gly Phe Lys Gly Thr Trp Thr Glu Asn
 370 375 380
 Gly Gly Gly Asp Val Ser Gly Arg Phe Tyr Gly Pro Ala Gly Glu Glu
 385 390 395 400
 Val Ala Gly Lys Tyr Ser Tyr Arg Pro Thr Asp Ala Glu Lys Gly Gly
 405 410 415
 35 Phe Gly Val Phe Ala Gly Lys Lys Glu Gln Asp
 420 425

Claims

1. A method for the heterologous expression of a protein of the invention, in which (a) at least one domain in the protein is deleted and, optionally, (b) no fusion partner is used.
2. The method of claim 1, in which the protein of the invention is ORF46.
3. The method of claim 2, in which ORF46 is divided into a first domain (amino acids 1-433) and a second domain (amino acids 433-608).
4. The method of claim 2, in which the protein of the invention is 564.
5. The method of claim 4, in which protein 564 is divided into domains as shown in Figure 8.
6. The method of claim 1 in which the protein of the invention is 961.
7. The method of claim 6, in which protein 961 is divided into domains as shown in Figure 12.

8. The method of claim 1, in which the protein of the invention is 502 and the domain is amino acids 28 to 167 (numbered according to the MC58 sequence).
9. The method of claim 1, in which the protein of the invention is 287.
10. A method for the heterologous expression of a protein of the invention, in which (a) a portion of the N-terminal domain of the protein is deleted.
11. The method of claim 9 or claim 10, in which protein 287 is divided into domains A B & C shown in Figure 5.
12. The method of claim 11, in which (i) domain A, (ii) domains A and B, or (iii) domains A and C are deleted.
13. The method of claim 11, wherein (i) amino acids 1-17, (ii) amino acids 1-25, (iii) amino acids 1-69, or (iv) amino acids 1-106, of domain A are deleted.
14. A method for the heterologous expression of a protein of the invention, in which (a) no fusion partner is used, and (b) the protein's native leader peptide (if present) is used.
15. The method of claim 14, in which the protein of the invention is selected from the group consisting of: 111, 149, 206, 225-1, 235, 247-1, 274, 283, 286, 292, 401, 406, 502-1, 503, 519-1, 525-1, 552, 556, 557, 570, 576-1, 580, 583, 664, 759, 907, 913, 920-1, 936-1, 953, 961, 983, 989, Orf4, Orf7-1, Orf9-1, Orf23, Orf25, Orf37, Orf38, Orf40, Orf40.1, Orf40.2, Orf72-1, Orf76-1, Orf85-2, Orf91, Orf97-1, Orf119, Orf143.1, NMB0109, NMB2050, 008, 105, 117-1, 121-1, 122-1, 128-1, 148, 216, 243, 308, 593, 652, 726, 926, 982, Orf83-1 and Orf143-1.
16. A method for the heterologous expression of a protein of the invention, in which (a) the protein's leader peptide is replaced by the leader peptide from a different protein and, optionally, (b) no fusion partner is used.
17. The method of claim 16, in which the different protein is 961, ORF4, *E.coli* OmpA, or *E.carotovora* PelB, or in which the leader peptide is MKKYLFSAA.
18. The method of claim 17, in which the different protein is *E.coli* OmpA and the protein of the invention is ORF1.
19. The method of claim 17, in which the protein of the invention is 911 and the different protein is *E.carotovora* PelB or *E.coli* OmpA.
20. The method of claim 17, in which the different protein is ORF4 and the protein of the invention is 287.
21. A method for the heterologous expression of a protein of the invention, in which (a) the protein's leader peptide is deleted and, optionally, (b) no fusion partner is used.
22. The method of claim 21, in which the protein of the invention is 919.
23. A method for the heterologous expression of a protein of the invention, in which expression of a protein of the invention is carried out at a temperature at which a toxic activity of the protein is not manifested.
24. The method of claim 23, in which protein 919 is expressed at 30°C.
25. A method for the heterologous expression of a protein of the invention, in which protein is mutated to reduce or eliminate toxic activity.
26. The method of claim 25, in which the protein of the invention is 907, 919 or 922.
27. The method of claim 26, in which 907 is mutated at Glu-117 (*e.g.* Glu→Gly).
28. The method of claim 26, in which 919 is mutated at Glu-255 (*e.g.* Glu→Gly) and/or Glu-323 (*e.g.* Glu→Gly).
29. The method of claim 26, in which 922 is mutated at Glu-164 (*e.g.* Glu→Gly), Ser-213 (*e.g.* Ser→Gly) and/or Asn-348 (*e.g.* Asn→Gly).

30. A method for the heterologous expression of a protein of the invention, in which vector pSM214 is used or vector pET-24b is used.

31. The method of claim 30, in which the protein of the invention is 953 and the vector is pSM214.

32. A method for the heterologous expression of a protein of the invention, in which a protein is expressed or purified such that it adopts a particular multimeric form.

33. The method of claim 32, in which protein 953 is expressed and/or purified in monomeric form.

34. The method of claim 32, in which protein 961 is expressed and/or purified in tetrameric form.

35. The method of claim 32, in which protein 287 is expressed and/or purified in dimeric form.

36. The method of claim 32, in which protein 919 is expressed and/or purified in monomeric form.

37. A method for the heterologous expression of a protein of the invention, in which the protein is expressed as a lipidated protein.

38. The method of claim 37, in which the protein of the invention is 919, 287, ORF4, 406, 576, or ORF25.

39. A method for the heterologous expression of a protein of the invention, in which (a) the protein's C-terminus region is mutated and, optionally, (b) no fusion partner is used.

40. The method of claim 39, wherein the mutation is a substitution, an insertion, or a deletion

41. The method of claim 40, wherein the protein of the invention is 730, ORF29 or ORF46.

42. A method for the heterologous expression of a protein of the invention, in which the protein's leader peptide is mutated.

43. The method of claim 42, in which the protein of the invention is 919.

44. A method for the heterologous expression of a protein, in which a poly-glycine stretch within the protein is mutated.

45. The method of claim 44, wherein the protein is a protein of the invention.

46. The method of claim 45, wherein the protein of the invention is 287, 741, 983 or Tbp2.

47. The method of claim 46, wherein (Gly)₆ is deleted from 287 or 983.

48. The method of claim 46, wherein (Gly)₄ is deleted from Tbp2 or 741

49. The method of claim 47 or claim 48, wherein the leader peptide is also deleted.

50. The method of any preceding claim, in which the heterologous expression is in an *E.coli* host.

51. A protein expressed by the method of any preceding claim.

52. A heterologous protein comprising the N-terminal amino acid sequence MKKYLFSA.

FIGURE 1




FIGURE 2





FIGURE 3



ELISA: POSITIVE


FIGURE 4

M1 961




PURIFICATION


TP OMV



WESTERN BLOT



BACTERICIDAL ASSAY



FACS

ELISA: POSITIVE

FIGURE 5




FIGURE 6




FIGURE 9




FIGURE 7

<A-----<Δ1-----
 MC58 1 MFKRSVIAMACIFALSACGGGGGGSPDVKSADTLSPAAPVVSSEKETEAKEDAPQAGSQG
 2996 1 MFERSVIAMACIFALSACGGGGGGSPDVKSADTLSPAAPVVAEKETEAKEDAPQAGSQG

-----<Δ2-----
 MC58 61 QGAPSAQGSQDMAAVSEENTGNGGAVTADNPKNEDEVAQNDMPONAAGTDSSTPNHTDPD
 2996 61 QGAPSTQGSQDMAAVSAENTGNGGAATTDKPKNEDEGPONDMPON.....

-----<Δ3-----
 MC58 121 NMLAGNMENQATDAGESSQPANQPDMANAADGMQGDDPSAGGQNAAGTAAQGANQAGNNO
 2996 106SAESANQAGNNO

-----A>B-----
 MC58 181 AAGSSDPIPASNPAPANGGSNEGRVDLANGVLIDGPSQNTLTHCKGDS CSGNNFLDEEV
 2996 118 PADSSDSAPASNPAPANGGSNEGRVDLANGVLIDGPSQNTLTHCKGDS CNGDNLDEEA

-----B>-----
 MC58 241 QLKSEFEKLSADKISNYKKDGKNDKEVGLVADSVQMKGINQYIIFYKPK..PTSFAFR
 2996 178 PSKSEFENLNESERIEKYKKDGKSDKFTNLVATAVQANCNKYVIIYKDKSASSSSARFR

-----<C-----
 MC58 299 RSARSRRSLPAEMPLIPVNQADTLIVDGEAVSLTGHSNIFAPEGNYRYLTYGAEKLPGG
 2996 238 RSARSRRSLPAEMPLIPVNQADTLIVDGEAVSLTGHSNIFAPEGNYRYLTYGAEKLPGG

 MC58 359 SYALRVQGEPAKGEMLAGAAVYNGEVLHFHTENGRPYPTRGRFAAKVDFGSKSVDGIIIDS
 2996 298 SYALRVQGEPAKGEMLAGTAVYNGEVLHFHTENGRPYPTRGRFAAKVDFGSKSVDGIIIDS

 MC58 419 GDDLHMGTQKFKAADGNGFKGTWTENGSGDVSCKFYGPAGEEVAGKYSYRPTDAEKGGF
 2996 358 GDDLHMGTQKFKAADGNGFKGTWTENGSGDVSCKFYGPAGEEVAGKYSYRPTDAEKGGF

-----C>-----
 MC58 479 GVFACKKEQD*
 2996 418 GVFACKKEQD*

FIGURE 8




FIGURE 10










FIGURE 11A**FIGURE 11B****FIGURE 12****961 (2996)**


961 L (2996)

**961 (MC58)**


961 L (MC58)

**961a (2996=MC58)****961b (2996)****961c (2996)**


961c-L (2996)

**961c (MC58)**

961c-L (MC58)

**961d (2996)****961-Δ1 (2996)**

961Δ1-L



Leader Peptide

Region present in 2996, not in MC58

Coil-coiled segment

Membrane anchor

FIGURE 13




FIGURE 14

FIGURE 14A — ΔG287—919




FIGURE 14B — ΔG287—953








FIGURE 14C — Δ G287—961**FIGURE 14D — Δ G287NZ—919****FIGURE 14E — Δ G287NZ—953****FIGURE 14F — Δ G287NZ—961****FIGURE 14G — Δ G983-ORF46.1**




FIGURE 14H — $\Delta G983-741$ **FIGURE 14I — $\Delta G983-961$** **FIGURE 14J — $\Delta G983-961c$** **FIGURE 14K — $\Delta G741-961$** **FIGURE 14L — $\Delta G741-961c$** 






FIGURE 14M — ΔG741-983**FIGURE 14N — ΔG741-ORF46.1****FIGURE 14O — ORF46.1-741****FIGURE 14P — ORF46.1-961****FIGURE 14Q — ORF46.1—961c**






FIGURE 14R — 961-ORF46.1**FIGURE 14S — 961-741****FIGURE 14T — 961-983****FIGURE 14U — 961c-ORF46.1****FIGURE 14V — 961c-741**

FIGURE 14W — 961c-983




FIGURE 14X — 961cL-ORF46.1




FIGURE 14Y — 961cL-741





FIGURE 14Z — 961cL-983



REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- WO 9924578 A [0002] [0004] [0004] [0005] [0005] [0149] [0178]
- WO 9936544 A [0002] [0004] [0004] [0005] [0005] [0178]
- WO 9957280 A [0002] [0004] [0004] [0005] [0005] [0102] [0167] [0173] [0178]
- WO 0022430 A [0002]
- WO 0066791 A [0006]
- WO 0066741 A [0008] [0035] [0037] [0053] [0074] [0086] [0101] [0130] [0158] [0172] [0194] [0279]
- WO 0071574 A [0009]
- WO 0104316 A [0009]
- WO 9955873 A [0148]

Non-patent literature cited in the description

- TETTELIN et al. *Science*, 2000, vol. 287, 1809-1815 [0006]
- URSINUS ; HOLTJE. *J.Bact.*, 1994, vol. 176, 338-343 [0111]
- HARZ. *Anal. Biochem.*, 1990, vol. 190, 120-128 [0114]
- GLAUNER. *Anal. Biochem.*, 1988, vol. 172, 451-464 [0117]
- THUNNISSEN et al. *Biochemistry*, 1995, vol. 34, 12729-12737 [0121]
- VAN ASSELT et al. *Structure Fold Des*, 1999, vol. 7, 1167-80 [0121]
- TERRAK et al. *Mol.Microbiol.*, 1999, vol. 34, 350-64 [0124]
- VELATI BELLINI et al. *J. Biotechnol.*, 1991, vol. 18, 177-192 [0140]
- ROPP ; NICHOLAS. *J. Bact.*, 1997, vol. 179, 2783-2787 [0190]
- KRAFT. *J. Bact.*, 1998, vol. 180, 3441-3447 [0191]
- THALLER et al. *Microbiology*, 1994, vol. 140, 1341-1350 [0248]
- HOICZYK et al. *EMBO J*, 2000, vol. 19, 5989-99 [0272]
- EVANS. *Infect.Immun.*, 1974, vol. 10, 1010-1017 [0283]
- FILIP. *J.Bact.*, 1973, vol. 115, 717-722 [0307]
- DAVIES. *J.Immunol.Meth.*, 1990, vol. 143, 215-225 [0307]